THE PROBABILITY THAT TWO ELEMENTS COMMUTE IN SOME 2-GENERATOR 2-GROUPS OF NILPOTENCY CLASS 2

MOHD SHAM BIN MOHAMAD

UNIVERSITI TEKNOLOGI MALAYSIA

THE PROBABILITY THAT TWO ELEMENTS COMMUTE IN SOME 2-GENERATOR 2-GROUPS OF NILPOTENCY CLASS 2

MOHD SHAM BIN MOHAMAD

A dissertation submitted in partial fulfilment of the requirements for the award of the degree of Master of Science (Mathematics)

Faculty of Science Universiti Teknologi Malaysia

OCTOBER, 2005

ACKNOWLEDGEMENT

I would like to extend my gratitude to many people for the successful completion of this dissertation in due course of time. Firstly I would like to thank my supervisor, PM Dr Nor Haniza Sarmin for giving me all the necessary and valuable guidance in conducting this dissertation. Moreover, I would like to express my gratitude to PM Dr. Ramli Salleh, PM Dr. Abdullah Tahir Hj. Othman and Dr. Nor'aini Aris for some comments on this work.

My friends should also be recognised for their support. My sincere appreciation also extends to Azhana Ahmad and Nor Muhainiah Mohd. Ali for their relentless help in providing me with all the necessary information and their perseverance in helping me to solve some problems encountered while doing this dissertation.

Last but not the least, I would like to thank my family and those person who are involved in completing this dissertation.

ABSTRACT

Erdos and Turan have introduced the determination of the abelianness of a finite group for symmetric groups, finite groups and finite rings in 1968. Basic probability theory will be used in studying its connection with group theory. Some basic concepts related with P(G), the probability a random pair of elements in a group commutes, will be presented. This research will focus on the 2-generator 2-groups of nilpotency class 2, based on the classification that have been done by Kappe *et.al* in 1999. Finally, some properties of P(G) for some 2-generator 2-groups of nilpotency class 2 will be determined.

ABSTRAK

Erdos dan Turan telah memperkenalkan penentuan darjah keabelanan bagi suatu kumpulan terhingga untuk kumpulan simetri, kumpulan terhingga dan gelanggang terhingga pada tahun 1968. Asas bagi teori kebarangkalian akan digunakan untuk melihat perkaitannya dengan teori kumpulan. Beberapa konsep asas yang berkaitan dengan P(G), iaitu kebarangkalian suatu pasangan tertib unsur rawak dalam suatu kumpulan kalis tukar tertib akan diterangkan. Kajian ini difokuskan kepada kumpulan-2 dengan 2-penjana yang mempunyai nilpoten 2 berdasarkan klasifikasi yang telah diperolehi oleh Kappe dan rakan-rakan pada tahun 1999. Beberapa ciri P(G) bagi beberapa kumpulan-2 dengan 2-penjana yang mempunyai nilpoten kelas 2 ditentukan pada akhir kajian.

TABLE OF CONTENTS

CHAPTER		TITLE	PAGE
	ACK	iv	
	ABS'	TRAK	V
	ABS'	TRACT	vi
	TAB	LE OF CONTENTS	vii
	LIST	X	
	LIST	OF FIGURE	xi
	LIST	OF SYMBOLS / NOTATIONS	xii
1	PROBLEM FORMULATION		1
	1.1	Background of the Problem	1
	1.2	Statement of the Problem	2
	1.3	Objectives of the Research	2
	1.4	Scope of the Study	3
	1.5	Literature Review	3
	1.6	Theoretical Framework	4
2	SOM	6	
	2.1	Introduction	6
	2.2	Some Basic Definitions and Concepts	6
	2.3	Conclusion	12
3	SOM	IE PREPARATORY RESULTS	13

	3.1	Introd	uction	13
	3.2	The C	lassification of 2-Generator 2-Groups of	
		Nilpot	tency Class 2	13
	3.3	Some	Concepts on the Probability That Two	
		Eleme	ents in a Group Commute	20
	3.4	Concl	usion	30
4	SOM	E EXA	MPLES OF 2-GENERATOR 2-GROUP	S
	OF N	ILPOT	ENCY CLASS 2 AND THEIR $P(G)$	32
	4.1	Introd	uction	32
	4.2	Using	GAP to Identify Some Groups That	
		Fulfill	the Classification	33
	4.3	Group	os of Order 8	35
		4.3.1	D ₄ - Group of Type 3.1.1 [8,3]	35
		4.3.2	Q - Group of Type 3.1.4 [8,4]	40
	4.4	Group	os of Order 16	44
		4.4.1	$G_{4,4}$ - Group of Type 3.1.1 [16,3]	45
		4.4.2	Modular Group - Group of	
			Type 3.1.2 [16,6]	48
		4.4.3	GAP Id [16,4] Group - Group of	
			Type 3.1.2 [16,4]	51
	4.5	Group	os of Order 32	55
	4.6	Concl	usion	56
5	RESU	JLTS		59
	Introduction		59	
	Theorems on the Classification 59			
	The Lower Boun	d for P	(G) 62	
	P(G) for All Gre	oups of	Order 8 67	
	Conclusion		68	

6	CONCLUSION	69
	6.1 Summary	69
	6.2 Suggestion	71
	REFERENCES	73
	Appendix A	75-84

LIST OF TABLES

TABLE NO.	TITLE	PAGE
4.1	Cayley Table for D_4	36
4.2	0-1 Table for D_4	38
4.3	Cayley Table for Q	41
4.4	0-1 Table for Q	43
4.5	Cayley Table for $G_{-}\{4,4\}$	46
4.6	0-1 Table for $G_{-}\{4,4\}$	47
4.7	Cayley Table for Modular Group	49
4.8	0-1 Table for Modular Group	50
4.9	Cayley Table for GAP Id [16,4] Group	53
4.10	0-1 Table for GAP Id [16,4] Group	53
4.11	$\mathrm{P}(G)$ for all nonabelian 2-generator	
	2-groups of nilpotency class 2 of order 32	54
5.1	Number of irreducible representation for	
	2-generator 2-groups of nilpotency class 2	
	up to order 256	59
5.2	The lower bound of $P(G)$ where G are	
	2-groups of nilpotency class 2 up to order 256	65

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
4.1	Flowchart on detecting 2-generator 2-groups	
	of nilpotency class 2.	33

LIST OF SYMBOLS / NOTATIONS

1 identity element

 a^{-1} inverse of a

<a> cyclic subgroup generated by a

[a,b] commutator of a and b (ie: $a^{-1}b^{-1}ab$)

[a,b,c] commutator of [a,b] and c (ie: [[a,b],c])

□ natural numbers

 C_n the cyclic group of order n

C(a) the centralizer of a

cl(a) conjugacy class of a

 D_n the dihedral group of order 2n

G a finite group |G| the order of G

 $G \cong H$ the groups G and H are isomorphic

|G:H| index of H in G

 $H \triangleleft G$ H is a normal subgroup of G

k(G) the number of conjugacy classes of G

 $k_{\text{LB}}(G)$ the lower bound of the number of conjugacy classes

in G

P(G) the probability that two elements commute in G

 ${
m P}_{{
m LB}} ig(G ig)$ the lower bound of the probability that two elements

commute in G

Q the quaternion group of order 8

 $t \mid s$ t divides s

Z(G) the center of G

 \Box integers

∈ element of

∉ not an element of

 \ni such that \forall for every

CHAPTER 1

PROBLEM FORMULATION

1.1 Background of the Problem

In recent years probabilistic methods have proved useful in the solution of several difficult problems in group theory. In some cases the probabilistic nature of the problem has been apparent from its formulation, but in other cases the use of probability seems surprising, and cannot be anticipated by the nature of the problem. The roots of the subject lie in a series of papers by Erdos and Turan [1] in which they study the properties of random permutations, and develop a statistical theory for the symmetric group.

All groups considered will be assumed to be finite. We will denote by P(G), the probability that two elements of the group G, chosen randomly with replacement, commute. This will loosely be called the "probability of G".

We will only consider about the nonabelian group, since for Abelian groups, this probability is clearly equal to 1.

The classification of 2-generator 2-groups of nilpotency class 2 has been introduced by Kappe *et. al.* [2]. This classification will be used throughout this research.

The probability that a random pair of elements in 2-generator 2-groups of nilpotency class 2 has not been done yet. Therefore in this research, P(G) for some 2-generator 2-groups of nilpotency class 2 will be computed.

1.2 Statement of the Problem

What is the probability that two elements in some 2-generator 2-groups of nilpotency class 2 commute?

1.3 Objectives of the Researh

The research objectives are:

- (a) To study the classification of 2-generator 2-groups of nilpotency class 2.
- (b) To determine the probability that two random elements in some 2-generator 2-groups of nilpotency class 2 commute.
- (c) To investigate the properties of P(G) that are suitable for some 2-generator 2-groups of nilpotency class 2.

1.4 Scope of the Study

This research will focus only on 2-generator 2-groups of nilpotency class 2 up to order 256.

1.5 Literature Review

An earlier example of a probabilistic statement about groups describes how commutative a nonabelian group can be. The idea of computing P(G), which is the probability that a random pair of elements in a group commutes, was introduced in 1968 by Erdos and Turan [1] who explored this concept mainly for symmetric groups.

The concepts of this probability and research on this topic have been done by several authors, including Erdos and Turan [1], Sarmin and Sapiri [3], Sarmin and Mohd Seran [4], Belcastro and Sherman [5], Rusin [6], MacHale [7] and Sherman [8]. In 1974, MacHale found that P(G) is equal to the number of conjugacy classes divides the order of that group.

It is also found in 1974 by MacHale [7] that for any finite nonabelian group, the probability that two elements chosen at random from G commute is at most 5/8. The same concept was then used by Sherman [5] to find the probability for finite groups in general and showed that this probability cannot be arbitrarily close to 1 if G is finite nonabelian group. In fact, it will always be less than or equal to 5/8.

P(G) of a group is the number of conjugacy classes divides the order of the group, therefore the determination of the number of conjugacy classes is very important. The problem of estimating the number of conjugacy classes, k(G) in a finite group G, has been around since the turn of the century. In year 1979, using Landau's technique, Sherman [5] proved that each group have the lower bound of number of conjugacy classes.

The classification of 2-generator 2-groups of nilpotency class 2 has been done by Kappe *et. al.* [2]. There are four types in the classification. Later, Magidin modified the classification into presentation form and combined them into three types only. This modified version is needed in computing the number of conjugacy class.

The probability that a random pair of elements, P(G) in 2-generator 2-groups of nilpotency class 2 commute, have not been done yet. Therefore, in this research, P(G) for the 2-generator 2-groups of nilpotency class 2 will be computed.

1.6 Theoretical Framework

This chapter is the introduction chapter that includes the background of the problem, statement of the problem, objectives of the research, scope of the study, literature review and theoretical framework.

In Chapter 2, some basic definitions and theorems that will be used throughout the dissertation are included.

Chapters 3 discusses the classification of 2-generator 2-group of class 2 up to isomorphism. The proof for the classification is omitted and details can be referred from a paper by Kappe, *et. al* [2]. Besides that, some basic definitions and theorems about the probability that two elements commute in a group are presented. Some results of the theorems are applied and proved by some examples that are given in the fourth chapter.

Chapter 4 presents specific examples of group of order 8, 16 and 32. Groups Algorithms and Programming (GAP) software is used to identify the groups that fulfill the classification and to confirm the number of conjugacy classes of a group, and then to get the probability P(G) of that group.

Some properties of P(G) that are suitable for 2-generator 2-groups of nilpotency class 2 are investigated in Chapter 5. Moreover, some results will be stated. These results will help to investigate the properties of P(G) that are suitable for 2-generator 2-group class 2.

Finally, Chapter 6 includes the conclusion and suggestion for further research.

REFERENCES

- 1. Erdos, P. and Turan, P. (1968). "On some problems of statistical group theory." *Acta Math.Acad. of Sci. Hung*, **19**: 413-435.
- 2. Kappe, L-C, N. Sarmin and Visscher, M.P. (1999). "2-generator 2-groups of Class 2 and their Nonabelian Tensor Squares." *Glasgow Math. J.* **41**: 417-430.
- 3. Sarmin, N. and Sapiri, H. (2004). "Suatu Hubungan Kumpulan Pusat dengan Teori Kebarangkalian", *Jurnal Teknologi C*, **41**: 45-54.
- 4. Sarmin, N. and Mohd Seran, I. (2001) "Some Applications of Two-Generator Groups of Nilpotency Class Two", *Matematika*, **17**: 51-61.
- 5. Balcastro, S.M. and Sherman, G.J. (1994). "Counting Centralizer in Finite Groups" *Mathematical Magazine*, **67**: 237-247.
- 6. Rusin, D.J. (1979). "What is the probability that two elements of a finite group commute?" *Pacific Journal of Mathematics*, **82**: 237-247.
- 7. MacHale, D. (1974), "How commutative can a non-commutative group be?" *The Mathematical Gazette*, **58**: 199-202.
- 8. Sherman, G. (1979). "The lower bound for the number of conjugacy classes in finite nilpotent group." *Pacific Journal of Mathematics*, **80**: 253-255.
- 9. Magidin, A. "Capable Two-generator Two-groups of Class Two." *arXiv: math. GR0404499*. Submitted. 169-179.
- 10. Fraleigh, J. B. (2000). "First Course in Abstract Algebra." Addison-Wesley Publishing Company.
- 11. Redfield, R. H. (2000). "Abstract Algebra: A Concrete Introduction." Addison-Wesley Longman Inc., U.S.A.

- 12. Gallian, J. A. (1994). "Contemporary Abstract Algebra." D.C. Heath and Company, Lexington, Massachusetts, Toronto.
- 13. Sarmin, N. (2005). "Modern Algebra". Lecture Notes, Prelimenary Edition, Department of Mathematics, Universiti Teknologi Malaysia.
- 14. Robinson, D. J. S. (1993). "A Course in the Theory of Groups." Springer-Verlag, Berlin.
- 15. Ahmad, A. Sarmin, N. (2004). "Irreducible Representation of Some Two-Generator Two-Groups of Nilpotency Class Two." Proceeding 12nd National Sceince Mathematics Symposium, International Islamic University, Malaysia.
- 16. Hethelyi, L. and Kulshammer, B. (2000). "On The Number of Conjugacy Classes of a Finite Solvable Group I." Mathematics Subject Classification.
- 17. Bacon M., Kappe, L.C. (1993). "The nonabelian Tensor Squre of 2-generator *p*-group of nilpotency class 2". Arch. Math. **61**: 508-516.