

SYNTHESIS AND CHARACTERIZATION OF EPOXIDIZED PALM OIL
HYDROGEL

WAN NURHAYATI BINTI WAN TAJULRUDDIN

UNIVERSITI TEKNOLOGI MALAYSIA

SYNTHESIS AND CHARACTERIZATION OF EPOXIDIZED PALM OIL
HYDROGEL

WAN NURHAYATI BINTI WAN TAJULRUDDIN

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Master of Engineering (Polymer)

Faculty of Chemical and Energy Engineering
Universiti Teknologi Malaysia

SEPTEMBER 2016

*...Special thanks to my beloved mak and engku, my family and friends
Thank you for the everlasting love, guidance, inspiration and support...*

ACKNOWLEDGEMENT

In the name of Allah the most Beneficent and the most Merciful. All praise and thanks to Allah for His blessing and gracing as I am successfully completing this thesis.

I would like to express my earnest gratefulness and appreciation to my supervisors, Assoc. Prof. Dr. Abdul Razak Rahmat and Dr. Rohah Abd. Majid for the support, assistance and guidance throughout the course of completing this thesis. As I have gained a lot of knowledge and experience during doing this research, it has inspired me in many ways to overcome the hardship faced. Without their help, much of this work could not have been accomplished.

Special thanks to Ms. Zainab, Mr. Suhee Tan, Mr. Afandi, Mr. Nordin and Mr. Fazli for their assistance in helping me to conduct the experiment, set up the equipment as well as analyze the samples. Their contributions in my efforts to finish this work are very much appreciated.

My heartfelt gratitude also goes to my parents, En. Wan Tajulruddin and Pn. Halimah as well as my siblings for keep supporting me from the beginning of this research. Last but not least, I like to take this opportunity to thank all my course mates and friends, especially Kak Baiti, Hidayah, Ain, Najihah, Yat, Nina, Siti and Adilah for giving continuous support, advice and motivation whenever I am struggling while completing my research.

ABSTRACT

A bio-based hydrogel (HPEPO) was synthesized from epoxidized palm oil (EPO) by using ring opening polymerization (ROP) in the presence of a fluoroantimonic acid hexahydrate ($\text{HSbF}_6 \cdot 6\text{H}_2\text{O}$) catalyst, followed by a chemical hydrolysis catalyzed with sodium hydroxide (NaOH). A response surface methodology (RSM) was adopted to optimize the reaction parameters, namely, concentration of NaOH solution, NaOH solution loading and reaction time used during the chemical hydrolysis. The successful ring opening of EPO was confirmed by the disappearance of the epoxy functional group at 833 cm^{-1} of the Fourier transform infrared and at 2.8 to 3.0 ppm of nuclear magnetic resonance spectra. The increase of melting points of HPEPO was observed in the temperature range between $45\text{ }^{\circ}\text{C}$ to $60\text{ }^{\circ}\text{C}$, corresponded to the increase of crystalline phase in hydrogel as determined by differential scanning calorimetry. The thermal stability of hydrogel was improved up to $200\text{ }^{\circ}\text{C}$, as shown by thermogravimetric analysis. Apart from that, the swelling behavior that was largely influenced by the hydrophilic carboxyl group and the hydrophobic alkyl group of hydrogel showed some sensitiveness towards the temperature changes, ranging from $15\text{ }^{\circ}\text{C}$ to $40\text{ }^{\circ}\text{C}$. Meanwhile, the RSM analysis showed that the optimum conditions for all reaction parameters were achieved at 0.33 M concentration of NaOH solution, 73 mL of NaOH solution loading and 25 hours of reaction time.

ABSTRAK

Hidrogel berasaskan bio (HPEPO) telah disintesis daripada minyak sawit terepoksida (EPO) dengan menggunakan pempolimeran pembukaan cincin (ROP) di dalam kehadiran asid fluoroantimonik heksahidrat ($\text{HSbF}_6 \cdot 6\text{H}_2\text{O}$) sebagai pemangkin diikuti oleh hidrolisis kimia menggunakan natrium hidroksida (NaOH). Kaedah gerak balas permukaan (RSM) telah digunakan untuk mengoptimumkan parameter tindakbalas iaitu kepekatan larutan NaOH, kandungan larutan NaOH dan masa tindakbalas yang digunakan semasa hidrolisis kimia. Keberkesanan pembukaan cincin EPO telah dibuktikan dengan kehilangan kumpulan berfungsi epoksi masing-masing pada 833 cm^{-1} di dalam spektrum inframerah transformasi Fourier dan pada 2.8 ppm hingga 3.0 ppm di dalam resonans magnetik nuklear. Peningkatan takat lebur HPEPO yang berada di dalam julat suhu $45\text{ }^\circ\text{C}$ ke $60\text{ }^\circ\text{C}$ adalah disebabkan oleh peningkatan fasa kristal di dalam hidrogel seperti yang ditunjukkan oleh kalorimetri pengimbas pembezaan. Kestabilan terma hidrogel juga meningkat sehingga $200\text{ }^\circ\text{C}$ seperti yang dipamerkan oleh analisis termogravimetrik. Sementara itu, sifat pembengkakan yang banyak dipengaruhi oleh kumpulan karboksil hidrofilik dan kumpulan alkil hidrofobik di dalam hidrogel telah menunjukkan sensitiviti terhadap perubahan suhu antara $15\text{ }^\circ\text{C}$ hingga $40\text{ }^\circ\text{C}$. Manakala, analisis RSM telah menunjukkan keadaan optimum bagi parameter tindakbalas boleh dicapai pada kepekatan 0.33 M larutan NaOH, 73 mL kandungan larutan NaOH dan 25 jam masa tindak balas.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xi
	LIST OF FIGURES	xiii
	LIST OF ABBREVIATIONS	xvi
	LIST OF SYMBOLS	xviii
	LIST OF APPENDICES	xix
1	INTRODUCTION	1
	1.1 Background of the Study	1
	1.2 Problem Statement	3
	1.3 Objectives of the Study	5
	1.4 Scope of the Study	5
2	LITERATURE REVIEW	7
	2.1 Background to Bio-based Polymers	7
	2.2 Vegetable Oils – Potential as Bio-based Polymer Source	8
	2.2.1 Epoxidation of Vegetable Oil	10
	2.2.2 Synthesis of Bio-based Polymer from EVO	12

	2.2.2.1 Ring Opening Polymerization	12
	2.2.3 Suitability of EVO as Bio-based Polymer in Various Applications	15
2.3	Epoxidized Palm Oil	16
	2.3.1 Overview	16
	2.3.2 ROP of EPO in Previous Bio-based Polymer Studies	17
2.4	Chemical Hydrolysis	20
2.5	Hydrogel	22
	2.5.1 Classification of Hydrogel	23
	2.5.1.1 Network of Crosslinking	24
	2.5.1.2 Basis/method of Preparation	24
	2.5.1.3 Conventional and Smart Hydrogel	25
	2.5.1.4 Thermosensitive Hydrogel	27
	2.5.2 Synthesis of Hydrogel	28
	2.5.3 Role of Hydrogel in Various Applications	30
	2.5.3.1 Hydrogel in Medical and Pharmaceutical Industry	30
	2.5.3.2 Hydrogel in Food Industry	32
	2.5.3.3 Hydrogel in Agricultural Industry	32
	2.5.3.4 Hydrogel in Cosmetic Industry	33
2.6	Response Surface Methodology (RSM)	34
	2.6.1 Overview	34
	2.6.2 Basic Approach of RSM	35
	2.6.3 Application of RSM for Optimization in Research Areas	36
3	METHODOLOGY	38
	3.1 Materials	38
	3.2 Preparation of Hydrogel	39
	3.2.1 Ring Opening Polymerization of EPO	40
	3.2.2 Hydrolysis of EPO using NaOH	40
	3.3 Experimental Design of Chemical Hydrolysis	41
	3.4 Characterization	43
	3.4.1 Determination of Hydroxyl Value	43

3.4.2	Fourier Transform Infrared (FTIR) Analysis	44
3.4.3	Nuclear Magnetic Resonance (NMR)	44
3.4.4	Thermal Analysis	44
3.4.4.1	Differential Scanning Calorimetry (DSC)	44
3.4.4.2	Thermogravimetric Analysis (TGA)	45
3.4.5	Swelling Test	45
4	RESULTS AND DISCUSSIONS	47
4.1	Introduction	47
4.2	Effects of Catalyst Loading on ROP of EPO	47
4.3	Effects of Catalyst Loading on Hydroxyl Value of PEPO	51
4.4	Optimization by using Response Surface Methodology (RSM)	52
4.4.1	Experimental Planning: Design of Experiment (DOE)	52
4.4.2	Statistical Modelling	55
4.4.3	Model Adequacy Checking	56
4.4.4	Graphical Representation	60
4.4.4.1	Response Surface of Three Dimensional and Interaction Graph Analysis	61
4.4.5	Process Optimization – Validation	65
4.5	Structural Characterization	66
4.5.1	Fourier Transform Infrared (FTIR) Analysis	66
4.5.2	Nuclear Magnetic Resonance (NMR)	68
4.6	Thermal Analysis	74
4.6.1	Differential Scanning Calorimetry	74
4.6.2	Thermogravimetric Analysis	78
4.7	Swelling Test	82
5	CONCLUSIONS AND RECOMMENDATIONS	85
5.1	Conclusions	85

5.2	Recommendations	86
REFERENCES		87
Appendices		101-103

LIST OF TABLES

TABLE NO	TITLE	PAGE
2.1	Common fatty acids composition in natural oils	8
2.2	Types of mechanism in ROP	12
2.3	Properties and fatty acid compositions of palm oil	17
2.4	Chemical properties of EPO	17
2.5	Classification on the basis of preparation of hydrogel	25
2.6	Types of smart hydrogel	26
2.7	Types of thermo-sensitive hydrogel	27
2.8	Methods to prepare hydrogel	29
2.9	Application of hydrogel in medicine area	31
2.10	Common polynomial model for RSM	35
3.1	Specifications of EPO (Budi Oil Sdn Bhd)	38
3.2	Parameters for ROP of EPO	39
3.3	Parameters for chemical hydrolysis	39
3.4	Experimental range and levels of the independent process variables	42
3.5	Arrangement of experiment used in the response surface study	42
4.1	The yield of PEPO at different catalyst loading	48
4.2	Hydroxyl values of EPO and PEPO	51

4.3	Experimental ranges and levels of the independent variables	53
4.4	Experimental design using CCD for chemical hydrolysis reaction in terms of HPEPO conversion yield percentage	53
4.5	ANOVA result for percentage yield of HPEPO in chemical hydrolysis reaction evaluated by RSM	55
4.6	Actual and predicted response value, for each run	58
4.7	Experimental value using optimum conditions for HPEPO yield	65
4.8	HPEPO sample prepared at variation of parameters for characterization	74
4.9	Thermal characteristic of PEPO and HPEPO	76
4.10	The thermal stability of PEPO and HPEPO	81

LIST OF FIGURES

FIGURE NO	TITLE	PAGE
2.1	General approachess for the synthesis of plant oil-based polymers	9
2.2	Epoxidation of unsaturated plant oils by peracetic acid	11
2.3	Established methods of epoxidation	11
2.4	Scheme for the synthesis of polymers from eurphobia oil by CROP	13
2.5	AROP of mechanism using triisobutylaluminum as initiator	13
2.6	RROP of a 1,1- disubstituted-2-vinyl cyclopropane (path I)	14
2.7	ROMP of 1,3,5,7-cyclooctatetraene	14
2.8	Ring opening reaction mechanism of EPO by phthalic acid	18
2.9	Synthetic pathway for the preparation of polyols from palm oil	19
2.10	General reaction of acid catalyzed hydrolysis	20
2.11	General reaction of base-catalyzed hydrolysis	20
2.12	Reaction of base catalyzed hydrolysis on ESO	21
2.13	A schematic presentation of a gel immersed in a solvent	22
2.14	Classification of hydrogel	23
2.15	The comparison of chemical and physical crosslink network	24

2.16	Scheme of obtaining hydrogel copolymers for drug delivery system	28
2.17	Chemical structure of hydroxyethyl methacrylate	30
2.18	Properties of hydrogel for biomedical application	31
2.19	The sequential nature of response surface methodology	34
3.1	Preparation of HPEPO via ring opening polymerization of EPO and chemical hydrolysis of PEPO	41
4.1	Effect of catalyst loading on the yield of PEPO	48
4.2	Ring opening reaction of epoxides	49
4.3	Structure of epoxidized soybean oil	50
4.4	Structure of epoxidized palm oil	50
4.5	Predicted versus actual (experimental) of the response	59
4.6	Residual plot of the quadratic model for the response	60
4.7	3D response surface plot (a) and interaction graph (b) of percentage yield of HPEPO (%) as a function of NaOH solution concentration and NaOH solution loading at an actual factor time, 24.9 hours	62
4.8	3D response surface plot (a) and interaction graph (b) of percentage yield of HPEPO (%) as a function of NaOH solution concentration and reaction time at an actual NaOH solution loading, 73.07 ml	63
4.9	3D response surface plot (a) and interaction graph (b) of percentage yield of HPEPO (%) as a function of reaction time and NaOH solution loading at an actual factor concentration of NaOH solution, 0.33 M	64
4.10	FTIR spectra of EPO, PEPO and HPEPO	67
4.11	¹ HNMR of EPO	69
4.12	¹ HNMR of PEPO	69
4.13	¹ HNMR of HPEPO	70
4.14	¹³ CNMR of EPO	71
4.15	¹³ CNMR of PEPO	72

4.16	^{13}C NMR of HPEPO	72
4.17	Mechanism of ring opening polymerization of EPO	73
4.18	Mechanism of chemical hydrolysis reaction	73
4.19	DSC thermograms of PEPO and HPEPO at different formulation	75
4.20	A typical model of semi-crystalline polymer structure	77
4.21	TG and DTG curves of PEPO	78
4.22	TG curves of HPEPO samples	79
4.23	DTG curves of HPEPO samples	80
4.24	Swelling degree of HPEPO samples at different temperatures	82
4.25	The difference in O-H and C=O bands of HPEPO samples	84

LIST OF ABBREVIATIONS

ANOVA	-	Analysis of variance
ASTM	-	American Society of Testing and Materials
CCD	-	Central composite design
CV	-	Coefficient of variance
DSC	-	Different scanning analysis
DTG	-	Differential thermogravimetric
ECB	-	Epoxidized cocoa butter
EGDMA	-	Ethylene Glycol dimethacrylate
EPO	-	Epoxidized palm oil
EMO	-	Epoxidized methyloleate
ESO	-	Epoxidized soybean oil
EVO	-	Epoxidized vegetable oil
FTIR	-	Fourier transform infra-red
GPC	-	Gel permeation chromatography
HEC	-	Hydroxyethyl cellulose
HEMA	-	Hydroxyethylmethacrylate
HPC	-	Hydroxypropyl cellulose
HPEPO	-	Palm oil hydrogel
IPN	-	Interpenetrating network
KBr	-	Potassium bromide
LCST	-	Lower critical solution temperature
MDI	-	Methylene diphenyl diisocyanate
NMR	-	Nuclear magnetic resonance
OOC	-	Oxirane oxygen content
PB	-	Polybutadiene
PCL	-	Polycaprolactone

PEPO	-	Palm oil polyol
PLA	-	Polylactic acid
PNIPAAm	-	poly(N-isopropylacrylamide)
PVA	-	poly(vinyl alcohol)
PVC	-	Poly (vinyl chloride)
PVP-CMC	-	Polyvinylpyrrolidone-carboxymethyl cellulose
ROP	-	Ring opening polymerization
THF	-	Tetrahydrofuran
TGA	-	Thermogravimetric analysis
RSM	-	Response surface methodology
UCST	-	Upper critical solution temperature

LIST OF SYMBOLS

%	-	Percentage
β_0	-	Constant coefficient
β_i	-	Linear coefficient
β_{ii}	-	Bilinear coefficient
β_{ij}	-	Interaction coefficient
°C	-	Degree celcius
g	-	gram
M	-	mol per litre
mg	-	miligram
mL	-	millilitre
H_0	-	Hammet acidity constant
Q	-	Degree of swelling
W_s	-	Mass of sample before drying
W_d	-	Mass of sample after drying

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Preliminary Results of ROP and Process Optimization	101
B	Conference Papers	102

CHAPTER 1

INTRODUCTION

1.1 Background of Study

Natural oils are considered to be the most vital class of renewable resources. They can be obtained from naturally occurring plants, such as sunflowers, soybean cotton, linseeds and palms. They consist mainly of triglycerides where the glycerol molecule is attached to three fatty acid chains of unsaturated and saturated fatty acids. The saturated fatty acids contain only a single bond between two carbon-carbon atoms while the unsaturated fatty acids contain many double or triple bonds between two carbon atoms (Seniha *et al.*, 2007).

Vegetable oil offers numerous advantages in many applications as regards to its non-toxicity and biodegradability. However, it does not naturally bear reactive functional groups; therefore several chemical modifications are adopted to functionalize the unsaturated sites in vegetable oil such as trans-amidation with diethanol amine, glycerolysis with glycerol, microbial conversion and epoxidation reaction (Jamal *et al.*, 2007; Lee and Lee, 2011; Yahaya *et al.*, 2013). Among these significant reactions in organic synthesis, epoxidation has been widely used to increase the reactivity of vegetable oil since it is both cost-effective and safe (Silverajah *et al.*, 2012; Li *et al.*, 1997).

Many epoxidized natural oils have been synthesized, such as epoxidized soybean oil, epoxidized palm oil, epoxidized rapeseed oil, and epoxidized linseed oil (Vinay and Kundu, 2006). Due to the high reactivity of the oxirane ring, this imperative intermediate can be converted to various polyols by reacting with short chain polyhydric alcohols in the presence of catalysts. It acts as a raw material for the synthesis of a variety of chemicals such as alcohols (polyols), glycols, olefinic compounds, lubricants, plasticizer and a stabilizer for polymers.

Epoxidized palm oil (EPO) is a new reactive material that is chemically derived from palm oil. Similar to other epoxidized vegetable oils, as an alternative to fossil fuel derived products, it has been used as intermediate materials in many applications due to its non-toxicity and biodegradability in the automotive, textile, disposable packaging, food, and electric appliance industries (Al- Mulla *et al.*, 2014). Yahaya *et al.* (2013) had successfully reacted EPO with glycerol using the ring opening polymerization method to give a bio-based polyol. Meanwhile, Ang *et al.* (2013) had successfully synthesized polyol with a high molecular weight and low hydroxyl functionality with potential to be used in wood adhesive applications.

To assist the ring opening of oxirane ring, catalyst such as Lewis acid is a popular choice. Liu and Erhan (2010) have used boron trifluoride diethyl etherate (BF_3OEt_2), a Lewis acid in a methylene chloride medium to ring opening epoxidized soybean oil (ESO); to produce low molecule weight polyol with a high crosslink network and good thermal stability. Clark and Hoong, (2013) had derived macromonomer polyols from renewable epoxidized vegetable oils by using Lewis acid in tetrahydrofuran (THF) solvent.

Another potential application of epoxidized vegetable oil is used to synthesize hydrogel. Hydrogel is a hydrophilic, three-dimensional, cross linked polymer (network) which swells when placed in water or biological fluid (Peppas *et al.*, 2006). It can be derived from many synthetic and natural polymers which possess high water absorption

capacity and biocompatibility. These attractive properties makes hydrogel highly suitable to be used in many biological and medical applications such as in the tissue engineering, pharmaceutical, agriculture, food, cosmetic and biomedical fields (Hoare and Kohane, 2008; Ahearne *et al.*, 2008). Currently, most hydrogels are made from synthetic polymers which are derived from petroleum based resources. There have been extensive studies done on the suitability of vegetable oil for hydrogel applications by researchers (Singh *et al.*, 2013; Jamil *et al.*, 2012; Liu and Erhan, 2010).

Based on the research done by Liu and Erhan (2010), a bio polymeric hydrogel produced from ESO was found to have similar properties as a commercial type of hydrogel. Singh *et al.* (2014) had used olive oil for thermo-reversible emulsion hydrogel for antimicrobials controlled delivery in the treatment of sexually transmitted diseases (STDs). Since EPO also has comparable potential to other vegetable oils, considerable efforts on using it as a starting material in many different chemical reactions need to be explored in order to expand palm oils commercial value in various industrial areas, particularly for hydrogel applications.

1.2 Problem Statement

Vegetable oil can be transformed into polyol by many methods but the most popular one is epoxidation-ring opening polymerization (ROP) combination as it is the safest and most economical method (Yahaya *et al.*, 2013; Silverajah *et al.*, 2012; Rosli *et al.*, 2003). According to Liu and Erhan (2010), soy oil-based polyol can be converted into bio-based hydrogel by further chemical modification via hydrolysis. This study had adopted the same technique as Liu and Erhan (2010) but epoxidized palm oil was used instead of soy oil. Palm oil is a local product and abundant available in Malaysia.

A major problem with palm oil is it has less unsaturation sites to be converted into epoxides. This affects the reactivity of the polyol produced as the sites are important

for many major reactions to take place. Compared to ESO that has higher epoxy functionality of 6.0 – 6.8 epoxy rings per triglyceride, palm oil only has the average 2.0 – 2.8 functionality. This drawback limits the use of palm oil polyol in the area that need longer molecular chain or higher molecular weight. However, the idea to introduce palm oil polyol with crosslinking network has brought the exploration of polyol into hydrogel.

A number of experimental works have been reported on the ROP of EPO (Ang *et al.*, 2013; Clark and Hoong, 2013; Yahaya *et al.*, 2013). However, to date, there was no comprehensive study has been made on the synthesis of hydrogel from EPO. Therefore, systematic study was conducted to synthesis hydrogel from EPO by adopting and manipulating the ESO system done by Liu and Erhan (2010). To achieve that, the catalyst type had been changed from BF_3OEt_2 to fluoroantimonic acid hexahydrate ($\text{HSbF}_6 \cdot 6\text{H}_2\text{O}$), an environmentally benign catalyst. This is due to the concerns regarding the toxicity of BF_3OEt_2 which limiting the polymers application in food and medicinal areas (Liu and Knetzer, 2013). Therefore, for a clean organic reaction, $\text{HSbF}_6 \cdot 6\text{H}_2\text{O}$ was chosen as catalyst for ROP of EPO.

Meanwhile to get more understanding, few reaction parameters of epoxidized palm oil hydrogel (HPEPO) had been optimized using response surface methodology (RSM) as a process optimization tool. RSM is capable of optimizing various reaction parameters, reducing the amount of time-consuming experimental-based works. The reaction parameters that optimized were concentration of NaOH solution (hydrolysis agent), NaOH solution loading and the reaction time to synthesis hydrogel from EPO.

1.3 Objectives of the Study

The followings are specific objectives that need to be achieved:

- i. To study the effect of catalyst amounts in ROP on the yield and the hydroxyl value of palm oil polyol (PEPO).
- ii. To synthesize palm oil hydrogel (HPEPO) from PEPO via chemical hydrolysis at various reaction parameters such as concentration of NaOH solution (hydrolysis agent), NaOH solution loading and reaction time, and optimization by using RSM.
- iii. To verify the structure of EPO, PEPO and HPEPO with Fourier transform infrared spectroscopy (FTIR) and nuclear magnetic resonance spectroscopy (NMR).
- iv. To study the effect of the reaction parameters involved in the chemical hydrolysis on melting temperature (T_m), thermal decomposition and swelling behavior of HPEPO.

1.4 Scopes of Study

Sample preparation started with ring opening polymerization of EPO followed by chemical hydrolysis.

- i. Ring opening polymerization: EPO was mixed with methylene chloride at different amount of fluoroantimonic acid hexahydrate ($\text{HSbF}_6 \cdot 6\text{H}_2\text{O}$) as a catalyst which varied from 0.5% to 2.5% and the yield of PEPO was measured.

- ii. Chemical hydrolysis: The PEPO with the highest percentage of yield was chosen and converted into HPEPO via hydrolysis using sodium hydroxide (NaOH) as a hydrolysis agent at concentrations varying from 0.2 to 0.5M and the solution amount ranging from 50 to 100 ml, at 18 to 30 hours reaction time.
- iii. Process optimization: RSM was adopted in a chemical hydrolysis reaction to find the optimal values of the variable involved including NaOH solution concentration, NaOH solution loading and reaction time.

The following tests were carried out for properties measurement and characterization of polymers:

- i. Fourier transform infrared (FTIR) spectroscopy, nuclear magnetic resonance (NMR) spectroscopy and hydroxyl value tests were conducted to verify the structure and reaction mechanism of EPO, PEPO and HPEPO.
- ii. Thermogravimetric analysis (TGA) was used to investigate the thermal decomposition behaviour of HPEPO while the melting temperature (T_m) was examined by using a differential scanning calorimetry (DSC).
- iii. Swelling test was done to study the swelling behavior and sensitivity of HPEPO towards temperature range from 15 °C to 40 °C.

REFERENCES

- Abaszadeh, M. and Seifi, M. (2015). Crown Ether Complex Cation Ionic Liquids (CECILs) as Environmentally Benign Catalysts for Three-Component Synthesis of 4,5-dihydropyrano[3,2c]chromene and 4,5- dihydropyrano [4,3 b]pyran derivatives. *Research on Chemical Intermediates*. 41: 7715 – 7723.
- Abu Amr, S. S., Aziz, H. A., Adlan, M. N. (2013). Optimization Of Stabilized Leachate Treatment Using Ozone/Persulfate In The Advanced Oxidation Process, *Waste Management* . 33(6): 1434 – 1441.
- Abu Amr, S. S., Aziz, H. A. and Bashir, M. J. K. (2014). Application Of Response Surface Methodology (RSM) For Optimization Of Semi-Aerobic Landfill Leachate Treatment Using Ozone. *Applied Water Science*. 4: 231 – 239.
- Adrus, N. and Ulbricht, M. (2013). Rheological Studies on PNIPAAm Hydrogel Synthesis Via In Situ Polymerization And on Resulting Viscoelastic Properties. *Reactive & Functional Polymers*. 73: 141 – 148.
- Ahearne, M., Yang, Y. and Liu, K. K. (2008). *Mechanical Characterisation of Hydrogels for Tissue Engineering Applications*. Ashammakhi, N., Reis, R. and Chiellini, & F. (Eds.). *Topics in Tissue Engineering*. 1 – 16.
- Ahmadi, M., Vahabazadeh, F., Bonakdarpour, B., Mofarrah, E. and Mehranian, M. (2005). Application of the Central Composite Design and Response Surface Methodology to the Advanced Treatment of Olive Oil Processing Wastewater Using Fenton's Peroxidation. *Journal of Hazardous Materials*. 187 – 195.
- Al-Mulla, E. A. J., Ibrahim, N. A., Shameli, K., Ahmad, M. and Yunus, W. M. Z. W. (2014). Effect of Epoxidized Palm Oil on The Mechanical and Morphological Properties of a PLA–PCL Blend. *Research on Chemical Intermediate*. 40: 689 – 698.

- Ang, K. P., Lee, C. S., Cheng, S. F. and Chuah, C. H. (2013). Synthesis of Palm Oil-Based Polyester Polyol for Polyurethane Adhesive Production. *Journal of Applied Polymer Science*. 131: 1-8.
- Azechi, M., Matsumoto, K. and Endo, T. (2013). Anionic Ring-Opening Polymerization of a Five-Membered Cyclic Carbonate Having a Glucopyranoside Structure, *Journal of Polymer Science, Part A: Polymer Chemistry*. 51: 1651–1655.
- Badri, K.H., S. H. Ahmad, S. Zakaria, (2000). Development Of Zero ODP Rigid Polyurethane Foam From RBD Palm Kernel Oil. *Journals of Materials Science Letters*. 19): 1355-1356.
- Badri, K.H. (2012). Biobased Polyurethane from Palm Kernel Oil-Based Polyol. *Intech*. 447 – 470.
- Baker, I. J. A., Furlong, D. N., Grieser, F. and Drummond, C. J. (2000). Sugar Fatty Acid Ester Surfactants: Base-Catalyzed Hydrolysis. *Journal of Surfactants and Detergents*. 3(1): 29 – 32.
- Bennour, S. and Louzri, F. (2014) Study of Swelling Properties and Thermal Behavior of Poly (N,N-Dimethylacrylamide-co-Maleic Acid) Based Hydrogels. *Advances in Chemistry*. 1 – 10.
- Bicak, N., Senkal, F. and Gazi, M. (2004). Hydrogels Prepared by Crosslinking Copolymerization of N-allyl Maleamic Acid with Acrylamide and Acrylic Acid, *Designed Monomers and Polymers*, 7(3): 261–267.
- Bielawski, C. W. and Grubbs, R. H. (2007). Living ring-opening Metathesis Polymerization. *Progress in Polymer Science*. 32: 1 – 29.
- Biresaw, G., Liu, Z., Erhan, S. Z. (2008). Investigation of the Surface Properties of Polymeric Soaps Obtained by Ring-Opening Polymerization of Epoxidized Soybean Oil. *Journal of Applied Polymer Science*. 108: 1976 – 1985.
- Bisht, D., Yadav, S. K., and Darmwal, N. S. (2013). Computation Of Interactive Effects And Optimization Of Process Parameters For Alkaline Lipase Production By Mutant Strain Of Pseudomonas Aeruginosa Using Response Surface Methodology. *Brazilian Journal of Microbiology*. 44(1): 245 – 252.
- Box, J. E. P., Hunter, W. G., Hunter, J. S. (1978). Statistics for Experimenters. *An Introduction to Design, Data Analysis and Model Building*. John Wiley & Sons, Inc.

- Box, G.E.P and N.R. Draper (1987). Empirical Model-Building and Response Surfaces. Wiley, New York.
- Brocas, A. L., Cendejas, G., Caillol, S., Deffieux, A., Carlott. S. (2011). Controlled Synthesis Of Polyepichlorohydrin With Pendant Cyclic Carbonate Functions For Isocyanate-Free Polyurethane Networks. *Journal Of Polymer Science Part A: Polymer Chemistry* . 2677 – 2684.
- Cabezas, L. J., Mazarro, R., Gracia, I., Lucas, A. and Rodrigue, J. F. (2013). Optimizing the Bulk Copolymerization of D,L-lactide and Glycolide by Response Surface Methodology. *eXPRESS Polymer Letters*. 7(11): 886 – 894.
- Chandrasekara, G., Mahanama, M.K., Edirisinghe, D.G. and Karunanayake, L. (2011). Epoxidized Vegetable Oils as Processing Aids and Activators in Carbon-black Filled Natural Rubber Compounds. *Journal of the National Science Foundation of Sri Lanka*. 39: 243 – 250.
- Clark, A. J. and Hoong, S. S. (2013). Copolymers of Tetrahydrofuran and Epoxidized Vegetable Oils: Application to Elastomeric Polyurethanes. *Polymer Chemistry*.
- Das, N. (2013). Preparation Methods and Properties of Hydrogel: A Review. *International Journal of Pharmacy and Pharmaceutical Sciences*. 5: 112 – 117.
- Das, N. (2013). A Review on Nature and Preparation of Hydrogel Based on Starting Material. *International Journal of Pharmacy and Pharmaceutical Sciences*. 5: 55 – 58.
- Dogan, E. and Kusefoglu, S. (2008). Synthesis and In Situ Foaming Biodegradable Malonic Acid ESO polymers. *Journal of Applied Polymer Science*. 110: 1129 – 1135.
- Denisov, G.S.; Mavri, J.; Sobczyk, L. (2006). Potential Energy Shape For The Proton Motion in Hydrogen Bond Reflected in Infrared and NMR Spectra. In Grabowski, S.J. (Ed). *Hydrogen Bonding-New Insights*. Springer-Dordrecht. The Netherlands.
- Dwivedi, S., Khatri, P., Mehra, G. R. and Kumar, V. (2011). Hydrogel-A Conceptual Overview. *International Journal of Pharmaceutical & Biological Archives*. 2(6): 1588 – 1597.

- Ekebafé, L. O., Ogbeifun, D. E. and Okieimen, F. E. (2011). Polymer Applications in Agriculture. *Biokemistri*. 23(2): 81 – 89.
- Espinosa, L. M. and Meier, M. A. R. (2011). Plant oils: The Perfect Renewable Resource for Polymer Science. *European Polymer Journal*. 47: 837 – 852.
- Farris, S. Schaich, K. M., Liu, L. S., Piergiovanni, L. and Yam, K. L. (2009). Development of Polyion-Complex Hydrogels As An Alternative Approach for The Production of Bio-based Polymers for Food Packaging Applications: A Review. *Trends in Food Science & Technology*. 20: 316 – 332.
- Fong, M. N. F. and Salimon, J. (2012). Epoxidation of Palm Kernel Oil Fatty Acid. *Journal of Science and Technology*. 87– 98.
- Fu, Z., Wan, H., Cui, Q., Xie, J., Tang, Y. and Guan, G. (2011). Hydrolysis of Carboxylic Acid Esters Catalyzed by A Carbon-based Solid Acid. *Reaction Kinetics, Mechanisms and Catalysis*. 104: 313 – 321.
- Gandhi, A., Paul, A., Sen, S. O. and Sen, K. K.(2015). Studies on Thermoresponsive Polymers: Phase Behaviour, Drug Delivery and Biomedical Applications. *Asian Journal Of Pharmaceutical Sciences*. 10: 99 – 107.
- Ganesh, T. A., Manohar, S. D. and Bhanudas, S. R. (2013). Hydrogel - A Novel Technique for Preparation Of Topical Gel, *World Journal of Pharmacy and Pharmaceutical Sciences*. 2 (6): 4520 – 4541.
- Gawel, K., Barrie, D., Sletmoen, M. and Stokke, B. T. (2010). Responsive Hydrogels for Label-Free Signal Transduction within Biosensors. *Sensors*. 10: 4381– 4409.
- Gibas, I. and Janik, H. (2010). Review: Synthetic Polymer Hydrogels for Biomedical Applications. *Chemistry & Chemical Technology*. 4(4): 297 – 304.
- Gillespie, R. J., Peel, T. E. (1972). Superacid Systems. *Advances in Physical Organic Chemistry*. 9: 1– 24.
- Gierszewska-Drużyńska, M. and Ostrowska-Czubenko, J. (2010). The Effect of Ionic Crosslinking on Thermal Properties of Hydrogel Chitosan Membranes. *Progress on Chemistry and Application of Chitin and its Derivatives, Polish Chitin Society*. 25 - 32.
- Gong, C. Y., Qian, Z. Y. Liu, C. B., Huang, M. J., Gu, Y. C. Wen, Y. J. Kan, B., Wang, K. Dai, M., Li, X. Y., Gou, M. L., Tu, M. J. and Wei, Y. Q. (2007). A Thermosensitive Hydrogel Based On Biodegradable Amphiphilic

- Poly(Ethylene Glycol)–Polycaprolactone–Poly(Ethylene Glycol) Block Copolymers. *Smart Materials and Structure*. 16 : 927– 933.
- Gong, C. Y., Shi, S., Dong, P. W., Zheng, X. L. Fu, S. Z., Guo, G., Yang, J. L. Wei, Y. Q. and Qian, Z. Y. (2009). *In Vitro* Drug Release Behavior from A Novel Thermosensitive Composite Hydrogel based on Pluronic f127 and Poly(ethylene glycol)-poly(ϵ -caprolactone)-poly(ethylene glycol) Copolymer. *BMC Biotechnology*. 9: 8.
- Gong, C., Shi, S., Dong, P. W. (2009). Thermosensitive PEG-PCL-PEG hydrogel controlled drug delivery system: sol-gel-sol transition and in vitro drug release study. *International Journal of Pharmaceutics*. 98: 3707 – 3717.
- Gulrez, S. K. H., Al-Assaf, S. and Phillips, G. O. (2011). Hydrogels: Methods of Preparation, Characterisation and Applications. In: Angelo Carpi (Ed.) *Progress in Molecular and Environmental Bioengineering – From Analysis and Modeling to Technology Applications*. 1st Ed. Published online: InTech, 117– 150.
- Guo, A., Cho, Y., Petrovic, Z. S. (2000). Structure and Properties of Halogenated and Nonhalogenated Soy-based Polyols. *Journal of Polymer Science Part A: Polymer Chemistry*. 38: 3900 – 3910.
- Harmer, M. A., Junk, C., Rostovtsev, V., Carcani, L. G., Vickery, J. and Schnepf, Z. (2007). Synthesis and Applications of Superacids: 1,1,2,2 Tetrafluoroethane-sulfonic Acid, Supported on Silica. *Green Chemistry*. 9: 30 – 37.
- He, H. M. S. (2006). Multifunctional Medical Device Based on Ph-Sensitive Hydrogels for Controlled Drug Delivery. PhD Thesis. Ohio State University, Canton, Ohio.
- Hennink, W. E., and Nostrum C. F. V. (2002). Novel Crosslinking Methods to Design Hydrogels. *Advanced Drug Delivery Review*, 54: 13 –36.
- Hoare, T. R. and Kohane, D. S. (2008). Hydrogels in Drug Delivery: Progress and Challenges. *Polymer*. 49: 1993 – 2007.
- Ismail, S. N. S., Mohd, A. F., Mohamed, R., Yahya, F., Fauzi, R. and Kamarun, D. (2013). Epoxidation Of Palm Oil Catalyzed By Titanium-Grafted Silica Catalyst. *Advanced Materials Research*. 812 : 30 – 37.
- Jamal, P., Alam, M. Z. and Mohamad, A. (2007). Microbial Bioconversion of Palm Oil Mill Effluent to Citric Acid with Optimum Process Conditions, *Biomedical 06, IFMBE Proceedings*. 15: 483 – 487.

- Jamil, N. H., Samah, N. H. A., Effendi, T. J. B. and Salleh, S. H. A. (2012). Palm Oil Nanoemulsion Hydrogels: Formulation and Stability Studies. *IEEE Symposium on Business, Engineering and Industrial Applications*. 829 – 833.
- Jerome, F., Pouilloux, Y., and Barrault, J. (2008). Rational Design of Solid Catalysts for The Selective Use of Glycerol as A Natural Organic Building Block. *ChemSusChem*. 1: 586 – 613.
- Jusoh, E. R., Ismail, M. H. S., Abdullah, L. C. Robiah Y. and Rahman, W.A.W. A (2012). Crude Palm Oil as A Bioadditive in Propylene Blown Films. *Bioresources*. 7 (1):859 – 867.
- Kagiya, T., Izu, M., Maruyama, H. and Fukui, K. (1969). Relationship between Structures and Activities of Silver Salt-Organic Halide Catalyst Systems for Styrene Polymerization. *Journal Of Polymer Science: Part A-1*. 7 : 917-923
- Karabulut, S. (2009). Electro-Induced Early Transition Metal Metathesis Catalyst Systems for the Production of Polyacetylene. *Polymer Journal*. 41: 629 – 633.
- Kazakov, S. V. (2012). Hydrogel Films on Optical Fiber Core: Properties, Challenges, and Prospects for Future Applications. Gomes, A. D. S. (Ed.) *In book: New Polymers for Special Applications*. (pp. 25 –70). InTech.
- Klaas, M. R. and Warwel, S. (1999). Complete and Partial Epoxidation of Plant Oils by Lipase-Catalyzed Perhydrolysis, *Industrial Crops and Products*. 9: 125 – 132.
- Klumpp, D. A., Rendy, R. and McElrea, A. (2004). Superacid Catalyzed Ring-Opening Reactions involving 2-Oxazolines and the Role of Superelectrophilic Intermediates. *Tetrahedron Letters*. 45: 7959 – 7961
- Khuri, A. I. and Mukhopadhyay, S. (2010). Response Surface Methodology, Advance Review. *Wires Computational Statistics*. 2: 128 – 149.
- Kong, Y. and Hay, J. N. (2002). The Measurement of the Crystallinity of Polymers by DSC. *Polymer*. 43: 3873 – 3878.
- Laftah, W. A., Hashim, S. and Ibrahim, A. N. (2011). Polymer Hydrogels: A Review. *Polymer-Plastics Technology and Engineering*. 50: 1475–1486.
- Lee, C. S. and Lee, S. C. (2011). Preparation of Polyester Polyol from Epoxidized Palm Olein. *Chinese Journal of Chemistry*. 29: 840 – 846.
- Li, X., Wang, F., Lu, X., Song, G. and Zhang, H. (1997). A Novel Method for Epoxidation of Cyclohexene Catalyzed by Fe₂O₃ with Molecular Oxygen and

- Aldehydes, Synthetic Communications. *An International Journal for Rapid Communication of Synthetic Organic Chemistry*. 27(12): 2075 – 2079.
- Li, W., Shen, Z., and Zhang, Y. (2001). Activity and Mechanism of Rare Earth Solid Superacid Catalyst for initiating Ring Opening Polymerization of Chloromethyl Thiirane. *European Polymer Journal*. 37: 1185 – 1190.
- Lintner, K. and Genet, V. (1998). A Physical Method for Preservation of Cosmetic Products. *International Journal of Cosmetic Science*. 20: 103-115.
- Lira, M., Santos, L., Azeredo, J., Pimentel, E. Y. and Oliveira, M. E. C. D. R. (2008). The effect of lens wear on refractive index of conventional hydrogel and silicone-hydrogel contact lenses: A comparative study. *Contact Lens & Anterior Eye*. 31: 89 – 94.
- Liu, Y. L., Hsiue, G. H. and Chiu, Y. S. (1994). Cationic Ring-Opening Polymerization of Oxetane Derivatives Initiated by Superacids: Studies on Their Propagating Mechanism and Species by Means of ¹⁹F-NMR. *Journal of Polymer Science: Part A: Polymer Chemistry*. 32: 2543 – 2549.
- Liu, L. S., Kost, J., Yan, F. and Spiro, R. C. (2012). Hydrogels from Biopolymer Hybrid for Biomedical, Food, and Functional Food Applications. *Polymers*. 4: 997– 1011.
- Liu, Z. S., Erhan, S. Z., Calvert, P. D. (2004). Solid Freeform Fabrication of Epoxidized Soybean Oil/Epoxy Composites with Di-, Tri- and Polyethylene Amine Curing Agents. *Journal of American Oil Chemists' Society*. 81: 605 – 610.
- Liu, Z. S. and Erhan S. Z. (2010), Ring-Opening Polymerization of Epoxidized Soybean Oil. *Journal of American Oil Chemists' Society*. 87: 437– 444.
- Liu, Z. S., Shah, S. N., Evangelista, R. L. and Isbell, T. A. (2013). Polymerization of Euphorbia Oil with Lewis Acid in Carbon Dioxide Media. *Industrial Crops and Products*. 41: 10 –16.
- Liu, Z. S and Knetzer, D. A. (2013). Catalyzed Ring-Opening Polymerization of Epoxidized Soybean Oil by Hydrated and Anhydrous Fluoroantimonic Acids. *Green Materials*. 1: 87 - 95
- Liu, Z. S., and Erhan S.Z., *Soy-based Thermosensitive Hydrogels for Controlled Release System*. US Patent 11/240,426. 2010.
- Lu, S., Liu, M. Ni, B. and Gao, C. (2010). A Novel ph- and Thermo-sensitive PVP/CMC Semi-IPN Hydrogel: Swelling, Phase Behavior, and Drug Release

- Study, *Journal of Polymer Science: Part B: Polymer Physics*, 48: 1749 – 1756.
- Maitra, J. and Shukla, V. K. (2014). Cross-linking in Hydrogels - A Review. *American Journal of Polymer Science*. 4(2) : 25 – 31.
- Martin, B.D., Linhardt, R. J. and Dordick, J. S. (1998). Highly Swelling Hydrogels from Ordered Galactose-Based Polyacrylates. *Biomaterials*. 19: 69 –76.
- Meier, M. A. R., Metzger, J. O. and Schubert, U.S. (2007). Plant Oil Renewable Resources As Green Alternatives in Polymer Science. *Chemical Society Reviews*. 36:1788–802.
- Metzger, J.O. (2009). Fats and Oils as Renewable Feedstock for Chemistry. *European Journal of Lipid Science and Technology*. 111 (9): 865–76.
- Michael A. R. M., Jurgen O. M. and Ulrich S. S. (2007). Plant Oil Renewable Resources as Green Alternatives in Polymer Science. *Chemical Society Reviews*. 36:1788–1802.
- Mill, T. and W. Mabey. (1988). *Hydrolysis of Organic Chemicals*. Hutzinger, O. (Ed.). *The Handbook of Environmental Chemistry, Volume 2D : Reaction and Processes*. (pp. 71 – 111). New York, NY : Springer-Verlag.
- Mohajeri, L., Aziz, H. A., Isa, M. H. and Zahed, M. A. (2010). A Statistical Experiment Design Approach For Optimizing Biodegradation Of Weathered Crude Oil In Coastal Sediments. *Bioresource Technology*. 101: 893– 900.
- Montgomery, D. C. (2001). *Design and Analysis of Experiments* . 5th Ed. John Wiley and Sons Inc. New York, USA.
- Muniz, E. C. and Geuskens, G. (2000). Influence of Temperature on the Permeability of polyacrylamide Hydrogels and Semi-IPNs with poly(N-isopropylacrylamide). *Journal of Membrane Science*. 172: 287.
- Nagpal, M., Singh, S. K., and Mishra, D. (2013). Superporous Hybrid Hydrogels Based on Polyacrylamide and Chitosan: Characterization and In Vitro Drug Release. *International Journal of Pharmaceutical Investigation*. 3(2): 88 – 94.
- Neamtu, I., Chiriac, A. P. , Nita, L. E. (2006). Characterization Of Poly(acrylamide) As Temperature-Sensitive Hydrogel. *Journal of Optoelectronics And Advanced Materials*. 8(5): 1939 – 1943.
- Nguyen, T. K. and West, J. L. (2002). Photopolymerizable Hydrogels for Tissue Engineering Applications. *Biomaterials*. 23(22) : 4307 – 4314.

- Noordin, M. Y., Venkatesh, V. C., Sharif, S., Elting, S. and Abdullah, A. (2004). Application of Response Surface Methodology in Describing the Performance of Coated Carbide Tools when Turning AISI 1045 Steel. *Journal of Materials Processing Technology*. 145(1): 45 – 58.
- Nuyken, O. and Pask, S. D. (2013). Ring-Opening Polymerization - An Introductory Review. *Polymers*. 5: 361-403.
- Okay, O. Kuru, E. A., Orakdogan, N. (2007). Preparation of Homogeneous Polyacrylamide Hydrogels by Free-radical Crosslinking Copolymerization. *European Polymer Journal*. 43: 2913 – 2921.
- Okazaki, T., Sanda, F. and Endo, T. (1998). Synthesis and Radical Ring –Opening Polymerization Behaviour of Vinylcyclopropanes Bearing Cyclic Thioacetal Moieties. *Polymer Journal*. 30: 365 – 371.
- Olah, G. A. (2005). Crossing Conventional Boundaries in Half a Century of Research. *The Journal of Organic Chemistry*. 70: 2413 – 2429.
- Pal, K., Banthia, A. K. and Majumdar, D. K. (2009). Polymeric Hydrogels: Characterization and Biomedical Applications –A mini review. *Design Monomers and Polymers* 12: 197 – 220.
- Patel, A. and Mequanint, K. (2011). Hydrogel Biomaterials, Biomedical Engineering -Frontiers and Challenges. *InTech*. 275 – 296.
- Patil, H. and Waghmare, J. (2013). Catalyst for Epoxidation of Oil: A Review. *Discovery*. 3(7): 10 –14.
- Peleshanko, Sergiy., Anderson, K. D., Goodman, M., Determan, M. D., Mallapragada, S. K. and Tsukruk, V. V. (2007). Thermoresponsive Reversible Behavior of Multistimuli Pluronic-Based Pentablock Copolymer at the Air-Water Interface. *Langmuir*. 23(1) : 25 – 30
- Penczek, S., Cypryk, M., Duda, A., Kubisa, P., Slomkowski, S. (2007). Living Ring-Opening Polymerizations Of Heterocyclic Monomers. *Progress in Polymer Science*. 32 : 247–282
- Peng, Z. and Chen, F. (2010). Synthesis and Properties of Temperature-sensitive Hydrogel based on hydroxyethyl cellulose. *International Journal of Polymeric Materials*. 59: 450 – 461.
- Peppas, N. A., Hilt, J. Z., Khademhosseini, A. and Langer, R. (2006). Hydrogels in Biology and Medicine: From Molecular Principles to Bionanotechnology. *Advanced Material*. 18: 1345 –1360.

- Perez-Moya, M., Graells, M., Buenestado, P., Gutierrez, E., Galindo, J. and Mansilla, H. D. (2008). Modelling Approach to Fenton and photo-Fenton treatments. *Journal of Advanced Oxidation Technologies*. 11(1): 97 – 104.
- Petrović, Z. S. (2010). Polymers from Biological Oils. *Contemporary Materials*. I(1): 39 – 50.
- Pierog, M., Ostrowska-Czubenko, J. and Gierszewska-Druzynska, M. (2012). Thermal Degradation Of Double Crosslinked Hydrogel Chitosan Membranes. *Progress on Chemistry and Application of Chitin and Its Derivatives*. XVII : 67 – 74.
- Ping, B. T. Y., Hanzah, N. A., and Hoong, S. S. (2011). Determination Of Hydroxyl Value Of Palm-Based Polyols By Partial Least Squares Algorithm Using Nir Spectroscopy. *Journal of Oil Palm Research* (23): 1172 – 1177.
- Piskun, Y. A., Vasilenko, I. V., Gaponik, L. V. and Kostjuk, S. V. (2012). Activated Anionic Ring-opening Polymerization of ϵ -caprolactam With Magnesium Di(ϵ -caprolactamate) As Initiator: Effect of Magnesium Halides. *Polymer Bulletin*. 68:1501 – 1513.
- Plesse, C., Vidal, F., Randriamahazaka, H., Teyssie', D. and Chevrot, C. (2005). Synthesis and Characterization of Conducting Interpenetrating Polymer Networks for New Actuators. *Polymer*. 46: 7771 – 7778.
- Qiu, X. and Hu, S. (2013). “Smart” Materials Based on Cellulose: A Review of the Preparations, Properties, and Applications. *Materials*. 6 : 738 – 781.
- Rajan, K. P., Veena, N. R. Singh, P. and Nando, G. B. (2010) Optimization of Processing Parameters for A Polymer Blend Using Taguchi Method. *Yanbu Journal of Engineering and Science*. 1: 50 – 67.
- Raissi, S. and Farsani, R. E. (2009). Statistical Process Optimization Through Multi-Response Surface Methodology. *World Academy of Science, Engineering and Technology*. 51: 267 – 271.
- Rashmi, B. J. Rusu, D. Prashantha, K. Lacrampe, M. F. and Krawczak, P. (2013) Development of Bio-Based Thermoplastic Polyurethanes Formulations Using Corn-Derived Chain Extender for Reactive Rotational Molding. *eXPRESS Polymer Letters* . 7 (10): 852–862.
- Reid, O. G., Malik, J. A. N., Latini, G., Dayal, S., Kopidakis, N., Silva, C., Stingelin, N., Rumbles, G. (2012). The Influence of Solid-State Microstructure on the Origin and

- Yield of Long-Lived Photogenerated Charge in Neat Semiconducting Polymers. *Journal of Polymer Science Part B: Polymer Physics*. 50: 27 – 37.
- Richter, A., Paschew, G., Klatt, S., Lienig, J., Arndt K. F. and Adler, H. J. P. (2008). Review on Hydrogel-based pH Sensors and Microsensors. *Sensors*. 8: 561 – 581.
- Ronda, J. C., Lligadas, G., Galià, M. and Cádiz, V. (2013). A Renewable Approach to Thermosetting Resins. *Reactive & Functional Polymers*. 73: 381 – 395.
- Rosli, W. D. W., Kumar, R. N., Zah, S. M. and Hilmi, M. M. (2003). UV Radiation Curing of Epoxidized Palm Oil–Cycloaliphatic Diepoxide System Induced by Cationic Photoinitiators for Surface Coatings. *European Polymer Journal*. 39: 593 – 600.
- Roy, N., Saha, N. and Saha, P. (2011). Biodegradable Hydrogel Film for Food Packaging, *Recent Researches in Geography, Geology, Energy, Environment and Biomedicine*. 329 – 334.
- Saber, A., Hasheminejad, H., Taebi, A. and Ghaffari, G. (2014). Optimization of Fenton-Based Treatment of Petroleum Refinery Wastewater with Scrap Iron Using Response Surface Methodology. *Applied Water Science*. 4: 283–290.
- Salimon, J. and Abdullah, B. M. and Salih, N. (2011). Optimization of the Oxirane Ring Opening Reaction in Biolubricant Base Oil Production. *Arabian Journal of Chemistry*. doi:10.1016/j.arabjc.2011.11.002.
- Sannino, A. (2008). Application of Superabsorbent Hydrogels for the Optimization of Water Resources in Agriculture. *The 3rd International Conference on Water Resources and Arid Environments 2008*.
- Saurabh, T., Patnaik, M., Bhagt, S. L. and Renge, V. C. (2011). Epoxidation Of Vegetable Oils: A Review. *International Journal of Advanced Engineering Technology*. 491– 501.
- Scrimgeour, C. (2005). Chemistry of Fatty Acids, Bailey's Industrial Oil and Fat Products. 6th Ed. In Shahidi, F. (Ed). John Wiley & Sons, Inc.
- Seddiki, N. and Aliouche, D. (2013). Synthesis, Rheological Behavior and Swelling Properties of Copolymer Hydrogels Based On Poly(N-Isopropylacrylamide) with Hydrophilic Monomers. *Bulletin of the Chemical Society of Ethiopia*. 27(3) : 447-457.
- Seniha, G. F., Yusuf, Y. A. and Tuncer, E. (2006). Polymers From Triglyceride Oils, *Prog.Polym. Sci*. 31: 633 – 670.

- Sharma, Y. C, Singh, B and Korstad, J. (2011). Advancements in Solid Acid Catalysts for Ecofriendly and Economically Viable Synthesis of Biodiesel. *Biofuels, Bioproducts and Biorefining*. 69 – 92.
- Shibayama, M. and Tanaka, T. (1993). Volume Phase Transition and Related Phenomena of Polymer Gels. *Advances in Polymer Science*. 109: 1 – 44.
- Shivashankar, M. and Mandal, B. K. (2012). A Review on Interpenetrating Polymer Network. *International Journal of Pharmacy and Pharmaceutical Sciences*, 4: 1 – 7.
- Silverajah, V. S. G., Ibrahim, N. A., Zainuddin, N., Yunus, W. M. Z. W. and Hassan, H. A. (2012). Mechanical, Thermal and Morphological Properties of Polylactic acid / Epoxidized Palm Olein Blend. *Molecules*. 17: 11729 – 11747.
- Singha, N. K., Kavitha, A., Sarkerb, P. and Rimmer, S. (2008). Copper-Mediated Controlled Radical Ring-Opening Polymerization (RROP) of A Vinylcycloalkane, *Chemical Community*. 3049 – 3051.
- Singh, V. K., Ramesh, S., Pal, K., Anis, A., Pradhan, Dillip K. and Pramanik, K. (2013). Olive oil based novel thermo-reversible emulsion hydrogels for controlled delivery applications, *Journal of Materials Science: Materials in Medicine*. 25: 703 - 721
- Singh, M., Kundu, S., Reddy, M. A., Sreekanth, V., Motiani, R. K., Sengupta, S., Srivastava, A. and Bajaj, A. (2014). Injectable Small Molecule Hydrogel As a Potential Nanocarrier for Localized and Sustained In Vivo Delivery of Doxorubicin. *Nanoscale*. 6: 12849 –12855.
- Stefanidis, D. and Jencks, W. P. (1993). General Base Catalysis of Ester Hydrolysis. *Journal of American Chemists' Society*. 115: 6045 – 6050.
- Souza, A. G. D., Santos, J. C. O., Conceição, M. M., Silva, M. C. D., and Prasad, S. (2004). A Thermoanalytic And Kinetic Study Of Sunflower Oil. *Brazilian Journal of Chemical Engineering*. 21: 265 – 273.
- Suarez, S. N., Jayakody, J. R. P., Greenbaum, S. G., Zawodzinski, T. A. and Fontanella, J. J. (2010). A Fundamental Study of the Transport Properties of Aqueous Superacid Solutions. *Journal of Physical Chemistry B*. 114: 8941– 8947.

- Sudo, A., Suzuki, A. and Endo, T. (2013) Cationic Copolymerization Behavior of Epoxide and 3-Isochromanone, *Journal of Polymer Science, Part A: Polymer Chemistry*. 51: 4213 – 4220.
- Taharim, R. M., Jai, Junaidah and Yaakub, N. (2012). Mechanical Performance of Epoxidized Palm Olein-Epoxy Coatings on Metal Surface. *International Journal of Undergraduate Studies*. 1: 48 – 53.
- Teh, C. C., Ibrahim, N. A. and Yunus, W. M. Z. W. (2013). Response Surface Methodology for the Optimization and Characterization of Oil Palm Mesocarp Fiber-graft-Poly(butyl acrylate). *BioResources*. 8(4):5244 – 5260.
- Vashist, A., Shahabuddin, S., Gupta, Y. K. and Ahmad, S. (2013). Polyol Induced Interpenetrating Networks: Chitosan–Methylmethacrylate Based Biocompatible and pH Responsive Hydrogels for Drug Delivery System. *Journal of Materials Chemistry B*. 1: 168–178.
- Vinay, S., and Kundu, P.P. (2006). Addition Polymers from Natural Oils - A Review. *Progress in Polymer Science*. 31: 983 –100.
- Wade, L.G. Jr. (2006). Organic Chemistry. 6th Ed. Pearson Prentice Hall. Upper Saddle River, New Jersey, USA.
- Wakita, K., Kuwabara, H., Furusho, N., Tatebe, C., Sato, K. and Akiyama, H. (2014). A Comparative Study of the Hydroxyl and Saponification Values of Polysorbate 60 in International Food Additive Specifications. *American Journal of Analytical Chemistry*. 5: 199 – 204
- Walker, F. H., Dickenson, J. B., Hegedus, C. R. and Pepe, F. R. (2002). Cationic Polymerization of Emulsified Epoxy Resins, *Progress in Organic Coatings*. 45: 291–303.
- Wang, K., Fu, Q., Li, W.F., Gao, Y. and Zhang, J.Y. (2012). Biodegradable, pH Sensitive P(CL-Pluronic-CL-co-MAA-MEG) Hydrogel for 5-aminosalicylic Acid Delivery. *Polymer Chemistry*. 3: 1539 – 1545.
- Wang, R. and Schuman, T. P. (2013) Vegetable Oil-Derived Epoxy Monomers and Polymer Blends: A Comparative Study with Review. *eXPRESS Polymer Letters*. 7(3): 272 – 292.
- Wong, H.L., Rauth, A.M., Bendayan, R., Manias, J.L., Ramaswamy, M., Liu, Z.S., Erhan, S.Z., Wu, X.Y. (2006). A New Polymer-Lipid Hybrid Nanoparticle System Increase Cytotoxicity of Doxorubicin Against Multidrug-Resistant Human Breast Cancer Cells. *Pharmaceutical Research*. 23: 1574 – 1585.

- Xu, J., Zou, Y. F. and Pan, C. Y. (2002). Study on Cationic Ring-Opening Polymerization Mechanism of 3-ethyl-3-hydroxymethyl oxetane, *Journal of Macromolecular Science - Pure and Applied Chemistry*. 39(5): 431 – 445.
- Xia, Y. and Larock, R. C. (2010). Vegetable Oil-Based Polymeric Materials: Synthesis, Properties, and Applications. *Green Chemistry*. 12: 1893 – 1909.
- Xu, J., Liu, Z. and Erhan, S. Z. (2008). Viscoelastic Properties of a Biological Hydrogel Produced from Soybean Oil, *Journal of American Oil Chemical Society*. 85: 285 – 290.
- Yahaya, S. M., Mohd, A. F. and Mohamed, R. (2013). Synthesis and Characterization of Palm Oil Based Polyol, *Advanced Materials Research*. 812: 275 – 280.
- Yang, X., Chen, Z., Liu, J., Chen, Q., Liu, Q., Luo, M and Lai, G. (2016). A Convenient Method for Preparation of Hydroxyl Silicone Oils with Ring Opening Polymerization of Octamethylcyclotetrasiloxane (D4). *Phosphorus, Sulfur, and Silicon and the Related Elements*, 191: 117 – 122.
- Zangeneh, N., Azizian, A., Lye, L. and Popescu, R. (2002). Application of Response Surface Methodology in Numerical Geotechnical Analysis. *55th Canadian Society for Geotechnical Conference*.
- Zhang, Q. and Nguyen, H. M. (2014). Rhodium-Catalyzed Regioselective Opening of Vinyl Epoxides with $\text{Et}_3\text{N} \cdot 3\text{HF}$ Reagent – Formation of Allylic Fluoroalcohols. *Chemical Science*. 5: 291 – 296.
- Zhang, N., Shen, Y., Li, X., Cai, S. and Liu, M. (2012). Synthesis and Characterization of Thermo and pH-sensitive Poly(vinyl alcohol)/poly (N, N-diethylacrylamide-co-itaconic acid) Semi-IPN Hydrogels. *Biomedical Materials*. 7: 1 – 11.
- Zhang, X. Z. and Chu, C. C. (2003). Synthesis of Fast Response, Temperature Sensitive PINPAAm Hydrogel in Organic Solvent at Low Temperature. *Journal of Materials Chemistry*. 13: 2457 – 2464.
- Zhang, L., Huang, M., Yu, R., Huang, J., Dong, X., Zhang, R. and Zhu, J. (2014). Bio-based Shape Memory Polyurethanes (Bio-SMPUs) with Short Side Chains in the Soft Segment. *Journal of Materials Chemistry A*. 2: 11490 – 11498.