SEQUENCES AND CUBES OF FINITE VERTICES OF FUZZY TOPOGRAPHIC TOPOLOGICAL MAPPING

AZRUL AZIM MOHD YUNUS

A thesis submitted in fulfilment of the requirements for the award of the degree of Doctor of Philosophy (Mathematics)

> Faculty of Science Universiti Teknologi Malaysia

> > **SEPTEMBER 2015**

To my beloved parents Mohd Yunus Razali and Ozairah Zakaria who are a great source of joy and inspiration to me

ACKNOWLEDGEMENT

First of all, my heart and soul say thanks to ALLAH (SWT), the Lord Almighty, for His generosity to give me the health, strength and ability to complete this thesis.

I wish to express my deepest gratitude to my supervisor, Prof. Dr. Tahir Ahmad, who has suggested the research topic and directed the research. I thank him for his enduring patience.

I further wish to express my indebtedness to Universiti Sains Islam Malaysia for the financial support during the tenure of this research. This work was also supported in part by the Malaysian Ministry of Higher Education (MOHE) through the Research Management Centre (RMC), Universiti Teknologi Malaysia (GUP Q.J130000.3026.00M30).

Finally, I would like to convey my sincerest gratitude to my family members, especially my father Mohd Yunus bin Razali and my mother Ozairah bt. Zakaria for their support, and my relatives, friends and colleagues.

ABSTRACT

Fuzzy Topographic Topological Mapping (FTTM) was first developed by Fuzzy Research Group (FRG) of UTM. FTTM is a novel method for solving neuromagnetic inverse problems to determine the current source, i.e. epileptic foci in epilepsy disorder patient. FTTM consists of four components which are connected by three algorithms. FTTM is specially designed to have equivalent topological structures between its components. In addition, FTTM was generalized as a set of vertices which led to infinitely many forms of FTTM. This includes the possibilities of finite vertices of FTTM. In this research, the structure for finite vertices of FTTM, namely FK where K represents the number of vertices is established. Firstly, the sequences of FK, given by FK_n are constructed as sequences of polygons. In this process, geometrical and algebraic structures for some FK_n are obtained and proven in this thesis. Some patterns on FK_n are observed and defined recursively. Several new features for sequences of FK_n are introduced, such as sequence of vertices, sequence of faces, and sequence of cubes. Consequently, some theorems are proven in order to describe patterns for the sequence of cubes for FK_n . Interestingly, the cube of FK_n appears to be an example of generalized Fibonacci sequence, namely the k-Fibonacci sequence. Furthermore, the number of new elements produced from the combination of sequences of FK_n can be expressed as a combination of cubes of FK_n .

ABSTRAK

Pemetaan Topologi Topografi Kabur (FTTM) telah dibangunkan oleh Kumpulan Penyelidikan Kabur (FRG), UTM. FTTM merupakan kaedah untuk menyelesaikan masalah neuromagnetik songsang untuk menentukan kedudukan titik tumpuan arus di dalam otak bagi pesakit epilepsi. FTTM terdiri daripada empat komponen yang dihubungkan oleh tiga algoritma. FTTM direka khas untuk mempunyai struktur topologi yang setara di antara komponennya. Sebagai tambahan, FTTM kemudian diklasifikasikan sebagai satu set bucu dan ini membawa kepada pelbagai bentuk FTTM termasuklah bilangan bucu yang terhingga FTTM. Dalam kajian ini, pelbagai struktur bagi bucu terhingga FTTM iaitu FK dengan K mewakili bilangan bucu diperkenalkan. Pertama, jujukan bagi FK, yang dinamakan sebagai FK_n dibina sebagai suatu jujukan poligon. Dalam proses itu, beberapa struktur geometri dan aljabar jujukan FK_n diperolehi dan dibuktikan dalam thesis ini. Sebilangan corak pada FK_n telah diperhatikan dan ditakrifkan secara jadisemula. Beberapa gambaran baharu bagi jujukan FK_n diperkenalkan seperti jujukan bucu, jujukan muka, dan jujukan kiub. Seterusnya, beberapa teorem dibuktikan untuk menggambarkan corak jujukan kiub bagi FK_n . Menariknya, kiub FK_n didapati menyerupai contoh bagi jujukan teritlak Fibonacci, iaitu jujukan k- Fibonacci. Selain daripada itu, bilangan elemen baharu yang dihasilkan daripada gabungan jujukan FK_n boleh diungkapkan sebagai satu gabungan daripada kiub bagi FK_n .

TABLE OF CONTENTS

CHAPTER		TITLE	PAGE
	DEC	CLARATION	ii
	DEI	DICATION	iii
	ACH	KNOWLEDGEMENT	iv
	ABS	STRACT	v
	ABS	STRAK	vi
	TAE	BLE OF CONTENTS	vii
	LIS	T OF TABLES	X
	LIS	T OF FIGURES	xii
	LIS	T OF ABBREVIATIONS	xiv
	LIS	T OF SYMBOLS	XV
	LIS	T OF APPENDICES	xvi
1	INTRODUCTION		1
	1.1	Background and Motivation	1
	1.2	Research Background	3
	1.3	Problem Statement	4
	1.4	Research Objectives	6
	1.5	Scope of the Study	6
	1.6	Significance of Findings	6
	1.7	Research Methodology	7
		1.7.1 Constructive	7
		1.7.2 Difference Equation	7
		1.7.3 Mathematical Induction	8
	1.8	Thesis Organization	8

2	LITI	ERATURE REVIEW	11	
	2.1	Introduction	11	
	2.2	Fuzzy Topographic Topological Mapping	11	
		2.2.1 FTTM Version 1	12	
		2.2.2 FTTM Version 2	12	
	2.3	Different Version of FTTM	13	
	2.4	Homeomorphisms of FTTM Version 1 and FTTM Version 2	14	
	2.5	Generalized FTTM	14	
	2.6	Illustration of Sequence of FTTM	16	
	2.7	Pascal's Triangle	22	
	2.8	FTTM as Pascal's Triangle	24	
	2.9	Fibonacci Sequence and Fibonacci Cubes	25	
	2.10	k-Fibonacci Sequences	26	
	2.11	Conclusion	28	
3	SOM FTT	SOME SEQUENCES OF FINITE VERTICES OF FTTM		
	3.1	Introduction	29	
	3.2	Sequence of $F2_n$	29	
	3.3	Sequence of $F3_n$	34	
	3.4	Sequence of $F4_n$	40	
	3.5	Sequence of $F5_n$	49	
	3.6	Some Definitions on Cube of FK_n	58	
	3.7	Conclusion	60	
4	SOM VER	IE PROPERTIES OF SEQUENCES OF FINITE TICES OF FTTM	61	
	4.1	Introduction	61	
	4.2	Sequence of Edges and Faces For FK_n	61	
	4.3	Conclusion	76	

5	CUI REI	BES OF FINITE VERTICES OF FTTM IN	77
	5.1	Introduction	77
	5.2	Generalization of Sequence of Cubes Via k -Fibonacci Numbers	78
	5.3	Conclusion	94
6	THI ANI	E RELATION BETWEEN SEQUENCE OF FK_n D CUBE OF FK_n	95
	6.1	Introduction	95
	6.2	Elements of FK_n	95
		6.2.1 Sequence of F2	95
		6.2.2 Sequence of F3	97
		6.2.3 Sequence of F4	100
	6.3	Relation Between Sequece of FK_n and Cube of FK_n	100
	6.4	Coefficients for FK_n	101
	6.5	Conclusion	106
7	COI	NCLUSION	107
	7.1	Conclusion	107
	7.2	Recommendations	109
REFE	RENC	CES	110
APPE	NDIX	Α	115

ix

LIST OF TABLES

TABLE NO.

TITLE

2.1	Vertices, edges, faces and cubes for sequences of FTTM for $n = 1, 2, 3,, 10$	22
3.1	Schematic diagram of $F2_n$ for $n = 1, 2, 3, and 4$	31
3.2	The number $eF2_n$ for $n = 1, 2, 3,, 10$	32
3.3	The number of $F2_{2/n}$ for $n = 1, 2, 3,, 10$	33
3.4	The number of vertices, edges, and squares for sequences of $F2_n$ for $n = 1, 2, 3,, 10$	34
3.5	Schematic diagram of $F3_n$ for $n = 1, 2, 3, and 4$.	36
3.6	The number of $eF3_n$ for $n = 1, 2, 3,, 10$	37
3.7	The Number of $fF3_n$ For $n = 1, 2, 3,, 10$	38
3.8	The number of $F3_{2/n}$ for $n = 1, 2, 3,, 10$	39
3.9	The number of $F3_{3/n}$ for $n = 1, 2, 3,, 10$	40
3.10	The number of vertices, edges, faces and triangles for sequences of $F3_n$ for $n = 1, 2, 3,, 10$	41
3.11	Schematic diagram of $F4_n$ for $n = 1, 2, 3$, and 4	42
3.12	The Number of $eF4_n$ For $n = 1, 2, 3,, 10$	44
3.13	The Number of $fF4_n$ For $n = 1, 2, 3,, 10$	45
3.14	The number of $F4_{2/n}$ for $n = 1, 2, 3,, 10$	46
3.15	The number of $F4_{3/n}$ for $n = 1, 2, 3,, 10$	47
3.16	The number of $F4_{4/n}$ for $n = 1, 2, 3,, 10$	47
3.17	The number of vertices, edges, faces and cubes for sequences of $F4_n$ for $n = 1, 2, 3,, 10$	48
3.18	Schematic diagrams of $F5_n$ for $n=1,2,3$, and 4.	51
3.19	The number of $eF5_n$ for $n = 1, 2, 3,, 10$	52

3.20	The Number of $fF5_n$ for $n = 1, 2, 3,, 10$	53
3.21	The number of $F5_{2/n}$ for $n = 1, 2, 3,, 10$	54
3.22	The number of $F5_{3/n}$ for $n = 1, 2, 3,, 10$	55
3.23	The number of $F5_{4/n}$ For $n = 1, 2, 3,, 10$	55
3.24	The number of $F5_{5/n}$ for $n = 1, 2, 3,, 10$	56
3.25	The number of vertices, edges, faces and cubes for sequences of $F5_n$ for $n = 1, 2,, 10$	57
5.1	Sequence of $FK_{3/n}$ for $n = 1, 2, 3,, 10$	78

LIST OF FIGURES

FIGURE N	O. TITLE	PAGE	
1.1	Human brain	1	
1.2	Neuromagnetic field	2	
1.3	MEG Systems	3	
1.4	FTTM version 1	4	
1.5	FTTM version 2	4	
1.6	Equivalance of Structure of FTTM Componentwise	5	
1.7	Sequences of FTTM _n	7	
1.8	Research Framework	10	
2.1	FTTM version 1	12	
2.2	FTTM version 2	13	
2.3	EEG projection	14	
2.4	Equivalence of FTTM Version 2	14	
2.5	Generalized FTTM	15	
2.6	Sequence of $FTTM_n$	16	
2.7	Examples of sequence of $FTTM_n$	18	
2.8	k-FTTM	19	
2.9	Reproduction of Pascal's Triangle from Chu Shih Chieh	21	
2.10	Pascal's Triangle based on binomial coefficients	23	
2.11	Modern day interpretation of Pascal's triangle	23	
2.12	FTTM in Pascal's Triangle	24	
2.13	Example of Fibonacci cubes	26	
3.1	Sequence of $F2_n$	30	

3.2	Sequence of $F3_n$	35
3.3	$k-F3_n$	39
3.4	Sequence of $F4_n$	43
3.5	Sequence of $F5_n$	49
3.6	k-F5	57
3.7	Number of cubes for $FK_{k/n}$	58
5.1	Relations Between FTTM, Pascal triangle, and k -Fibonacci Sequence	79
5.2	Some examples of cubes FK_n	80
6.1	Element of $F2_1$	96
6.2	Elements of $F2_2$	96
6.3	Elements of $F2_3$	96
6.4	Elements of $F2_4$	97
6.5	New elements produced from the combination of two $F3$ in $F3_2$	98
6.6	New elements produced from the combination of two $F3$ in $F3_3$ that starts with A_1	98
6.7	New elements produced from the combination of two $F3$ in $F3_3$ that starts with A_2	99
6.8	New elements produced from the combination of two $F3$ in $F3_3$ that starts with A_3	99
6.9	New elements produced from combination of three $F3$ in $F3_3$	100
7.1	Geometry of FK_n for $k=2, 3, 4$, and 5	108
7.2	Some Examples of Polygonal Numbers	109

LIST OF ABBREVIATIONS

UTM - Universiti Teknologi Malaysia

FTTM - Fuzzy Topographic Topological Mapping

- FRG Fuzzy Research Group
- MEG Magnetoencephalography
- EEG Electroencephalogram
- BM Base Magnetic Plane
- FM Fuzzy Magnetic Field
- MC Magnetic Contour Plane
- TM Topographic Magnetic Field
- BMI Base Magnetic Image Field
- FMI Fuzzy Magnetic Image Field
- MI Magnetic Image Field
- TMI Topographic Magnetic Image Field
- FK Finite vertices of FTTM

LIST OF SYMBOLS

≅	-	Homeomorphism
\leq	-	Less than or equal
\geq	-	Greater than or equal
\Rightarrow	-	Implies
E	-	Element of
vFTTM	-	Vertices of FTTM
eFTTM	-	Edges of FTTM
fFTTM	-	Faces of FTTM
$FTTM_{2/n}$	-	Cubes with combination of two number of FTTM in FTTM_n
$FTTM_{3/n}$	-	Cubes with combination of three number of FTTM in FTTM_n
$FTTM_{4/n}$	-	Cubes with combination of four number of FTTM in $FTTM_n$
$\operatorname{FTTM}_{k/n}$	-	Cubes with combination of k number of FTTM in FTTM _n
FK_n	-	Sequence of finite vertices of FTTM
vFK_n	-	Vertices of finite vertices of FTTM
eFK_n	-	Edges of finite vertices of FTTM
fFK_n	-	Faces of finite vertices of FTTM
$FK_{r/n}$	-	Cubes with combination of r number of FK in FK_n

LIST OF APPENDICES

APPENDIX	K TITLE	PAGE
A	Papers published during the author's candidature	116

CHAPTER 1

INTRODUCTION

1.1 Background and Motivation

The human brain (see Figure 1.1) is the most important structure in our body. It is also the most complexly organized structure known to exist [1]. There are four lobes in both halves of the cortex: frontal, pariental, temporal and occipital.

The outermost layer of the brain is called the cerebral cortex. The cerebral cortex has a total surface area of about $2500cm^2$, folded in a complicated way, so that it fits into the cranial cavity formed by the skull of the brain. There are at least 10^{10} neurons in the cerebral cortex. These neurons are the active units in a vast signal-handling network [1]. When information is being processed, small currents flow in the neural system, producing a weak magnetic field (see Figure 1.2).



Figure 1.1: Human brain (source from http://www.newscientist.com)



Figure 1.2: Neuromagnetic field

Different parts of brain produce different patterns of magnetic fields [2]. The small area of brain tissues that triggers epileptic seizures is called epileptic foci. It is very important to accurately locate the epileptic foci in the cortical region for a successful surgery [1]. Both invasive and noninvasive methods of locating the epileptic foci have been used in the past, but only the invasive pathway has yielded necessary results for surgical removal.

Magnetoencephalography (MEG) is one of the noninvasive neuroimaging techniques used to identify epileptic foci (see Figure 1.3). This study was first conducted by the University of California [3]. MEG is the study of magnetic field generated by currents in the neurons [4]. MEG consists of the superconducting quantum interface device (SQUID) detectors coupled with flux transformers. The recorded magnetic fields help in determining where the electrical currents originate and the strength of currents. MEG is completely noninvasive and non-hazardous. The recorded magnetic field gives information in the process to determine location, direction and magnitude of a current source. Estimating the cereberal current sources underlying a measured distribution of the magnetic field is called the neuromagnetic inverse problem [1].

There is a method for solving this problem, called Bayesian, that needs a priori information (data based model), and it is time consuming [5]. By using Bayesian, forward calculation is used to calculate the magnetic field caused by the current dipole at every possible point. The best location of the current source is determined by minimizing the sum of the squares of the difference between the measured and the



Figure 1.3: MEG Systems (source from http://infocenter.nimh.nih.gov)

calculated value similar to the least squares method. Then, a point with a minimum least square is the location of a current source. On the other hand, Fuzzy Topographic Topological Mapping (FTTM) is a model for the solving neuromagnetic inverse problem. It does not need priori information and is less time consuming [6].

1.2 Research Background

FTTM was first developed by Fuzzy Research Group (FRG) group in 1999 in order to determine the location of epileptic foci in epilepsy disorder patients [6]. The model consists of four components, which are magnetic contour plane (MC), base magnetic plane (BM), fuzzy magnetic plane (FM), topographic magnetic field (TM) and three mathematical algorithms (see Figure 1.5). In 2002, Zakaria has developed FTTM version 1 (see Figure 1.4) to present a 3-D view of an unbounded single current source [7], and later, Rahman developed FTTM version 2 (see Figure 1.5) to present a 3-D view of a bounded multi current source [8]. The structure of FTTM will be discussed in detail in Chapter 2.



Figure 1.4: FTTM version 1



Figure 1.5: FTTM version 2

1.3 Problem Statement

FTTM version 1 and FTTM version 2 (See Figure 1.6) are specially designed to have equivalent topological structures between its components. This was proven by Yun [9]. In other words, FTTM version 1 and FTTM version 2 are homeomorphic component-wise. Yun also noticed that if there are two elements of FTTM that are homeomorphic to each other component-wise, it would generate more homeomorphisms [10]. The number of generating new elements of FTTM is

$$\left[\binom{2}{1} \times \binom{2}{1} \times \binom{2}{1} \times \binom{2}{1} \times \binom{2}{1}\right] - 2 = 14 \text{ elements.}$$
(1.1)



Figure 1.6: Equivalance of Structure of FTTM Componentwise

Consequently, Yun proposed a conjecture such that if there exist n elements of FTTM, then the number of new elements are $n^4 - n$ [10]. This conjecture is proven by Jamaian [11]. Consequently, Jamaian proposed an open problem as follows:

given cube of two, three, and four FTTM given by $\text{FTTM}_{2/n}$, $\text{FTTM}_{3/n}$ and $\text{FTTM}_{4/n}$. Thus for every nonzero of $\text{FTTM}_{2/n}$, $\text{FTTM}_{3/n}$ and $\text{FTTM}_{4/n}$ appears in the third, fourth, and fifth main diagonal of Pascals triangle respectively, therefore for every nonzero sequence of $FK_{2/n}$, $FK_{3/n}$, $FK_{4/n}$,..., $FK_{l/n}$ they also obey the third, fourth, fifth, until $(l + 1)^{th}$ main diagonal of Pascals triangle with K representing the number of components [12]. The number of new elements of FK_n can be written as,

$$Fk_{n} = C_{1}\binom{n}{2} + C_{2}\binom{n}{3} + C_{3}\binom{n}{4} + \dots + C_{p}\binom{n}{k}$$
(1.2)

where $n \ge k$ with k the number of component and $C_1, C_2, C_3, ..., C_p$ are the coefficient for each combination. Since FITM exists in a sequence, therefore the need to analyse the sequence of finite vertices of Fuzzy Topographic Topological Mapping (FK_n) is paramount.

1.4 Research Objectives

The aims of this research are as follows:

- (i) To develop sequences of finite vertices of Fuzzy Topographic Topological Mapping (FK_n) .
- (ii) To prove the theorem on sequences of FK_n using difference equation.
- (iii) To find the relation between sequences of cubes of FK_n and k-Fibonacci sequences.
- (iv) To prove the conjecture proposed by Jamaian.

1.5 Scope of the Study

This research focuses on the goal to prove the conjecture proposed by Jamaian in [12] and the relation between generalized FTTM and k-Fibonacci sequence. This form of sequence for FK_n was only limited to the form that were adopted by Jamaian in [12].

1.6 Significance of Findings

By proving the conjecture, other versions of FTTM can be introduced. In other words, a new version of FTTM besides FTTM version 1 and version 2 can be developed. The relation between sequences of FTTM, Pascal's Triangle and also Fibonacci sequences are obtained.



Figure 1.7: Sequences of $FTTM_n$

1.7 Research Methodology

The research starts by studying different types of FTTM and the geometry for sequences of FTTM. There are three methods used in order to prove the theorem which are constructive, difference equation, and mathematical induction.

1.7.1 Constructive

According to Hein [13], a constructive proof is a method of proving that demonstrate the existence of a mathematical object with certain properties by creating or providing a method for creating such an object. In addition, the constructive method can be identified by certain keywords that appear in the statement such as there is, there are, there exist, for all, for each and for every [14]. Furthermore, this method never puts any condition that the statement of a problem should be identified first.

1.7.2 Difference Equation

A difference equation (also called a recurrence equation) is the discrete analog of a differential equation [13]. A difference equation involves an integer function f(n) in a form, such as the following:

$$f(n) - f(n+1) = g(n).$$
 (1.3)

For non-homogenous equation

$$U_{n+1} + aU_n = f(n)$$
(1.4)

where a is constant, the solution U_n is given by

$$U_{n} = \begin{pmatrix} \text{general solution of} \\ \text{associated homogeneous} \\ \text{equation} \end{pmatrix} + \begin{pmatrix} \text{one particular solution} \\ \text{of the non - homogeneous} \\ \text{equation} \end{pmatrix}$$
(1.5)

1.7.3 Mathematical Induction

Mathematical induction is a way to prove statements for all positive integers [15]. There are two steps in mathematical induction: the basis and the inductive steps.

- (i) The basis (base case): showing that the statement holds when n is equal to the lowest value that n is given in the question. Usually, n = 0 or n = 1.
- (ii) The inductive step: showing that if the statement holds for some n, then the statement also holds when n + 1 is substituted for n.

1.8 Thesis Organization

In general, the thesis contains seven chapters. The first chapter serves as an introduction to the whole thesis. This chapter includes the background of the research, problem statements, objectives, scope and importance of the research.

Chapter 2 presents the literature review of this research. Various works by different researchers regarding FTTM are discussed in this chapter. Some definitions on k-Fibonacci sequence are also presented in this chapter.

Chapter 3 consists the geometrical features of FK_n . It consists of generalization of FK_n . The geometrical feature of FK_n is discussed in this chapter. Several definitions on sequence of FK_n are also provided.

Chapter 4 provides the theorems on sequences of FK_n . The proofs for the theorems are provided in this chapter.

In Chapter 5, the proofs of sequence of cubes FK_n are provided. It reveals the relation between cube of FK_n , Pascal's triangle, and k-Fibonacci sequence. This chapter covers the proof to the theorem and corollaries of cube FK_n .

Chapter 6 covers on the elements of FK_n and the relation to cubes of FK_n . Finally, Chapter 7 consists of conclusions and recommendations for future work.

The framework of this research is summarized in Figure 1.8.



Figure 1.8: Research Framework

REFERENCES

- Hamalainen, M., Hari, R., Ilmoniemi, R. J., Knuutila, J. and Lousnama, O. V. Magetoenchepalography-Theory, Instrumentation, and Applications to Noninvasive Studies of the Working Human Brain. *Rev. Mod. Phys*, 1993. 65(2): 413–497.
- Frederico, A. C. L., Ludmilla, R. B. C., Lea, T. G., Jose, M. F., Renata, E. L., Renata, E., F., W. J., Roberto, L. and Suzana, H. H. Equal Number of Neuronal and Nonneuronal Cells Make The Human Brain an Isometrically Scaled-Up Primate Brain. *Journal of Comparative Neurology*, 2009. 513: 532–541.
- 3. Barth, D. S. S., Engel, W. and Jr., J. B. Neuromagnetic Localization of Epileptiformspike Activity in The Human Brain. *Science*, 1982. 218: 891–894.
- 4. Uuetela, K. Estimating Neural Currents from Neuromagnetic Measurements. Helsinki University of Technology: Ph.D. Thesis. 2001.
- 5. Tarantola, A. and Valette, B. Inverse Problem; Quest for Information. *J. Geophys.*, 1982. 50: 159–170.
- Ahmad, T., Ahmad, R. S., Zakaria, F. and Yun., L. L. Development of Detection Model for Neuromagnetic Fields. *Proceeding of Biomed*, 2000. September 27-28: Kuala Lumpur: Universiti Malaya.
- Zakaria, F. and Ahmad, T. Pemodelan Isyarat Magnetoenchepalography. *Proceedings of the 8th National Symposium of Mathematical Sciences*, 2002. 1-2 April: Universiti Teknologi Malaysia.
- W.A.Rahman, W. E. Z., Ahmad, T. and Ahmad, R. S. Simulating The Neuronal Current Sources In The Brain. *Proceeding of BIOMED*, 2002. June 5-8: Universiti Malaysia.

- Yun, L. L. Group-Like Algebraic Structures of Fuzzy Topographic Topological Mapping for Solving Neuromagnetic Inverse Problem. Universiti Teknologi Malaysia: Ph.D. Thesis. 2006.
- Ahmad, T., Ahmad, R. S., Yun, L. L., Zakaria, F. and W.A.Rahman, W. E. Z. Homeomorphisms of Fuzzy Topographic Topological Mapping. *Matematika*, 2005. 21(1): 35–42.
- Jamaian, S. S., Ahmad, T. and Talib, J. Generalized Finite Sequence of Fuzzy Topographic Topological Mapping. *Journal of Mathematics and Statistics*, 2010. 6(2): 151–156.
- 12. Jamaian, S. S. *Generalized Fuzzy Topographic Topological Mapping*. Universiti Teknologi Malaysia: Master's Thesis. 2008.
- Hein, J. L. Discreate Mathematics (2nd Edition). Jones and Bartlett Publishers. 2003.
- 14. Solow, D. How to Read and do Proofs. New York, John Wiley and Son. 1982.
- 15. Rosen, K. *Elementary Number Theory and its Applications (4th ed.)*. United States, AT&T Laboratories. 2000.
- Ahmad, T., Abdullah, J., Zakaria, F., Mustapha, F., Thakaran, J. and Zabidi-Hussin, A. Nonlinear Dynamic Modelling of Brain Storm of Epilepsy Sufferers. In Proceeding 7th. International Neurotrauma Symposium, Adelaide, Australia. 2004.
- Zakaria, F. Algoritma Penyelesaian Masalah Songsang Arus Tunggal Tak Terbatas MEG. Universiti Teknologi Malaysia: Master's Thesis. 2002.
- Yun, L. L. Homeomorfisma S² Antara E² Melalui Struktur Permukaan Riemann Serta Deduksi Teknik Pembuktiannya Bagi Homeomorfisma Pemetaan Topologi Topografi Kabur. Universiti Teknologi Malaysia: Master's Thesis. 2001.
- Binjadhnan, F. A. M. and Ahmad, T. Semigroup of EEG Signals During Epileptic Seizure. *Journal of Applied Sciences*, 2010. 10(14): 1466 – 1470.

- 20. Yun, L. L. and Ahmad, T. $S^2 \cong E^2$. *Matematika*, 2003. 19(2): 121–138.
- 21. Ahmad, T. Permukaan Riemann : S². Matematika, 1993. 9(1): 9–17.
- Jamaian, S. S., Ahmad, T. and Talib, J. Sequence of Fuzzy Topographic Topological Mapping. *Journal of Fundamental Sciences*, 2008. 4(2008): 423– 434.
- 23. Uspenskii, V. A. Pascal's Triangle. Popular Lectures in Mathematics Series. 1974.
- 24. Shoup, V. A Computational Introduction to Number Theory and Algebra. Cambridge University Press. 2005.
- 25. Burton, D. M. The History of Mathematics: An Introduction (2nd ed.). McGraw-Hill Companies. 2006.
- 26. Eves, H. An Introduction to The History of Mathematics. Library of Congress Cataloging in Publication Data. 1976.
- 27. Erickson, M. and Vazzana, A. Introduction To Number Theory. Chapman & Hall / CRC. 2008.
- Sayed, M. and Ahmad, T. Recurrence Formula to Determine the Number of New Elements for Fuzzy Topographic Topological Mapping. *Journal of Life Sciences*, 2014. 11(10): 316–319.
- 29. Barnett, I. A. *Some Ideas About Number Theory*. National Council of Tachers of Mathematics. 1961.
- 30. Wu, J. Extended Fibonacci Cubes. *IEEE Transactions on Parallel and Distributed Systems*, 1997. 8(12): 1203–1210.
- 31. Ma, S.-M. Identities Involving Generalized Fibonacci-type Polynomial. *Applied Mathematics and Computation*, 2011. 217: 9297–9301.
- 32. Gerstein, L. J. Discreate Mathematics and Algebraic Structures. Universities of Washington. 1987.

- 33. Yayenie, O. A Note on Generalized Fibonacci Sequence. *Applied Mathematics* and Computation, 2011. 217: 5603–5611.
- Cull, P. and Holloway, L. Computing Fibonacci Numbers Quickly. Information Processing Letters, 1989. 32: 143–149.
- Qian, H. and Wu, J. Enhanced Fibonacci Cubes. *The Computer Journal*, 1996.
 39(4): 331–345.
- 36. Falcon, S. and Plaza, A. The k-Fibonacci Sequence and the Pascal 2-Triangle. *Chaos, Solitons and Fractals*, 2007. 33: 38–49.
- Yang, S.-L. On the k-Generalized Fibonacci Numbers and High-Order Linear Recurrence Relations. Applied Mathematics and Computation, 2008. 196: 850– 857.
- Öcal, A. A., Tugle, N. and Altinişik, E. On the representation of k-Generalized Fibonacci and Lucas numbers. *Applied Mathematics and Computation*, 2005. 170: 584–596.
- 39. El-Mikkawy, M. and Sogabe, T. A New Family of *k*-Fibonacci numbers. *Applied Mathematics and Computation*, 2010. 215: 4456–4461.
- 40. Falcon, S. and Plaza, A. On The Fibonacci k-numbers. Chaos, Solitons and Fractals, 2007. 32: 1615–1624.
- 41. Falcon, S. and Plaza, A. On *k*-Fibonacci numbers of Arithmetic Indexes. *Applied Mathematics and Computation*, 2009. 208: 180–185.
- 42. Schork, M. Generalized Heisenberg algebras and k-Fibonacci Numbers. Journal of Physics A: Mathematical and Theoretical, 2007. 40: 4207–4214.
- 43. Salas, A. H. About k-Fibonacci Numbers and their Associated Numbers. International Mathematical Forum, 2011. 6(50): 2473–2479.
- 44. Benjamin, A. T. and Quinn, J. J. *Proofs that Really Count: The Art of Combinatorial Proof.* The Mathematical Association of America. 2003.

- 45. Lambert, J. D. Kaedah Pengiraan Dalam Persamaan Pembeza Biasa (Terjemahan). Kuala Lumpur: Dewan Bahasa Pustaka. 1990.
- 46. Reid, C. From Zero to Infinity; What Makes Number Interesting (5th ed.). Massachusetts. 2006.