

PREDICTING EFFECTS OF WETTABILITY VARIATIONS ON  
DISPLACEMENT BEHAVIOR AND THEIR INCORPORATION INTO  
INFLOW PERFORMANCE

MUHAMMAD KHURRAM ZAHOOR

UNIVERSITI TEKNOLOGI MALAYSIA

PREDICTING EFFECTS OF WETTABILITY VARIATIONS ON  
DISPLACEMENT BEHAVIOR AND THEIR INCORPORATION INTO  
INFLOW PERFORMANCE

MUHAMMAD KHURRAM ZAHOOR

A thesis submitted in fulfilment of the  
requirements for the award of the degree of  
Doctor of Philosophy (Petroleum Engineering)

Faculty of Petroleum and Renewable Energy Engineering  
Universiti Teknologi Malaysia

APRIL 2011

To my beloved family who always care about me

## **ACKNOWLEDGEMENT**

First and foremost I would like to express my thanks to Almighty ALLAH on successful completion of this research work and thesis.

I am extremely indebted to my supervisor Professor Dr. Mohd. Nawi Bin Derahman for his invaluable guidance and incessant support throughout the entire process of this research. I am equally indebted to my second supervisor, Associate Professor Dr. Mat Hussin Bin Yunan for his great guidance and help. Their attitude, confidence and trust towards me during the entire process of research and thesis compilation, is praise worthy and I feel highly obliged for it.

I would also like to thank my family for their support during this work, which helped me a lot in finishing this research.

## ABSTRACT

Wettability plays a crucial role in reservoir fluid dynamics. Wettability controls the initial fluid distribution, fluid movement, further displacement of one fluid by another and hence effecting recovery from a reservoir. Wettability also has strong influence on capillary pressure and relative permeability. During different stages of reservoir development and depletion, this phenomenon becomes further complex, when wettability changes with the passage of time as a result of undergoing several processes. To-date, correlations are available for re-generating the laboratory data for capillary pressure curves, but there is still an immense need of set of correlations which can predict the capillary pressure curve behavior at any prevailing wettability conditions, when its behavior at any wettability is known. Keeping it in view, effective saturation correlation is modified and a set of correlations have been developed which can generate capillary pressure data at any prevailing wettability condition. Furthermore, the methodology for generating the corresponding relative permeability data at any wettability condition has been formulated. In order to use it in a time efficient manner, state-of-the-art system, comprising of suite of softwares have been designed, which is capable of generating capillary pressure and relative permeability curves, efficiently. In addition, the developed system is also capable of performing tubing flow calculations, providing real time monitoring and analyzing of subsurface production systems. The developed set of correlations and the suite of softwares, in conjunction with reservoir simulator, Eclipse 100, collectively named as state-of-the-art Subsurface Flow System Optimizer and Designer have been used for simulation studies of conventional and naturally fractured reservoir. The obtained results show improved history match and hence resulting into improved forecast and decision making, as a result of better understanding of wettability variations effect on displacement behavior and their incorporation into Subsurface Flow System Optimizer and Designer.

## ABSTRAK

Keterbasahan memainkan peranan penting dalam dinamika bendalir resebor. Keterbasahan mengawal pengagihan awal bendalir, pergerakan bendalir, dan sesaran tambahan bendalir disebabkan oleh bendalir yang lain dan seterusnya memberi kesan kepada perolehan semula dari resebor. Keterbasahan juga sangat mempengaruhi tekanan kapilari dan ketelapan relatif. Fenomena ini bertambah menjadi lebih rumit pada tahap kepekatan yang berbeza, apabila keterbasahan berubah dengan masa disebabkan proses pengeluaran resebor dan selanjutnya. Sehingga kini, terdapat banyak korelasi untuk menghasilkan semula data makmal untuk lengkungan tekanan kapilari, tetapi set korelasi yang boleh meramal sifat-sifat lengkungan tekanan kapilari pada sesuatu keterbasahan masih amat diperlukan. Berdasarkan pandangan ini, korelasi keberkesanan ketepuan telah diubahsuai dan satu set korelasi telah diperolehi berdasarkan data-data yang diperolehi melalui eksperimentasi. Metodologi untuk menghasilkan data ketelapan relatif berpadanan pada mana-mana keadaan keterbasahan juga telah dibentuk. Untuk menggunakan kaedah ini dengan penggunaan masa yang lebih efisien, sebuah set perisian unggul telah direka, ia mempunyai kebolehan untuk menghasilkan lengkungan tekanan kapilari dan ketelapan relatif dengan sangat efisien. Selain itu, sistem yang dicipta ini turut berupaya untuk membuat pengiraan aliran tertub, dan memberi cara-cara untuk membuat pengawasan semasa dan menganalisa sistem pengeluaran subpermukaan. Set korelasi dan set perisian berkenaan yang telah dihasilkan, diguna bersama perisian simulasi resebor bernama Eclipse 100, untuk mengkaji simulasi reserbor yang lazim dan retakan. Ini menghasilkan Sistem Pengurusan Aset Bersepadu yang terkini untuk memperbaharui pengurusan sesebuah resebor. Daripada keputusan yang diperolehi, ia membuktikan bahawa pemahaman yang mendalam tentang impak keterbasahan sifat pergerakan dan penggunaan Sistem Pengurusan Aset Bersepadu telah menghasilkan jangkaan dan keputusan yang lebih tepat dengan menyesuaikan data yang diperolehi dengan data-data sebelumnya.

## TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	<b>DECLARATION</b>	ii
	<b>DEDICATION</b>	iii
	<b>ACKNOWLEDGEMENT</b>	iv
	<b>ABSTRACT</b>	v
	<b>ABSTRAK</b>	vi
	<b>TABLE OF CONTENTS</b>	vii
	<b>LIST OF TABLES</b>	xiii
	<b>LIST OF FIGURES</b>	xiv
	<b>LIST OF ABBREVIATIONS</b>	xx
	<b>LIST OF SYMBOLS</b>	xxi
	<b>LIST OF APPENDICES</b>	xxvi
<b>1</b>	<b>INTRODUCTION</b>	1
	1.1 Background of the Problem	1
	1.2 Statement of the Problem	3
	1.3 Objectives of the Study	3
	1.4 Scope of the Study	4
	1.5 Significance of the Study	5
<b>2</b>	<b>LITERATURE REVIEW</b>	6
	2.1 Wettability	6
	2.1.1 Types of Wettability	7
	2.1.2 Methods of Wettability Measurement	9
	2.1.2.1 Contact Angle Measurements	9
	2.1.2.2 Amott Test	10

2.1.2.3	Amott-Harvey Test	12
2.1.2.4	USBM Method	12
2.1.3	Factors Affecting the Original Reservoir Wettability	14
2.1.3.1	Oil Composition	14
2.1.3.2	Adsorption through Water Films	16
2.1.3.3	Brine Chemistry	16
2.1.3.4	Mineralogy of the Rock	17
2.1.3.5	Drilling Fluids	18
2.1.3.6	Pressure and Temperature	19
2.2	Capillary Pressure	19
2.2.1	Transient Conditions	20
2.2.2	Advancing and Receding Contact Angles	21
2.2.3	Drainage and Imbibition Capillary Pressure Curves	21
2.2.4	Capillary Pressure Curves in Different Wetted Systems	23
2.2.5	Relationships for Capillary Pressure	27
2.2.5.1	Van Genuchten Model	27
2.2.5.2	Brooks and Corey Correlation	27
2.2.5.3	Bradford Correlation	29
2.2.5.4	Christos Correlation	29
2.2.5.5	Leverett J Function	30
2.3	Relative Permeability	31
2.3.1	Relative Permeability Curves in Different Wetted Systems	33
2.3.2	Relationships for Relative Permeability based on Capillary Pressure	34
2.3.2.1	Wyllie and Gardner Correlation	34
2.3.2.2	Purcell Model	35
2.3.2.3	Burdine Model	36



2.4	Coupling between Reservoir Flow with Flow through Tubing	37
2.4.1	Flow through Tubing	37
2.4.2	Calculation of Pressure drop through Tubing	38
2.4.2.1	Flow Regimes in Vertical Pipes	38
2.4.2.2	Flow Regimes in Horizontal Pipes	39
2.4.2.3	Modified Hagedorn and Brown Method	40
2.4.2.4	Beggs and Brill Method	44
2.5	Summary	47
<b>3</b>	<b>RESEARCH METHODOLOGY</b>	<b>48</b>
3.1	Correlation Development for Estimating Capillary Pressure while Accounting for Wettability Variations	48
3.1.1	Flow through a Porous Medium	48
3.1.1.1	Flow at Higher Displaced Fluid Saturation	48
3.1.1.2	Transient Period	49
3.1.1.3	Flow at Lower Displaced Fluid Saturation	49
3.1.2	Modification of Effective Saturation Correlation	50
3.1.3	Formulation of the Developed Correlation	50
3.2	Incorporating Wettability Variations Effect in Relative Permeability Data	52
3.2.1	Incorporating Wettability Variations Effect in Capillary Pressure based Relative Permeability Correlations	52
3.2.2	Incorporating Wettability Variations Effect in Saturation based Relative Permeability Correlations	54

3.3	Coupling between Reservoir System and Flow Through Tubing	55
3.3.1	Nodal Analysis Approach	55
3.4	State-of-the-art Subsurface Flow System Optimizer and Designer	56
3.4.1	Software for Capillary Pressure Data Generation	56
3.4.2	Software for Relative Permeability Data Generation	58
3.4.3	Multiphase flow calculations	59
3.4.3.1	Flow chart for Modified Hagedorn and Brown Method	59
3.4.3.2	Flow chart for Beggs and Brill Method	61
3.4.3.3	Calculations in Real Time for Gas, Oil and Water Properties	62
3.4.4	Overall View of the Subsurface Flow System Optimizer and Designer	64
<b>4</b>	<b>DEVELOPED CORRELATION FOR PREDICTING CAPILLARY PRESSURE TO ACCOUNT FOR WETTABILITY VARIATIONS</b>	<b>66</b>
4.1	Modification of Effective saturation Correlation in Brooks and Corey Model	66
4.1.1	Calculation of Reservoir Characteristic Constant	67
4.2	Developed Correlation to Predict Capillary Pressure while Accounting for Wettability Variations	68
4.3	Developed Correlation for Capillary Pressure Estimation under Existing Flow Stages	69
4.3.1	Flow at Higher Displaced Fluid Saturation	70

4.3.2	Flow at Lower Displaced Fluid Saturation	70
4.3.3	Transient flow	71
4.4	Verification of Developed Set of Correlations For Capillary Pressure Estimation	73
4.4.1	Comparison with the Experimental Data	73
4.4.2	Comparison with Brooks and Corey Model	74
4.5	Incorporating Wettability variations Effect in Relative Permeability Data Generation using Developed Set of Correlations	76
4.5.1	Solution for Capillary Pressure based Relative Permeability Models	76
4.5.2	Solution for Saturation based Relative Permeability Models	81
4.6	Programming for State-of-the-art Subsurface Flow System Optimizer and Designer	83
4.6.1	Programming for Capillary Pressure Data Generation	83
4.6.2	Programming for Relative Permeability Data Generation	84
4.6.3	Programming for Tubing flow Analyzer and Designer	86
<b>5</b>	<b>RESULTS AND DISCUSSION</b>	<b>90</b>
5.1	Pulai Field	90
5.1.1	History Matching	91
5.1.2	Development Plan	96
5.1.3	Wellhead Pressure Calculations	99
5.2	Retak Field	104
5.2.1	Development Plan and Simulation study	107
5.2.2	Tubing and Casing head Pressure calculations	113
5.3	Tapis Field	119

5.3.1	Effect of Wettability on History Matching	123
5.3.2	Effect of Wettability on Reservoir Behavior	124
5.3.3	Well Performance Calculations	128
5.4	Summary of Simulation Studies	130
<b>6</b>	<b>CONCLUSIONS AND RECOMMENDATIONS</b>	131
6.1	Conclusions	131
6.2	Recommendations	132
	<b>REFERENCES</b>	133
	Appendices A - G	157 - 305

## LIST OF TABLES

<b>TABLE NO.</b>	<b>TITLE</b>	<b>PAGE</b>
2.1	Contact angle ranges with reference to type of wettability	10
2.2	Effect of water saturation on asphaltene adsorption	16
2.3	Effect of pH on surface charge of silica and calcite	17
2.4	Craig's rules of thumb for determining wettability	34
5.1	Summary of simulation studies	130
A.1	Approximate relationship between wettability, contact angle and the wettability indexes	158
B.1	Wyllie and Gardner correlations for drainage oil-water relative permeabilities	174
B.2	Wyllie and Gardner correlations for drainage gas-oil relative permeabilities	175
C.1	Constants with reference to flow regimes for horizontal liquid holdup factor	191
C.2	Constants with reference to flow regimes for inclination correction factor	192
D.1	Constants to calculate coefficients $A_1$ to $A_3$ for gas-free water	194
D.2	Constants to calculate coefficients $A_1$ to $A_3$ for gas-saturated water	194

## LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
2.1	Contact angles at smooth solid surface	6
2.2	Contact angle measurement at smooth mineral surface	10
2.3	Effect of wettability and permeability on capillary pressure curve	26
2.4	Effect of wettability variations on capillary pressure	26
3.1	Procedure for incorporating wettability variations effect into capillary pressure based relative permeability correlations	53
3.2	Sequential steps to generate capillary pressure data at any wettability condition	57
3.3	Step-wise procedure for calculating relative permeability curves from capillary pressure data under any prevailing wettability conditions	58
3.4	Flow chart for the solution of modified Hagedorn and Brown method	60
3.5	Flow chart for the solution of Beggs and Brill method	61
3.6	Flow chart for calculating gas deviation factor	64
3.7	State-of-the-art Subsurface Flow System Optimizer and Designer with its utilization	65
4.1	Sign convention for the set of developed correlations	72
4.2	Comparison of estimated capillary pressure curve with laboratory data at W.I. = +0.3	73

4.3	Comparison of estimated capillary pressure curve with laboratory data at W.I. = -0.39	74
4.4	Comparison of capillary pressure curve generated by developed correlations and Brooks & Corey model at $\theta = 30^\circ$	75
4.5	Comparison of capillary pressure curve generated by developed correlations and Brooks & Corey model at $\theta = 90^\circ$	75
4.6	$P_c$ Estimator	84
4.7	$K_r$ Estimator	85
4.8	View of output file generated by $K_r$ Estimator	85
4.9a	Tubing Flow Analyzer and Designer (TAFD) for multiphase calculations through tubing	87
4.9b	Tubing Flow Analyzer and Designer for artificial lift designing and flow through casing calculations	87
4.10a	View of output file in Microsoft Excel generated by TFAD after multiphase flow calculations through tubing	88
4.10b	View of output file in Microsoft Excel generated by TFAD after artificial lift designing calculations	89
5.1	Pulai field model	91
5.2	History match of Pulai field based on laboratory data	92
5.3	History match of Pulai field pressure plot based on laboratory data	92
5.4	Comparative plot of capillary pressure at different wettability conditions	93
5.5	Comparative plot of relative permeability at different wettability conditions	94
5.6	Comparative history match of Pulai field based on laboratory and estimated data	94
5.7	Comparative history match of Pulai field pressure plot based on laboratory and estimated data	95
5.8	Pulai field oil production and water cut plots	96

5.9	Pulai field pressure rate and gas-oil ratio plots	97
5.10	Pulai field recovery plot	98
5.11	Oil saturation at the end of simulation study of Pulai field	98
5.12a	Oil production and pressure profiles of well A5	99
5.12b	Gas-oil-ratio plot of well A5	100
5.13	Effect of tubing size on production of Well A5	101
5.14	Production and pressure profile of Well B4	102
5.15	Well bottom hole and wellhead pressure profiles of water injection wells W1 and W3	103
5.16	Well bottom hole and wellhead pressure profile of gas injection wells G1 and G2	103
5.17	Retak field model	105
5.18	$P_{cow}$ curves at different wettability conditions	105
5.19	$K_{row}$ curves at different wettability conditions	106
5.20	Comparative history match plot of Retak field showing effect of wettability variation	107
5.21	Effect of wettability variation on Retak field oil production rate and water cut	108
5.22	Effect of wettability variation on Retak field pressure rate and gas-oil ratio	109
5.23	Water cut curves of different wells under water-wet ( $71^\circ$ ) Condition	110
5.24	Water cut curves of different wells under oil-wet ( $153^\circ$ ) Condition	110
5.25a	Effect of wettability variation on oil hydraulic continuity in water-wet case	111
5.25b	Effect of wettability variation on oil hydraulic continuity in oil-wet case	112
5.26	Effect of wettability variation on recovery from Retak field	113
5.27	Pressure and liquid rate profiles of well A1	115
5.28	Pressure profiles showing the effect of tubing size in case of well A5	116



5.29	Pressure profiles for multiple completion in well A18	117
5.30	Pressure profiles of water injection wells W1 and W26	118
5.31	Pressure profiles of gas injection wells G1 and G2	118
5.32	Static grid model of Tapis field	119
5.33	Comparative $P_{cow}$ curve at wettability of $31.3^\circ$ and $44.62^\circ$	120
5.34	Comparative $P_{cog}$ curve at wettability of $31.3^\circ$ and $44.62^\circ$	121
5.35	Comparative $K_{row}$ curve at wettability of $31.3^\circ$ and $44.62^\circ$	122
5.36	Comparative $K_{rog}$ curve at wettability of $31.3^\circ$ and $44.62^\circ$	122
5.37	Tapis field oil production and water cut curves at different wettability conditions with respect to production history	123
5.38	Tapis field pressure rate and gas-oil ratio curves at different wettability conditions with respect to production history	124
5.39	Tapis field oil production rate and water cut profiles at different wettability conditions	125
5.40	Tapis field gas-oil ratio and pressure rate profiles at different wettability conditions	125
5.41	Tapis field oil recovery at different wettability conditions	126
5.42a	Final oil saturation at the end of simulation at wettability condition of $44.62^\circ$	127
5.42b	Final oil saturation at the end of simulation at wettability condition of $31.3^\circ$	127
5.43	Pressure profiles of production through tubing and annulus of well A1	128
5.44	Pressure profiles of well E16 at different wettability conditions	128
5.45	Liquid rate and pump discharge pressures for well A1 and E16	129

A.1	Explanation of wettability measurement procedure from $P_c$ curves for a mixed-wet system obtained by Amott and USBM tests	157
A.2	Tensions acting at the interfaces	158
A.3	Oil-water interface in a capillary tube	159
A.4	Oil-water capillary pressure curve measured in a water-wet system	159
A.5	Oil-water capillary pressure curve measured in a strongly water-wet system	160
A.6	Oil-water capillary pressure curve measured in an oil-wet system	160
A.7	Oil-water capillary pressure curve measured in a strongly oil-wet system with negative values plotted upward	161
A.8a	Capillary pressure plots based on Van Genuchten parameterization	161
A.8b	Capillary pressure plots based on Brooks Corey model	161
A.9a	Water displacing oil from a pore during a waterflood in strongly water-wet rock	162
A.9b	Water displacing oil from a pore during a waterflood in strongly oil-wet rock	162
A.10	Oil-water relative permeabilities in water- and oil-wet core	162
A.11	Effects of wettability variations on relative permeability curves	163
A.12a	Typical oil-water relative permeability curves, water saturation increasing, in strongly water-wet rock	163
A.12b	Typical oil-water relative permeability curves, water saturation increasing, in strongly oil-wet rock	163
A.13	Flow regimes in vertical gas-liquid flow	164
A.14	Flow regimes in two-phase horizontal flow	165

A.15	Comparison of capillary pressure curve generated by developed correlations and Brooks & Corey model at $\theta = 150^\circ$	166
A.16	View of output file view generated by $P_c$ Estimator	166
A.17	Cross sectional view of Pulai field	167
A.18	Capillary pressure curve of Pulai field at wettability of $84^\circ$	167
A.19	Relative Permeability curves of Pulai field at wettability of $84^\circ$	168
A.20	Pulai field development after two years of production	168
A.21	Retak field contour map	169
A.22	$P_{cow}$ curve of Retak field at wettability condition of $71^\circ$	169
A.23	$P_{cow}$ curve of Retak field at wettability condition of $153^\circ$	170
A.24	$P_{cog}$ curves of Retak field at different wettability conditions	170
A.25	$K_{rog}$ curves of Retak field at different wettability conditions	171
A.26	Contour map of Tapis field	171
A.27	Capillary pressure ( $P_{cow}$ ) data of Tapis field at $44.62^\circ$	172
A.28	Capillary pressure ( $P_{cog}$ ) data of Tapis field at $44.62^\circ$	172
A.29	Pressure profiles of water injection well W1 at different wettability conditions	173
C.1	Flow through a different cross-sectional area pipe	182
C.2	Moody friction factor chart	184

**LIST OF ABBREVIATIONS**

CHP	-	Casing head pressure
ESP	-	Electrical submersible pump
GLR	-	Gas-liquid ratio
H.S.S	-	Higher displaced fluid saturation stage
SFSOD	-	Subsurface Flow System Optimizer and Designer
IFT	-	Interfacial tension
L.S.S	-	Lower displaced fluid saturation stage
RDI	-	Relative displacement index
TFAD	-	Tubing Flow Analyzer and Designer
THP	-	Tubing head pressure
WHP	-	Wellhead pressure
WOR	-	Water-oil ratio

## LIST OF SYMBOLS

$A$	-	Area
$A_n$	-	Anion
$a_{c\epsilon}$	-	Parameter related to fraction oil-wet bonds
$B_g$	-	Gas formation volume factor
$B_o$	-	Oil formation volume factor
$B_w$	-	Water formation volume factor
$D, d$	-	Diameter of tubing
$D_L$	-	Linear self-similar surface fractal dimension
$dZ$	-	Incremental length of tubing
$f_f$	-	Friction factor
$F_s$	-	Saturation ratio
$f_{tp}$	-	Two phase friction factor
$g$	-	Gravitational acceleration
$G$	-	Mass flux rate
$I_o$	-	Wettability index for oil
$I_w$	-	Wettability index for water
$k$	-	Absolute permeability, reservoir permeability
$K_g$	-	Effective permeability of gas
$K_o$	-	Effective permeability of oil
$K_m$	-	Relative permeability of non-wetting phase
$K_{ro}$	-	Oil relative permeability
$K_{rg}$	-	Gas relative permeability
$K_{rw}$	-	Relative permeability of wetting phase or water
$K_{sp}$	-	Saturation solubility product
$K_w$	-	Effective permeability of water
$L$	-	Length
$m$	-	Mass flow rate

$M_{\text{air}}$	-	Molecular weight of air
$M_e$	-	Cation
$N_c$	-	Capillary number
$N_{RE}$	-	Reynolds number
$N_w, W$	-	USBM wettability number
$P$	-	Pressure
$\bar{P}$	-	Average pressure
$P_b$	-	Bubble point pressure
$P_c$	-	Capillary pressure
$P_d$	-	Displacement pressure
$P_{db.c}$	-	Base case displacement pressure
$P_{NW}$	-	Pressure of non-wetting phase
$P_o$	-	Pressure of oil phase
$P_{pc}$	-	Pseudo-critical pressure
$P_{pr}$	-	Pseudo-reduced pressure
$P_{sc}$	-	Standard pressure
$PV$	-	Pore Volume
$P_w$	-	Pressure of water phase
$P_{WET}$	-	Pressure of wetting phase
$P_{wf}$	-	Wellbore flowing pressure
$P_{wh}$	-	Wellhead pressure
$q$	-	Flow rate
$R_s$	-	Solution gas-oil ratio
$r_t$	-	Radius of tube
$S^*, S_e$	-	Effective or normalized saturation
$S_D$	-	Displacing phase saturation
$S_{dM}$	-	Maximum saturation of displaced fluid
$S_{em}$	-	Effective or normalized mobile phase saturation
$S_o^*$	-	Effective oil saturation
$S_g^*$	-	Effective gas saturation
$S_{gc}$	-	Critical gas saturation
$S_{\text{mphase1}}$	-	Mobile saturation of phase 1
$S_{\text{mphase2}}$	-	Mobile saturation of phase 2

$S_{\text{mphase1,new}}$	-	Mobile phase saturation of phase 1 under different wettability condition but at same capillary pressure
$S_{\text{nr}}$	-	Non-wetting phase residual saturation
$S_{\text{o}}$	-	Oil saturation
$S_{\text{om}}$	-	Minimum oil saturation
$S_{\text{or}}$	-	Residual oil saturation
$S_{\text{rmphase1}}$	-	Residual saturation of phase 1
$S_{\text{rmphase2}}$	-	Residual saturation of phase 2
$S_{\text{w}}$	-	Water saturation
$S_{\text{W}}^*$	-	Effective or normalized wetting phase saturation
$S_{\text{wc}}$	-	Connate water saturation
$S_{\text{wi}}$	-	Initial water saturation
$S_{\text{wir}}$	-	Irreducible water saturation
$S_{\text{w1},\xi}$	-	Water saturation of the primary pore network
$S_{\text{wc1},\xi}$	-	Critical water saturation of the primary pore network
$S_{\text{wr}}$	-	Wetting phase residual saturation
$T$	-	Temperature
$\bar{T}$	-	Average temperature
$T_{\text{pc}}$	-	Critical temperature
$T_{\text{pr}}$	-	Pseudo-reduced temperature
$T_{\text{sc}}$	-	Standard temperature
$u, v$	-	Velocity
$u_{\text{L}}$	-	Average liquid velocity
$u_{\text{m}}$	-	Mixture velocity
$u_{\text{sg}}$	-	Superficial gas velocity
$u_{\text{sL}}$	-	Superficial liquid velocity
$v_1, v_2$	-	Stoichiometric coefficients
$V_{\text{b}}$	-	Bulk Volume
W.I.	-	Wettability index
$x_{\text{A}}$	-	Mole fraction of dissolved organic in oil
$(x_{\text{A}})_{\text{s}}$	-	Organic solubility at saturation conditions
$y_{\text{L}}$	-	Liquid holdup
$\bar{Z}$	-	Average gas deviation factor

$\Delta P$	-	Total pressure losses
$\Delta P_f$	-	Frictional losses
$\Delta P_{KE}$	-	Kinetic energy losses
$\Delta P_{PE}$	-	Potential energy losses
$\Delta S_{os}$	-	Change in oil saturation as a result of spontaneous displacement
$\Delta S_{ws}$	-	Change in water saturation as a result of spontaneous displacement
$\Delta S_{wt}$	-	Total change in saturation as a result of spontaneous and forced displacement
$\Delta W_{ext}$	-	External work done
$\beta$	-	Pore shape factor
$\beta_p$	-	Universal critical exponent of accessibility function
$\sigma$	-	Surface tension or interfacial tension
$\sigma_L$	-	Liquid mixture surface tension
$\mu$	-	Viscosity
$\mu_g$	-	Gas viscosity
$\mu_L$	-	Liquid mixture viscosity
$\mu_m$	-	Mixture viscosity
$\mu_o$	-	Oil viscosity
$\mu_w$	-	Water viscosity
$\phi$	-	Porosity
$\theta$	-	Contact angle
$\theta_{adv}$	-	Advancing contact angle
$\theta_d$	-	Dynamic contact angle
$\theta_{rec}$	-	Receding contact angle
$\Delta\theta$	-	Absolute difference in contact angle
$\rho$	-	Density
$\rho_g$	-	Gas density
$\rho_o$	-	Oil density
$\rho_w$	-	Water density
$\bar{\rho}_L$	-	Average liquid density



$\bar{\rho}_m$	-	Average mixture density
$\langle r \rangle$	-	Mean value of pore radius distribution
$\varepsilon$	-	Relative roughness
$\xi$	-	Fraction of oil-wet bonds
$\gamma$	-	Interfacial tension
$\gamma_g$	-	Gas gravity
$\gamma_o$	-	Oil gravity
$\gamma_w$	-	Water gravity
$\gamma_{sn}$	-	Tension between the solid and the non-wetting phase
$\gamma_{sw}$	-	Tension between the solid and the wetting phase
$\gamma_{wn}$	-	Tension between the wetting phase and the non-wetting phase
$\lambda$	-	Characteristic constant
$\lambda_g$	-	Gas input fraction
$\lambda_L$	-	Liquid input fraction
$\lambda_{rw}$	-	Tortuosity ratio

**LIST OF APPENDICES**

<b>APPENDIX</b>	<b>TITLE</b>	<b>PAGE</b>
A	Figures	157
B	Saturation based Relative Permeability Models	174
C	Detailed discussion of Tubing Flow Calculations	182
D	Real time Calculation of Gas, Oil and Water Properties	193
E	Programming for Capillary Pressure and Relative Permeability data Generation	197
F	Programming for TFAD	274
G	List of Publications	305

## CHAPTER 1

### INTRODUCTION

#### 1.1 Background of the Problem

Reservoirs of the world are depleting rapidly, whereas the strong believe is that, the new discoveries will not be enough to fulfill future energy requirements, because of the increased fuel demand. In addition, the production from the current discoveries is declining as a result of depletion, which will further elevate the situation.

To meet the world energy requirements, in which oil plays a vital role, an effort should be made to enhance the oil recovery by improved reservoir surveillance<sup>1-3</sup>. For improved reservoir management, better understanding of effects of wettability and wettability variations on reservoir fluid flow is very important as it strongly influences the flow behavior within the reservoir. In the past, it was strongly believed for a long time that all reservoirs are water-wet<sup>4</sup> until the work done by Cuiec<sup>5</sup> revealed that the reservoirs can be oil-wet.

Reservoir wettability at the time of discovery can also change with the passage of time as a result of drilling, depletion, corresponding changes in a reservoir, or changes occurring when the reservoir is subjected to different enhanced oil recovery methods<sup>6-9</sup>. In case of immiscible fluids present in the reservoir, one will be wetting phase while the other will be non-wetting.

The wettability of a fluid depends on its ability to coat the rock surface<sup>10,11</sup>. Wettability<sup>12-21</sup> can be measured by using tests like, Amott test, modified Amott test, and USBM method. It can be expressed in terms of wettability index (W.I.), ranging from “+1” to “-1” or in degrees (contact angle), which ranges from “0°” to “180°”.

Wettability and wettability variations<sup>22-34</sup> have strong influence on capillary pressure and relative permeability curves. It is very difficult and also extremely time consuming to measure the wettability variations and their corresponding effects on capillary pressure and relative permeability, using the actual core samples in the laboratory<sup>35,36</sup>. These parameters mainly control the displacement behavior, entrapment of one fluid by another, resulting in effecting the total recovery from a reservoir<sup>37,38</sup>. Any lack of information in wettability conditions<sup>33,39</sup> within the reservoir, will lead to improper history matching, simulation studies, and recovery estimates. Because of the effect of wettability on fluid flow behavior, it also influences the amount of fluid entering into the wellbore, resulting into affecting the tubing size selection<sup>40-43</sup>.

Thus, there is an immense need of set of correlations to estimate capillary pressure while accounting for wettability variations<sup>44,45</sup> which can be further used to generate relative permeability curves at the corresponding wettability conditions, using the available capillary pressure data.

Reservoir studies to analyze the flow behavior always require very complex and tremendous efforts. To ease this situation, entire subsurface production system<sup>46</sup> need to be analyzed as a whole to increase the accuracy and to aid in decision making. This requires further development and refinements in correlations, software designing, leading to state-of-the-art Subsurface Flow System Optimizer and Designer (SFSOD).

## 1.2 Statement of the Problem

To-date, correlations exist which can re-generate capillary pressure data obtained at known wettability. However, there is an immense need of correlations which can estimate the resulting changes in capillary pressure for the entire range of wettability variations, which will be an improvement in the entire subsurface production studies while leading to state-of-the-art Subsurface Flow System Optimizer and Designer, as an Integrated Asset Management tool.

This research focuses on developing the set of correlations, which can estimate the capillary pressure for any wettability variation by utilizing the available capillary pressure data at known wettability condition. Software will be designed for the respective task which can also correspondingly generate relative permeability curves, to be used in reservoir simulation studies.

A system would be developed, to monitor the entire subsurface production system by designing state-of-the-art suite of softwares. The developed softwares, in conjunction with reservoir simulator, Eclipse 100, named as Subsurface Flow System Optimizer and Designer would result into improved simulation studies, better estimation of recovery, tubing and artificial lift designing, hence leading to optimized reservoir surveillance.

## 1.3 Objectives of the Study

The major objectives of this research are:

- (i) To develop a set of correlations for generating capillary pressure curves at different wettability conditions.
- (ii) To incorporate wettability variations effect into relative permeability data generation.
- (iii) To develop state-of-the-art software for capillary pressure estimation based on wettability index and contact angle.

- (iv) To develop a software for further generating relative permeability data at the prevailing wettability conditions.
- (v) To develop a software for the analysis of flow through tubing capable of incorporating artificial lift design. With the developed suite of softwares including (iii) and (iv) will result into state-of-the-art Subsurface Flow System Optimizer and Designer, in which reservoir simulator, Eclipse 100, will be used for simulation purposes, making it possible to analyze the subsurface production system as a whole.
- (vi) To implement the developed Subsurface Flow System Optimizer and Designer as an Integrated Asset Management tool, on different reservoirs to show the significance of developed set of correlations, methodologies and designed state-of-the art SFSOD.

#### **1.4 Scope of the Study**

In order to achieve the objectives of this research, the following scope of work has been covered:

- (1) Effective wetting phase saturation correlations will be modified to obtain a standardized correlation for effective or normalized mobile phase saturation.
- (2) Capillary pressure curve will be analyzed and segmented into different flow stages based on the displaced fluid saturation changes, during displacement process.
- (3) A set of correlations will be developed representing the flow stages, capable of generating capillary pressure curve at any wettability conditions and the results obtained will be compared with the available capillary pressure data and data generated from Brooks and Corey model.
- (4) Developed set of capillary pressure correlations will be incorporated into capillary pressure and saturation based relative permeability models and will be solved to generate relative permeability data at any prevailing wettability conditions.

- (5) State-of-the-art software will be designed using Visual Basic 2008, to generate capillary pressure and relative permeability data in a time efficient manner, which will be used during reservoir simulation studies by using Eclipse 100.
- (6) Incorporating effect of changes in reservoir wettability on tubing design, by designing software capable of handling any orientation of the well.

### **1.5 Significance of the Study**

This research enables capillary pressure data generation under different wettability conditions and accordingly generating relative permeability curves at the above prevailing conditions. Overall optimization of the subsurface production system and decision making would improve by employing designed state-of-the-art Subsurface Flow System Optimizer and Designer. Developed SFSOD will result into improved history matching during simulation studies and monitoring flow through tubing, resulting into better reservoir management, recovery estimates and hence increased profitability.

## REFERENCES

1. Poolen, V. *Fundamentals of Enhanced Oil Recovery*. PennWell Books. 1980.
2. Cosse, R. *Oil and Gas Field Development Techniques- Basics of Reservoir Engineering*. Houston, Texas, U.S.A: Gulf Publishing Company. 1993.
3. Latil, M. *Enhanced Oil Recovery*. Houston.: Gulf Publishers. 1980.
4. Dandekar., A. Y. *Petroleum Reservoir Rock and Fluid Properties*. Florida: CRC Press, Taylor & Francis Group. 2006.
5. Cuiec, L. Rock/Crude-Oil Interactions and Wettability: An Attempt To Understand Their Interrelation. *SPE Annual Technical Conference and Exhibition*. September 16-19, 1984. Houston, Texas: 1984 Copyright 1984 Society of Petroleum Engineers of AIME. 1984. 13211-MS.
6. Liu, L. and Buckley, J. S. Alteration of wetting of mica surfaces. *Journal of Petroleum Science and Engineering*. 1999. 24 (2-4): 75-83.
7. Buckley., J. S., Hirasaki., G.J., Liu., Y., Drasek., S.V., Wang., J.-X. and Gill., B.S. Asphaltene precipitation and solvent properties of crude oils. *Pet. Sci. Technol*. 1998. 16 (3-4): 251-285.
8. Rashid, S. H. A.-M. and Jill, S. B. Asphaltene Precipitation and Alteration of Wetting: Can Wettability Change during Oil Production? *SPE/DOE Improved Oil Recovery Symposium*. April 3-5, 2000. Tulsa, Oklahoma: Society of Petroleum Engineers Inc. 2000. 59292-MS.
9. Sattar, A., Iqbal, G. M. and Buchwalter, J. L. *Practical Enhanced Reservoir Engineering: Assisted with Simulation Software*. Tulsa: PennWell Corporation. 2007.
10. Lingen, V. P. P., Bruining, J. and van Kruijsdijk, C. P. J. W. Capillary Entrapment Caused by Small-Scale Wettability Heterogeneities. *SPE Reservoir Engineering*. 1996. 11 (2): 93-100.



11. Holmes, W. M. and Packer, K. J. Investigation of phase trapping by secondary imbibition within Fontainebleau sandstone. *Chemical Engineering Science*. 2004. 59 (14): 2891-2898.
12. Craig, F. F. *The Reservoir Engineering Aspects of Waterflooding*. TX: Monograph Series, SPE, Richardson. 1971.
13. Dullien, F. A. L. *Porous Media: Fluid Transportation and Pore Structure*. New York City: Academic Press. 1979.
14. Hjelmeland O. and Torsaeter, O. Wettability, the Key to Proper Laboratory Waterflooding Experiments. *Intl. Energy Agency workshop on Enhanced Oil Recovery*. April 24, 1980. Bartlesville Energy Technology Centre U.S DOE.CONF-8004140. 1-24.
15. Ionescu E., M. B. B. A Review of Laboratory Techniques for Measuring Wettability of Petroleum Reservoir Rocks. *Petroleum Recovery Institute*. Report. Calgary. October 1983.
16. Marsden, S. S. Wettability - Its Measurement and Application to Waterflooding. *J. Jap. Assoc. Pet. Tech*. January 1965. 30 (1): 1-10.
17. Marsden, S. S. Wettability: The Elusive Key to Waterflooding. *Petroleum Engineer*. April 1965. 37 (4): 82-87.
18. McGhee J.W, Crocker M.E and Donaldson, E. C. Relative Wetting Properties of Crude Oils in Berea Sandstone. *Bartlesville Energy Technology Centre*. Report. U.S. DOE BETC/RI-78/9. Januray 1979.
19. Raza, S. H., Treiber, L. E. and Archer, D. L. Wettability of Reservoir Rocks and its Evaluation. *Producers Monthly*. April 1968. 32 (4): 2-7.
20. Takamura, K. and Chow, R. S. A Mechanism for Initiation of Bitumen displacement from Oil Sand. *J. Cdn. Pet. Tech*. November - December 1983. 22 (6): 22-30.
21. Donaldson, E. C., Thomas, R. D. and Lorenz, P. B. Wettability Determination and Its Effect on Recovery Efficiency. 1969. 9 (1): 13 - 20.
22. Buckley, J. S., Takamura, K. and Morrow, N. R. Influence of Electrical Surface Charges on the Wetting Properties of Crude Oils. *SPE Reservoir Engineering*. 1989. 4 (3): 332-340.
23. Buckley, J. S. Asphaltene Precipitation and Crude Oil Wetting. *SPE Advanced Technology Series*. 1995. 3 (1): 53-59.

24. Buckley, J. S., Liu, Y. and Monsterleet, S. Mechanisms of Wetting Alteration by Crude Oils. *SPE Journal*. 1998. 3 (1): 54-61.
25. Dubey, S. T. and Waxman, M. H. Asphaltene Adsorption and Desorption From Mineral Surfaces. *SPE Reservoir Engineering*. 1991. 6 (3): 389-395.
26. Dubey, S. T. and Doe, P. H. Base Number and Wetting Properties of Crude Oils. *SPE Reservoir Engineering*. 1993. 8 (3): 195-200.
27. Wolcott, J. M., Groves Jr, F. R. and Lee, H.-G. Investigation of Crude-Oil/Mineral Interactions: Influence of Oil Chemistry on Wettability Alteration. *SPE International Symposium on Oilfield Chemistry*. March 2-5, 1993. New Orleans, Louisiana: 1993 Copyright 1993, Society of Petroleum Engineers, Inc. 1993. 25194-MS.
28. Anderson, W. G. Wettability Literature Survey- Part 4: Effects of Wettability on Capillary Pressure. *SPE Journal of Petroleum Technology*. 1987. 39 (10): 1283-1300.
29. Katayoun, S. N. and Ali, D. Visual Investigation of Oil Depressurisation in Pores with Different Wettability Characteristics and Saturation Histories. *SPE Europec/EAGE Annual Conference*. June 13-16, 2005. Madrid, Spain: Society of Petroleum Engineers. 2005. SPE 94054
30. Mathew, D. J., Per, H. V. and Martin, J. B. Prediction of Wettability Variation Within an Oil/Water Transition Zone and Its Impact on Production. *SPE Journal*. 2005. 10 (2): 185-195.
31. Nguyen, V. H., Sheppard, A., Knackstedt, M. A. and Pinczewski, W. V. The Effects of Displacement Rate and Wettability on Imbibition Relative Permeabilities. *SPE Annual Technical Conference and Exhibition*. October 9-12, 2005. Dallas, Texas: Society of Petroleum Engineers. 2005. 95953-MS.
32. Josephina, M. S., Guo-Qing, T. and Anthony, R. K. Interrelationship of Temperature and Wettability on the Relative Permeability of Heavy Oil in Diatomaceous Rocks (includes associated discussion and reply). *SPE Reservoir Evaluation & Engineering*. 2006. 9 (3): 239-250.
33. Ballard, T. J. and Dawe, R. A. Wettability Alteration Induced by Oil-Based Drilling Fluid. *SPE Formation Damage Control Symposium*. February 8-9, 1988. Bakersfield, California: 1988 Copyright 1988, Society of Petroleum Engineers, Inc. 1988. 17160-MS.

34. Lomeland, F. and Ebeltoft, E. A New Versatile Capillary Pressure Correlation. *International Symposium of the Society of Core Analysis*. 29 October - 2 November. Abu Dhabi, UAE: 2008. SCA2008-08.
35. Shedid, S. A. and Ghannam, M. T. Factors affecting contact-angle measurement of reservoir rocks. *Journal of Petroleum Science and Engineering*. 2004. 44 (3-4): 193-203.
36. O'Carroll, D. M., Abriola, L. M., Polityka, C. A., Bradford, S. A. and Demond, A. H. Prediction of two-phase capillary pressure-saturation relationships in fractional wettability systems. *Journal of Contaminant Hydrology*. 2005. 77 (4): 247-270.
37. Crocker, M. E. and Marchin, L. M. Wettability and Adsorption Characteristics of Crude-Oil Asphaltene and Polar Fractions. *SPE Journal of Petroleum Technology*. 1988. 40 (4): 470-474.
38. Norman, R. M. Wettability and Its Effect on Oil Recovery. *SPE Journal of Petroleum Technology*. 1990. 42 (12): 1476-1484.
39. SkjÅ'eland, S. M. Physically-Based Capillary Pressure Correlation For Mixed-Wet Reservoirs From A Bundle-Of-Tubes Model. *SPE/DOE Symposium on Improved Oil Recovery*. 04/17/2004. Tulsa, Oklahoma: Society of Petroleum Engineers. 2004. 89428-MS.
40. Shedid, S., and T. M. Ghannam. Influences of Droplet Volume on Contact Angle of Reservoir Rocks. *Energy Sources*. 2005. 27 (11): 1085-1097.
41. Anderson, W. G. Wettability Literature Survey- Part 1: Rock/Oil/Brine Interactions and the Effects of Core Handling on Wettability. *SPE Journal of Petroleum Technology*. 1986. 38 (10): 1125-1144.
42. Brown, K. E. *The Technology of Artificial Lift Methods*. Tulsa: PPC Books. 1977.
43. Economides, M. J., Hill, A.D, and Ehlig-Economides, C. *Petroleum Production Systems*. Englewood Cliffs, NJ: Prentice Hall. 1994.
44. Li, K., and Roland, N. H. Calculation of Steam-water relative permeability using capillary pressure data. *Twenty-Seventh Workshop on Geothermal Reservoir Engineering*. Stanford University, Stanford, California: January 28-30, 2002. SGP-TR-171.
45. Li, K. and Horne, R. N. Modeling of oil production by gravity drainage. *Journal of Petroleum Science and Engineering*. 2008. 60 (3-4): 161-169.

46. Andrew, H., Richard, T. and Michael, S. From Reservoir Through Process, from Today to Tomorrow - The Integrated Asset Model. *Intelligent Energy Conference and Exhibition*. April 11-13, 2006. Amsterdam, The Netherlands: Society of Petroleum Engineers. 2006. 99469.
47. Tsakiroglou, C. D. and Fleury, M. Resistivity index of fractional wettability porous media. *Journal of Petroleum Science and Engineering*. 1999. 22 (4): 253-274.
48. Pickell, J. J., Swanson, B. F. and Hickman, W. B. Application of Air-Mercury and Oil-Air Capillary Pressure Data In the Study of Pore Structure and Fluid Distribution. *SPEJ*. 1966. 6 (1): 55 - 61.
49. Chalbaud, C., Robin, M., Lombard, J. M., Martin, F., Egermann, P. and Bertin, H. Interfacial tension measurements and wettability evaluation for geological CO<sub>2</sub> storage. *Advances in Water Resources*. 2009. 32 (1): 98-109.
50. Menezes, J. L., Yan, J. and Sharma, M. M. The Mechanism of Wettability Alteration Due to Surfactants in Oil-Based Muds. *SPE International Symposium on Oilfield Chemistry*. February 8-10, 1989. Houston, Texas: 1989. 18460-MS.
51. Civan, F. *Reservoir Formation Damage: Fundamentals, Modeling, Assessment and Mitigation*. 2nd. ed. Houston: Gulf Publishing Company. 2000.
52. Dandekar, A. Y. *Petroleum Reservoir Rock and Fluid Properties*. Florida: CRC Press, Taylor & Francis Group. 2006.
53. Anderson, W. G. Wettability Literature Survey Part 5: The Effects of Wettability on Relative Permeability. *SPE Journal of Petroleum Technology*. 1987. 39 (11): 1453-1468.
54. Zolotukhin, A. B. and Ursin, J. R. *Introduction to Petroleum Reservoir Engineering*. Oslo: Hoyskolefort. 2000.
55. Donnez., P. *Essentials of Reservoir Engineering*. Paris: Editions Technip. 2007.
56. Tripathi, I. and Mohanty, K. K. Instability due to wettability alteration in displacements through porous media. *Chemical Engineering Science*. 2008. 63 (21): 5366-5374.
57. Piro, G., Canonico, L. B., Galbariggi, G., Bertero, L. and Carniani, C. Asphaltene Adsorption Onto Formation Rock: An Approach to Asphaltene

- Formation Damage Prevention. *SPE Production & Operations*. 1996. 11 (3): 156-160.
58. Subhayu, B. and Mukul, M. S. Investigating the Role of Crude-Oil Components on Wettability Alteration Using Atomic Force Microscopy. *SPE Journal*. 1999. 4 (3): 235-241.
59. Tripathi, I. and Kishore, K. M. Flow Instability Associated with Wettability Alteration. *SPE Annual Technical Conference and Exhibition*. November 11-14, 2007. Anaheim, California, U.S.A.: Society of Petroleum Engineers. 2007. 110202.
60. Robert, J. S. B. and Irving, F. Measurements Of Fractional Wettability Of Oil Fields' Rocks By The Nuclear Magnetic Relaxation Method. *Fall Meeting of the Petroleum Branch of AIME*. 10/14/1956. Los Angeles, California: American Institute of Mining, Metallurgical, and Petroleum Engineers. 1956. 743-G.
61. Morrow, N. R., Lim, H. T. and Ward, J. S. Effect of Crude-Oil-Induced Wettability Changes on Oil Recovery. *SPE Formation Evaluation*. 1986. 1 (1): 89-103.
62. Salathiel, R. A. Oil Recovery by Surface Film Drainage In Mixed-Wettability Rocks. *SPE Journal of Petroleum Technology*. 1973. 25 (10): 1216-1224.
63. Hall, A. C., Collins, S. H. and Melrose, J. C. Stability of Aqueous Wetting Films in Athabasca Tar Sands. *SPEJ*. 1983. 23 (2): 249-258.
64. Melrose, J. C. Interpretation of Mixed Wettability States in Reservoir Rocks. *SPE Annual Technical Conference and Exhibition*. September 26-29, 1982. New Orleans, Louisiana: Society of Petroleum Engineers of AIME. 1982. 10971-MS.
65. Blake, T. D., and Kitchener, J.A. Stability of Aqueous Films on Hydrophobic Methylated Silica. *Journal of Chem. Society. Faraday Trans*. 1977. 68 1435-1442.
66. Earl, A. Observations Relating to the Wettability of Porous Rock. Society of Petroleum Engineers. 1959. 1167.
67. Cuiec, L. E. Determination of the Wettability of a Sample of Reservoir Rock. *Rev. Inst. Franc. Du Petrole*. Sep.-Oct. 1978. 33 (5): 705-728.
68. Dong, H., Hong, Y., Hongzhuang, W. and Fan, D. The Effect of Wettability on Oil Recovery by Alkaline/Surfactant/Polymer Flooding. *SPE Annual*

- Technical Conference and Exhibition*. September 24-27, 2006. San Antonio, Texas, USA: Society of Petroleum Engineers. 2006. 102564.
69. Taha Moustafa, O., James Joseph, F. and Hamid Nafeh, R. Fifty Years of Wettability Measurements in the Arab-D Carbonate Reservoir. *SPE Middle East Oil and Gas Show and Conference*. March 11-14, 2007. Kingdom of Bahrain: Society of Petroleum Engineers. 2007. 105114-MS.
  70. Taha Moustafa, O., Salah Hamad, A.-S. and Waleed Saud, A.-K. Wettability Evaluation of the Unayzah Reservoir in Central Saudi Arabia. *SPE Middle East Oil and Gas Show and Conference*. March 11-14, 2007. Kingdom of Bahrain: Society of Petroleum Engineers. 2007. 105118-MS.
  71. Anderson, W. Wettability Literature Survey- Part 2: Wettability Measurement. *SPE Journal of Petroleum Technology*. 1986. 38 (11): 1246-1262.
  72. Slattery, J. C., Flumerfelt, R.W. *Handbook of Multiphase Systems*. Washington, DC: Hemisphere Publishing. 1981.
  73. Brown, C. E., and Neustadter, E.L. The Wettability of oil/water/silica systems with reference to oil recovery. *J. Can. Pet. Technology*. 1980. 19: 100-110.
  74. Morrow, N. R. The effects of surface roughness on contact angle with special reference to petroleum recovery. *J. Can. Pet. Technology*. 1975. 14: 42-53.
  75. Oliver, J. F., Huh, C. and Mason, S.G The apparent contact angle of liquids on finely-grooved solid surfaces—a SEM study. *J. Adhesion*. 1977. 8: 223-234.
  76. Treiber, L. E. and Owens, W. W. A Laboratory Evaluation of the Wettability of Fifty Oil-Producing Reservoirs. *SPEJ*. 1972. 12 (6): 531-540.
  77. Cuiec, L. E. Recommendations for the Determination of the Wettability of a Specimen of Reservoir Rock. *Rev. Inst Franc. Du Petrole*. Nov. Dec 1978. 33 (6): 907-914.
  78. Tiab, D., and Donaldson, E.C. *Theory and practice of Measuring Reservoir Rock and Fluid Transport Properties*. Houston: Gulf Publishing Company. 1996.
  79. Zinszner, B. and Pellerin, F. M. *A Geoscientists Guide to Petrophysics*. Paris: Editions Technip. 2007.
  80. Schramm, L. L. *Surfactants - Fundamentals and Applications in the Petroleum Industry*. Cambridge: Cambridge University Press. 2000.

81. Schramm, L. L. *Dictionary of Nanotechnology, Colloid and Interface Science*. Weinheim: Wiley-VCH Verlag GmbH & Co. 2008.
82. Boneau, D. F. and Clampitt, R. L. A Surfactant System for the Oil-Wet Sandstone Of the North Burbank Unit. *SPE Journal of Petroleum Technology*. 1977. 29 (5): 501-506.
83. Trantham, J. C. and Clampitt, R. L. Determination of Oil Saturation After Waterflooding in an Oil-Wet Reservoir The North Burbank Unit, Tract 97 Project. *SPE Journal of Petroleum Technology*. 1977. 29 (5): 491-500.
84. Donaldson, E. C., Kendall, R. F., Pavelka, E. A. and Crocker, M. E. Equipment and Procedures for fluid Flow and Wettability Tests of Geological Materials. *Bartlesville Energy Technology Centre*. Report. May 1980. DOE/BETC/IC 79/5, U.S. DOE.
85. Donaldson, E. C. Oil-Water-Rock Wettability Measurements. *American Chemical Soc., div. of Petroleum Chemistry*. March 29- April 3, 1981. 26 (1): 110-122.
86. Schramm, L. L. *Surfactants: Fundamentals and Applications in the Petroleum Industry*. Cambridge: Cambridge University Press. 2000.
87. Sayyoub, M. H., Hemeida, A. M., Al-Blehed, M. S. and Desouky, S. M. Role of polar compounds in crude oils on rock wettability. *Journal of Petroleum Science and Engineering*. 1991. 6 (3): 225-233.
88. Seifert, W. K., and Tecter, R.M. . Identification of Polycyclic Aromatic and Heterocyclic Crude Oil Carboxylic Acids. *Analytical Chemistry*. June 1970. 42 (7): 750-758.
89. Snyder, L. R., and Buell, B.E. Composition Type Separation and Classification of Petroleum by Titration, Ion Exchange, and Adsorption. *J. chem. Eng. Data* October 1966. 11 (4): 545-553.
90. Snyder, L. R. Petroleum Nitrogen compounds and Oxygen compounds. *Accounts of Chemical Research*. September 1970. 3 (9): 290-299.
91. Denekas, M. O., Mattax, C. C. and Davis, G. T. Effects of Crude Oil Components on Rock Wettability. *Transactions, AIME, Society of Petroleum Engineers*. 1959. 216, 330-333.
92. Neumann, H. J., Paezynsla-Lahme, B., and Severin, D. Composition and Properties of Petroleum. *Halsted Press*. 1981. 1-46, 109-113.

93. McKay, J. F., Amend, P. J., Cogswell, T. E., Harnsberger, P. M., Erickson, R. B. and Latham, D. R. Petroleum Asphaltene: Chemistry and Composition, Analytical Chemistry of Liquid Fuel sources: tar Sands, Oil shale, Coal, and Petroleum. *P.C. Uden (ed.). Advances in Chemistry Series, American Chem. Society. Washington, DC. 1978. 170 128-142.*
94. Speight, J. G., and Moschopedis, S.E. On the Molecular Nature of Petroleum of Petroleum Asphaltene. *Chemistry of Asphaltene, J.W. Bunger and N.C. Li (eds.). Advances in Chemistry Series, American Chemical Society. Washington, DC. 1981. 195 1-15.*
95. Benner, F. C., and Bartell, F.E. The Effect of Polar Impurities Upon Capillary and Surface Phenomena in Petroleum Production. *Drilling and Production Practices, American Petroleum Institute. 1942. 341-348.*
96. Cuiec, L. E. Study of Problems Related to the Restoration of the Natural State of Core samples. *J. Cdn. Pet. Tech. October-December 1977. 16 (4): 68-80.*
97. Morrow, N. R., Cram, P. J. and McCaffery, F. G. Displacement Studies in Dolomite With Wettability Control by Octanoic Acid. *SPEJ. 1973. 13 (4): 221-232.*
98. Cuiec, L. E. Restoration of the Natural State of Core Samples. *Fall Meeting of the Society of Petroleum Engineers of AIME. September 28-October 1, 1975. Dallas, Texas: 1975 Copyright 1975. 1975. 5634-MS.*
99. Cooke Jr, C. E., Williams, R. E. and Kolodzie, P. A. Oil Recovery by Alkaline Waterflooding. *SPE Journal of Petroleum Technology. 1974. 26 (12): 1365-1374.*
100. Reisberg, J. a. D., T.M. . Interfacial Phenomena in Crude-Oil-water Systems. *Producers Monthly. November 1956. 21 (1): 43-50.*
101. Donaldson, E. C., and Crocker. M.E. Characterization of the Crude Oil Polar Compound Extract. *Bartlesville Energy Technology Center. Report. U.S.A. October 1980. DOE/BETC/RI-80/5.*
102. Cram, P. J. Wettability Studies with Non-Hydrocarbon constituents of Crude Oil. *Petroleum Recovery Research Institute. Report. December 1942. RR-17.*
103. McGee, J., Crocker, M.E., and Marchin, L.M. Wettability: State-of-the-art. A Review of the Literature. *Natl. Inst. For Petroleum Research. Report. Bartlesville. August 1985. NIPER-58.*



104. Marsden, S. S., and Nikias. Wettability of the Bradford Sand, I. *Producers Monthly*. May 1962. 26 (5): 2-5.
105. Marsden, S. S., and Khan, S. The wettability of the Bradford Sand, II; Pyrolysis Chromatography. *Producers Monthly*. June 1965. 29 (6): 10-14.
106. Benner, F. C., Riches, W.W., and Bartell, F.E. . Nature and Importance of Surface Forces in Production of Petroleum. *Drilling and Production Practices, American Petroleum Institute*. 1939. 442-448.
107. Benner, F. C., Dodd, C.G., and Bartell, F.E. . Displacement Pressures for Petroleum Oil-Water-Silica Systems. *Oil and Gas Journal*. 12 November 1942. 41 (27): 199-208.
108. Benner, F. C., Dodd, C.G., and Bartell, F.E. Evaluation of Effective Displacement Pressures for Petroleum Oil-Water-Silica Systems. *Fundamental Research on Occurrence and Recovery of Petroleum, American Petroleum Institute*. 1943. 85-93.
109. Baldwin, B. A. and Gray, P. R. Fluid-Surface Interactions in Oil Reservoirs. Society of Petroleum Engineers. 1974. 4925-MS.
110. Jennings, H. Y. Surface Properties of Natural and Synthetic Porous Media. *Producers Monthly*. March 1957. 21 (5): 20-24.
111. McCaffery, F. G., Sigmund, P.M., and Fosti, J.E. Pore Space and Displacement Characteristics of Carbonate Reservoir Rocks. *Prac., Canadian Well Logging Society Formation Evaluation Symposium*. Calgary: 1977. B1-B16.
112. Tul'bovich, B. I. Comparison of the Wettability of Core Samples from Water-Petroleum Parts of strata and the water-Petroleum-Collector (Transition) Zone. *Neftyanoe Khozyaistvo*. 1972. 50 (11): 47-48.
113. McCaffery, J. W., Crocker, M.E., and Donaldson, E.C. Relative Wetting Properties of Crude Oil in Berea Sandstone. *Bartlesville Energy Technology Center*. Report. U.S.A. Januray 1979. BETC/RI-78/9, U.S. DOE
114. Lyutin, L. V., and Burdyn, T.A. . Adsorption of Asphaltenes in a Stratum and its Effects on Permeability and Oil Production. *Tr. Vses. Neftegasov. Nauch-Issled*. 1970. 53 117-130.
115. Somerton, W. H. and Radke, C. J. Role of Clays in the Enhanced Recovery of Petroleum From Some California Sands. *SPE Journal of Petroleum Technology*. 1983. 35 (3): 643-654.

116. Abdurashitov, S. A., Guesinov, M.F., and Tairov, N.D. Effect of different Rock Fractions Upon the Adsorption of Asphaltenes from Petroleums of the Balakhany-Sabunchi-Ramaninsk Deposits. *Isv. Vyssh. Ucheb. Zaved.* 1996. 9 (10): 63-65.
117. Barbour, F. A., Barbour, R.V., and Peterson, J.C. A Study of Asphalt-Aggregate Interactions Using Inverse Gas-Liquid Chromatography. *J. Appl. Chem. Biotechnology.* 1974. 54. 645-654.
118. Sinnokrot, A. A., and Chilingar, G.V. Effect of Polarity and Presence of Carbonate Particles on Relative Permeability of Rocks: A Review. *The Compass of Sigma Gamma Epsilon.* January 1961. 39 (2): 115-120.
119. Ensley and Scholz, A. A Study of Asphalt-Aggregate Interactions by Heat of Immersion. *J. Inst. Pet.* March 1972. 58 (560): 95-101.
120. Lowe, A. C., Phillips, M.C., and Riddiford, A.C. On the Wettability of Carbonate Surfaces by Oil and Water. *J. Cdn. Pet. Tech.* April-June 1973. 12 (44): 33-40.
121. Collins, S. H. and Melrose, J. C. Adsorption of Asphaltenes and Water on Reservoir Rock Minerals. *SPE Oilfield and Geothermal Chemistry Symposium.* June 1-3, 1983. Denver, Colorado: 1983 Copyright 1983 Society of Petroleum Engineers. 1983. 11800-MS.
122. Berezin, V. M., Yarygina, V.S., and Dubrovina, N.A. Adsorption of Asphaltenes and Tar from Petroleum by Sandstone. *Neftepromysl. Delo* 1982. 5: 15-17.
123. Kusakov, M. M., and Mekenitskaya, L.I. A Study of the state of Connate water in Oil Reservoirs. *Research in Surface Forces, B.V. Deryagin (ed.).* Report. 1963.12-18.
124. Oddo, J. E. and Tomson, M. B. Why Scale Forms in the Oil Field and Methods To Predict It. *SPE Production & Operations.* 1994. 9 (1): 47-54.
125. Civan, F. *Reservoir Formation Damage: Fundamentals, Modelling, Assessment and Mitigation.* Houston: Gulf Publishing Company. 2000.
126. Johansen, R. T., and Dunning, H.N. Relative Wetting Tendencies of Crude Oil by the Capillarimetric Method. *Producers Monthly.* September 1959. 23 (11): 20-22.
127. Dunning, H. N., Moore, J.W., and Myers, A.T. Properties of Porphyrins in Petroleum. *Ind. Eng. Chem.* September 1954. 46 (9): 2000-2007.

128. Dunning, H. N., Moore, J.W., and Denekas, M.O. Interfacial Activities and Porphyrin Contents of Petroleum Extracts. *Ind. Eng. Chem.* August 1953. 45 (8): 1759-1765.
129. Hendrik, J. d. B. Naphthenic Acid Corrosion in Synthetic Fuels Production. *CORROSION* 98. 03/22/1998. San Diego Ca: NACE International. 1998. 98576.
130. Standnes, D. C. and Austad, T. Wettability alteration in chalk: 1. Preparation of core material and oil properties. *Journal of Petroleum Science and Engineering.* 2000. 28 (3): 111-121.
131. Zhang, P. and Austad, T. Wettability and oil recovery from carbonates: Effects of temperature and potential determining ions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects.* 2006. 279 (1-3): 179-187.
132. Strand, S., Høgnesen, E. J. and Austad, T. Wettability alteration of carbonates--Effects of potential determining ions ( $\text{Ca}^{2+}$  and  $\text{SO}_4^{2-}$ ) and temperature. *Colloids and Surfaces A: Physicochemical and Engineering Aspects.* 2006. 275 (1-3): 1-10.
133. Zheng, J. and Powers, S. E. Organic bases in NAPLs and their impact on wettability. *Journal of Contaminant Hydrology.* 1999. 39 (1-2): 161-181.
134. Zhang, P., Tweheyo, M. T. and Austad, T. Wettability alteration and improved oil recovery by spontaneous imbibition of seawater into chalk: Impact of the potential determining ions  $\text{Ca}^{2+}$ ,  $\text{Mg}^{2+}$ , and  $\text{SO}_4^{2-}$ . *Colloids and Surfaces A: Physicochemical and Engineering Aspects.* 2007. 301 (1-3): 199-208.
135. Somasundaran, P., and Gar, G.E. The Zero Point of charge of Calcite. *J. Colloid Interface Science.* August 1967. 24 (4): 433-440.
136. Drummond, C. and Israelachvili, J. Fundamental studies of crude oil-surface water interactions and its relationship to reservoir wettability. *Journal of Petroleum Science and Engineering.* 2004. 45 (1-2): 61-81.
137. Michaels, A. S. The Waterproofing of oils and Building Materials. *I.L. Moilliet (ed.). Elsevier Publishing Company.* Report. New York. 1963. 339-383.
138. Seifert, W. K., and Howells, W.G. Interfacially Active Acids in a California Crude Oil. *Analytical Chemistry.* April 1969. 41 (4): 554-562.

139. Gaudin, A. M., and Fuerstenau, D.W. Quartz Flotation with An-ionic Collectors. *Trans., AIME – Mining Engineering*. January 1995. 202: 66-72.
140. Gaudin, A. M., and Chang, C.S. Adsorption on Quartz from an Aqueous Solution, of Barium and Laurate Ions. *Trans., AIME-Mining Engineering*. February 1952. 193 193-201.
141. Brown, C. E., and Neustadter, E.L. The Wettability of Oil/Water/Silica Systems with Reference to Oil Recovery. *J. Cdn. Pet. Tech.* July - September 1980. 19 (3): 100-110.
142. Leja, J. Surface Chemistry of Froth Flotation. New York City. *Plenum Press*. 1982.
143. Schuhmann, R., and Prakash, B. Effect of BaCl<sub>2</sub> and other Activators on Soap Flotation of Quartz. *Trans., AIME- Mining Engineering*. May 1960. 187: 591-600.
144. Somasundaran, P. Advances in Interfacial Phenomena of Particulate/ Solution/ Gas Systems; Applications to Flotation Research. *AICHE Symposium series*. 1975. 71 (150): 1-15.
145. Strassner, J. E. Effect of pH on Interfacial Films and Stability of Crude Oil-Water Emulsions. *SPE Journal of Petroleum Technology*. 1968. 20 (3): 303-312.
146. Wagner, O. R. and Leach, R. O. Improving Oil Displacement Efficiency by Wettability Adjustment. *Society of Petroleum Engineers of AIME*. 1959. 1101-G.
147. Johansen, R. T., and Dunning, H.N. Relative Wetting Tendencies of Crude Oil by the Capillarimetric Method. *Producers Monthly*. September 1959. 23 (11): 20-22.
148. Mungan, N. Enhanced Oil recovery using Water as a Driving Fluid: Part 4 – Fundamentals of Alkaline Flooding. *World Oil*. June 1981. 192 (6): 209-220.
149. Kowalewski, E., Holt, T. and Torsaeter, O. Wettability alterations due to an oil soluble additive. *Journal of Petroleum Science and Engineering*. 2002. 33 (1-3): 19-28.
150. Hancock, C. K. Aluminium Sulfate and Iron Sulfates as Auxiliaries in Bituminous Stabilization of Soils. *Ind. Eng. Chem*. November 1955. 47 (11): 2269-2275.

151. Somasundaran, P. and Hanna, H. S. Adsorption of Sulfonates on Reservoir Rocks. *SPE Journal*. 1979. 19 (4): 221-232.
152. Figdore, P. E. Adsorption of Surfactants on Kaolinite: NaCl versus CaCl<sub>2</sub> Salt Effects. *J. Colloid Interface Science*. June 1982. 87 (2): 500-517.
153. Mungan, N. Certain Wettability Effects In Laboratory Waterfloods. *SPE Journal of Petroleum Technology*. 1966. 18 (2): 247-252.
154. Leach, R. O., Wagner, O. R., Wood, H. W. and Harpke, C. F. A Laboratory and Field Study of Wettability Adjustment in Water Flooding. *SPE Journal of Petroleum Technology*. 1962. 14 (2): 206-212.
155. Johnson Jr, C. E. Status of Caustic and Emulsion Methods. *SPE Journal of Petroleum Technology*. 1976. 28 (1): 85-92.
156. Chilingar, G. V., and Yen, T.F. Some Notes on Wettability and Relative Permeabilities of Carbonate Reservoir Rocks, II. *Energy Sources*. 1983. 7 (1): 67-75.
157. Reed, M. G. Retention of Crude Oil Bases by Clay-containing sandstones. *Clays and Clay Minerals*. 1968. 16 173-178.
158. Czarnecka, E., and Gillot, J.E. Formation and Characterization of Clay Complexes with Bitumen from Athabasca Oil sand. *Clays and Clay Minerals*. 1980. 28 197-203.
159. Clementz, D. M. Alteration of Rock Properties by Adsorption of Petroleum Heavy Ends: Implications for Enhanced Oil Recovery. *SPE Enhanced Oil Recovery Symposium*. April 4-7, 1982. Tulsa, Oklahoma: 1982 Copyright 1982, Society of Petroleum Engineers of AIME. 1982. 10683-MS.
160. Clementz, D. M. Interaction of Petroleum Heavy Ends with Montmorillonite. *Clays and Clay Minerals*. 1976. 24: 312-319.
161. Clementz, D. M. Clay Stabilization in Sandstones Through Adsorption of Petroleum Heavy Ends. *SPE Journal of Petroleum Technology*. 1977. 29 (9): 1061-1066.
162. Glembotskii, V. A., Klassen, V.I., and Plaksin, I.N. Flotation Primary Sources. Report. New York City. 1972.
163. Gaudin, A. M. *Flotation*. 2. New York City: McGraw Hill Book Co. Inc. 1957.
164. Monicard., R. P. *Properties of Reservoir Rocks: Core and Analysis*. Paris: Imprimerie Louis-Jean. 1980.

165. Bailey, R., and Gray, V.R. Contact Angle Measurements of Water on Coal. *J. Appl. Chemistry*. April 1958. 8: 197-202.
166. Klassen, V. I., and Mokrousov, V.A. *An Introduction to the Theory of Flootation*. Butterworth and co., London. 1963.
167. Chander, S., Wie, J.M., and Fuerstenau, D.W. . On the Native Floatability and Surface Properties of Naturally Hydrophobic Soilds. *Advances in Interfacial Phenomena of Particulate/Solution/Gas Systems; Applications to Flotation Research. P. Somasundaran and R.B. Grieves (eds.) AIChE Symposium Series*. 1975. 71 (150): 183-188.
168. Andresen, K. H. Discussion of Nature and Importance of Surface Forces in Production of Petroleum. *Drill and Prod, Prac., API*. Report. New York City. 1939.
169. Sharma, M. M. and Wunderlich, R. W. The alteration of rock properties due to interactions with drilling-fluid components. *Journal of Petroleum Science and Engineering*. 1987. 1 (2): 127-143.
170. Skalli, L., Buckley, J. S., Zhang, Y. and Morrow, N. R. Surface and core wetting effects of surfactants in oil-based drilling fluids. *Journal of Petroleum Science and Engineering*. 2006. 52 (1-4): 253-260.
171. McDonald, J. A. and Buller, D. C. The significance of formation damage caused by the adsorption oil-based mud surfactant. *Journal of Petroleum Science and Engineering*. 1992. 6 (4): 357-365.
172. Yan, J. N., Monezes, J. L. and Sharma, M. M. Wettability Alteration Caused by Oil-Based Muds and Mud Components. *SPE Drilling & Completion*. 1993. 8 (1): 35-44.
173. Adam., N. K. Contact Angle, Wettability and Adhesion. *Adv. Chem. Ser. .* 1964. 52: 43-45.
174. Poston, S. W., Ysrael, S., Hossain, A. K. M. S. and Montgomery Iii, E. F. The Effect of Temperature on Irreducible Water Saturation and Relative Permeability of Unconsolidated Sands. 1970. 10 (2): 171-180.
175. Lo, H. Y. and Mungan, N. Effect of Temperature on Water-Oil Relative Permeabilities in Oil-Wet and Water-Wet Systems. *Fall Meeting of the Society of Petroleum Engineers of AIME*. September 30-3 October, 1973. Las Vegas, Nevada: 1973 Copyright 1973, American Institute of Mining, Metallurgical, and Petroleum Engineers, Inc. 1973. 4505-MS.

176. Manthey, S. *Two-phase flow processes with dynamic effects in porous media – parameter estimation and simulation*. Dr.-Ing. Eigenverlag des Instituts für Wasserbau der Universität Stuttgart; 2006.
177. Young, T. An Essay on the Cohesion of Fluids. *Philosophical Trans. Royal Society of London*. 1805. 95: 65-87.
178. Fanchi, J. R. *Principles of Applied Reservoir Simulation*. 3rd. ed. New York: Gulf Professional Publishing. 2006.
179. Adamson, A. W. *Physical Chemistry of Surfaces*. 4. New York City: John Wiley and Sons Inc. 1982.
180. Manthey, S. *Two-phase flow processes with dynamic effects in porous media – parameter estimation and simulation*. Dr.-Ing. Eigenverlag des Instituts für Wasserbau der Universität Stuttgart; 2006.
181. T.D. Blake, M. B., and Y.D. Shikhmurzaev. Experimental evidence of nonlocal hydrodynamic influence on the dynamic contact angle. *Physics of Fluids*. 1999. 11 (8): 1995-2007.
182. M. Schroth, J. D., Istok, S.J. Ahearn, and J.S. Selker. Geometry and Position of Light nonaqueous-phase liquid Lenses in water-wetted Porous media. *Journal of Contaminant Hydrology*. 1995. 19 (4): 269-287.
183. Shikhmurzaev, Y. D. Spreading of drops on solid surfaces in a quasi-static regime. *Physics of Fluids*. 1997. 9 (2): 266-275.
184. Blake., T. D., Bracke., M., and Shikhmurzaev., Y. D. Experimental evidence of nonlocal hydrodynamic influence on the dynamic contact angle. *Physics of Fluids*. 1999. 11 (8): 1995-2007.
185. Zimmermann., E. *Ein Beitrag zur Bestimmung des statischen und dynamischen Randwinkels*. Ph. D. Universität-GH-Essen. Germany; 1986.
186. Weislogel, M. M. Steady Spontaneous Capillary Flow in Partially Coated Tubes. *AIChE Journal*. 1997. 43 (3): 645-654.
187. Zhou, M. Y., Sheng, P. Dynamics of immiscible Fluid Displacement in a Capillary Tube. *Physical Review Letters*. 1990. 64 (8): 882-885.
188. Fermigier, M., Jenffer, P. An Experimental investigation of the Dynamic Contact Angle in Liquid-Liquid systems. *Journal of Colloid Interface Science*. 1991. 146 (1): 226-241.

189. Saffman, P. G., and Taylor, G. The Penetration of a fluid into a Porous medium or Hele-Shaw Cell Containing a more Viscous fluid. *Proc. Royal Society. London.* Report. London. 1958. Serial 245, 312.
190. Birbeland, E., Johannesen and Arne, G. Mobilization of Remaining Oil - Emphasis on Capillary Number and Wettability. *International Oil Conference and Exhibition in Mexico.* June 27-30, 2007. Veracruz, Mexico: Society of Petroleum Engineers. 2007. 108724-MS.
191. Probstein, R. F. *Physicochemical Hydrodynamics.* 2nd. ed. NY: John Wiley & Sons, Inc. 1994.
192. Morre, T. F. and Slobod, R. L. The Effect of viscosity and Capillarity on th Displacment of oil by water. *Producers Monthly.* 1965.
193. Delshad, M., Bhuyan, D., Pope, G. A. and Lake, L. W. Effect of Capillary Number on the Residual Saturation of a Three-Phase Micellar Solution. *SPE Enhanced Oil Recovery Symposium.* April 20-23, 1986. Tulsa, Oklahoma: 1986 Copyright 1986, Society of Petroleum Engineers. 1986. 14911-MS.
194. Chandra, S. V. and Dandina, N. R. Effect of Brine Dilution and Surfactant Concentration on Spreading and Wettability. *International Symposium on Oilfield Chemistry.* February 5-7, 2003. Houston, Texas: Society of Petroleum Engineers. 2003. 80273-MS.
195. Willhite., G. P. *Waterflooding.* Richardson. Society of Petroleum Engineers. 1986.
196. Chandra, S. V., Dandina, N. R. and Kun, L. The Effect of Rock Surface Characteristics on Reservoir Wettability. *SPE/DOE Improved Oil Recovery Symposium.* April 13-17, 2002. Tulsa, Oklahoma: Society of Petroleum Engineers Inc. 2002. 75211-MS.
197. Morrow, N. R. *Interfacial Penomena in Petroleum Recovery.* New York: Marcel Dekker Inc. 1991.
198. Geffen, T. M., Owens, W. W., Parrish, D. R. and Morse, R. A. Experimental Investigation of Factors Affecting Laboratory Relative Permeability Measurements. *Trans., AIME.* 1951. 951099-G.
199. Morrow, N. R. Physics and Thermodynamics of Capillary Action in Porous Media. *Ind. Eng. Chem. .* June 1970. 62 (6): 32-56.



200. Johnson, R. E., and Dettre, R.H. . Wettability and Contact Angles. *Surface and Colloid Science, E. Matijevic (ed.), Wiley Inter science*. Report. New York City. 1979.
201. Fang, C., Hidrovo, C., Wang, F.-m., Eaton, J. and Goodson, K. 3-D numerical simulation of contact angle hysteresis for microscale two phase flow. *International Journal of Multiphase Flow*. 2008. 34 (7): 690-705.
202. Ahrenholz, B., Tölke, J., Lehmann, P., Peters, A., Kaestner, A., Krafczyk, M. and Durner, W. Prediction of capillary hysteresis in a porous material using lattice-Boltzmann methods and comparison to experimental data and a morphological pore network model. *Advances in Water Resources*. 2008. 31 (9): 1151-1173.
203. Wang, B. X. and Yu, W. P. The capillary hysteresis and its properties for unsaturated wet porous media. *Fluid Phase Equilibria*. 1992. 75 197-212.
204. Niemi, A. and Bodvarsson, G. S. Preliminary capillary hysteresis simulations in fractured rocks, Yucca Mountain, Nevada. *Journal of Contaminant Hydrology*. 1988. 3 (2-4): 277-291.
205. Morrow, N. R. The Retention of Connate water in Hydrocarbon Reservoirs. *J. Cdn. Pet. Tech.* January-March 1971. 10 (1): 38-55.
206. Moseley, W. A. and Dhir, V. K. Capillary pressure-saturation relations in porous media including the effect of wettability. *Journal of Hydrology*. 1996. 178 (1-4): 33-53.
207. Kinney, P. T., and Nielsen, R.F. . The Role of Wettability in Oil Recovery. *Producers Monthly*. January 1950. 14 (3): 29-35.
208. Stahl, C. D., and Nielsen, R.F. . Residual Water and Residual Oil by Capillary Pressure Techniques. *Producers Monthly*. January 1950. 14 (3): 19-22.
209. Kinney, P. T., and Nielsen, R.F. Wettability in Oil Recovery. *World Oil*. March 1951. 132 (4): 145-154.
210. Kinney, P. T., and Killins, C.R., and Nielson, R.F. . Some Applications of Capillary Pressure Measurements on Pennsylvania Sands Bull. *15th Technical Conference on Petroleum Production, Mineral Industries Experiment Station*. October 24-26. Pennsylvania State C.59: October 24-26, 1951.

211. Killins, C. R., Nielsen, R.F., and Calhoun, J.C. . Capillary Desaturation and Imbibition in Porous Rocks. *Producers Monthly*. December 1953. 18 (2): 30-39.
212. Calhoun, J. C., Preston, F. W. and Killins, C. R. The Intensive Analysis of Oil-Field Cores. *Drilling and Production Practice*. American Petroleum Institute. 1953. 337-345.
213. Leverett, M. C. Capillary Behavior in Porous Solids. *Trans., AIME*. 1941. 142: 152-169.
214. Carlson, M. *Practical Reservoir Simulation*. Tulsa: PennWell Corporation. 2003.
215. Serra, O. *Fundamentals of well-log Interpretation*. 3rd. ed. Amsterdam: Elsevier Publishers B.V. 1988.
216. Pedrera, B., Bertin, H., Hamon, G. and Augustin, A. Wettability Effect on Oil Relative Permeability During a Gravity Drainage. *SPE Annual Technical Conference and Exhibition*. April 13-17, 2002. San Antonio, Texas: Copyright 2002, Society of Petroleum Engineers Inc. 2002. 77542-MS.
217. Morrow, N. R. Capillary Pressure Correlations for Uniformly Wetted Porous Media. *J. Can. Pet. Technology*. 1976. 15 (4): 49-69.
218. Genuchten, V. Closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Sci. Soc. Am. J.* 1980. 44: 892-898.
219. Brooks, R. H., Corey, A. T. Hydraulic Properties of Porous Media. *Hydrology Papers*. 1964. Paper no. 3
220. Wyllie, M. R. J. and Gardner, G. H. F. The Generalized Kozney-Carman Equation: Part II. *World Oil*. 1958. 146 (5): 210-228.
221. Burdine, N. T. Relative Permeability Calculations from Pore Size Distribution Data. *Trans., AIME*. 1953. 198: 71-78.
222. Bradford and Leij. Predicting two- and three-fluid Saturation Relationships of Porous Media with Fractional Wettability. *Water Resour.* 1996. 32 (2): 251-259.
223. Tsakiroglou, C. D. and Fleury, M. Pore Network Analysis of Resistivity Index for Water-Wet Porous Media. *Transport in Porous Media*. 1999. 35 (1): 89-128.
224. Walter, R. and Bruce, W. A. Evaluation Of Capillary Character In Petroleum Reservoir Rock. *Trans., AIME*. 1949. 62 (6): 32-56.

225. Huet, C. C., Rushing, J. A., Newsham, K. E. and Blasingame, T. A. A Modified Purcell/Burdine Model for Estimating Absolute Permeability from Mercury-Injection Capillary Pressure Data. *International Petroleum Technology Conference*. November 21-23, 2005. Doha, Qatar: 2005.
226. Harry, W. B. Capillary Pressure Investigations. 1951. 951067-G.
227. Pirson, S. J. *Oil Reservoir Engineering*. New York City: McGraw-Hill Book Co. Inc., . 1958.
228. Donaldson, E. C. and Thomas, R. D. Microscopic Observations of Oil Displacement in Water-Wet and Oil-Wet Systems. *Fall Meeting of the Society of Petroleum Engineers of AIME*. October 3-6, 1971. New Orleans, Louisiana: Society of Petroleum Engineers. 1971. 3555-MS.
229. Willhite, G. P. *Enhanced Oil Recovery*. Richardson. Society of Petroleum Engineers. 1986.
230. Schneider, F. N. Relative Permeability Studies of Gas-Water Flow Following Solvent Injection in Carbonate Rocks. *SPEJ*. 1976. 16 (1): 23-30.
231. Schneider, F. N. and Owens, W. W. Sandstone and Carbonate Two- and Three-Phase Relative Permeability Characteristics. *SPEJ*. 1970. 10 (1): 75-84.
232. McCaffery, F. G. *The Effect of Wettability on Relative Permeability and Imbibition in Porous Media*. Ph. D. U. of Calgary, Calgary; 1973.
233. McCaffery, F. G., and Bennion, D.W. . The Effect of Wettability on Two-Phase Relative Permeabilities. *J. Cdn. Pet. Tech.* October-December 1974. 13 (4): 42-53.
234. Owens, W. W. and Archer, D. L. The Effect of Rock Wettability on Oil-Water Relative Permeability Relationships. *SPE Journal of Petroleum Technology*. 1971. 23 (7): 873-878.
235. Leverett, M. C. and Lewis, W. B. Steady Flow of Gas-oil-water Mixtures through Unconsolidated Sands. *Trans., AIME*. 1941. 142: 107-116.
236. Ahmed, T. *Reservoir Engineering Hand Book*. 2nd. ed. Houston, TX.: Gulf Pub. Co. 2000.
237. Von E., W., and Lubben, H. Study of the Influence of Interfacial Stress and Contact Angle on the Displacement of Oil by Water in Porous Materials. *Theoretical Principles and Performance of tests, Erdol und Kohle*. November 1957. 10 (11): 747-752.

238. Esfahani, M. R. and Haghghi, M. Wettability evaluation of Iranian carbonate formations. *Journal of Petroleum Science and Engineering*. 2004. 42 (2-4): 257-265.
239. Morgan, J. T. and Gordon, D. T. Influence of Pore Geometry on Water-Oil Relative Permeability. *SPE Journal of Petroleum Technology*. 1970. 22 (10): 1199-1208.
240. Rose, W. D. and Bruce, W. A. Evaluation of Capillary character in Petroleum reservoir rock. *Trans., AIME*. 1949. 186: 127-142.
241. Wyllie, M. R. J. and Gardner, G. H. F. The Generalized Kozeny-Carmen Equation—Its Application to Problems of Multi-Phase Flow in Porous Media. *World Oil*. 1958. 121-146.
242. Purcell, W. R. Capillary Pressure-Their Measurement using Mercury and the Calculation of Permeability. *Trans., AIME*. 1949. 186: 39-48.
243. Golan, M., and Whitson, C. H. *Well Performance*. 2nd. ed. New Jersey: Prentice Hall. 1977.
244. Brill, J., and Beggs. H. D. *Two- Phase flow in pipes*. 3rd. ed. Tulsa: University of Tulsa. 1978.
245. Beggs. H. D., and Brill, J. P. A Study of Two-Phase flow in Inclined Pipes. *Journal of Petroleum Technology*. 1973. 25 (5): 607-617.
246. Hagedorn, A. R. and Brown, K. E. Experimental study of Pressure gradients occurring during continuous two-phase flow in Small-diameter Vertical conduits. *JPT*. 1965: 475-484.
247. Griffith, P. and Wallis, G. B. Two-Phase Slug Flow. *J. Heat Transfer, Trans. ASME*. 1961. 83: 307-320.
248. Beggs, H. D. *Production Optimization: Using Nodal Analysis*. Tulsa: OGCI Publications. 1991.
249. Scott, D. F. *Visual basic for Windows: Developer's guide*. Carmel, Ind.: Sams Publishing. 1993.
250. Orvis, W. J. *Do it yourself: Visual Basic for Windows*. 2nd. ed. Carmel, Ind.: Sams Pub. 1993.
251. Sausmarez, M. D. *Basic Design: The Dynamics of visual form*. London: Studio Vista. 1970.
252. Warhol, M. *The art of Programming with Visual Basic*. New York: John Wiley & Sons. 1995.

253. Schneider, D. I. *An Introduction to Programming using Visual Basic 6.0*. 4th. ed. N.J: Pearson/Prentice Hall. 2004.
254. Deitel, P. J. and Deitel, H. M. *Visual Basic 2008 - How to Program*. New Jersey: Pearson Education, Inc. 2009.
255. Zak, D. *Programming with Microsoft - Visual Basic 2008*. 4th. ed. Boston: Course Technology, Cengage Learning. 2010.
256. Petroustos, E. *Mastering Microsoft Visual Basic 2008*. Indianapolis: Wiley Publishing Inc. 2008.
257. Standing, M. B. *Volumetric and Phase behavior of Oil field Hydrocarbon system*. 9th. ed. Dallas: Society of Petroleum Engineers. 1981.
258. Glaso, O. Generalized Pressure-volume-temperature Correlations. *JPT*. 1980. 2: 785-795.
259. Chew, J. and Connally, J. C. A. A viscosity Correlation for Gas-saturated crude Oils. *Trans., AIME*. 1959. 216: 23-25.
260. Vasquez, M. and Beggs, H. D. Correlations for Fluid physical property Prediction. *JPT*. 1980. 968-970.
261. Yarborough, L. and Hall, K. R. How to solve Equation-of-state for Z-factors. *Oil and Gas Journal*. 1974. 18: 86-88.
262. Flores, J. Development And Reservoir Engineering Studies For The Pulai Field Offshore Peninsular Malaysia. *Offshore South East Asia Show*. February 9-12, 1982. Singapore: Society of Petroleum Engineers. 1982. 10472-MS.
263. M.R, J. and M.B, D. COUPLED FLUID-FLOW AND GEOMECHANICS IN NATURALLY FRACTURED RESERVOIRS. *ISRM International Symposium - 5th Asian Rock Mechanics Symposium*. 11/24/2008. Tehran, Iran: International Society for Rock Mechanics (ISRM) and Iranian Society for Rock Mechanics (IRSRM). 2008. ARMS5-2008-153.
264. Jose, S. B. A. and Herber Cinco, L. *FORMATION EVALUATION TECHNIQUES IN NATURALLY FRACTURED RESERVOIRS*. 1981.
265. Wan Nawawi Wan, M., Muhammad Aw Yong, A., Samsuddin Bin, S. and Mohd Rohani, E. Application of Improved and Enhanced Oil Recovery Strategies in the Tapis Field. *SPE International Improved Oil Recovery Conference in Asia Pacific*. 12/05/2005. Kuala Lumpur, Malaysia: Society of Petroleum Engineers. 2005. 97693-MS.

266. Muhammad Aw Yong, A. and Olsen, B. S. Tapis - New Opportunities from a Maturing Field. *SPE Asia Pacific Oil and Gas Conference and Exhibition*. 04/20/1999. Jakarta, Indonesia: Society of Petroleum Engineers. 1999. 54339-MS.
267. Govier, G. W. and Aziz, K. *The Flow of Complex mixtures in Pipes* NY: Drieger Publishing Company. 1977.
268. Honarpour, M., Koederitz, L. and Harvey, A. H. *Relative permeability of Petroleum reservoirs*. California: C.R.C. Press. 1986.
269. Torcaso, A. M. and Wyllie, M. R. J. A comparison of Calculated krg/kro Ratios with a Correlation of Field Data *Trans., AIME*. 1936.
270. Torcaso, A. M. and Wyllie, M. R. J. A comparison of Calculated krg/kro Ratios with Field data. *J. Pet. Technol.* 1958. 10 (12): 57-58.
271. Naar, J. and Henderson, J. H. An Imbibition Model - Its Application to flow Behavior and the Prediction of oil Recovery. *Trans., AIME*. 1961. 1 (2): 61-70.
272. Corey, A. T. The Interrelation between Gas and Oil Relative Permeabilities. *Producers Monthly*. 1954. 19 (1): 38-41.
273. Brooks, R. H., Corey, A. T. Properties of Porous Media Affecting Fluid Flow. *J. Irrig. Drain. Div.* 1966. 92 (IR2): 61-88.
274. Honarpour, M. M., Koederitz, L. F. and Harvey, A. H. *Relative Permeability of Petroleum Reservoirs*. Boca Raton, Florida: CRC Press, Inc. 1988.
275. Wyllie, M. R. J. Interrelationship between Wetting and non-wetting Phase Relative Permeability. *Trans., AIME*. 1961.
276. Stone, H. L. Probability Model for Estimating three-phase Relative Permeability *JPT*. 1970. 22 (2): 214-218.
277. Aziz, K. and Sattari, A. *Petroleum Reservoir Simulation*. London: Applied Science Publishers Ltd. 1979.
278. Fayers, F. and Matthews, J. D. Evaluation of Normalized Stone's method for Estimating Three-phase relative Permeabilities. *SPEJ*. 1984. 24 (2): 224-232.
279. Stone, H. L. Estimation of Three-Phase Relative Permeability and Residual Oil Data. *J. Can. Pet. Technology*. 1973. 12 (4): 53-61.
280. Fanning, J. T. *A Practical Treatise on Hydraulic and Water Supply Engineering*. Revised ed. 1886. New York: Van Nostrand. 1877.

281. Guo, B., Lyons, W. C. and Ghalambor, A. *Petroleum Production Engineering A Computer - Assisted Approach*. Oxford: Elsevier Inc. 2007.
282. Moody, L. F. Friction factors for Pipe flow. *Trans., AIME*. 1944. 66 (8): 671-684.
283. Chen, N. H. An Explicit equation for Friction factor in Pipe. *Ind. Eng. Chem. Fund.* 1979. 18: 296.
284. Standing, M. B. and Katz, D. L. Density of Natural Gases. *Trans., AIME*. 1942. 142: 140-149.
285. Ahmed, T. *Hydrocarbon Phase Behavior*. Houston: Gulf Pub. Co. 1989.
286. Chen, Z., Huan, G. and Ma, Y. *Computational methods for Multiphase flows in Porous media*. Philadelphia: Siam. 2006.
287. William D. McCAIN, J. *The Properties of Petroleum Fluids*. 2nd. ed. Tulsa: PennWell Publishing Company. 1990.
288. Lee, A. L., Gonzalez, M. H. and Eakin, B. E. The viscosity of Natural gases. *JPT*. 1966. 18 (8): 997-1000.