

STOCHASTIC DIFFERENTIAL EQUATION
FOR TWO-PHASE GROWTH MODEL

GRANITA

UNIVERSITI TEKNOLOGI MALAYSIA

STOCHASTIC DIFFERENTIAL EQUATION
FOR TWO-PHASE GROWTH MODEL

GRANITA

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Doctor of Philosophy (Mathematics)

Faculty of Science
Universiti Teknologi Malaysia

NOVEMBER 2017

In the name Allah Subhanahu wata'ala
Specially dedicated
to my beloved husband Feri and children Taqiyyah, Rafief and Muthie'ah,
Mother, parent in law and my big family

ACKNOWLEDGEMENT

All praise and glory are almighty Allah Subhanahu wata'ala who gave me the courage and patience to carry out this work. Peace and blessings of Allah be upon his last prophet Mohammad Shallallahu 'alaihi wasallam, his family and companions.

I would like to express my deep gratitude to my supervisor Dr. Arifah Bahar for unconditional help, guidance, encouragement, support and valuable suggestions during the preparation of my thesis. I would also like to thank Prof. Xuerong Mao and Dr. Syamsudhuha for their guidance and motivation.

I would like to thank the Univertas Islam Negeri Sultan Syarif Kasim Riau (UIN Suska Riau), Universiti Teknologi Malaysia (UTM) and Lembaga Pengelolaan Dana Pendidikan (LPDP) for financial support of my research.

Deepest appreciation and gratitude are forwarded to my husband and children, my mother, parent in law and big family, my friends and colleague for their help and support. Thank you very much.

.

ABSTRACT

Most mathematical models to describe natural phenomena in ecology are models with single-phase. The models are created as such to represent the phenomena as realistic as possible such as logistic models with different types. However, several phenomena in population growth such as embryos, cells and human are better approximated by two-phase models because their growth can be divided into two phases, even more, each phase requires different growth models. Most two-phase models are presented in the form of deterministic models, since two-phase models using stochastic approach have not been extensively studied. In previous study, Zheng's two-phase growth model had been implemented in continuous time Markov chain (CTMC). It assumes that the population growth follows Yule process before the critical size, and the Prendiville process after that. In this research, Zheng's two-phase growth model has been modified into two new models. Generally, probability distribution of birth and death processes (BDPs) of CTMC is intractable; and even if its first-passage time distribution can be obtained, the conditional distribution for the second-phase is complicated to be determined. Thus, two-phase growth models are often difficult to build. To overcome this problem, stochastic differential equation (SDE) for two-phase growth model is proposed in this study. The SDE for BDPs is derived from CTMC for each phase, via Fokker-Planck equations. The SDE for two-phase population growth model developed in this study is intended to be an alternative to the two-phase models of CTMC population model, since the significance of the SDE model is simpler to construct, and it gives closer approximation to real data.

ABSTRAK

Kebanyakan model matematik untuk menggambarkan fenomena semulajadi dalam ekologi adalah dengan model fasa tunggal. Model-model dibina supaya dapat mewakili fenomena serealistik mungkin, seperti model logistik pelbagai jenis. Walau bagaimanapun, beberapa fenomena dalam pertumbuhan populasi seperti embrio, sel dan manusia adalah lebih sesuai dianggarkan menggunakan model dua fasa kerana pertumbuhan populasi boleh dibahagikan kepada dua fasa, lebih-lebih lagi setiap fasa memerlukan model pertumbuhan yang berbeza. Kebanyakan model dua fasa dibentangkan dalam bentuk model deterministik, disebabkan model dua fasa menggunakan pendekatan stokastik masih belum dikaji secara terperinci. Dalam kajian terdahulu, model pertumbuhan dua fasa Zheng telah dilaksanakan dalam rantaian Markov masa selanjur (CTMC). Ia menganggap pertumbuhan populasi mengikuti proses Yule sebelum mencapai saiz kritikal, dan seterusnya proses Prendiville. Dalam penyelidikan ini, model pertumbuhan dua fasa Zheng diubah suai menjadi dua model baharu. Secara umum, taburan kebarangkalian proses kelahiran dan kematian (BDPs) dari CTMC adalah sukar dikawal; dan walaupun taburan masa laluan pertama boleh diperolehi, taburan bersyarat untuk fasa kedua adalah rumit untuk ditentukan. Oleh itu, model pertumbuhan dua fasa adalah selalunya sukar untuk dibina. Untuk mengatasi masalah ini, persamaan pembezaan stokastik (SDE) untuk model pertumbuhan dua fasa dicadangkan dalam kajian ini. SDE untuk BDP diterbitkan dari CTMC untuk setiap fasa melalui persamaan Fokker-Planck. Model pertumbuhan populasi dua fasa SDE yang dibangunkan dalam kajian ini bertujuan sebagai alternatif kepada model populasi dua fasa CTMC, disebabkan kepentingan SDE untuk model pertumbuhan populasi dua fasa adalah lebih mudah untuk dibina, dan model ini memberi penghampiran yang lebih dekat kepada data sebenar.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	vi
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xii
	LIST OF FIGURES	xiv
	LIST OF SYMBOLS	xvii
	LIST OF ABBREVIATIONS	xix
	LIST OF APPENDICES	xx
1	INTRODUCTION	1
	1.1 Background of Study	1
	1.2 Problem Statement	3
	1.3 Research Objectives	4
	1.4 Research Scope	4
	1.5 Significance of Research	5
	1.6 Thesis Organization	6
2	LITERATURE REVIEW	7
	2.1 Introduction	7
	2.2 Probabilistic Approach of Stochastic Growth Model	7

2.2.1	One-phase Birth and Death Process of CTMC Model	7
2.2.2	Two-phase Birth and Death Process of CTMC Model	9
2.3	Newtonian Approach of Stochastic Growth Model	10
2.3.1	Stochastic Differential Equation for Birth and Death Processes	11
2.3.2	Connection Between Continuous Time Markov Chain and Stochastic Differential Equation Model	12
2.3.3	Fokker-Planck equation to Birth-Death Processes	12
2.4	Summary	13
3	RESEARCH METHODOLOGY	15
3.1	Introduction	15
3.2	Continuous Time Markov Chain	16
3.2.1	Birth and Death Processes	17
3.2.2	Probability Generating Function	20
3.2.3	Some Birth and Death Processes of Continuous Time Markov Chain Model	21
3.3	Stochastic Differential Equation and Diffusion Process	25
3.3.1	Stochastic Differential Equation	25
3.3.2	Diffusion Processes	27
3.3.3	Numerical Method for SDE	30
3.4	Connection between the Birth and Death Processes of CTMC and SDE models	31
3.4.1	Goel's Approach [13]	31
3.4.2	Allen's Approach [14]	32
3.4.3	Connection between Birth and Death Processes of CTMC and SDE for Special Cases	35
3.5	Two-Phase Growth Models	37

3.5.1	Combination between Two Models of Deterministic Model.	37
3.5.2	Zheng's Stochastic Two-phase Growth Model	39
3.5.2.1	Result of Zheng's Two-phase Population Growth Model	42
3.5.2.2	Asymptotic mean and variance	43
3.6	Summary	44
4	STOCHASTIC SINGLE-PHASE GROWTH MODEL	45
4.1	Introduction	45
4.2	Some Types of Birth and Death Processes of Continuous Time Markov Chain	46
4.2.1	Confined Exponential with Immigration Process	46
4.2.2	The Immigration and Confined death process	49
4.2.3	The Birth-immigration and Death-emigration Process	52
4.2.4	Characteristic of Some Birth and Death Processes of CTMC	58
4.3	Ito SDE models for Birth and Death Processes.	60
4.3.1	Yule Process	60
4.3.2	Yule with Immigration Process	62
4.3.3	The Confined Exponential with Immigration Process	63
4.3.4	The Birth and Death with Immigration Process	65
4.3.5	The Birth-Immigration and Death-Emigration Process	68
4.3.6	The Prendiville Process	73
4.3.7	The Prendiville with immigration and emigration process	78

4.3.8	Characteristic of Some SDE for Birth and Death Processes	82
4.4	Simulation	87
4.4.1	The Ito SDE model for linear birth and death process	88
4.4.2	The Ito SDE model for Yule process	90
4.4.3	The Ito SDE for BIDE process	91
4.4.4	The Ito SDE for Confined Exponential Process	93
4.4.5	The Ito SDE for Pendiville Process	95
4.5	Some Biology Cases for Two-Interacting Population	96
4.6	Summary	100
5	STOCHASTIC TWO-PHASE GROWTH MODEL	101
5.1	Introduction	101
5.2	Stochastic Two-phase Growth Model of Continuous Time Markov Chain	101
5.2.1	The 1 st Modified Zheng's Model	102
5.2.1.1	Probability Function	103
5.2.1.2	Mean Function	105
5.2.1.3	Variance Function	106
5.2.1.4	Asymptotic Mean and variance	109
5.2.2	The 2 nd Modified Zheng's Model	109
5.2.2.1	Probability Function	110
5.2.2.2	Mean Function	111
5.2.2.3	Variance Function	112
5.2.2.4	Asymptotic Mean and Variance	114
5.2.3	Two-Phase Growth Model for Initial Condition More Than Single Unit.	115
5.2.4	Simulation Two-Phase Population Growth Model	117
5.2.4.1	Simulation for the Zheng's Two-Phase Population Growth Model	117

5.2.4.2 Simulation for the 1 st Modified Zheng's Model	120
5.2.4.3 Simulation for the 2 nd Modified Zheng's Model	123
5.2.5 Application of the 2 nd Modified Zheng's Model to Pekanbaru and California population data	126
5.3 Stochastic Differential Equation Model for Two- phase Growth Model	128
5.3.1 Simulation the SDE model for the 2 nd Modified Zheng's Model to Pekanbaru and California Population Data	129
5.3.2 Simulation the SDE Model for Two-Phase Population Growth Model Using Zheng's approach to Pekanbaru and California Population Data	131
5.4 Summary	134
6 CONCLUSION	135
6.1 Conclusion of the Research	135
6.2 Suggestion for Future Work	138
REFERENCES	139
Appendices A-B	144-146

LIST OF TABLES

TABLE NO.	TITLE	PAGE
3.1	Probability generating functions (pgf) of some important probability distributions	21
3.2	Some types of the birth processes of CTMC, with $X_0 = N$	23
3.3	Some types of the birth and death processes of CTMC, $X_0 = n_0 = L$	24
3.4	Steps to build Zheng's stochastic two-phase growth model	41
3.5	Characteristic of Zheng's two-phase growth model proposed	42
4.1	Three types of the birth and death processes with immigration or emigration of CTMC, $X_0 = n_0 = L$	59
4.2	Characteristics of SDE models for birth processes	83
4.3	Characteristics of SDE models for birth-death processes	84
4.4	Root mean square error (RMSE) of two Ito SDE model	89
5.1	Characteristics of the 1st modified two-phase population growth model	108
5.2	Characteristics of the 2nd modified two-phase population growth model	114
5.3	Parameters value for simulation	126
5.4	Parameter values for simulation	127
5.5	SDE model for the two-phase population growth model	129

5.6	SDE model for the 2nd modified two-phase population growth model	129
5.7	SDE model for Zheng's two-phase population growth model	131
5.8	Summary root mean square error (RMSE) of Ito SDE for two-phase growth model	131

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
3.1	Overview of methodology for stochastic two-phase growth model	16
3.2	Flow of step to derive SDE for BDP from CTMC	36
3.3	Combination of the exponential function and the confined exponential distribution [2]	39
4.1	Simple steps to derive SDE for BDP from CTMC	86
4.2	Simulation plot of whooping crane populations using the SDE model for	88
4.3	Simulation plot of the whooping crane populations data using the SDE	90
4.4	Simulation plot of the SDE model for BIDE to whooping crane	92
4.5	Two sample paths of simulation of SDE model for BIDE process.	93
4.6	Simulation plot of SDE model for the confined exponential process to the	94
4.7	Simulation plot of SDE model for the confined exponential process to the	95
4.8	Simulation plot of SDE model for Prendiville Process to dissolved	96
4.9	Diagram of birth and death processes	96
4.10	Diagram of two interaction populations of a growth model	97
4.11	Diagram of a simple predator and prey model	99

5.1	Mean function of the Zheng's two-phase population growth	118
5.2	Mean function of the Zheng's two-phase population growth model	118
5.3	Variance function of the Zheng's two-phase population growth model with $n_0 = 1$ in [11]	119
5.4	Variance function of the Zheng's two-phase population growth	120
5.5	Mean function of the 1 st modified two-phase population growth	121
5.6	Mean function of the 1 st modified two-phase population growth	122
5.7	Variance function of the 1 st modified Zheng's model, with $n_0 = 1$	122
5.8	Variance function of the 1 st modified Zheng's model, with $n_0 = 4$	123
5.9	Mean function of the 2 nd modified Zheng's model, with $n_0 = 1$	124
5.10	Mean function of the 2 nd modified Zheng's model with $n_0 = 5$	124
5.11	Variance function of the 2 nd modified Zheng's model, with $n_0 = 1$	125
5.12	Variance function of the 2 nd modified Zheng's model, with $n_0 = 5$	125
5.13	Simulation plot of the 2 nd modified Zheng's model to Pekanbaru	127
5.14	Simulation plot of the 2 nd modified two-phase population growth model on California population data	128
5.15	Simulation plot of the SDE model of the 2 nd modified two-phase population growth model on Pekanbaru population data	130

5.16	Simulation plot of the SDE for the 2 nd modified two-phase population growth model on California population data	131
5.17	Simulation plot of the SDE model for the Zheng's model on Pekanbaru	132
5.18	Simulation plot of the SDE model for the two-phase population growth model using Zheng's approach for California population data.	133

LIST OF SYMBOLS

$X(t)$	–	Random variable
t, h	–	Time
$p_{ij}(t)$	–	Transition Probability
$P(s, t)$	–	Probability generating function
$E[X(t)] = m(t)$	–	Expected value of $X(t)$ or mean function
$Var(X(t)) = v(t)$	–	Variance of $X(t)$ or variance function
$\Pr\{X\}$	–	Probability of $X(t)$
λ_n, μ_n	–	Transition rate for state n
λ	–	Birth rate
μ	–	Death rate
α	–	Immigration rate
β	–	Emigration rate
T_L	–	First time attains L
$F(t)$	–	Cumulative distribution function for T_L
$f(t)$	–	Probability density function
$W(t)$	–	Wiener process
Σ	–	Summation

$ x $	–	absolute x
Δ	–	Step size
$p(x, t)$	–	Probability density function

LIST OF ABBREVIATIONS

BDP	_	Birth and death process
SDE	_	Stochastic differential equation
ODE	_	Ordinary differential equation
FPE	_	Fokker-Planck equation
BIDE	_	Birth and death with immigration- emigration
BID	_	Birth-immigration and death
pgf	_	Probability generating function
pdf	_	Probability density function
pmf	_	Probability mass function
cdf	_	Cumulative distribution function
EM	_	Euler-Maruyama
MLE	_	Maximum likelihood estimation
RMSE	_	Root Mean Square Error

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	The Data for Simulation single-Phase	144
B	The Data for Simulation Two-Phase	146

CHAPTER 1

INTRODUCTION

1.1 Background of Study

Many populations, such as cells and humans, indicate limitations in their growth. The populations can be identified based on the birth rate change in the size range of the population, which grows rapidly in the early and later changes slowly at the end of the phase. To describe population growth, two models are commonly used, i.e. deterministic and stochastic models. Usually, stochastic modeling for population growth is based on deterministic modeling, because deterministic model has been developed by many previous studies.

To model population growth using deterministic and stochastic models, the birth and death processes in single-phase are referred. The processes are mostly modelled using logistic models [1-3]. In logistic models, many distinct biological interpretations for different applications can be extracted from them. In some cases, the models with single phase may not represent the population growth due to their lack of flexibility [4-6]. Therefore, the combination between single phase models, which the model are used in their different early and end phase, is proposed. This is because there is a growth difference at the beginning and end of the period to fit the change of the growth.

Some studies on two-phase population growth model with regard to deterministic models have been done by combining the models. Banks [2] developed some combinations of two-growth population growth models, while Meyer [7],

Meyer and Ausubel [8], Meyer et al [9] proposed bi-logistic model. Later, Wong and Goh [10] made a little modification to Meyer's approach.

Faddy [4] proposed a simple two-phase population growth model to pure death process in stochastic model. Ross and Pollett [6] developed a two-phase population growth model using control regime, while Zheng [11] built a two-phase population growth model considering the existence of a critical population size. In this method, before the population attains certain prescribed critical size, the growth is modelled as Yule process. Once the population reaches its critical size, the growth is then modelled using Prendiville's logistic process. So the critical size is the junction itself. The junction is known as an inflection point. The stochastic models used in the previous studies are models of continuous time Markov chain (CTMC).

The development of stochastic models is not as fast as the deterministic model, although the stochastic models are generally accepted to model the heterogeneity of phenomena in reality. In this study, the population growth is focused on the stochastic models by using deterministic model as guide to modelling.

Among stochastic models, stochastic differential equation (SDE) model is often used besides CTMC model. Both SDE and CTMC models are Markov processes, which differ only in state. CTMC model has continuous time and discrete state, while SDE model has both continuous time and state [12]. Also, there is a close relationship between the CTMC and SDE models. This relationship is derived by the forward Kolmogorov differential (Fokker-Planck) equation in diffusion process of CTMC [13, 14]. Then the BDPs of SDE model can be derived from CTMC model. Therefore, some types of the SDE for BDPs model are studied in this study in order to find out each other behaviour.

Allen and Allen [15] studied three stochastic models with respect to persistence time. The models are discrete time Markov chain (DTMC) models, continuous time Markov chain (CTMC) models and stochastic differential equation (SDE) models. They used birth and death processes, which were set as analogue to the logistic of growth models. The study was extended with the addition of environment variability and persistence-time estimation, as shown in [16].

In sum, several natural phenomena require two-phase population growth models. Some types of two-phase population growth model are built in deterministic and stochastic models. In relation to this, the Zheng's two-phase population growth model can be still modified by changing its second phase by other birth and death processes. In stochastic model, two-phase models are only studied by using CTMC models, although in case of single phase, the SDE model may be better than CTMC models in certain conditions [15-17]. The previous models in SDE growth model have only been applied to single-phase of stochastic growth model, and stochastic differential equation model for two-phase population growth model has not been done. Thus, this research proposes to build stochastic differential equation (SDE) model for two-phase population growth model.

1.2 Problem Statement

Both CTMC and SDE models have some weaknesses which are simply inherent and inevitable to model. In this study, advantages of each model had been used to manage their weaknesses. Generally, a growth process is a special case of continuous time Markov chain, where its state represents the current size of population, occurs in discrete and continuous time, with both change and time depending only on the previous state. Meanwhile, in SDE model, there are only approximations, in which to estimate drift and diffusion coefficient from discrete experimental data for the SDE's own variable. Nevertheless, SDE nearly matches the dynamics of CTMC Model.

Unlike CTMC model, SDE model has continuous trajectories. Although the state of the SDE is a vector of real numbers, the process keeps all possession of the stochasticity related with the discrete CTMC. For simple stochastic differential equations, explicit solutions can be obtained using Ito formula, but it is generally not possible to obtain explicit solutions to SDE model. Although there is no possible explicit solution, numerical methods can still be used to approximate the sample path of SDE. To get the sample path, CTMC model requires a limiting distribution where

its stationary probability distribution satisfies certain conditions. In this study, birth and death process are furthermore discussed based on the advantages of both CTMC and SDE models.

Thus a modification to Zheng's two-phase growth might be developed with respect to birth and processes. Unfortunately, some types of birth and death process are difficult to get their probability distribution, thus two-phase growth model are often difficult to build. Because generally, probability distribution of CTMC is intractable and event if it can be obtained its first –passage time distribution and the conditional distribution for the second-phase are complicated to be determined. To overcome this problem, building second-phase in SDE model is proposed in this study. In this study, two-phase deterministic model proposed by Bank [2] has been used as a guide to build the SDE model for two-phase population growth model, while the model of each phase of the two-phase growth model was derived from CTMC.

1.3 Research Objectives

Based on the research background and problem statement, the objectives of this study are:

1. To derive seven types of the birth and death processes of the continuous time Markov chain (CTMC) model for the stochastic differential equation (SDE) model.
2. To modify the second-phase of Zheng's two-phase growth model of CTMC
3. To build stochastic differential equation for two-phase growth model.
4. To apply the models to some population growth data.

1.4 Research Scope

In this study, the connection between the CTMC model and the SDE model in the growth population was modeled for only birth and death processes with constant

parameters, the stochastic process which conditional probability/transition probability satisfies forward Kolmogorov/Fokker-Planck equation. Then, whooping crane population growth data and the dissolved concentration oxygen data were applied in one-phase stochastic differential equation models. Furthermore, to build the two-phase population growth model of SDE; two models had been combined in this study; the Yule process in early phase and confined exponential process or Prendiville process last phase, Pekanbaru and California population data had been applied in this study

1.5 Significance of Research

Recently, two-phase population growth models have been used to describe various fields such as biology, economies, forecasting and many other purposes. Most of these applications use the two-phase population growth models of the deterministic models to describe the phenomena, due to the influence of the environment which cannot be eliminated thoroughly in the deterministic models, where stochastic two-phase population growth models are required. In this study, the proposed model is obtained by modifying Zheng's two-phase model.

Since, there are close relationships among some stochastic models, in this study, the birth and death processes of continuous time Markov chain (CTMC) were approximated by using the stochastic differential equation via the forward Kolmogorov equations. Therefore, stochastic calculus is used for solving the problem of intractability of the transition probability of the CTMC. The transition rates of BDPs of CTMC are then used to obtain the drift and diffusion coefficient of the SDE. This approximation produces Ito SDE models for birth and death processes. By this, the combination between two SDE models is used to build the SDE model for two-phase population growth model. These models are might be applied to relative areas.

1.6 Thesis Organization

This thesis consists of five chapters. Chapter 1 provides the background, problem statement, objectives, scopes, and significance of this study. Chapter 2 presents previous works related to this study and describes the one-phase and two-phase growth population models. Chapter 3 presents explanation on the theory of continuous Markov chain for the birth and death processes and stochastic differential equation. The methodologies to connect between continuous time Markov chain and stochastic differential equation, and to build stochastic two-phase population growth model are discussed in this chapter. Results and discussion are discussed in Chapter 4 and Chapter 5. Lastly, Chapter 6 concludes this thesis and gives several suggestions for future work.

REFERENCES

- 1 S. Kingsland, "The refractory model: The logistic curve and the history of population ecology," *Quarterly Review of Biology*, pp. 29-52, 1982.
- 2 R. B. Banks, *Growth and diffusion phenomena: mathematical frameworks and applications*: Springer-Verlag Berlin, 1996.
- 3 S. Sakanoue, "Extended logistic model for growth of single-species populations," *Ecological Modelling*, vol. 205, pp. 159-168, 2007.
- 4 M. Faddy, "Compartmental models with restricted movement," *Bulletin of Mathematical Biology*, vol. 45, pp. 401-408, 1983.
- 5 J. H. Matis and T. R. Kiffe, "Stochastic compartment models with Prendville growth rates," *Mathematical Biosciences*, vol. 138, pp. 31-43, 11// 1996.
- 6 J. Ross and P. Pollett, "Extinction times for a birth–death process with two phases," *Mathematical biosciences*, vol. 202, pp. 310-322, 2006.
- 7 P. Meyer, "Bi-logistic growth," *Technological Forecasting and Social Change*, vol. 47, pp. 89-102, 1994.
- 8 P. S. Meyer and J. H. Ausubel, "Carrying capacity: a model with logistically varying limits," *Technological Forecasting and Social Change*, vol. 61, pp. 209-214, 1999.
- 9 P. S. Meyer, J. W. Yung, and J. H. Ausubel, "A primer on logistic growth and substitution: the mathematics of the Loglet Lab software," *Technological Forecasting and Social Change*, vol. 61, pp. 247-271, 1999.
- 10 C.-Y. Wong and K.-L. Goh, "Catch-up models of science and technology: A theorization of the Asian experience from bi-logistic growth trajectories," *Technological Forecasting and Social Change*, vol. 95, pp. 312-327, 2015.
- 11 Q. Zheng, "A stochastic two-phase growth model," *Bulletin of Mathematical biology*, vol. 60, pp. 151-161, 1998.
- 12 O. C. Ibe, *Markov processes for stochastic modeling*: Elsevier Academic Press, 2009.

- 13 N. Goel and N. Richter-Dyn, *Stochastic Models in Biology* Academic Press New York, 1974.
- 14 E. Allen, *Modeling with Itô stochastic differential equations*: Springer 2007.
- 15 L. J. Allen and E. J. Allen, "A comparison of three different stochastic population models with regard to persistence time," *Theoretical Population Biology*, vol. 64, pp. 439-449, 2003.
- 16 E. J. Allen, L. J. Allen, and H. Schurz, "A comparison of persistence-time estimation for discrete and continuous stochastic population models that include demographic and environmental variability," *Mathematical biosciences*, vol. 196, pp. 14-38, 2005.
- 17 D. J. Wilkinson, "Stochastic modelling for quantitative description of heterogeneous biological systems," *Nature Reviews Genetics*, vol. 10, pp. 122-133, 2009.
- 18 W. Feller, "Die grundlagen der volterraschen theorie des kampfes ums dasein in wahrscheinlichkeitstheoretischer behandlung," *Acta Biotheoretica*, vol. 5, pp. 11-40, 1939.
- 19 D. G. Kendall, "'On the generalized "birth-and-death" process'," *Ann. Math. Stat.*, , vol. 5, pp. 11-40, 1948.
- 20 N. T. Bailey, *The elements of stochastic processes with applications to the natural sciences*: John Wiley & Sons, 1964.
- 21 W. Feller, *An Introduction to Probability Theory and Its Applications. Volume I*, Second ed. vol. 1: John Wiley & Sons London-New York-Sydney-Toronto, 1960.
- 22 S. Karlin and H. M. Taylor, *A Fisrt Course in Stochastic Processes*, Second ed.: Akademic Press, California, 1975.
- 23 R. N. Bhattacharya and E. C. Waymire, *Stochastic processes with applications*: Wiley, 1990.
- 24 M. Pinsky and S. Karlin, *An introduction to stochastic modeling*: Academic press, 2010.
- 25 S. Osaki, *Applied Stochastic System Modeling*: Springer-Verlag Berlin, 1992.
- 26 L. J. Allen, *An introduction to stochastic processes with applications to biology*, Second ed.: CRC Press, 2010.

- 27 A. S. Novozhilov, G. P. Karev, and E. V. Koonin, "Biological applications of the theory of birth-and-death processes," *Briefings in bioinformatics*, vol. 7, pp. 70-85, 2006.
- 28 G. U. Yule, "A mathematical theory of evolution, based on the conclusions of Dr. JC Willis, FRS," *Philosophical Transactions of the Royal Society of London. Series B, Containing Papers of a Biological Character*, vol. 213, pp. 21-87, 1925.
- 29 W. Getz, "Optimal control of a birth-and-death process population model," *Mathematical Biosciences*, vol. 23, pp. 87-111, 1975.
- 30 D. G. Kendall, "Stochastic processes and population growth," *Journal of the Royal Statistical Society. Series B (Methodological)*, vol. 11, pp. 230-282, 1949.
- 31 B. Prendiville, "Discussion: Symposium on stochastic processes," *JR Statist. Soc. B*, vol. 11, p. 273, 1949.
- 32 M. Takashima, "Note on Evolutionary Processes," *Bulletin of Mathematical Statistics*, vol. 7, pp. 18-24, 1956/12 1956.
- 33 L. M. Ricciardi, "Stochastic population theory: birth and death processes," in *Mathematical Ecology*, ed: Springer, 1986, pp. 155-190.
- 34 Q. Zheng, "Note on the non-homogeneous Prendiville process," *Mathematical biosciences*, vol. 148, pp. 1-5, 1998.
- 35 P. R. Parthasarathy, Krishna, and B. Kumar, "Stochastic compartmental models with Prendville growth mechanisms," *Mathematical Biosciences*, vol. 125, pp. 51-60, 1// 1995.
- 36 D. Kucharavy and R. De Guio, "Logistic substitution model and technological forecasting," *Procedia Engineering*, vol. 9, pp. 402-416, 2011.
- 37 D. Kucharavy and R. De Guio, "Application of S-shaped curves," *Procedia Engineering*, vol. 9, pp. 559-572, 2011.
- 38 J. E. Sheehy, P. Mitchell, and A. B. Ferrer, "Bi-phasic growth patterns in rice," *Annals of botany*, vol. 94, pp. 811-817, 2004.
- 39 B. Øksendal, *Stochastic differential equations*: Springer, 2003.
- 40 X. Mao, *Stochastic differential equations and applications*: Elsevier, 2007.
- 41 A. J. Ekanayake and L. J. Allen, "Comparison of Markov chain and stochastic differential equation population models under higher-order moment closure

- approximations," *Stochastic Analysis and Applications*, vol. 28, pp. 907-927, 2010.
- 42 W. Feller, "Diffusion processes in genetics," in *Proc. Second Berkeley Symp. Math. Statist. Prob.*, 1951, p. 246.
- 43 B. Dennis, "Allee effects in stochastic populations," *Oikos*, vol. 96, pp. 389-401, 2002.
- 44 B. Dennis, L. Assas, S. Elaydi, E. Kwessi, and G. Livadiotis, "Allee effects and resilience in stochastic populations," *Theoretical Ecology*, pp. 1-13, 2015.
- 45 C. Tier and F. B. Hanson, "Persistence in density dependent stochastic populations," *Mathematical Biosciences*, vol. 53, pp. 89-117, 1981.
- 46 R. M. Nisbet and W. Gurney, *Modelling fluctuating populations*: John Wiley and Sons Limited, 1982.
- 47 C. Wissel, "Metastability, a consequence of stochastics in multiple stable population dynamics," *Theoretical Population Biology*, vol. 36, pp. 296-310, 1989.
- 48 C. W. Gardiner, *Handbook of stochastic methods* vol. 3: Springer Berlin, 1985.
- 49 H. Risken, *Fokker-planck equation*: Springer, 1984.
- 50 P. Sjöberg, P. Lötstedt, and J. Elf, "Fokker–Planck approximation of the master equation in molecular biology," *Computing and Visualization in Science*, vol. 12, pp. 37-50, 2009.
- 51 S. M. Ross, *Stochastic processes* vol. 2: John Wiley & Sons New York, 1996.
- 52 H. Marcus-Roberts and M. Thompson, *Life science models*: Springer-Verlag, New York, 1982.
- 53 P. Joyce and S. Tavaré, "Cycles, permutations and the structure of the Yule process with immigration," *Stochastic processes and their applications*, vol. 25, pp. 309-314, 1987.
- 54 P. E. Kloeden, E. Platen, and H. Schurz, *Numerical solution of SDE through computer experiments*: Springer Science & Business Media, 2012.
- 55 T. C. Gard, *Introduction to stochastic differential equations*: M. Dekker, 1988.
- 56 L.-I. W. Roeger, "Dynamically consistent discrete-time SI and SIS epidemic models," *DISCRETE AND CONTINUOUS DYNAMICAL SYSTEMS*, pp. 653-662, 2013.

- 57 D. Greenhalgh, Y. Liang, and X. Mao, "SDE SIS epidemic model with demographic stochasticity and varying population size," *Applied Mathematics and Computation*, vol. 276, pp. 218-238, 2016.
- 58 E. J. Allen, L. J. Allen, A. Arciniega, and P. E. Greenwood, "Construction of equivalent stochastic differential equation models," *Stochastic analysis and applications*, vol. 26, pp. 274-297, 2008.
- 59 F. Brauer, P. Van den Driessche, and J. Wu, *Mathematical epidemiology*: Springer, 2008.
- 60 M. Bandyopadhyay, "Dynamical analysis of a allelopathic phytoplankton model," *Journal of Biological Systems*, vol. 14, pp. 205-217, 2006.
- 61 P. S. Mandal, L. J. Allen, and M. Banerjee, "Stochastic modeling of phytoplankton allelopathy," *Applied Mathematical Modelling*, vol. 38, pp. 1583-1596, 2014.
- 62 P. S. Mandal, S. Abbas, and M. Banerjee, "A comparative study of deterministic and stochastic dynamics for a non-autonomous allelopathic phytoplankton model," *Applied Mathematics and Computation*, vol. 238, pp. 300-318, 2014.
- 63 S. Sindayigaya and N. L. Kennedy, "Application of the Birth-Death Processes for Generating the Population Estimates," *International Journal of Statistics and Analysis*, vol. 5, pp. 137-149, 2015.
- 64 Shaffer, Mark L. and Fred B. Samson, "Population size and Extinction: A Note on Determining Critical Population Sizes," *The American Naturalist* 125, no.1 pp. 144-152, 1985.