

**MULTISCALE LOCALIZED DIFFERENTIAL QUADRATURE IN 2D  
PARTIAL DIFFERENTIAL EQUATION FOR MECHANICS OF SHAPE  
MEMORY ALLOYS**

**CHEONG HUI TING**

**UNIVERSITI TEKNOLOGI MALAYSIA**

MULTISCALE LOCALIZED DIFFERENTIAL QUADRATURE IN 2D PARTIAL  
DIFFERENTIAL EQUATION FOR MECHANICS OF SHAPE MEMORY  
ALLOYS

CHEONG HUI TING

A thesis submitted in fulfilment of the  
requirements for the award of the degree of  
Doctor of Philosophy (Mathematics)

Faculty of Science  
Universiti Teknologi Malaysia

JUNE 2017

*To my beloved family, for your love and support.*

*To my friends, for your wit, intelligence and guidance in life.*

## **ACKNOWLEDGEMENT**

First and foremost, I would like to express my sincere thanks to my supervisor, Dr. Yeak Su Hoe who greatly assisted in the preparation of this research. His efforts in patiently guiding, supporting and giving constructive suggestions are very much appreciated.

My thanks are due to my family members for their unique perspectives and support. Without their support, this project would have been difficult to solve. Finally, all my course mates and friends deserve thanks for encouragement and suggestion for the improvements they gave me.

## ABSTRACT

In this research, the applicability of the Multiscale Localized Differential Quadrature (MLDQ) method in two-dimensional shape memory alloy (SMA) model was explored. The MLDQ method was governed in solving several partial differential equations. Besides, the finite difference (FD) method was used to solve some examples of partial differential equations and the solutions obtained were compared with those obtained by MLDQ method in order to show the accuracy of the numerical method. The MLDQ method was developed by increasing the number of grid points in critical region, and approximating the derivatives at the certain selected grid points. This present method together with the fourth-order Runge-Kutta (RK) method has been applied in differential equations such as wave equation and high gradient problems,. The MLDQ method can achieves accurate numerical solutions compared with FD method which is a low order numerical method by using a few number of grid points. The multiscale method was employed at the critical region which can break down the region of interest from coarser into finer grid points. Furthermore, FORTRAN programs were developed based on MLDQ method in solving some problems as above. The shared memory architecture of parallel computing was done by using OpenMP in order to reduce the time taken in simulating the numerical results. Consequently, the results show that the MLDQ method was a good numerical technique in two-dimensional SMA.

## ABSTRAK

Dalam kajian ini, kesesuaian kaedah *Multiscale* Berbeza Kuadratur Setempat (MLDQ) dalam model dua dimensi Aloji Memori Bentuk (SMA) telah diterokai. Kaedah MLDQ telah dibangunkan dalam menyelesaikan beberapa persamaan pembezaan separa. Selain itu, kaedah Perbezaan Terhingga (FD) telah digunakan untuk menyelesaikan beberapa contoh persamaan pembezaan separa dan keputusan yang diperolehi telah dibandingkan dengan keputusan yang diperolehi dari kaedah MLDQ, untuk menunjukkan kejituan kaedah berangka tersebut. Kaedah MLDQ telah dibangunkan dengan memperbanyakkan bilangan titik grid di kawasan kritikal, dan juga menganggarkan terbitan pada titik grid tertentu yang dipilih. Kaedah ini bersama-sama dengan kaedah Runge-Kutta peringkat keempat (RK-4) telah digunakan dalam persamaan pembezaan seperti persamaan gelombang dan masalah kecerunan tinggi. Kaedah MLDQ boleh mencapai penyelesaian yang lebih jitu berbanding dengan kaedah FD yang mempunyai peringkat kejituan yang rendah dengan menggunakan bilangan titik grid yang kecil. Kaedah *multiscale* digunakan di kawasan kritikal kerana mampu memecahkan rantau yang dikehendaki dari titik grid kasar kepada titik grid lebih perinci. Tambahan lagi, program FORTRAN dengan kaedah MLDQ telah dibangunkan untuk menyelesaikan masalah-masalah tersebut di atas. Bagi pengkomputeran selari, seni bina memori perkongsian telah dilaksanakan dengan menggunakan OpenMP bertujuan untuk mengurangkan masa yang diambil dalam simulasi keputusan berangka. Dengan itu, keputusan menunjukkan bahawa kaedah MLDQ adalah teknik berangka yang baik dalam SMA dua dimensi.

## TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	<b>DECLARATION</b>	ii
	<b>DEDICATION</b>	iii
	<b>ACKNOWLEDGEMENT</b>	iv
	<b>ABSTRACT</b>	v
	<b>ABSTRAK</b>	vi
	<b>TABLE OF CONTENTS</b>	vii
	<b>LIST OF TABLES</b>	x
	<b>LIST OF FIGURES</b>	xii
	<b>LIST OF APPENDICES</b>	xvi
<b>1</b>	<b>INTRODUCTION</b>	<b>1</b>
	1.1 Background of the Problem	1
	1.2 Statement of the Problem	3
	1.3 Research Objectives	4
	1.4 Scope of the Research	4
	1.5 Significance of the Research	5
<b>2</b>	<b>LITERATURE REVIEW</b>	<b>6</b>
	2.1 Differential Quadrature Method	6
	2.2 Localized Differential Quadrature Method	18
	2.3 Multiscale Method	20
	2.4 Multiscale Localized Differential Quadrature Method	21

	2.5	Runge-Kutta Method	21
	2.6	Parallel Programming	22
		2.6.1 OpenMP	24
	2.7	Shape Memory Alloy Problem	26
<b>3</b>		<b>MULTISCALE LOCALIZED DIFFERENTIAL QUADRATURE METHOD</b>	<b>33</b>
	3.1	Introduction	33
	3.2	Finite Difference Method	34
	3.3	Multiscale Localized Differential Quadrature Method	37
		3.3.1 Critical Region	37
		3.3.2 Error Analysis	43
	3.4	Sample Applications of MLDQ method	48
		3.4.1 Wave Equation	49
		3.4.1.1 Results and Analysis	50
		3.4.2 Diffusion Equation	56
		3.4.2.1 Results and Analysis	57
		3.4.3 High Gradient Problem	63
		3.4.3.1 Results and Analysis	64
<b>4</b>		<b>PARALLEL PROGRAMMING IN SOLVING THE BOUNDARY VALUE PROBLEM</b>	<b>69</b>
	4.1	Introduction	69
	4.2	Parallel Computing	70
	4.3	Results and Analysis	77
		4.3.1 Example of Wave Equation	77
		4.3.2 Example of Diffusion Equation with Large Localized Gradient	80



<b>5</b>	<b>MULTISCALE LOCALIZED DIFFERENTIAL QUADRATURE APPROACH IN SHAPE MEMORY ALLOY PROBLEM</b>	<b>84</b>
	5.1 Introduction	84
	5.2 MLDQ Formulations for SMA problem	85
	5.3 Numerical Examples	91
	5.3.1 SMA 1	91
	5.3.1.1 Results and Analysis	92
	5.3.2 SMA 2	96
	5.3.2.1 Results and Analysis	96
<b>6</b>	<b>CONCLUSION AND RECOMMENDATION</b>	<b>103</b>
	6.1 Conclusion	103
	6.2 Recommendation	105
	<b>REFERENCES</b>	<b>106</b>
	Appendices A-H	112-152

## LIST OF TABLES

TABLE NO.	TITLE	PAGE
2.1.1	The Description of a variety of DQ method.	8
2.6.1	The Description of SMA Problems.	27
3.4.1	The measurements of errors when different types of grid distribution used at time, $t=0.6s$ for wave equation.	55
3.4.2	The measurements of errors when different types of grid distribution used at time, $t=0.6s$ for diffusion equation.	62
3.4.3	The measurements of errors when different types of grid distribution used at time, $t=0.6s$ for high gradient problem.	68
4.3.1	Table of speedup, $S(p)$ and efficiency, $E_p$ for different number of grid distribution for wave equation by using LDQ method.	79
4.3.2	Table of speedup, $S(p)$ and efficiency, $E_p$ for different number of grid distribution for diffusion equation by using LDQ method.	81

5.3.1	Numerical results and convergence of SMA problem with different grid points for section 5.3.1: SMA 1.	95
-------	---	----

## LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
2.1.1	Integral of $u(x)$ over an interval.	15
2.5.1	The Fork-Join Model.	26
2.6.1	The Different Phases of SMA.( Ozbulut et al. 2011).	32
3.1	Discretization of MLDQ method in cell.	38
3.2	The types of cells in MLDQ method.	38
3.3	Discretization of MLDQ method.	39
3.4	The coordinates in the interval $h_0$ (without multiscale) and $h_1$ (with multiscale).	46
3.5	The coordinates in the interval $h_0$ (without multiscale) and $h_1$ (with multiscale) with different total number of interval $h_0$ and $h_1$ .	47
3.4.1	Two-dimensional problem with error solutions: comparison between MLDQ method and LDQ method solution for wave equation.	52

3.4.2	Two-dimensional problem with error solutions: comparison between LDQ method and FD method solution for wave equation.	53
3.4.3	Discretization of MLDQ method in cell for wave equation.	54
3.4.3	Spatial Convergence with different total number of grid point for wave equation.	55
3.4.5	Two-dimensional problem with error solutions: comparison between MLDQ method and LDQ method solution for diffusion equation.	59
3.4.6	Two-dimensional problem with error solutions: comparison between LDQ method and FD method solution for diffusion equation.	60
3.4.7	Discretization of MLDQ method in cell for Diffusion equation.	61
3.4.8	Spatial Convergence with different total number of grid point for diffusion equation.	62
3.4.9	Two dimensional problem with error solutions: comparison between MLDQ method and LDQ method solution for high gradient problem.	65
3.4.10	Discretization of MLDQ method in cell for high gradient problem.	66
3.4.11	The stability of high gradient problem by using: (a) LDQ method; (b) MLDQ method.	67
4.2.1	Computation grid with parallelism across space for LDQ method.	70

4.2.2	Algorithm for LDQ method.	72
4.2.3	Computation grid with parallelism across space for MLDQ method.	73
4.2.4	Algorithm for MLDQ method.	75
4.2.5	Serial execution and parallel execution in OpenMP program.	76
4.3.1	Graph of speedup, $S(p)$ against number of cores, $p$ by LDQ method for wave equation.	79
4.3.2	Graph of speedup, $S(p)$ against number of cores, $p$ by LDQ method for diffusion equation.	81
4.3.3	Graph of speedup, $S(p)$ against number of cores, $p$ by parallel MLDQ method.	82
5.3.1	Graph of the deviatoric strain, $e_2$ computed by MLDQ method when $t=3s$ and $t=9s$ for section 5.3.1: SMA 1.	93
5.3.2	Graph of the temperature, $\theta$ computed by MLDQ method when $t=3s$ and $t=9s$ for section 5.3.1: SMA 1.	94
5.3.3	Graph of the deviatoric strain, $e_2$ and temperature, $\theta$ computed by FV method when $t=3s$ and $t=9s$ for section 5.3.1: SMA 1. (Wang and Melnik, 2007).	95

5.3.4	Graph of the deviatoric strain, $e_2$ computed by MLDQ method when $t=2s$ and $t=8s$ for section 5.3.2: SMA 2.	98
5.3.5	Graph of the temperature, $\theta$ computed by MLDQ method when $t=2s$ and $t=8s$ for section 5.3.2: SMA 2.	99
5.3.6	Graph of the deviatoric strain, $e_2$ and temperature, $\theta$ computed by MLDQ method when $t=2s$ and $t=8s$ for section 5.3.2: SMA 2. (Wang and Melnik, 2007)	100
5.3.7	Graph of the deviatoric strain, $e_2$ computed by MLDQ method when $t=2s$ and $t=8s$ for section 5.3.2: SMA 2 when total number of grid point is $5 \times 5$ .	101
5.3.8	Discretization of MLDQ method in cell for section 5.3.2: SMA 2.	102

**LIST OF APPENDICES**

<b>APPENDIX</b>	<b>TITLE</b>	<b>PAGE</b>
A	The four approaches of determination of Weighting Coefficients	112
B	Derivations of formulations in Differential Quadrature Method	116
C	Comparison between Finite Difference (FD) Method and Differential Quadrature (DQ) Method in One- and two-dimensional Differential Equation	120
D	Comparison between Finite Difference (FD) Method, Localized Differential Quadrature (LDQ) Method and Multiscale Localized Differential Quadrature (MLDQ) method in two-dimensional Wave Equation	128
E	The Shape Memory Effect and the Superelastic Effect on a Stress-strain Curve	135
F	The Truncation Error of the First and Second Order Derivatives	138



G	The Figures of Thermomchanical waves in SMA	151
H	Publications Related to Thesis.	152

## CHAPTER 1

### INTRODUCTION

#### 1.1 Background of Problem

In most of the science and engineering fields, a set of partial differential equations (PDEs), either linear or nonlinear, the solutions to them must be sorted for. Therefore, the numerical computations have attracted considerable attention for solving PDEs problems. There are many available numerical methods used nowadays for solving PDEs, that is, Finite Difference (FD) method, Finite Element (FE) method, Finite Volume (FV) method, Boundary Element (BE) method and others numerical methods. However, many numerical methods have been discussed and applied in the science and engineering areas, the Differential Quadrature (DQ) method is by far the most effective tool available to researchers with interests in numerical computations. The DQ method will be discussed in this study.

The DQ method is more efficient numerical which requires less computational effort and achieves an acceptable and reasonable accuracy for the PDEs. Besides, DQ method is an extension of FD method for the higher order of finite difference scheme. Although DQ method is a numerical technique of high accuracy, but it is sensitive to the number of grid points. Therefore, many researchers

have developed new methods to overcome the limitation of the DQ method. A new class of numerical methods for solving the sciences and engineering problems will be discussed in Chapter Two.

Another numerical discretization technique that will be discussed in this study is Localized Differential Quadrature (LDQ) method. According to Zong and Lam (2002), LDQ method is characterized by approximating the derivatives at a grid point using weighted sum of the points in its neighbourhood. This method is used to solve the limitation of the DQ method. Besides, the Runge-Kutta method has been discussed in order to numerically integrate the LDQ numerical system in the time direction.

In this study, parallel programming of shared memory architecture (OpenMP) is introduced in order to reduce the execution time for sequential algorithm in solving the PDEs using LDQ method. Generally, when the number of grid points increase and the simulation time will become longer, this make the whole simulation will become expensive. Therefore, parallel computation technique will be applied in solving PDEs.

Furthermore, Multiscale method is also been discussed in this study. The Multiscale method is a powerful tool for the numerical solution of differential equation which is based on discretization and subsequent approximation of derivatives by FD formulas. The main idea of Multiscale is to accelerate the convergence of base iterative method by solving a coarse problem. According to Zhu and Cangellaris (2006), the Multiscale method can be applied in combination with any common discretization techniques. Based on the multiscale concept with using various interpolation techniques, in our study, the certain grid point which is out of uniformly distributed grids can be calculated accurately with less computation time. By take into account of the powerful Multiscale approach with LDQ method, we calculate the numerical solution in any point with minimum calculation.

Moreover, in this study, we present our method applied in Shape Memory Alloy (SMA) problems. SMA are novel and special materials which have the ability to return to predetermined shape when heated above a certain transition temperature. Constitutive modelling of SMA has been an interest research subject from 1980s until now. There are many researchers used the various numerical methods in the numerical simulation of SMA problems. Therefore, we present our method applied in simple SMA model to achieve a good numerical solution.

## **1.2 Statement of the Problem**

There are many available numerical methods used to approximate the solution of diffusion equation and wave equation. A set of initial and boundary conditions are needed to solve these equations. Although the DQ method has been applied successfully to a variety of science and engineering problems, however, this method possesses several undesirable limitations and drawbacks. As an example, the total of grid points used in DQ method is limited due to the ill-conditioned matrix form. Besides, asymmetry of the final solution matrix produced by the DQ method makes the solution procedure to be inefficient. Due to overcome this drawback of the DQ method, many researchers have developed and improved new DQ methods. In this study, the Multiscale Localized Differential Quadrature (MLDQ) method is applied in solving the boundary value problems, and also to overcome the limitation of the DQ method. Finally, parallel programming with shared memory architecture using OpenMP is implemented in order to reduce the execution time of FORTRAN program developed in this study.

### 1.3 Objectives of the Study

The objectives of this research are summarized as:

- i. To govern MLDQ method in solving wave equation, diffusion equation and high gradient problem.
- ii. To compare the MLDQ method with FD method in terms of their accuracy and convergence study of numerical solution in solving wave equation, diffusion equation and high gradient problem.
- iii. To govern MLDQ method in the numerical simulation of SMA model.
- iv. To develop FORTRAN program codes based on MLDQ method in solving wave equation, diffusion equation, high gradient problem and SMA problem.
- v. To parallelize FORTRAN program codes using OpenMP language for LDQ method and MLDQ method in solving boundary value problems.

### 1.4 Scope of the Study

In this research, the basic concept of DQ, LDQ and multiscale methods will be discussed, and also, understanding these numerical discretization techniques' application in solving boundary value problems. Another scope of the study will be focused on solving the two dimensional wave equation and two dimensional high gradient problem. The Runge-Kutta (RK) method will be utilized in MLDQ method to numerically integrate it in time direction. Furthermore, FORTRAN program codes will be developed and parallelized by using share memory architecture, that is, OpenMP for LDQ method in solving boundary value problems. The limitation of parallel programming in this study is four cores will be used. In this research, the multi-core computer Intel® Core™ i5 CPU M460 @2.53GHz is used to do the programming. The data of the programming is reasonable for four processors to run. Besides, the MLDQ method will also be implemented in the numerical simulation of SMA problem.

## 1.5 Significance of the Study

In this research, MLDQ method will be discussed and applied to boundary value problems. This research is important to overcome the limitations and drawbacks of the DQ method. Besides, this method also is applied in SMA problem. Next, the FORTRAN program codes for the LDQ method will be developed in convenience of checking the performances of the numerical methods. Furthermore, the OpenMP language is used to parallelize the FORTRAN program codes in order to reduce the execution time.

## REFERENCES

- Ali Mahdavi, Reza Hashemi, M. and Nasser Talebbeydokhti (2012). A Localized Differential Quadrature Model for Moving Boundary Shallow Water Flows. *Journal of Hydraulic Research*. 50(6), 612-622.
- Barbarino, S., Saavedra Flores, E. I., Ajaj, R. M., Dayyani, I., and Friswell, M. I. (2014). A Review on Shape Memory Alloys with Applications to Morphing Aircraft. *Smart Mater. Struct.* 23(19), 063001.
- Barry, W. and Michael, A. (2005). *Parallel Programming*. United States of America: Pearson Prentice Hall.
- Birman, V. (1997). Review of Mechanics of Shape Memory Alloys Structures. *Appl. Mech. Rev.* 50(11), 629-645.
- Brain, B. (2006). *A Friendly Introduction to Numerical Analysis*. New Jersey: Pearson Prentice Hall.
- Brandt, A (1982). *In Multigrid Methods*. Springer Lecture Notes in Mathematics. New York: Springer-Verlay.
- Bellman, R. and Casti, (1971). Differential Quadrature and Long-term Integration. *J.Math. Anal. Appl.* 34, 235-238.
- Bellman, R., Kashef, B. G., and Casti, C. (1972). Differential Quadrature: A Technique for the Rapid Solution of Nonlinear Partial Differential Equations. *Journal of Computational Physics*. 10, 40-52.
- Bellman, R. and Giertz, M. (1973). On the Analytic Formalism of the Theory of Fuzzy Sets. *Inform. Sci.* 5, 149-156.
- Civalek, O. (2004). Application of Differential Quadrature (DQ) and Harmonic Differential Quadrature (HDQ) for Buckling Analysis of Thin Isotropic Plates and Elastic Columns. *Engineering Structures*. 26, 171-186.

- Falk, F. (1980). Model Free Energy, Mechanics, and Thermomechanics of Shape Memory Alloys. *Acta Metall.* 28, 1773-1780.
- Falk, F. and Konopka, P. (1990). Three-dimensional Landau Theory Describing the Martensitic Phase Transformation of Shape Memory Alloys. *J. Phys.: Condens, Matter.* 2, 61-77.
- Ferreira, A. J. M., Viola, E., Tornabene, F., Fantuzzi, N., and Zenkour, A. M. (2013). Analysis of Sandwich Plates by Generalized Differential Quadrature Method. *Mathematical Problems in Engineering.* 2013, 964367.
- Idesman, A. V., Cho, J. Y. and Levitas, V. I. (2008). Finite Element Modeling of Dynamics of Martensitic Phase Transitions. *Appl. Phys. Lett.* 93, 043102.
- Idesman, A. V., Cho, J. Y. and Levitas, V. I. (2012). Finite Element Modeling of Dynamics of Multivariant Martensitic Phase Transitions Based on Ginzburg-Landau Theory. *International Journal of Solids and Structures.* 49, 1973-1992.
- Lam, K. Y., Zhang, J. and Zong, Z. (2004). A Numerical Study of Wave Propagation in A Poroelastic Medium by use of Localized Differential Quadrature Method. *J. Comput. Mech.* 28, 487-511.
- Levitas, V. and Preston, D. (2002). Three-dimensional Landau Theory for Multivariant Stress-induced Martensitic Phase Transformations: I. *Phys. Rev. B.* 66, 134206.
- Levitas, V. and Preston, D. (2002). Three-dimensional Landau Theory for Multivariant Stress-induced Martensitic Phase Transformations: II. *Phys. Rev. B.* 66, 134207.
- Levitas, V. I. and Lee, D. W. (2007). Athermal Resistance to Interface Motion in the Phase-field Theory of Microstructure Evolution. *Phys. Rev. Lett.* 99, 245701.
- Levitas, V. I. and Javanbakht, M. (2010). Surface Tension and Energy in Multivariant martensitic Transformations: Phase Field Theory, Simulations, and Model of Coherent interface. *Phys. Rev. Lett.* 105, 165701.
- Levitas, V. I. and Javanbakht, M. (2011). Surface-induced Phase Transformations: Multiple Scale and Mechanics Effects and Morphological Transitions. *Phys. Rev. Lett.* 107, 175701.
- Levitas, V. I. (2013). Thermodynamically Consistent Phase Field Approach to Phase Transformations with Interface Stresses. *Acta Materialia.* 61,4305-4319.



- Liu, B., Xing, Y. F., Wang, W., and Yu, W. D. (2015). Thickness-shear Vibration Analysis of Circular Quartz Crystal Plates by A Differential Quadrature Hierarchical Finite Element Method. *Composite Structures*. 131, 1073-1080.
- Leonardo, L. and Antonio, C. (2015). *Shape Memory Alloy Engineering*. United States of America: Elsevier Ltd.
- Makbule, M. (2003). *Differential Quadrature Method for Time-dependent Diffusion Equation*. Master Thesis Page 75, The Middle East Technical University.
- Malik, M. and Civan, F. (1995). A Comparative Study of Differential Quadrature and Cubature Methods Vis-à-vis Some Conventional Techniques in Context of Convection-Diffusion-Reaction Problems. *Chem. Engrg. Science*. 50(3), 531-547.
- Melnik, R., Robert, A., and Thomas, K. (2000). Computing Dynamics of Copper-based SMA via Center Manifold Reduction Models. *Computational Materials Science*. 18, 255-268.
- Melnik, R., Robert, A., and Thomas, K. (2001). Coupled Thermomechanical Dynamics of Phase Transitions in Shape Memory Alloys and Related Hysteresis Phenomena. *Mechanics Research Commumcatmns*. 28(6), 637-651.
- Mulay, S. S., Li, H., and See, Simon. (2009). On the Random Differential Quadrature (RDQ) Method: Consistency Analysis and Application in Elasticity Problems. *Comput. Mech*. 44, 563-590.
- Mulay, S. S., Li, H., and See, Simon. (2010). On the Development of Adaptive Random Differential Quadrature Method with An Error Recovery technique and Its application in the Locally High Gradient Problems. *Comput. Mech*. 45, 467-493.
- Nespoli, A., Besseghini, S., Pittaccio, S., Villa, E., and Viscuso, S. (2010). The High Potential of Shape Memory Alloys in Developing Miniature Mechanical Devices: A Review on Shape Memory Alloy Mini-actuators. *Sensors and Actuators A* 158, 149-160.
- OpenMP Architecture Review Board (2008). *OpenMP Application Program Interface*. (OpenMP API).
- OpenMP Architecture Review Board (2013). *OpenMP Application Program Interface*. (OpenMP API).
- OpenMP Architecture Review Board (2015, November 15). *OpenMP*, from <https://en.wikipedia.org/wiki/OpenMP>.

- Ozbulut, O. E., Hurlbauss, S. and Desroches, S. R. (2011). Seismic Response Control using Shape Memory Alloys. *J. Intell. Mater. Syst. Struct.* 22, 1531-1549.
- Quan, J. R. and Chang, C. T. (1989a). New Insights in Solving Distributed System Equations by the Quadrature Method-I: Analysis. *Comput. Chem. Eng.* 13, 779-788.
- Quan, J. R. and Chang, C. T. (1989b). New Insights in Solving Distributed System Equations by the Quadrature Method-II: Numerical Experiments. *Comput. Chem. Eng.* 13, 1017-1024.
- Ram, J., Gupta, R. K., and Vikas, K. (2014). Polynomial Differential Quadrature Method for Numerical Solutions of the Generalized Fitzhugh–Nagumo equation with Time-dependent Coefficients. *Ain Shams Engineering Journal.* 5(4), 1343-1350.
- Rohit, C., Leonardo, D., Dave, K., Dror, M., Jeff, M., and Ramesh, M. (2001). *Parallel Programming in OpenMP*. United States of America: Pearson Prentice Hall.
- Sathish, S., Mallik, U. S., and Raju, T. N. (2014). Microstructure and Shape Memory Effect of Cu-Zn-Ni Shape Memory Alloys. *Journal of Minerals and Materials Characterization and Engineering.* 2, 71-77
- Shang, Z. J. and Wang, Z. M. (2011). Nonlinear Forced Vibration for Shape Memory Alloy Spring Oscillator. *Advanced Materials Research.* 250-253, 3968-3964.
- Sherbourne, A. N. and Pandey, M. D. (1991). Differential Quadrature Method in the Buckling Analysis of Beams and Composite Plates. *Computers and Structures.* 40(4), 903-913.
- Shu, C. and Xue, H (1997). Explicit Computation of Weighting Coefficients in the Harmonic Differential Quadrature. *J. of Sound and Vibration.* 204(3), 549-555.
- Shu, C. and Chew, Y. T. (1998). On the Equivalence of Generalized Differential Quadrature and Highest Order Finite Difference Scheme. *Comput. Methods Appl. Mech. Engrg.* 155, 249-260.
- Shu, C (2000). *Differential Quadrature and Its Application in Engineering*. Great Britain: Springer-Verlag London.
- Shu, C., Yao, Q., and Yeo, K. S. (2002). Block-marching in Time with Differential Quadrature Discretization: An Efficient Method for Time-dependent Problems. *Comput. Methods Appl. Mech. Engrg.* 191, 4587-4597.

- Striz, A. G. and Chen, W. L. (1994). Application of the Differential Quadrature Method to the Driven Cavity Problem. *Int. J. Non-Linear Mech.* 29(5), 665-670.
- Striz, A. G., Chen, W. and Bert, C. W. (1994). Static Analysis of Structures by the Quadrature Element Method (QEM). *Int. J. Solid Structures.* 31(20), 2807-2818.
- Tsai, C. H., Young, D. L., and Hsiang, C. C. (2011). The Localized Differential Quadrature Method for Two-dimensional Stream Function Formulation of Navier-Stokes Equations. *Engineering Analysis with Boundary Elements.* 35, 1190-1203.
- Wang, X., Bert, C. W., and Striz A. G. (1993). Differential Quadrature Analysis of Deflection, Buckling and Free Vibration of Beams and Rectangular Plates. *Computers & Structures.* 48(3), 473-479.
- Wang, L. and Melnik, R. (2003). Nonlinear Coupled Thermomechanical Waves Modelling Shear Type Phase Transformation in Shape Memory Alloys. Gary, C. C., Patrick, J., Erkki, H., and Pekka, N. *Mathematical and Numerical Aspects of Wave Propagation.* London: Springer Berlin Heidelberg.
- Wang, L. and Melnik, R. V. N (2004). Thermomechanical waves in SMA patches under small mechanical loadings. *LNCS 3039*, Springer-Verlag Berlin Heidelberg, 645-652.
- Wang, L. and Melnik, R. V. N (2007). Finite Volume Analysis of Nonlinear Thermo-mechanical Dynamics of Shape Memory Alloys. *Heat and Mass Transfer.* 43(6), 535-546.
- Wang, L. X. and Melnik, R. V. N. (2008). Simulation of Phase Combination in Shape Memory Alloys Patches by Hybrid Optimization Methods. *Applied Numerical Mathematics.* 58, 511-524.
- Wu, C. P., and Tsai, Y. H. (2004). Asymptotic DQ Solutions of Functionally Graded Annular Spherical Shells. *European Journal of Mechanics A-Solids.* 23(2), 283-299.
- Wu, X. H. and Ren, Y. E. (2007). Differential Quadrature Method Based on the Highest Derivative and Its Applications. *Journal of Computational and Applied Mathematics.* 205, 239-250.
- Xing, Y. F., Liu, B. and Liu, G. (2010). A Differential Quadrature Finite Element Method. *International Journal of Applied Mechanics.* 2(1), 207-227.

- Zhang, Y. Y., Zong, Z., and Liu, L. (2007). Complex Differential Quadrature Method for Two-dimensional Potential and Plane Elastic Problems. *Ships and Offshore Structures*. 2(1), 1-10.
- Zhong, H. (2000). Triangular Differential Quadrature. *Commun. Numer. Meth. Engng.* 16, 401-408.
- Zhong, H. (2001). Triangular Differential Quadrature and Its Application to Electrostatic analysis of Reissner Plates. *International Journal of Solids and Structures*. 38(16), 2821-2832.
- Zhong, H. (2002). Application of Triangular Differential Quadrature to Problems with Curved Boundaries. *Communications in Numerical Methods in Engineering*. 18, 633-643.
- Zhong, H. Z. (2004). Spline-based Differential Quadrature for Fourth Order Differential Equations and Its Application to Kirchhoff Plates. *Applied Mathematical Modelling*. 28, 353-366.
- Zhong, Z. and Zhang, Y. Y. (2009). *Advanced Differential Quadrature Methods*. Chapman & Hall/CRC Applied Mathematics and Nonlinear Science Series. London: New York.
- Zhu, Y. and Cangellaris, A. (2006). *Multigrid Finite Element Methods for Electromagnetic Field Modeling*. New York: IEEE Press/John Wiley.
- Zong, Z. and Lam, K. Y. (2002). A Localized Differential Quadrature Method and Its Application to the 2D Wave Equations. *J. Comput. Mech.* 29, 382-391.
- Zong, Z., Li, Z., and Dong, J. (2011). Solving the Sod Shock Tube Problem Using Localized Differential Quadrature (LDQ) Method. *J. Marine Sci. Appl.* 10, 41-48.