

**UNSTEADY MHD FREE CONVECTION FLOW OF JEFFREY FLUID AND
JEFFREY NANOFUID ALONG A VERTICAL PLATE WITH RADIATION
EFFECT**

NOR ATHIRAH BINTI MOHD ZIN

UNIVERSITI TEKNOLOGI MALAYSIA

UNSTEADY MHD FREE CONVECTION FLOW OF JEFFREY FLUID AND
JEFFREY NANOFUID ALONG A VERTICAL PLATE WITH RADIATION
EFFECT

NOR ATHIRAH BINTI MOHD ZIN

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Doctor of Philosophy (Mathematics)

Faculty of Science
Universiti Teknologi Malaysia

MARCH 2018

This thesis is dedicated to my late father, Mohd Zin Idris who pass away because of heart attack. No words can express how much I love and miss you, Ayah. You are the greatest gift I could ever receive from Allah SWT in my life. Dear Ayah, thank you very much for all your prayers for me during you alive. I really missed the way you treated me, called me “kakak”, all your jokes, smile, smell and everythings about you. I pray that, Allah SWT grant you the highest level of jannah, Jannatul Firdous without “hisab”, peace and save from torment of grave. Amin. And may our family will be reunited in Jannah, Insha Allah.

*Al-Fatihah to my late father, Mohd Zin Idris
You will always be remember, 26.2.1957-11.4.2016
I love you forever, my dear Ayah*

and

*Al-Fatihah to my late son, Mohamad Miqdad Bin Mohamad Ashraf
27.6.2017, 6.59 a.m.*

*It was a really hard time for me but I believe that Allah’s plan is always the best.
Ummi and walid love you so much, my dear son.*

To my beloved mother, Kamaliah Abdul, who has been a source of encouragement and inspiration to me throughout my life. She is the strongest woman I’ve ever known and the greatest influence in my life, who taught me trust in Allah SWT and believe in hard work. Thank you very much for everything you’ve done from loving me unconditionally, raising me and giving me strength to reach the stars and chase my dreams.

To my lovely husband, Mohamad Ashraf. Thank you for your endless love, steadfast support, patience, constant encouragement and understanding during my pursuit of PhD study that made the completion of this thesis possible. I love you, husband!

To my Siblings, Muhammad Amsyar, Ahmad Nazirul Mubin and Mohammad Khidhir, who always stands by me when things look bleak, give me a moral support and cheer me up when I get stress during my PhD journey.

My love for all of you can never be quantified. May Allah SWT bless you.

ACKNOWLEDGEMENT

In the name of Allah, the Most Gracious, and the Most Merciful. All praises belong to Him, the Lord of the Worlds. May shalawat and peace be upon the Prophet Muhammad SAW, his family and companions, and also for the people who are following and continuing the right path. I am so grateful to Allah, for enabling me, His weak servant to accomplish my PhD, successfully. Without Allah's help there could have been no justification for existence of my project.

Foremost, I would like to express my deepest gratitude to my supervisors, Assoc. Prof. Dr. Sharidan Shafie and Asst. Prof. Dr. Ilyas Khan for their constant help, superior guidance, constructive suggestions, passionate encouragement and endless support from the initial to the final level which enabled me to unleash my potentials as an applied mathematician. Their efforts and willingness to give precious time so generously is the major reason this thesis was completed. I am truly blessed to have both supportive supervisors throughout my studies. Besides that, I am also thankful to the distinguished Professor Dumitru Vieru for his guidance and being helpful during my thesis correction. I will never forget it, Sir!

Last but not least, I would like to acknowledge my wholehearted thanks especially to my late father, my mother, my husband, my siblings and my family-in law for their prayers, unflagging love, devotion, untold number of sacrifices and unconditional support throughout my life and this research project is simply impossible without them. Special thanks also goes to my fellow friends who were instrumental in making my journey here a memorable and pleasurable one: Lim, Nor, Ery, Ina, Kak Wawi, Cik Zul, Asma, Aiza, Arshad, Imran and Rijal. I highly appreciated the words of motivation, ideas, comments, suggestions and supports that contribute the improvement of my thesis. Your friendship make my life a wonderful experience. Thank you very much!

ABSTRACT

Fluid is a substance that continuously deforms under the influence of shear stress. Basically, fluid can be classified into two categories which are Newtonian and non-Newtonian. In reality, most fluids belong to the class of non-Newtonian fluids and one of them is Jeffrey fluid. Jeffrey fluid is also known as viscoelastic fluid that exhibits both viscous and elastic characteristics. Recently, this type of fluid has received considerable attention due to their numerous applications in industries especially in polymer industries. Due to this reason, many investigations have been made to study the Jeffrey fluid in various aspects from both analytical and numerical methods. Therefore, in this thesis, the effect of thermal radiation on unsteady magnetohydrodynamics (MHD) free convection flow of Jeffrey fluid with and without nanoparticles past an infinite vertical plate is studied. The fluid is taken electrically conducting in the presence of uniform transverse magnetic field applied in a direction perpendicular to the flow. Specifically, the focus of this study is to obtain an exact solution for velocity and temperature distributions under conditions of ramped wall temperature and isothermal plate. Using the constitutive relation of Jeffrey fluid and some assumptions of physical conditions, five specific problems are modelled as partial differential equations. For the first three problems, the fluid is considered as non-rotating fluid, while in the fourth and fifth problems the rotating fluid is analyzed. Appropriate dimensionless variables are employed to the dimensional governing equations and solved analytically with the help of Laplace transform technique. The effect of pertinent parameters such as Jeffrey fluid parameter, rotation parameter, phase angle, Hartmann number, permeability parameter, nanoparticles volume fraction, Grashof number, Prandtl number, radiation parameter and time on velocity and temperature are plotted graphically and discussed in details. Numerical results of Nusselt number and skin friction for various emerging parameters are calculated and presented in tabular forms. In order to authenticate the present results, the limiting cases are provided, where an excellent agreement is found. Results obtained show that, increasing of Hartmann number tends to retard the fluid flow due to the Lorentz force effect. Increasing the values of radiation parameter led to an increase in velocity and temperature fields. Further, in the case of rotating fluid, large values of rotation parameter reduce the primary velocity but enhance the secondary velocity. On the other hand, increasing nanoparticles volume fraction causes the velocity of non-rotating fluid to increase but decrease for rotating fluid. It is also found that, the fluid motion for ramped wall temperature is always slower compared to an isothermal plate. Interestingly, Jeffrey fluid can be reduced to a second grade fluid in the absence of material parameter.

ABSTRAK

Bendalir adalah bahan yang sentiasa berubah bentuk di bawah pengaruh tegasan ricih. Pada dasarnya, bendalir boleh diklasifikasikan kepada dua kategori iaitu Newtonan dan bukan Newtonan. Realitinya, kebanyakan bendalir adalah tergolong dalam bendalir bukan Newtonan dan salah satunya adalah bendalir Jeffrey. Bendalir Jeffrey juga dikenali sebagai bendalir viskoelastik yang mempamerkan dua ciri iaitu likat dan anjal. Akhir-akhir ini, bendalir Jeffrey telah mendapat perhatian kerana pelbagai aplikasinya dalam bidang industri terutamanya dalam industri polimer. Oleh sebab itu, banyak penyelidikan telah dilakukan untuk mengkaji bendalir Jeffrey dalam pelbagai aspek dari kedua-dua kaedah analitik dan berangka. Oleh itu, dalam tesis ini, kesan sinaran terma pada hidrodinamik magnet (MHD) aliran olakan bebas tak mantap bendalir Jeffrey melintasi plat menegak tak terhingga dengan dan tanpa nanozarah dikaji. Bendalir ini diambil dalam keadaan pengaliran elektrik dengan kehadiran arus medan magnet seragam yang melintang dan berserenjang dengan aliran bendalir. Secara khususnya, fokus kajian ini adalah untuk mendapatkan satu penyelesaian tepat untuk taburan halaju dan suhu di bawah syarat suhu tanjakan dinding dan plat isoterma. Menggunakan hubungan jujuk bendalir Jeffrey dan beberapa andaian keadaan fizikal, lima masalah dimodelkan sebagai persamaan pembezaan separa. Bagi tiga masalah pertama, bendalir dianggap sebagai aliran tak berputar, manakala dalam masalah keempat dan kelima aliran berputar dianalisis. Pembolehubah tak bermatra yang bersesuaian digunakan dalam persamaan menakluk dan diselesaikan secara analitik dengan bantuan kaedah penjelmaan Laplace. Kesan parameter yang bersangkutan-paut seperti parameter Jeffrey, parameter putaran, sudut fasa, nombor Hartmann, parameter keliangan, isipadu pecahan nanozarah, nombor Grashof, nombor Prandtl, parameter radiasi dan masa terhadap halaju dan suhu diplot secara grafik dan dibincangkan secara terperinci. Keputusan berangka untuk nombor Nusselt dan geseran kulit bagi pelbagai parameter yang muncul dikira dan dipersembahkan dalam bentuk jadual. Untuk mengesahkan kesahihan penyelesaian yang telah diperolehi, kes penghad telah disediakan, dengan ketepatan yang sangat baik telah ditemui. Keputusan yang diperolehi menunjukkan bahawa peningkatan nombor Hartman cenderung untuk melambatkan aliran bendalir, disebabkan oleh kesan daya Lorentz. Peningkatan nilai parameter radiasi menyebabkan peningkatan dalam halaju dan suhu. Seterusnya, dalam kes bendalir yang berputar, untuk nilai parameter putaran yang besar, halaju pertama berkurangan tetapi meningkat pada halaju kedua. Sebaliknya, peningkatan isipadu pecahan nanozarah menyebabkan halaju bendalir tak berputar meningkat tetapi berkurangan bagi bendalir yang berputar. Didapati juga, aliran bendalir bagi kes suhu tanjakan dinding sentiasa lebih perlahan berbanding plat isoterma. Menariknya, bendalir Jeffrey boleh diturunkan kepada bendalir gred kedua dengan ketiadaan parameter bahan.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xiv
	LIST OF FIGURES	xvi
	LIST OF MATTERS	xxviii
	LIST OF SYMBOLS	xxix
	LIST OF APPENDICES	xxxiii
1	INTRODUCTION	1
	1.1 Introduction	1
	1.2 Research Background	1
	1.3 Problem Statement	8
	1.4 Research Objectives	9
	1.5 Scopes of the Study	10
	1.6 Significance of the Study	11
	1.7 Research Methodology	12
	1.8 Thesis Organization	13
2	LITERATURE REVIEW	15
	2.1 Introduction	15
	2.2 Unsteady Non-Newtonian Jeffrey Fluid	15

2.3	Unsteady Free Convection Flow With Ramped Wall Temperature	18
2.4	Unsteady Free Convection Flow Past an Oscillating Vertical Plate	22
2.5	Unsteady MHD Free Convection Flow in Rotating Fluid	26
2.6	Unsteady Free Convection Flow of Nanofluid	31
3	UNSTEADY MHD FREE CONVECTION FLOW OF JEFFREY FLUID WITH RAMPED WALL TEMPERATURE	37
3.1	Introduction	37
3.2	Mathematical Formulation of the Problem	38
3.2.1	Continuity Equation	39
3.2.2	Momentum Equation of Jeffrey Fluid	42
3.2.3	Energy Equation	48
3.3	Dimensionless Variables	57
3.4	Solution of the Problem	58
3.4.1	Ramped Wall Temperature	59
3.4.2	Isothermal Plate	68
3.4.3	Nusselt Number and Skin Friction	71
3.5	Special Cases	73
3.5.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$) and MHD ($Ha = 0$)	73
3.5.2	Case 2: Solution for Second Grade Fluid with Radiation and MHD	74
3.6	Limiting Cases	76
3.6.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$) and MHD ($Ha = 0$)	76

3.6.2	Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$) and Material Parameter ($\lambda_1 = 0$)	79
3.7	Results and Discussion	80
3.8	Conclusion	89
4	POROSITY EFFECT ON UNSTEADY MHD FREE CONVECTION FLOW OF JEFFREY FLUID PAST AN OSCILLATING VERTICAL PLATE WITH RAMPED WALL TEMPERATURE	91
4.1	Introduction	91
4.2	Mathematical Formulation of the Problem	92
4.3	Dimensionless Variables	94
4.4	Solution of the Problem	95
4.4.1	Isothermal Plate	97
4.4.2	Skin Friction	97
4.5	Special Cases	98
4.5.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$) and Porosity ($K \rightarrow \infty$)	99
4.5.2	Case 2: Solution for Second Grade Fluid with Radiation, MHD and Porosity Effects	100
4.5.3	Case 3: Solution for Stokes' First Problem	101
4.6	Limiting Cases	102
4.6.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$) and Porosity ($K \rightarrow \infty$)	102

4.6.2	Case 2: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$), Porosity ($K \rightarrow \infty$) and Material Parameter ($\lambda_1 = 0$)	104
4.7	Results and Discussion	106
4.8	Conclusion	115
5	UNSTEADY MHD FREE CONVECTION FLOW OF JEFFREY NANOFUID SATURATED IN POROUS MEDIUM	116
5.1	Introduction	116
5.2	Mathematical Formulation of the Problem	117
5.3	Dimensionless Variables	120
5.4	Solution of the Problem	121
5.4.1	Nusselt Number and Skin Friction	123
5.5	Special Cases	125
5.5.1	Case 1: Solution for Jeffrey Nanofuid in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$) and Porosity ($K \rightarrow \infty$)	125
5.5.2	Case 2: Solution for Second Grade Nanofuid	127
5.5.3	Case 3: Solution for Stokes' First Problem	130
5.5.4	Case 4: Solution in the Absence of Thermal Effect ($Gr = 0$)	131
5.6	Limiting Cases	132
5.6.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$), Porosity ($K \rightarrow \infty$) and Volume Fraction ($\varphi = 0$)	133

5.6.2	Case 2: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$), Porosity ($K \rightarrow \infty$), Volume Fraction ($\phi = 0$) and Material Parameter ($\lambda_1 = 0$)	136
5.7	Results and Discussion	137
5.8	Conclusion	153
6	UNSTEADY MHD FREE CONVECTION FLOW OF ROTATING JEFFREY FLUID EMBEDDED IN POROUS MEDIUM WITH RAMPED WALL TEMPERATURE	154
6.1	Introduction	154
6.2	Mathematical Formulation of the Problem	155
6.3	Dimensionless Variables	162
6.4	Solution of the Problem	163
6.4.1	Isothermal Plate	166
6.4.2	Nusselt Number and Skin Friction	167
6.5	Special Cases	168
6.5.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$) and Porosity ($K \rightarrow \infty$)	169
6.5.2	Case 2: Solution for MHD Rotating Second Grade Fluid Embedded in Porous Medium with Radiation Effect	171
6.6	Limiting Cases	172
6.6.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$), Porosity ($K \rightarrow \infty$) and Rotation ($r = 0$)	173

6.6.2	Case 2: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$), Porosity ($K \rightarrow \infty$), Rotation ($r = 0$) and Material Parameter ($\lambda_1 = 0$)	174
6.7	Results and Discussion	176
6.8	Conclusion	194
7	IMPACT OF NANOPARTICLES ON UNSTEADY MHD FREE CONVECTION FLOW OF ROTATING JEFFREY FLUID FILLED IN POROUS MEDIUM	195
7.1	Introduction	195
7.2	Mathematical Formulation of the Problem	196
7.3	Dimensionless Variables	198
7.4	Solution of the Problem	199
7.4.1	Nusselt Number and Skin Friction	201
7.5	Special Cases	201
7.5.1	Case 1: Solution for Rotating Jeffrey Nanofluid in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$) and Porosity ($K \rightarrow \infty$)	201
7.5.2	Case 2: Solution for MHD Rotating Second Grade Nanofluid Saturated in a Porous Medium with Radiation Effect	202
7.6	Limiting Cases	203

7.6.1	Case 1: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$), Porosity ($K \rightarrow \infty$), rotation ($r = 0$) and Volume Fraction ($\varphi = 0$)	204
7.6.2	Case 2: Solution in the Absence of Radiation ($Rd = 0$), MHD ($Ha = 0$), Porosity ($K \rightarrow \infty$), rotation ($r = 0$), Volume Fraction ($\varphi = 0$) and Material Parameter ($\lambda_1 = 0$)	205
7.7	Results and Discussion	207
7.8	Conclusion	232
8	CONCLUSION	233
8.1	Introduction	233
8.2	Summary of Research	233
8.3	Conclusions	240
8.4	Suggestions for Future Research	241
	REFERENCES	242
	Appendices A-D	264-284

LIST OF TABLES

TABLE NO.	TITLE	PAGE
3.1	Variation of Nusselt Number for different values of parameters.	88
3.2	Variation of skin friction for different values of parameters.	89
4.1	Variation of skin friction for different values of parameters.	113
5.1	Thermophysical properties of different base fluids and nanoparticles.	120
5.2	Variation of Nusselt Number for different values of parameters.	150
5.3	Variation of skin friction for different values of parameters.	151
6.1	Variation of Nusselt Number for different values of parameters.	191
6.2	Variation of skin friction for different values of parameters.	192
7.1	Variation of skin friction for different values of parameters.	230
8.1	Parameters involved in each Problems.	235
8.2	Effect of emerging parameters on velocity profiles.	236
8.3	Effect of emerging parameters on temperature profiles.	237
8.4	Comparison of velocity and temperature profiles for different types of nanoparticles in kerosene based nanofluid.	238

8.5	Comparison of velocity and temperature profiles of AgNPs for different types of base fluids.	239
-----	--	-----

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
1.1	Operational framework.	12
3.1	Schematic diagram of Jeffrey fluid past an infinite vertical plate with ramped wall temperature.	38
3.2	Mass fluxes enters and leaves the volume element dV .	39
3.3	Normal and shear stresses in fluid.	43
3.4	Energy fluxes entering and exiting the volume element.	49
3.5	Heat fluxes entering and leaving the volume element.	52
3.6	Radiant fluxes entering and leaving the volume element.	53
3.7	Comparison of temperature profile for isothermal plate in equation (3.194) with equation (18) obtained by Khan (2015), when $Pr = 0.71$ and $t = 0.5$.	77
3.8	Comparison of velocity profile for isothermal plate in equation (3.195) with equation (31) obtained by Khan (2015), when $\lambda_1 = \lambda = 0.5$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$.	78
3.9	Comparison of velocity profile for isothermal plate in equation (3.197) with equation (11) obtained by Samiulhaq <i>et al.</i> (2014b), when $\lambda = 0.8$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$.	80
3.10	Velocity profile for different λ_1 , when $\lambda = 2$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$.	81
3.11	Velocity profile for different λ , when $\lambda_1 = 2$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$.	82

3.12	Velocity profile for the same values of λ_1 and λ , when $Ha = 2$, $Gr = 1$, $Rd = 2$ and $t = 0.5$.	82
3.13	Velocity profile for different values of Ha , when $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$.	83
3.14	Velocity profile for different values of Gr , when $\lambda_1 = \lambda = 1$, $Ha = 2$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$.	83
3.15	Velocity profile for different values of Pr , when $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Rd = 2$ and $t = 0.5$.	84
3.16	Velocity profile for different values of Rd , when $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$.	85
3.17	Velocity profile for different values of t , when $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$ and $Rd = 2$.	85
3.18	Temperature profile for different values of Pr , when $Rd = 2$ and $t = 0.5$.	86
3.19	Temperature profile for different values of Rd , when $Pr = 0.71$ and $t = 0.5$.	87
3.20	Temperature profile for different values of t , when $Pr = 0.71$ and $Rd = 2$.	87
4.1	Schematic diagram of Jeffrey fluid passing over an oscillating vertical plate embedded in porous medium.	92
4.2	Comparison of velocity profile for an isothermal plate in equation (4.44) with equation (31) defined by Khan (2015), when $\lambda_1 = \lambda = 1$, $\omega t = \pi/2$, $Gr = 0.5$, $Pr = 0.71$ and $t = 0.5$.	103
4.3	Comparison of velocity profile for isothermal plate in equation (4.46) with equation (11) defined by Samiulhaq <i>et al.</i> (2014b), when $\lambda = 0.8$, $\omega t = \pi/2$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$.	105

- 4.4 Velocity profile for different values of λ_1 , when $\omega t = \pi/2$, $K = 1$, $\lambda = 2$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$. 107
- 4.5 Velocity profile for different values of λ , when $\omega t = \pi/2$, $K = 1$, $\lambda = 2$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$. 107
- 4.6 Velocity profile for the same values of λ_1 and λ , when $\omega t = \pi/2$, $K = 1$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$. 108
- 4.7 Velocity profile for different values of ωt , when $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$ and $Rd = 2$. 108
- 4.8 Velocity profile for different values of Ha , when $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$. 109
- 4.9 Velocity profile for different values of K , when $\omega t = \pi/2$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$. 110
- 4.10 Velocity profile for different values of Gr , when $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Pr = 0.71$, $Rd = 2$ and $t = 0.5$. 110
- 4.11 Velocity profile for different values of Pr , when $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Rd = 2$ and $t = 0.5$. 111
- 4.12 Velocity profile for different values of Rd , when $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$. 112
- 4.13 Velocity profile for different values of t , when $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 0.71$ and $Rd = 2$. 112
- 5.1 Schematic diagram of Jeffrey nanofluid filled in a porous medium. 117

5.2	Comparison of temperature profiles when $t = 1$.	126
5.3	Comparison of velocity profiles between Jeffrey nanofluid and regular Jeffrey fluid, when $\lambda_1 = \lambda = 2$, $Gr = 1$ and $t = 1$.	127
5.4	Comparison of velocity profiles between second grade nanofluid of equation (5.48) and regular second grade fluid, when $\lambda = 0.8$, $Gr = 1$ and $t = 1$.	129
5.5	Comparison of velocity profiles of Stokes first problem between regular Jeffrey fluid and Jeffrey nanofluid, when $\lambda_1 = \lambda = 2$, $Ha = 0.5$, $K = 0.5$, $Gr = 3$, $Pr = 21$ and $t = 1$.	131
5.6	Comparison of velocity profiles between regular Jeffrey fluid and Jeffrey nanofluid in the absence of thermal effect, when $\lambda_1 = \lambda = 1$, $\omega t = \pi/2$, $Ha = 0.5$, $Pr = 21$ and $t = 1$.	132
5.7	Comparison of temperature profile of equation (5.52) with equation (18) obtained by Khan (2015), when $Pr = 21$ and $t = 1$.	134
5.8	Comparison of velocity profile of equation (5.55) with equation (31) obtained by Khan (2015), when $\lambda_1 = \lambda = 1$, $\omega t = \pi/2$, $Gr = 1$, $Pr = 21$ and $t = 1$.	135
5.9	Comparison of velocity profile of equation (5.58) with equation (11) obtained by Samiulhaq <i>et al.</i> (2014b), when $\lambda = 0.8$, $\omega t = \pi/2$, $Gr = 1$, $Pr = 21$ and $t = 1$.	137
5.10	Velocity profile for CuNPs and AgNPs filled in Kerosene based fluid, when $\phi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 21$, $Rd = 2$ and $t = 1$.	138
5.11	Velocity profile for different values ϕ of AgNPs filled in Kerosene based fluid, when $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 21$, $Rd = 2$ and $t = 1$.	139

- 5.12 Velocity profile of AgNPs suspended in different types of base fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Rd = 2$ and $t = 1$. 139
- 5.13 Velocity profile for different values of λ_1 of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda = 2$, $Ha = 2$, $Gr = 1$, $Pr = 21$, $Rd = 2$ and $t = 1$. 140
- 5.14 Velocity profile for different values of λ of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda_1 = 2$, $Ha = 2$, $Gr = 1$, $Pr = 21$, $Rd = 2$ and $t = 1$. 141
- 5.15 Velocity profile for the same values of λ_1 and λ of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $Ha = 2$, $Gr = 1$, $Pr = 21$, $Rd = 2$ and $t = 1$. 141
- 5.16 Velocity profile for different values of ωt of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 21$ and $Rd = 2$. 142
- 5.17 Velocity profile for different values of Ha of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 21$, $Rd = 2$ and $t = 1$. 143
- 5.18 Velocity profile for different values of K of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Gr = 1$, $Pr = 21$, $Rd = 2$ and $t = 1$. 143
- 5.19 Velocity profile for different values of Gr of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Pr = 21$, $Rd = 2$ and $t = 1$. 144
- 5.20 Velocity profile for different values of Pr of AgNPs, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Rd = 2$ and $t = 1$. 145

- 5.21 Velocity profile for different values of Rd of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $\omega t = \pi/2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Pr = 21$ and $t = 1$. 145
- 5.22 Velocity profile for different values of t of AgNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 2$, $Pr = 21$ and $Rd = 2$. 146
- 5.23 Temperature profile for different values of φ of AgNPs filled in Kerosene based fluid, when $Pr = 21$, $Rd = 1$ and $t = 1$. 146
- 5.24 Temperature profile for AgNPs and CuNPs filled in Kerosene based fluid, when $\varphi = 0.2$, $Rd = 1$ and $t = 1$. 147
- 5.25 Temperature profile for different types of base fluid, when $\varphi = 0.2$, $Rd = 1$ and $t = 1$. 148
- 5.26 Temperature profile for different values of Pr of AgNPs, when $\varphi = 0.2$, $Rd = 1$ and $t = 1$. 148
- 5.27 Temperature profile for different values of Rd of AgNPs, when $\varphi = 0.2$, $Pr = 21$ and $t = 1$. 149
- 5.28 Temperature profile for different values of t of AgNPs, when $\varphi = 0.2$, $Pr = 21$ and $Rd = 1$. 149
- 6.1 Physical model of rotating Jeffrey fluid embedded in porous medium. 155
- 6.2 Comparison of primary velocity between rotating Jeffrey fluid of equation (6.78) with non-rotating Jeffrey fluid (Khan, 2015) for different values of Pr , when $\lambda_1 = \lambda = 1$, $Gr = 1$ and $t = 0.5$. 170
- 6.3 Comparison of velocity $F(z, t)$ of equation (6.86) with equation (31) obtained by Khan (2015), when $\lambda_1 = \lambda = 0.8$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$. 174
- 6.4 Comparison of velocity $F(z, t)$ of equation (6.89) with equation (11) obtained by Samiulhaq *et al.* (2014b), when $\lambda = 1$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$. 175

- 6.5a Primary velocity profile of different values of λ_1 , when $r = 0.5$, $K = 1$, $\lambda = 2$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 177
- 6.5b Secondary velocity profile of different values of λ_1 , when $r = 0.5$, $K = 1$, $\lambda = 2$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 177
- 6.6a Primary velocity profile of different values of λ , when $r = 0.5$, $K = 1$, $\lambda_1 = 2$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 178
- 6.6b Secondary velocity profile of different values of λ , when $r = 0.5$, $K = 1$, $\lambda_1 = 2$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 178
- 6.7a Primary velocity profile of the same values of λ_1 and λ , when $r = 0.5$, $K = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 179
- 6.7b Secondary velocity profile of the same values of λ_1 and λ , when $r = 0.5$, $K = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 179
- 6.8a Primary velocity profile of different values of r , when $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 180
- 6.8b Secondary velocity profile of different values of r , when $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 180
- 6.9a Primary velocity profile of different values of Ha , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 181
- 6.9b Secondary velocity profile of different values of Ha , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 182

- 6.10a Primary velocity profile of different values of K , when $r = 0.5$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 182
- 6.10b Secondary velocity profile of different values of K , when $r = 0.5$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 183
- 6.11a Primary velocity profile of different values of Gr , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 184
- 6.11b Secondary velocity profile of different values of Gr , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Pr = 0.71$, $Rd = 1$ and $t = 0.5$. 184
- 6.12a Primary velocity profile of different values of Pr , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Rd = 1$ and $t = 0.5$. 185
- 6.12b Secondary velocity profile of different values of Pr , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Rd = 1$ and $t = 0.5$. 185
- 6.13a Primary velocity profile of different values of Rd , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$. 186
- 6.13b Secondary velocity profile of different values of Rd , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$ and $t = 0.5$. 187
- 6.14a Primary velocity profile of different values of t , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$ and $Rd = 1$. 187
- 6.14b Secondary velocity profile of different values of t , when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 0.71$ and $Rd = 1$. 188

6.15	Temperature profile of different values of Pr , when $Rd = 1$ and $t = 0.5$.	189
6.16	Temperature profile of different values of Rd , when $Pr = 0.71$ and $t = 0.5$.	189
6.17	Temperature profile of different values of t , when $Pr = 0.71$ and $Rd = 1$.	190
7.1	Physical model of rotating Jeffrey nanofluid saturated in porous medium.	196
7.2	Comparison of velocity $F(z, t)$ of equation (7.33) with equation (31) obtained by Khan (2015), when $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 21$ and $t = 1$.	205
7.3	Comparison of velocity $F(z, t)$ of equation (7.36) with equation (11) obtained by Samiulhaq <i>et al.</i> (2014b), when $\lambda = 0.8$, $Gr = 1$, $Pr = 21$ and $t = 0.5$.	206
7.4a	Primary velocity profile of CuNPs and AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	208
7.4b	Secondary velocity profile of CuNPs and AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	208
7.5a	Primary velocity of different values of φ of AgNPs filled in kerosene, when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	209
7.5b	Secondary velocity of different values of φ of AgNPs filled in kerosene, when $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	209
7.6a	Primary velocity of AgNPs suspended in different types of base fluids, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Rd = 1$ and $t = 1$.	210

7.6b	Secondary velocity of AgNPs suspended in different types of base fluids, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Rd = 1$ and $t = 1$.	211
7.7a	Primary velocity of different values of λ_1 of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda = 2$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	211
7.7b	Secondary velocity of different values of λ_1 of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda = 2$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	212
7.8a	Primary velocity of different values of λ of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = 2$, $Ha = 1$, $Gr = 1$, $Pr = 21$ and $t = 1$.	212
7.8b	Secondary velocity of different values of λ of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = 2$, $Ha = 1$, $Gr = 1$, $Pr = 21$ and $t = 1$.	213
7.9a	Primary velocity profile of the same values of λ_1 and λ of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	213
7.9b	Secondary velocity profile of the same values of λ_1 and λ of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	214
7.10a	Primary velocity of different values of r of AgNPs filled in kerosene, when $\varphi = 0.2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	215
7.10b	Secondary velocity of different values of r of AgNPs filled in kerosene, when $\varphi = 0.2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	215
7.11a	Primary velocity of different values of Ha of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	216

- 7.11b Secondary velocity of different values of Ha of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$. 217
- 7.12a Primary velocity of different values of K of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$. 217
- 7.12b Secondary velocity of different values of K of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$. 218
- 7.13a Primary velocity of different values of Gr of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$. 218
- 7.13b Secondary velocity of different values of Gr of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$. 219
- 7.14a Primary velocity of different values of Pr of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Rd = 1$ and $t = 1$. 220
- 7.14b Secondary velocity of different values of Pr of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Rd = 1$ and $t = 1$. 220
- 7.15a Primary velocity of different values of Rd of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$ and $t = 1$. 221
- 7.15b Secondary velocity of different values of Rd of AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$ and $t = 1$. 221
- 7.16a Primary velocity of different values of t AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$ and $Rd = 1$. 222

7.16b	Secondary velocity of different values of t AgNPs filled in kerosene, when $\varphi = 0.2$, $r = 0.5$, $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$ and $Rd = 1$.	222
7.17	Temperature profile of CuNPs and AgNPs filled in kerosene, when $\varphi = 0.2$, $Pr = 21$, $Rd = 1$ and $t = 1$.	223
7.18	Temperature profile of different φ of AgNPs filled in kerosene, when $Pr = 21$, $Rd = 1$ and $t = 1$.	224
7.19	Temperature profile of AgNPs suspended in different types of base fluids, when $\varphi = 0.2$, $Rd = 1$ and $t = 1$.	224
7.20	Temperature profile of different values Pr of AgNPs filled in kerosene, when $\varphi = 0.2$, $Rd = 1$ and $t = 1$.	225
7.21	Temperature profile of different values Rd of AgNPs filled in kerosene, when $\varphi = 0.2$, $Pr = 21$ and $t = 1$.	226
7.22	Temperature profile of different values t of AgNPs filled in kerosene, when $\varphi = 0.2$, $Pr = 21$ and $Rd = 1$.	226
7.23a	Comparison of primary velocity between Jeffrey fluid with AgNPs filled in kerosene and regular Jeffrey fluid by different values of r , when $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	227
7.23b	Comparison of secondary velocity between Jeffrey fluid with AgNPs filled in kerosene and regular Jeffrey fluid by different values of r , when $K = 1$, $\lambda_1 = \lambda = 1$, $Ha = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	228
7.24a	Comparison of primary velocity profile between rotating and non-rotating Jeffrey nanofluid by different values Ha of AgNPs filled in kerosene, when $\varphi = 0.2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	228
7.24b	Comparison of secondary velocity profile between rotating and non-rotating Jeffrey nanofluid by different values Ha of AgNPs filled in kerosene, when $\varphi = 0.2$, $K = 1$, $\lambda_1 = \lambda = 1$, $Gr = 1$, $Pr = 21$, $Rd = 1$ and $t = 1$.	229

LIST OF MATTERS

Ag	-	Silver
Cu	-	Copper

LIST OF SYMBOLS

Roman Letters

\mathbf{A}_1	-	First Rivlin-Ericksen tensor
\mathbf{B}	-	Total magnetic field
\mathbf{B}_0	-	Applied magnetic field
B_0	-	Magnitude of applied magnetic field
\mathbf{b}	-	Induced magnetic field
c_p	-	Specific heat at constant pressure
$(c_p)_s$	-	Heat capacity of solid nanoparticles
$(c_p)_f$	-	Heat capacity of base fluid
$(c_p)_{nf}$	-	Heat capacity of nanofluid
$\frac{d}{dt}$	-	Material time derivative
\mathbf{div}	-	Divergence
\mathbf{E}	-	Electric field
e	-	Internal energy per unit volume
erfc	-	Complementary error function
\mathbf{F}	-	Force
F	-	Complex velocity
\mathbf{g}	-	Gravitational acceleration
Gr	-	Grashof number
$H(\bullet)$	-	Heaviside function
Ha	-	Hartmann number or magnetic parameter
\mathbf{I}	-	Identity vector
\mathbf{i}	-	Cartesian unit vector in the x – direction

J	-	Current density
j	-	Cartesian unit vector in the y – direction
$\mathbf{J} \times \mathbf{B}$	-	Lorentz force
K	-	Permeability parameter
k	-	Thermal conductivity
k_1	-	Absorption coefficient
k_s	-	Thermal conductivity of solid nanoparticles
k_f	-	Thermal conductivity of base fluid
k_{nf}	-	Thermal conductivity of nanofluid
k	-	Cartesian unit vector in the z – direction
Nu	-	Nusselt number
p	-	Pressure
p_h	-	Hydrostatic pressure
p_d	-	Dynamic pressure
\hat{p}	-	Modified pressure gradient
Pr	-	Prandtl number
q	-	Laplace transform parameter
\mathbf{q}_r	-	Radiative heat flux vector
q_r	-	Magnitude radiative heat flux
q''	-	Heat conduction per unit area
q''	-	Magnitude of heat conduction per unit area
r	-	Radial vector
r	-	Rotation parameter
R	-	Darcy's resistance
S	-	Extra stress tensor
T	-	Cauchy stress tensor
T	-	Temperature
t	-	Dimensionless time
t_0	-	Characteristic time
u	-	Velocity in x – direction
U_0	-	Reference velocity

\mathbf{V}	-	Velocity vector field
V	-	Magnitude of the velocity
v	-	Velocity in y – direction

Greek Letters

β_T	-	Volumetric coefficient of thermal expansion
β_s	-	Volumetric coefficient of thermal expansion of solid nanoparticles
β_f	-	Volumetric coefficient of thermal expansion of base fluid
β_{nf}	-	Volumetric coefficient of thermal expansion of nanofluid
$I_1(\bullet)$	-	Modified Bessel function of order one
κ	-	Permeability of porous medium
ρ	-	Density
ρ_s	-	Density of solid nanoparticles
ρ_f	-	Density of base fluid
ρ_{nf}	-	Density of nanofluid
μ	-	Dynamic viscosity
μ_f	-	Dynamic viscosity of base fluid
μ_{nf}	-	Dynamic viscosity of nanofluid
μ_m	-	Magnetic permeability
σ	-	Electric conductivity of the fluid
σ^*	-	Stefan-Boltzmann constant
φ	-	Nanoparticles volume fraction
ϕ_1	-	Porosity
θ	-	Dimensionless temperature
Ω	-	Constant angular velocity
λ	-	Jeffrey fluid parameter

$\lambda_i (i = 1, 2)$	-	Material parameter of Jeffrey fluid
τ	-	Dimensionless skin friction
ν	-	Kinematic viscosity
ω	-	Dimensionless frequency of plate oscillation
ωt	-	Phase angle

Subscripts

w	-	Conditions of the wall
∞	-	Free stream condition

Superscript

Tr	-	Transpose operation
------	---	---------------------

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Formulae of Inverse Laplace Transform.	264
B	Theorems.	276
C	Dimensionless Equation (7.6)	281
D	List of Publications.	283

CHAPTER 1

INTRODUCTION

1.1 Introduction

This chapter provides some basic terminologies of fluid mechanics, focusing on unsteady free convection flow of non-Newtonian Jeffrey fluid. A brief description of research background is addressed in Section 1.2. Problem statement and research objectives are given in Section 1.3 and Section 1.4, respectively. The scope of the study is discussed in Section 1.5, while Section 1.6 highlights the significance of findings. Section 1.7 presents the research methodology. Finally, the thesis organization is given in Section 1.8.

1.2 Research Background

Fluid mechanics is a subcategory of fluid dynamics, defined as science that deals with the behavior of fluids at rest (fluid statics) or in motion (fluid dynamics), and the interaction of fluids with solids or other fluids at the boundaries (Cengel and Cimbala, 2006). It is also referred to as fluid dynamics, by considering fluids at rest as a special case of motion with zero velocity (Cengel and Cimbala, 2006). Numerous applications of fluid mechanics can be found in biological and medical applications such as artificial heart, breathing machine and dialysis system. Other than that, it is applied widely in piping system, design building, transportation, and also broader scale such as design and analysis of aircraft, jet engines, submarines, rockets.

Fluid can be described as a substance that continuously deforms under the influence of shear stress. Primarily, fluid can be classified into two categories, which are Newtonian and non-Newtonian; differentiated based on their viscosity behavior. Fluids that obey Newton's Law viscosity are called as Newtonian fluid. In contrast, non-Newtonian fluids do not follow the Newton's Law viscosity. The relation that defined the Newtonian fluid behavior is

$$\tau = \mu \frac{\partial u}{\partial y}, \quad (1.1)$$

where τ is denoted as shear stress exerted by the fluid, μ is the dynamic viscosity of the fluid and $\partial u/\partial y$ is the shear rate, rate of strain or velocity gradient. This relation is known as Newton's Law of viscosity; named after Isaac Newton in his 1687 work, namely "Philosophie Principa Mathematica". The viscosity of this type of material will remain constant no matter how fast they are forced to flow through a pipe or channel. Water, mineral oil, gasoline, alcohol, glycerin and organic solvents are the examples of Newtonian fluid.

The Power Law, also called as Ostwald-de Waele relation, can be used to approximately describe non-Newtonian fluid based on the shear thinning and shear thickening behavior. The expression of Power Law can be written as

$$\tau = K \left(\frac{\partial u}{\partial y} \right)^n. \quad (1.2)$$

The power n is known as the power law index or flow behavior index, while K is the consistency coefficient and $\partial u/\partial y$ is the shear rate or the velocity gradient perpendicular to the plane of shear. For $n < 1$, the fluids will show shear thinning behavior when the viscosity decreases with shear rate, and shear thickening when $n > 1$ when the viscosity increases with shear rate. The special case, $n = 1$ corresponds to the Newtonian behavior. It may be noted that, when $K = \mu$, the Equation (1.2) will reduce to Newton's Law viscosity (1.1). The examples of non-Newtonian fluid can be found in many polymer solutions and molten polymers, such as ketchup, starch suspensions, paint and shampoo.

Due to the large difference in the chemical and physical structure of non-Newtonian fluids and the variation of flows, the usual Navier Stokes equations may fail and unable to represent all the rheological properties of non-Newtonian fluids. Thus, many mathematical models have been proposed to describe the physical behavior of these fluids, such as Maxwell fluid, Oldroyd fluid, Walter-B fluid, Second grade fluid, Jeffrey fluid and Burgers fluid. Unlike viscous fluid, the constitutive equations of non-Newtonian fluids are more complicated, thus highly nonlinear governing equations. This area of studies has attracted much attention from many researchers including Khan *et al.* (2013a), Shehzad *et al.* (2014a), Sivaraj and Kumar (2013), Khan *et al.* (2013b) and Samiulhaq *et al.* (2014a). Amongst these many models, the Jeffrey fluid is one of the relatively simplest types of viscoelastic fluid that exhibits both relaxation and retardation effects (Nadeem *et al.*, 2014), which has been used in the present study. The reason of choosing Jeffrey fluid is because it is able to predict relaxation/retardation time effects, which are significant in studying the viscoelastics properties for the polymer industries (Ali and Asghar, 2014). Dilute polymer solution is one of Jeffrey fluids (Farooq *et al.*, 2015).

Besides different types of fluids, another important transport aspect in fluid dynamics is heat transfer. Heat transfer can be described as the transport of the thermal energy driven by thermal nonequilibrium within a medium or among neighboring media (Kaviany, 2002). The fundamental modes of heat transfer can be grouped into three broad categories, namely conduction, convection and radiation. Ice melting, heating water in pot, and microwave oven operation are some examples of energy transfer. Conduction refers to the transfer of heat between two bodies or two parts of the same body through molecules which are more or less stationary, whereas convection heat transfer occurs because of the motion of fluid past a heated surface; in which the faster the motion, the greater the heat transfer (Nag, 2002). According to Jaluria (1980), radiation heat transfer is in the form of electromagnetic waves, where the energy is emitted from a material due to its temperature level, being larger for a larger temperature. It is then transmitted to another surface through the intervening space, which may be vacuum or a medium, which may absorb, reflect or transmit the radiation, depending on the nature and extent of the medium.

The mechanism of convection is further divided into three types, which are free, forced and mixed convections. Amongst three modes of convection, free convection is most highlighted in this research. Free, or also known as natural convection, happens when a fluid motion are caused by natural buoyancy forces alone and not generated by any other sources. The movement of a fluid induced by external sources like pump, fan and suction device are called as forced convection. Meanwhile, according to Joye (2003), mixed convection heat transfer occurs when forced convection currents take the same order of magnitude as natural flow velocities. In simple explanation, mixed convection exists when both natural and forced convections mechanism significantly and synchronously contribute to the heat transfer (Dawood *et al.*, 2015).

In buoyancy driven flow (natural convection), Boussinesq approximation is needed. This is due to the fact that the exact governing equations are intractable in that particular flow. According to Gray and Giorgini (1976), this approximation is the simplest one which admits the buoyancy where some assumptions are considered: (i) viscous dissipation is neglected, (ii) constant density, except when it directly causes buoyant forces, and (iii) constant properties for all other fluids. Boussinesq equation is named after Joseph Boussinesq, a French mathematician. This equation can be expressed as difference density in the form of temperature difference, as

$$\rho_{\infty} - \rho = \rho\beta(T - T_{\infty}), \quad (1.3)$$

where ρ is density of the fluid, ρ_{∞} is the density in the ambient medium, T is temperature, T_{∞} is temperature in the ambient medium and β is the coefficient of thermal volumetric expansion,

$$\beta = -\frac{1}{\rho} \left(\frac{\rho_{\infty} - \rho}{T_{\infty} - T} \right). \quad (1.4)$$

Interesting investigations on heat transfer flow have been well documented in references by Foisal and Alam (2015), Seth *et al.* (2015a), Khan *et al.* (2014), Javaherdeh *et al.* (2015) and Animasaun (2015).

Together with heat transfer, effect of magnetohydrodynamics (MHD) is also a major interest to investigate in this study. MHD with heat transfer has crucial utilizations in solving engineering problems, and it can be found in many devices such as power generator, cooling reactor, design of heat exchangers, and MHD accelerators. Historically, the design of electromagnetic pump by Hartmann (1937) led to the study of MHD flows. The theory of MHD was initiated by Hannes Alfven in 1942. The term “MHD” represents magneto (magnetic field), hydro (water) and dynamics (movement). MHD flow is basically a bilateral interaction between a fluid flow and magnetic field. According to Ahmad (2016), MHD is defined as the capability of a moving conductive fluid to induce current, hence generating forces on the fluid and altering the magnetic field effect itself. Some development on this topic can be seen in studies by Christian *et al.* (2014), Yazdi *et al.*(2014), Farooq *et al.*(2015), Imtiaz *et al.* (2016) and Sukumar *et al.*(2016).

The study of fluid flow through a porous medium in the presence of MHD effect is also important, as reported by Jena *et al.* (2016), Hayat *et al.* (2016a), and Ellahi *et al.* (2014). According to Tripathi and Beg (2012), porous medium is a material containing a number of pores distributed throughout the matter. Meanwhile, fluid flow through porous medium can be described as the behavior of fluids moving through a porous medium, as in physical nature such as in seepage of water in river beds, limestone, the human lung, filtration of fluids, movement of underground water and oils, bile duct, rye bread, wood, gall bladder with stones and small vessels (Chauhan and Rastogi, 2012).

Usually, study of free convection flow and heat transfer problem depends on the thermal boundary conditions, in which, most of the practical problems are frequently engaged with non-uniform or arbitrary wall conditions. To understand such situations, it is worth to take into account the step discontinuities in the surface temperature into this present study. Generally, ramped wall temperature is known as the step change in wall temperature. Malhotra *et al.* (2006) employed ramped wall temperature in the fabrication of thin film photovoltaic devices to achieve a finish of the system. Besides that, periodic temperature step changes in building heat transfer applications such as air conditioning system has been explained in detail by

Antonopoulos and Democritou (1994), where conventional assumption of periodic outdoor conditions may lead to considerable errors, in case of a significant temporary deviation of the temperature from periodicity.

Liu (2008) has shown that the study of Stokes problem has a great significance and influences especially in geophysical flows and heat conduction. Basically, the traditional Stokes problem can be divided into two types, namely the first Stokes and second Stokes problems according to the motions of the rigid boundary below the fluid. Ai and Vafai (2005) defined that the shear flow of viscous fluid near a flat plate which is suddenly accelerated from rest and then moves in its own plane with a constant velocity leads to the first kind problem, or also known as Rayleigh type. Meanwhile, Stokes second problem occurs when the flow about the infinite flat plate executes harmonic oscillations parallel to itself (Schlichting, 1968). However, in this study, we only stressed on the Stokes second problem, or so called oscillating plate (Panton, 1968).

Besides the oscillation of the plates, rotation of the fluid is also important and interesting to study. Rotation is described as a circular movement of an object around a center or point of rotation. The influence of rotation can be observed in diverse phenomena such as ocean circulation, migration of sea winds, internal rotation rate of sun, calculating Coriolis drift of the trajectories of very long range artillery shells, galaxies formation, maintenance and secular variations of Earth's magnetic field due to the motion of earth's liquid core (Seth and Sarkar, 2015). This also helps to have a better understanding on the behavior of nanoparticle orientation in fluid systems through rotational diffusion (Dong and Cao, 2014; Dong *et al.*, 2015; Dong and Cao, 2015).

The Coriolis and centrifugal (inertial) forces are very significant when dealing with rotation; in which the Coriolis force is more dominant. Coriolis force, named after Gustave Coriolis, is an invisible force that appears to deflect a moving object in the frame rotating in the opposite direction. The Coriolis force depends on the rate of rotation, in which the deflection is greater near the poles and lesser near the equator. Earth rotation is an example of common rotating reference frame.

Assume that someone is standing in the equator and throwing an object to his friend in the Northern Hemisphere. The object's movement will bend to the right. In this case, the object may be the winds. Therefore, in the Northern Hemisphere, the winds will deflect to the right, whereas to the left in the Southern Hemisphere. Due to this fact, rotation analysis had been included in this study.

Nowadays, development of a new innovative class of heat transfer fluids, called nanofluids, is quite prominent. The term "Nanofluid" was coined by Choi and Eastman (1995), which describes a suspension of solid nanoparticles having diameter 1–100 nm in a conventional base fluid such as ethylene glycol, water, lubricant oil, kerosene oil and etc. Traditional heat transfer fluids are found to have limited heat transfer capabilities to achieve the cooling rate requirements in the industry, due to their low thermal conductivities compared to metals. Thus, the concept of insertion of nanoparticles in fluids leads to an increase in the thermal conductivity of the base liquids, which dramatically enhances the heat transfer performance. Due to these reasons, a number of investigations have been made to study nanofluids from both theoretical and experimental aspects, such as by Eastman *et al.* (1997), Lee *et al.* (1999), Eastman *et al.* (2001), Rashidi *et al.* (2014), Rajesh *et al.* (2015), Khan *et al.* (2015), Mohyud-Din *et al.* (2015), and Dinarvand *et al.* (2016).

Based on the discussions, the problems in this study have been split into two major interests, which are non-rotating and rotating fluid, with consideration of various aspects, such as ramped wall temperature, effect of nanoparticles and oscillating plate. All of these problems are tackled by applying Laplace transform technique, since the exact solutions are important for comparison with the numerical scheme. Further discussions are provided in Chapter 2, with reference from literature by previous researchers relevant to this study.

1.3 Problem Statement

Non-Newtonian fluids have gained much attention nowadays due to their potential in industrial and technological processes. Significantly, it is because viscous fluids are not capable to predict diverse characteristic of all non-Newtonian fluids using Navier Stokes equation. Theoretically, the analytical study of unsteady free convection flow non-Newtonian Jeffrey fluid with heat transfer along vertical plate is affected by some effects such as nanoparticles, ramped wall temperature, porous medium, rotation, and oscillation, which are rarely investigated but interesting to be explored. Particularly, most previous studies were conducted by using numerical analysis and semi-analytical technique, whereas very few were found applying the closed form solution. Therefore, this research has been conducted to answer the following questions:

- (i) How are the mathematical models for rotating and non-rotating of non-Newtonian Jeffrey fluid past an infinite vertical plate formulated?
- (ii) How does the presence of nanoparticles influence the velocity and temperature fields?
- (iii) How are the Jeffrey fluid and Jeffrey nanofluid models compared with the existing second grade fluid model in the problem of unsteady MHD free convection flow with heat transfer?
- (iv) How do Jeffrey fluid parameter, Hartmann number, permeability parameter, radiation parameter, rotation parameter and other pertinent parameters behave in the problem of unsteady free convection flow of Jeffrey fluid with ramped wall temperature and isothermal plate?
- (v) How does the oscillating plate affect the fluid velocity in the case of ramped wall temperature and isothermal plate?
- (vi) How can the exact solutions for unsteady non-Newtonian Jeffrey fluid past a vertical plate under different conditions be obtained?

Specifically, five problems are discussed in this thesis, which are: (a) unsteady free convection flow of Jeffrey fluid with ramped wall temperature, (b) porosity effect on unsteady MHD free convection flow of Jeffrey fluid past an oscillating vertical plate with ramped wall temperature, (c) unsteady MHD free convection flow

of Jeffrey nanofluid saturated in porous medium, (d) unsteady MHD free convection flow of rotating Jeffrey fluid embedded in porous medium with ramped wall temperature, and (e) impact of nanoparticles on unsteady MHD free convection flow of rotating Jeffrey fluid filled in porous medium.

1.4 Research Objectives

The objectives of this study are:

- (i) to extend and derive mathematical models of the problems:
 - (a) unsteady free convection flow of Jeffrey fluid (Khan, 2015) to unsteady MHD free convection flow of Jeffrey fluid with ramped wall temperature and radiation effect,
 - (b) unsteady MHD free convection flow of Jeffrey fluid with ramped wall temperature and radiation effect to unsteady MHD free convection flow of Jeffrey fluid past an oscillating vertical plate saturated in a porous medium,
 - (c) unsteady MHD free convection flow of Jeffrey fluid past an oscillating vertical plate saturated in a porous medium to unsteady MHD free convection flow of Jeffrey nanofluid with an isothermal plate,
 - (d) unsteady MHD free convection flow of Jeffrey fluid with ramped wall temperature and radiation effect to unsteady MHD free convection flow of rotating Jeffrey fluid embedded in a porous medium, and
 - (e) unsteady MHD free convection flow of rotating Jeffrey fluid embedded in a porous medium to unsteady MHD free convection flow of rotating Jeffrey nanofluid with an isothermal plate,
- (ii) to provide the mathematical formulation of non-rotating and rotating Jeffrey fluid,
- (iii) to obtain an exact solution for velocity and temperature distributions using Laplace transform technique,

- (iv) to find the expressions of Nusselt number and skin friction for all problems and compute the numerical results in tabular forms for all emerging parameters, and
- (v) to investigate the behavior of fluid velocity and heat transfer characteristic of Jeffrey fluid.

1.5 Scope of the Study

This thesis focuses on the unsteady MHD free convection flow of Jeffrey fluid and Jeffrey nanofluid past an infinite vertical plate in various situations. Two different driving forces, namely buoyancy force and oscillating boundary condition, have been considered, which are responsible to generate the movement of the fluid. The first problem stresses on unsteady MHD free convection flow of Jeffrey fluid over vertical plate with ramped wall temperature. The second problem emphasizes on the effect of porosity on unsteady MHD free convection flow of Jeffrey fluid with ramped wall temperature, by considering Stokes second problem. The third problem explores the impact of nanoparticles on unsteady MHD free convection flow of Jeffrey fluid past an oscillating vertical plate in porous medium with constant temperature. In this study, Tiwari and Das nanofluid model has been applied. The rotating Jeffrey fluid under ramped wall condition has been examined in the fourth problem. The last problem highlights the analysis of nanoparticles into problem four with constant temperature. The governing equations along the imposed initial and boundary conditions have been written into dimensionless system and solved analytically with the help of Laplace transform method. The expressions of Nusselt number and skin friction have been evaluated and presented in tabular forms, while the solutions for velocity and temperature profiles have been analyzed based on graphs which have been plotted using mathematical software called MATHCAD. In order to check the accuracy of present findings, the limiting cases have been obtained from general solutions and compared with the published works in the literature.

1.6 Significance of the Study

The significances of this study are as follows:

- (i) to build a better understanding on the rheological behavior of non-Newtonian fluid, especially Jeffrey fluid,
- (ii) enhance knowledge about the formulation of unsteady rotating and non-rotating Jeffrey fluid model using constitutive equation,
- (iii) derive accurate analytical solutions for mathematical models involving ramped wall temperature and constant wall temperature,
- (iv) to give insight the physical behavior of nanoparticles on the fluid velocity and temperature profile,
- (v) to suggest the application of theoretical results of this research as a basis for fluid flow, which can contribute to the engineering applications and also in related fields, and
- (vi) to provide exact solutions to assist scientists and engineers to check the accuracy of complex mathematical models solutions, which are obtained from numerical schemes.

1.7 Research Methodology




Figure 1.1 Operational framework.

1.8 Thesis Organization

This thesis is divided into eight chapters. Chapter 1 consists of research background, problem statement, research objectives, scopes, significance of the study and research methodology. Chapter 2 reviews related literature regarding the problems identified in the problem statement. Chapter 3 presents the problem of unsteady MHD free convection flow of Jeffrey fluid past a vertical plate with ramped wall temperature. Full derivation of continuity, momentum and energy equations are explained in this chapter. Using the constitutive relation of Jeffrey fluid together with some assumptions, the governing equations of non-rotating Jeffrey fluid is formulated in terms of partial differential equations. Dimensionless variables are introduced to reduce the dimensional governing equations, as well as appropriate initial and boundary conditions into non-dimensional system. Analytical solutions for velocity and temperature fields are obtained corresponding to two different thermal boundary conditions, namely ramped wall temperature and an isothermal plate using Laplace transform method. The expressions of Nusselt number and skin friction for both cases are determined. Special and limiting cases are provided and compared with some published works in the literature. The impact of all emerging parameters on velocity and temperature distributions are plotted graphically and discussed in details.

Chapter 4 investigates the effect of porosity on unsteady MHD free convection flow of Jeffrey fluid over an oscillating vertical plate with ramped wall temperature. The flow in the fluid is induced due to the cosines oscillation of the plate. Similar procedure as Chapter 3 is applied to solve the corresponding governing equations. The results obtained for both ramped wall and isothermal plate are plotted and discussed for all parameters interest. Chapter 5 is an extension of Chapter 4, where momentum equation takes into account the influence of nanoparticles. Kerosene oil is used as the conventional base fluid containing silver nanoparticles. In this chapter, only constant wall temperature is considered. Analogous procedure is utilized to find the solution of velocity and temperature distributions. The physical quantities effects on fluid flow and temperature are analyzed through graphs and discussed in details.

Chapter 6 conveys the unsteady MHD free convection flow of rotating Jeffrey fluid embedded in porous medium with ramped wall temperature. As continuation of previous chapters, the cases of ramped wall temperature and isothermal plate are studied. Formulation of rotating Jeffrey fluid incorporated with modified Darcy's law is served. Appropriate dimensionless variables are employed to the governing equations and solved by Laplace transform technique. Nusselt number and skin friction are also calculated. Exact solutions for velocity and temperature profiles are sketched and the effect of pertinent parameters is explained. Chapter 7 is the extension of Chapter 6. This chapter discusses the impact of nanoparticles on rotating Jeffrey fluid and heat transfer with constant wall temperature. For the purpose of validation, current results have been compared with the findings by Khan (2015) and Samiulhaq *et al.* (2014b), where an excellent agreement is found. Finally, the summary of the whole chapters, conclusion and some recommendations for future research are presented in Chapter 8.

REFERENCES

- Abid, H., Zakaria, M. N., Samiulhaq, Khan, I. and Sharidan, S. (2013). Radiation Effect on Unsteady Magnetohydrodynamics Free Convection Flow in a Porous Medium with Newtonian Heating. *International Journal of Applied Mathematics and Statistics*. 42(12): 474-480.
- Agarwal, S. and Bhadauria, B. S. (2014). Unsteady Heat and Mass Transfer in a Rotating Nanofluid Layer. *Continuum Mechanics and Thermodynamics*. 26: 437-445.
- Ahmad, R. (2016). Magneto-hydrodynamics of Coupled Fluid-Sheet Interface with Mass Suction and Blowing. *Journal of Magnetism and Magnetic Materials*. 398: 148-159.
- Ahmed, N. and Sinha, S. (2014). MHD Effect on Unsteady Flow past an Accelerated Vertical Plate. *International Journal of Physics and Mathematical Sciences*. 4(4): 56-70.
- Ahmed, S. and Chamkha, A. J. (2014). Hartmann Newtonian Radiating MHD Flow for a Rotating Vertical Porous Channel Immersed in a Darcian Porous Regime an Exact Solution. *International Journal of Numerical Methods for Heat & Fluid Flow*. 24(7): 1454-1470.
- Ahmed, S., Batin, A. and Chamkha, A. J. (2015). Numerical/Laplace Transform Analysis for MHD Radiating Heat/Mass Transport in a Darcian Porous Regime Bounded by an Oscillating Vertical Surface. *Alexandria Engineering Journal*. 54: 45-54.
- Ahmed, N. and Das, S. M. (2016). Effect of Chemical Reaction on MHD Flow Past an Oscillating Infinite Vertical Plate Embedded in Porous Medium in the Presence of Heat Sink. *Journal of Rajasthan Academy of Physical Sciences*. 15(1): 31-47.
- Ai, L. and Vafai, K. (2005). An Investigation of Stokes' Second Problem for Non-Newtonian Fluids. *Numerical Heat Transfer*. 47: 955-980.

- Al- Khafajy, D. G. S. (2016). Effects of Heat Transfer on MHD Oscillatory Flow of Jeffrey Fluid with Variable Viscosity through Porous Medium. *Advances in Applied Science Research*. 7(3): 179-186.
- Ali, F., Khan, I., Samiulhaq and Shafie, S. (2013). Conjugate Effects of Heat and Mass Transfer on MHD Free Convection Flow over an Inclined Plate Embedded in a Porous Medium. *PLoS ONE*. 8(6): 1-11.
- Ali, A. and Asghar, S. (2014). Analytic Solution for Oscillatory Flow in a Channel for Jeffrey Fluid. *Journal of Aerospace Engineering*. 27: 644-651.
- Ali, F., Khan, I. and Shafie, S. (2014). Closed Form Solutions for Unsteady Free Convection Flow of a Second Grade Fluid over an Oscillating Vertical Plate. *PLoS ONE*. 9(2): 1-15.
- Animasaun, I. L. (2015). Effects of Thermophoresis, Variable Viscosity and Thermal Conductivity on Free Convective Heat and Mass Transfer of Non-Darcian MHD Dissipative Casson Fluid Flow with Suction and nth Order of Chemical Reaction. *Journal of the Nigerian Mathematical Society*. 34: 11-31.
- Anitha, K. (2015a). Numerical Solution of an Unsteady MHD Flow of a Rotating Fluid past an Infinite Vertical Porous Plate in the Presence of Radiation and Chemical Reaction. *Electronic Journal of Mathematical Analysis and Applications*. 3(2): 202-214.
- Anitha, K. (2015b). Chemical Reaction and Radiation Effects on Unsteady MHD Natural Convection Flow of a Rotating Fluid Past a Vertical Porous Flat Plate in the Presence of Viscous Dissipation. *International Journal of Science and Research*. 4(3): 1302-1308.
- Antonopoulos, K. A. and Democritou, F. (1994). Experimental and Numerical Study of Unsteady Non-Periodic Wall Heat Transfer under Step, Ramp and Cosine Temperature Perturbations. *International Journal of Energy Research*. 18: 563-579.
- Barik, R. N. (2016). Heat and Mass Transfer Effects on Unsteady MHD Flow Through an Accelerated Isothermal Vertical Plate Embedded in Porous Medium in the Presence of Heat Source and Chemical Reaction. *European Journal of Advances in Engineering and Technology*. 3(1): 56-61.
- Boricic, A. Z., Jovanovic, M. M. and Boricic, B. Z. (2016). Unsteady Magnetohydrodynamic Thermal and Diffusion Boundary Layer from a Horizontal Circular Cylinder. *Thermal Science*. 20(5): 1367-1380.

- Buogiorno, J. (2006). Convective Transport in Nanofluid. *Journal of Heat Transfer*. 128: 240-250.
- Cengel, Y. A. (2004). *Heat Transfer A Practical Approach*. New York: McGraw-Hill.
- Cengel, Y. A. and Cimbala, J. M. (2006). *Fluid Mechanics: Fundamentals and Applications*. New York: McGraw-Hill.
- Chauhan, D. S. and Rastogi, P. (2012). Heat Transfer Effects on Rotating MHD Couette Flow in a Channel Partially Filled by a Porous Medium with Hall Current. *Journal of Applied Science and Engineering*. 15(3): 281-290.
- Chaudhary, D., Singh, H. and Jain, N. C. (2013). Effects of Hall Current and Thermal Radiation on an Unsteady Free Convection Slip Flow along a Vertical Plate Embedded in a Porous Medium with Constant Heat and Mass Flux. *Applied Mathematics and Physics*. 1(2): 11-26.
- Choi, S. U. S. and Eastman, J. A. (1995). Enhancing Thermal Conductivity of Fluids with Nanoparticles. *Proceeding of the 1995 ASME International Mechanical Engineering Congress and Exposition*. 12-17 November. San Francisco, USA. 99-105.
- Christian, E. J., Seini, Y. J. and Arthur, E. M. (2014). Magnetohydrodynamics (MHD) Boundary Layer Stagnation Flow with Radiation and Chemical Reaction towards a Heated Shrinking Porous Space. *International Journal of Physics Sciences*. 9(14): 320-328.
- Cortell, R. (2014). Fluid Flow and Radiative Nonlinear Heat Transfer over a Stretching Sheet. *Journal of King Saud University-Science*. 26: 161-167.
- Dalir, N., Dehsara, M. and Nourazar, S. S. (2015). Entropy Analysis for Magnetohydrodynamic Flow and Heat Transfer of a Jeffrey Nanofluid over a Stretching Sheet. *Energy*. 79. 351-362.
- Das, K. (2012). Magnetohydrodynamics Free Convection Flow of a Radiating and Chemically Reacting Fluid past an Impulsively Moving Plate with Ramped Wall Temperature. *Journal of Applied Mechanics*. 79: 1-11.
- Das, S., Guchhait, S. K. and Jana, R. N. (2013). Radiation Effects on MHD Free Convective Flow Past an Oscillating Vertical Porous Plate with Periodic Heat Flux. *International Journal of Computer Applications*. 65(3): 28-35.
- Das, K. (2014). Flow and Heat Transfer Characteristics of Nanofluids in a Rotating Frame. *Alexandria Engineering Journal*. 53: 757-766.

- Das, M., Mahatha, B. K., Nandkeolyar, R., Mandal, B. K. and Saurabh, K. (2014). Unsteady Hydromagnetic Flow of a Heat Absorbing Dusty Fluid Past a Permeable Vertical Plate with Ramped Wall Temperature. *Journal of Applied Fluid Mechanics*. 7(3): 485-492.
- Das, R. K. and Neog, B. C. (2015). MHD Flow past a Vertical Oscillating Plate with Radiation and Chemical Reaction in Porous Medium. *IOSR Journal of Mathematics*. 11(1): 46-50.
- Das, S. and Jana, R. N. (2015). Natural Convective Magneto-nanofluid Flow and Radiative Heat Transfer Past a Moving Vertical Plate. *Alexandria Engineering Journal*. 54: 55-64.
- Dawood, H. K., Mohammed, H. A., Che Sidik, N. A., Munisamy, K. M. and Wahid, M. A. (2015). Forced, Natural and Mixed-Convection Heat Transfer and Fluid Flow in Annulus: A Review. *International Communications in Heat and Mass Transfer*. 62: 45-57.
- Dinarvand, S., Hosseini, R. and Pop, I. (2015). Unsteady Convective Heat and Mass Transfer of a Nanofluid in Howarth's Stagnation Point by Buongiorno's Model. *International Journal of Numerical Methods for Heat & Fluid Flow*. 25(5): 1176-1197.
- Dinarvand, S., Hosseini, R. and Pop, I. (2016). Homotopy Analysis Method for Unsteady Mixed Convective Stagnation-point Flow of a Nanofluid using Tiwari-das Nanofluid Model. *Journal of Numerical Methods for Heat & Fluid Flow*. 26(1): 40-62.
- Dong, R. and Cao, B. (2014). Anomalous Orientations of a Rigid Carbon Nanotube in a Sheared Fluid. *Scientific Reports*. 1-7.
- Dong, R. and Cao, B. (2015). Superhigh-speed Unidirectional Rotation of a Carbon Nanotube in a Sheared Fluid and its Decoupled Dynamics. *Royal Society of Chemistry Advances*. 5: 88719-88724.
- Dong, R., Zhou, Y., Yang, C. and Cao, B. (2015). Translational Thermophoresis and Rotational Movement of Peanut-like Colloids under Temperature Gradient. *Microfluid Nanofluid*. 19: 805-811.
- Dyke, P. (2014). An Introduction to Laplace Transforms and Fourier Series. (2nd ed.). London: Springer.

- Eastman, J. A., Choi, S. U. S., Li, S., Thompson L. J. and Lee, S. (1997). Enhanced Thermal Conductivity through the Development of Nanofluids. *Proceeding of the Symposium on Nanophase and Nanocomposite Materials II*. 457: 3-11.
- Eastman, J. A., Choi, S. U. S., Li, S., Yu, W. and Thompson L. J. (2001). Anomalously Increased Effective Thermal Conductivities of Ethylene Glycol-based Nanofluids Containing Copper Nanoparticles. *Applied Physics Letter*. 78: 718-720.
- Ellahi, R., Bhatti, M. M., Riaz, A. and Sheikholeslami, M. (2014). Effects of Magnetohydrodynamics on Peristaltic Flow of Jeffrey Fluid in a Rectangular Duct through a Porous Medium. *Journal of Porous Media*. 17(2): 143-157.
- Farooq, M., Gull, N., Alsaedi, A. and Hayat, T. (2015). MHD Flow of a Jeffrey Fluid with Newtonian Heating. *Journal of Mechanics*. 1-11.
- Ferdows, M., Khan, M. S., Beg, O. A., Azad, M. A. K. and Alam, M. M. (2014). Numerical Study of Transient Magnetohydrodynamic Radiative Free Convection Nanofluid Flow from a Stretching Permeable Surface. *Journal of Process Mechanical Engineering*. 228(3): 181-196.
- Foisal, A. A. and Alam, M. (2015). Free Convection Flow in the Presence of a Magnetic Field with Thermally Stratified High Porosity Medium. *Procedia Engineering*. 105: 549-556.
- Freidoonimehr, N., Rashidi, M. M. and Mahmud, S. (2015). Unsteady MHD Free Convective Flow Past a Permeable Stretching Vertical Surface in Nano-fluid. *International Journal of Thermal Sciences*. 87: 136-145.
- Gao, C. and Jian, Y. (2015). Analytical Solution of Magnetohydrodynamic Flow of Jeffrey Fluid through a Circular Microchannel. *Journal of Molecular Liquids*. 211: 803-811.
- Garg, B. P. (2014). Oscillatory MHD Convective Flow of Second Order Fluid through Porous Medium in a Vertical Rotating Channel in Slip-Flow Regime with Heat Radiation. *International Journal of Scientific and Innovative Mathematical Research*. 2(5): 500-514.
- Ghara, N., Das, S., Maji, S. L. and Jana, R. N. (2012). Effect of Radiation on MHD Free Convection Flow past an Impulsively Moving Vertical Plate with Ramped Wall Temperature. *American Journal of Scientific and Industrial Research*. 3(6): 376-386.

- Ghiaasiaan, S. M. (2011). *Convective Heat and Mass Transfer*. United State of America: Cambridge University Press.
- Govindarajan, A., Chamkha, A. J., Kesavan, S. and Vidhya, M. (2014). Chemical Reaction Effects on Unsteady Magnetohydrodynamic Free Convective Flow in a Rotating Porous Medium with Mass Transfer. *Thermal Science*. 18(2): S515-S526.
- Gray, D. D. and Giorgini, A. (1976). The Validity of the Boussinesq Approximation for Liquids and Gases. *International Journal of Heat Mass Transfer*. 19: 545-551.
- Hartmann, J. (1937). Theory of the Laminar Flow of an Electrically Conductive Liquid in a Homogeneous Magnetic Field. *Det Kgl. Danske Videnskabernes Selskab. Matematisk-fysiske Meddelelser*. 15(6): 1-28.
- Hayat, T., Fetecau, C. and Sajid, M. (2008a). Analytic Solution for MHD Transient Rotating Flow of a Second Grade Fluid in a Porous Space. *Nonlinear Analysis Real World Applications*. 9: 1619-1627.
- Hayat, T., Fetecau, C. and Sajid, M. (2008b). On MHD Transient Flow of a Maxwell Fluid in a Porous Medium and Rotating Frame. *Physics Letters A*. 372: 1639-1644.
- Hayat, T., Khan, M., Fakhar, K. and Amin, N. (2010). Oscillatory Rotating Flows of a Fractional Jeffrey Fluid Filling a Porous Space. *Journal of Porous Media*. 13(1): 29-38.
- Hayat, T. and Mustafa, M. (2010). Influence of Thermal Radiation on the Unsteady Mixed Convection Flow of a Jeffrey Fluid over a Stretching Sheet. *Z. Naturforsch.* 65a: 711-719.
- Hayat, T., Awais, M., Asghar, S. and Hendi, A. A. (2011). Analytic Solution for the Magnetohydrodynamic Rotating Flow of Jeffrey Fluid in a Channel. *Journal of Fluids Engineering*. 133:1-7.
- Hayat, T., Iqbal, Z., Mustafa, M. and Alsaedi, A. (2014). Unsteady Flow and Heat Transfer of Jeffrey Fluid over a Stretching Sheet. *Thermal Science*. 18(4): 1069-1078.
- Hayat, T., Rafiq, M. and Ahmad, B. (2016a). Soret and Dufour Effects on MHD Peristaltic Flow of Jeffrey Fluid in a Rotating System with Porous Medium. *PLoS ONE*. 11(1): 1-18.

- Hayat, T., Qayyum, S., Imtiaz, M. and Alsaedi, A. (2016b). Three-dimensional Rotating Flow of Jeffrey Fluid for Cattaneo-Christov Heat Flux. *AIP Advances*. 6: 1-11.
- Hazarika, G. C. (2014). Chemical Reaction on a Transient MHD Flow past an Impulsively Started Vertical Plate with Ramped Temperature and Concentration with Viscous Dissipation. *International Journal of Fluids Engineering*. 6(1): 39-51.
- Herbert, O. (2004). *Prandtl's Essentials of Fluid Mechanics*. (2nd ed.). United State of America: Springer Science & Business Media.
- Hossain, M. D., Samad, M. A. and Alam, M. M. (2016). Unsteady MHD Free Convection and Mass Transfer Flow Through a Vertical Oscillatory Porous Plate in a Rotating Porous Medium With Hall, Ion-Slip Currents and Heat Source. *Dhaka University Journal of Science*. 64(2): 91-98.
- Hussain, T., Shehzad, S. A., Hayat, T., Alsaedi, A. and Al-Solamy, F. and Ramzan, M. (2014). Radiative Hydromagnetic Flow of Jeffrey Nanofluid by an Exponentially Stretching Sheet. *PLoS ONE*. 9(8): 1-9.
- Hussanan, A., Ismail, Z., Khan, I., Hussein, A. G. and Shafie, S. (2014). Unsteady Boundary Layer MHD Free Convection Flow in a Porous Medium With Constant Mass Diffusion and Newtonian Heating. *The European Physical Journal Plus*. 129(46): 1-16.
- Hussanan, A., Khan, I., Hashim, H., Mohamed, M. K. A., Ishak, N., Md Sarif, N. and Salleh, M. Z. (2016). Unsteady MHD Flow of Some Nanofluids Past an Accelerated Vertical Plate Embedded in a Porous Medium. *Jurnal Teknologi (Sciences&Engineering)*. 78(2): 121-126.
- Idowu, A. S., Joseph, K. M. and Daniel, S. (2013). Effects of Heat and Mass Transfer on Unsteady MHD Oscillatory Flow of Jeffrey Fluid in a Horizontal Channel with Chemical Reaction. *IOSR Journal of Mathematics*. 8(5): 74-87.
- Idowu, A. S., Jimoh, A. and Ahmed, L. O. (2015a). Effect of Heat and Mass Transfer on MHD Oscillatory Flow of Jeffrey Fluid in a Porous Channel with Thermal Conductivity and Soret. *Journal of Research in National Development*. 13(2).
- Idowu, A. S., Jimoh, A. and Ahmed, L. O. (2015b). Impact of Heat and Mass Transfer on MHD Oscillatory Flow of Jeffrey Fluid in a Porous Channel with Thermal Conductivity, Dufour and Soret. *Journal of Applied Sciences and Environmental Management*. 19(4): 819-830.

- Imtiaz, M., Hayat, T. and Alsaedi, A. (2016). MHD Convective Flow of Jeffrey Fluid Due to a Curved Stretching Surface with Homogeneous-Heterogeneous Reactions. *PLoS ONE*. 11(9): 1-23.
- Ismail, Z., Hussanan, A., Khan, I. and Shafie, S. (2013a). MHD and Radiation Effects on Natural Convection Flow in a Porous Medium past an Infinite Inclined Plate with Ramped Wall Temperature: An Exact Analysis. *International Journal of Applied Mathematics and Statistics*. 45(15): 1-10.
- Ismail, Z., Khan, I. and Shafie, S. (2013b). Rotation and Heat Absorption Effects on Unsteady MHD Free Convection Flow in a Porous Medium Past an Infinite Inclined Plate with Ramped Wall Temperature. *Recent Advances in Mathematics*. 2013: 161–167.
- Ismail, Z., Khan, I., Imran, A., Hussanan, A. and Shafie, S. (2014). MHD Double Diffusion Flow by Free Convection past an Infinite Inclined Plate with Ramped Wall Temperature in a Porous Medium. *Malaysian Journal of Fundamental and Applied Sciences*. 10(1): 37-41.
- Ismail, Z., Khan, I., Mohamad, A. Q. and Shafie, S. (2015). Second Grade Fluid for Rotating MHD of an Unsteady Free Convection Flow in a Porous Medium. *Defect and Diffusion Forum*. 362: 100-107.
- Jaluria, Y. (1980). *Natural Convection*. New York: Pergamon Press Oxford.
- Javaherdeh, K., Mehrzad, M. N. and Moslemi, M. (2015). Natural Convection Heat and Mass Transfer in MHD fluid flow Past a Moving Vertical Plate with Variable Surface Temperature and Concentration in a Porous Medium. *Engineering Science and Technology, an International Journal*. 18: 423-431.
- Jena, S., Mishra, S. R. and Dash, G. C. (2016). Chemical Reaction Effect on MHD Jeffrey Fluid Flow over a Stretching Sheet through Porous Media with Heat Generation/Absorption. *International Journal of Applied and Computational Mathematics*. 1-14.
- Jiann, L. Y., Khalid, A., Khan, I. and Shafie, S. (2015). Heat Transfer in MHD Flow of a Rotating Fluid with Soret and Radiation Effects: Exact Solution. *International Review of Chemical Engineering*. 7(1): 1-8.
- Jiji, L. M. (2006). *Heat Convection*. (1st ed.). New York: Springer-Verlag Berlin Heidelberg.

- Job, V. M. and Gunakala, S. R. (2016). Unsteady MHD Free Convection Nanofluid Flows Within a Wavy Trapezoidal Enclosure with Viscous and Joule Dissipation Effects. *Numerical Heat Transfer, Part A: Applications*. 69(4): 421-443.
- Joseph, K. M., Magaji, A. S., Peter, A. and Tijani, N. Z. (2016). Effect of Variable Suction on Unsteady MHD Oscillatory Flow of Jeffrey Fluid in a Horizontal Channel with Heat and Mass Transfer. *Journal of Scientific and Engineering Research*. 3(3): 599-610.
- Joye, D. D. (2003). Pressure Drop Correlation for Laminar, Mixed Convection, Aiding Flow Heat Transfer in a Vertical Tube. *International Journal of Heat and Fluid Flow*. 24: 260-266.
- Kakaç, S. and Pramuanjaroenkij, A. (2009). Review of Convective Heat Transfer Enhancement with Nanofluids. *International Journal of Heat Mass Transfer*. 52. 3187-3196.
- Kataria, H. R. and Mittal, A. S. (2015). Mathematical Model for Velocity and Temperature of Gravity-driven Convective Optically Thick Nanofluid Flow Past an Oscillating Vertical Plate in Presence of Magnetic Field and Radiation. *Journal of the Nigerian Mathematical Society*. 34: 303-317.
- Kataria, H. R. and Patel, H. R. (2016a). Radiation and Chemical Reaction Effects on MHD Casson Fluid Flow Past an Oscillating Vertical Plate Embedded in Porous Medium. *Alexandria Engineering Journal*. 55: 583-595.
- Kataria, H. R. and Patel, H. R. (2016b). Soret and Heat Generation Effects on MHD Casson Fluid Flow Past an Oscillating Vertical Plate Embedded Through Porous Medium. *Alexandria Engineering Journal*. 55: 2125-2137.
- Kaviany, M. (2002). *Principles of Heat Transfer*. New York: John Wiley & Sons.
- Kavita, K., Prasad, K. R. and Kumari B. A. (2012). Influence of Heat Transfer on MHD Oscillatory Flow of Jeffrey Fluid in a Channel. *Advances in Applied Science Research*. 3(4): 2312-2325.
- Khalid, A., Khan, I. and Shafie, S. (2015a). Exact Solutions for Free Convection Flow of Nanofluids with Ramped Wall Temperature. *The European Physical Journal Plus*. 130(57): 1-14.
- Khalid, A., Khan, I., Khan, A. and Shafie, S. (2015b). Unsteady MHD Free Convection Flow of Casson Fluid past over an Oscillating Vertical Plate Embedded in a Porous Medium. *Engineering Science and Technology, an International Journal*. 18: 309-317.

- Khalid, A., Khan, I. and Shafie, S. (2016). Heat Transfer in Ferrofluid With Cylindrical Shape Nanoparticles Past a Vertical Plate With Ramped Wall Temperature Embedded in a Porous Medium. *Journal of Molecular Liquids*. 221: 1175-1183.
- Khan, M. (2007). Partial Slip Effects on the Oscillatory Flows of a Fractional Jeffrey Fluid in a Porous Medium. *Journal of Porous Media*. 10(5): 473-487.
- Khan, I., Ali, F., Sharidan, S. and Norzieha, M. (2010). Exact Solutions for Accelerated Flows of a Rotating Second Grade Fluid in a Porous Medium. *World Applied Sciences Journal*. 9: 55-68.
- Khan, M., Iftikhar, F. and Anjum, A. (2011). Some Unsteady Flows of a Jeffrey Fluid between Two Side Walls over a Plane Wall. *Z. Naturforsch.* 66a: 745 – 752.
- Khan, M. S., Karim, I., Ali, L. E. and Islam, A. (2012). Unsteady MHD Free Convection Boundary-layer Flow of a Nanofluid along a Stretching Sheet with Thermal Radiation and Viscous Dissipation Effects. *International Nano Letters*. 2(24): 1-9.
- Khan, I., Ali, F., Mustapha, N. and Shafie, S. (2013a). Transient Oscillatory of a Generalized Burgers' Fluid in a Rotating Frame. *Z. Naturforsch.* 68a: 305-309.
- Khan, I., Ali, F., Samiulhaq and Shafie, S. (2013b). Exact Solutions for Unsteady Magnetohydrodynamics Oscillatory Flow of a Maxwell Fluid in a Porous Medium. *Z. Naturforsch.* 68a: 635-645.
- Khan, A., Khan, I., Ali, F., Ulhaq, S. and Shafie, S. (2014a). Effects of Wall Shear Stress on Unsteady MHD Conjugate Flow in a Porous Medium with Ramped Wall Temperature. *PLoS ONE*. 9(3): 1-12.
- Khan, A., Khan, I., Ali, F. and Shafie, S. (2014b). Effects of Wall Shear Stress on MHD Conjugate Flow over an Inclined Plate in a Porous Medium with Ramped Wall Temperature. *Mathematical Problems in Engineering*. 2014: 1-15.
- Khan, I., Ali, F., Shafie, S. and Qasim, M. (2014). Unsteady Free Convection Flow in a Walters'-B Fluid and Heat Transfer Analysis. *Bulletin of the Malaysian Mathematical Sciences Society*. 37(2): 437-448.
- Khan, I. (2015). A Note on Exact Solutions for the Unsteady Free Convection Flow of a Jeffrey Fluid. *Z. Naturforsch.* 70(6): 272-284.
- Khan, U., Ahmed, N. and Mohyud-Din, S. T. (2015). Heat Transfer Effects on Carbon Nanotubes Suspended Nanofluid Flow in a Channel with Non-parallel Walls under the Effect of Velocity Slip Boundary Condition: A Numerical Study. *Neural Computing and Applications*. 1-10.

- Khan, M. and Azam, M. (2017). Unsteady Heat and Mass Transfer Mechanics in MHD Carreau Nanofluid Flow. *Journal of Molecular Liquids*. 225: 554-562.
- Kishore, P. M., Rajesh, V. and Verma, S. V. (2012). The Effects of Thermal Radiation and Viscous Dissipation on MHD Heat and Mass Diffusion Flow Past an Oscillating Vertical Plate Embedded in a Porous Medium With Variable Surface Conditions. *Theoretical and Applied Mechanics*. 39(2): 99-125.
- Krishna, P. M., Sugunamma, V. and Sandeep, N. (2014). Radiation and Magnetic Field Effects on Unsteady Natural Convection Flow of a Nanofluid past an Infinite Vertical Plate with Heat Source. *Chemical and Process Engineering Research*. 25: 39-52.
- Kundu, R. K. and Cohen, I. M. (2002). *Fluid Mechanics*. (2nd ed.). United State of America: Academic Press.
- Kundu, P. K., Das, K. and Acharya, N. (2014a). Flow Features of a Conducting Fluid near an Accelerated Vertical Plate in Porous Medium with Ramped Wall Temperature. *Journal of Mechanics*. 30(3): 277-288.
- Kundu, P. K., Das, K. and Jana, S. (2014b). MHD Micropolar Fluid Flow with Thermal Radiation and Thermal Diffusion in a Rotating Frame. *Bulletin of the Malaysian Mathematical Sciences Society*. 1-21.
- Lavanya, B., Ibrahim, S. M. and Ratnam, A. L. (2014). Heat Generation and Chemical Reaction Effects on MHD Flow over an Infinite Vertical Oscillating Porous Plate with Thermal Radiation. *International Journal of Engineering and Computer Science*. 3: 9533-9542.
- Lee, S., Choi, S. U. S., Li, S. and Eastman, J. A. (1999). Measuring Thermal Conductivity of Fluids Containing Oxide Nanoparticles. *Journal of Heat Transfer*. 121: 280-289.
- Liu, C. (2008). Complete Solutions to Extended Stoke's Problems. *Mathematical Problems in Engineering*. 1-18.
- Loganathan, P., Nirmal Chand, P. and Ganesan, P. (2013). Radiation Effects on an Unsteady Natural Convective Flow of a Nanofluid Past an Infinite Vertical Plate. *NANO: Brief Reports and Reviews*. 8(1): 1-10.
- Mabood, F. and Khan, W. A. (2016). Analytical Study for Unsteady Nanofluid MHD Flow Impinging on Heated Stretching Sheet. *Journal of Molecular Liquids*. 219: 216-223.

- Mabood, F., Abdel-Rahman, R. and Lorenzini, G. (2016). Numerical Study of Unsteady Jeffrey Fluid Flow with Magnetic Field Effect and Variable Fluid Properties. *Journal of Thermal Science and Engineering Applications*. 8: 1- 9.
- Mahdy, A. and Chamkha, A. (2015). Heat Transfer and Fluid Flow of a Non-Newtonian Nanofluid over an Unsteady Contracting Cylinder Employing Buongiorno's Model. *International Journal of Numerical Methods for Heat & Fluid Flow*. 25(4): 703-723.
- Malhotra, C. P., Mahajan, R. L., Sampath, W. S., Barth, L. B. and Enzenroth, R. A. (2006). Control of Temperature Uniformly during the Manufacture of Stable Thin-Film Photovoltaic Devices. *International Journal of Heat and Mass Transfer*. 49: 2840-2850.
- Malvandi, A. (2015). The Unsteady Flow of a Nanofluid in the Stagnation Point Region of a Time-Dependent Rotating Sphere. *Thermal Science*. 19(5): 1603-1612.
- Manna, S. S., Das, S. and Jana, R. N. (2012). Effects of Radiation on Unsteady MHD Free Convective Flow Past an Oscillating Vertical Porous Plate Embedded in a Porous Medium With Oscillatory Heat Flux. *Advances in Applied Science Research*. 3(6): 3722-3736.
- Mansur, S. and Ishak, A. (2016). Unsteady Boundary Layer Flow of a Nanofluid over a Stretching/Shrinking Sheet With a Convective Boundary Condition. *Journal of the Egyptian Mathematical Society*. 24: 650-655.
- Mekheimer, K. S., Husseny S. Z-A., Ali A. T. and Abo-Elkhair R. E. (2011). Lie Point Symmetries and Similarity Solutions for an Electrically Conducting Jeffrey Fluid. *Physica Scripta*. 83: 1-7.
- Miglani, M., Garg, N. R. and Sharma, M. K. (2016). Radiative Effect on Flow and Heat Transfer over a Vertically Oscillating Porous Flat Plate Embedded in Porous Medium With Oscillating Surface Temperature. *Open Journal of Fluid Dynamics*. 6: 119-129.
- Mohamad, A. Q., Khan, I. and Shafie, S. (2016). Unsteady Free Convection Flow of Rotating MHD Second Grade Fluid in a Porous Medium over an Oscillating Plate. *Advances in Industrial and Applied Mathematics*. 1-7.
- Mohd Kasim, A. R., Mohammad, N. F., Shafie, S. and Pop, I. (2013). Constant Heat Flux Solution for Mixed Convection Boundary Layer Viscoelastic Fluid. *Heat and Mass Transfer*. 49: 163-171.

- Mohyud-Din, S. T., Khan, U., Ahmed, N. and Hassan, S. M. (2015). Magneto hydrodynamic Flow and Heat Transfer of Nanofluids in Stretchable Convergent/Divergent Channels. *Applied Sciences*. 5(4): 1639-1664.
- Mojumder, S., Saha, S., Saha, S. and Mamun, M. A. H. (2015). Effect of Magnetic Field on Natural Convection in a C-shaped Cavity Filled with Ferrofluid. *Procedia Engineering*. 105: 96-104.
- Muthucumaraswamy, R. (2012). MHD and Radiative Flow past a Vertical Oscillating Plate with Chemical Reaction of First Order. *Emirates Journal for Engineering Research*. 18(1): 1-10.
- Murthy, M. V. R., Raju, R. S. and Rao, J. A. (2015). Heat and Mass Transfer Effects on MHD Natural Convective Flow past an Infinite Vertical Porous Plate with Thermal Radiation and Hall Current. *Procedia Engineering*. 127: 1330-1337.
- Nadeem, S., Tahir, B., Labropulu, F. and Akbar, N. S. (2014). Unsteady Oscillatory Stagnation Point Flow of a Jeffrey Fluid. *Journal of Aerospace Engineering*. 27: 636-643.
- Nag, P. K. (2002). *Basic and Applied Thermodynamics*. New Delhi: Tata McGraw-Hill.
- Nandkeolyar, R., Das, M. and Sibanda, P. (2013a). Unsteady Hydromagnetic Heat and Mass Transfer Flow of a Heat Radiating and Chemically Reactive Fluid past a Flat Porous Plate with Ramped Wall Temperature. *Mathematical Problems in Engineering*. 2013: 1-12.
- Nandkeolyar, R., Seth, G. S., Makinde, O. D., Sibanda, P. and Ansari, Md. S. (2013b). Unsteady Hydromagnetic Natural Convection Flow of a Dusty Fluid past an Impulsively Moving Vertical Plate with Ramped Temperature in the Presence of Thermal Radiation. *Journal of applied Mechanics*. 80: 1-9.
- Nandkeolyar, R., Das, M. and Sibanda, P. (2013c). Exact Solutions of Unsteady MHD Free Convection in a Heat Absorbing Fluid Past a Flat Plate with Ramped Wall Temperature. *Boundary Value Problems*. 2013: 247: 1-16.
- Nandkeolyar, R., Das, M. and Pattnayak, H. (2013d). Unsteady Hydromagnetic Radiative Flow of a Nanofluid Past a Flat Plate With Ramped Wall Temperature. *Journal of the Orissa Mathematical Society*. 32(1): 15-30.
- Nandkeolyar, R. and Das, M. (2014). Unsteady MHD Free Convection Flow of a Heat Absorbing Dusty Fluid Past a Flat Plate with Ramped Wall Temperature. *Afrika Matematika*. 25(3): 779-798.

- Narahari, M. and Ishak, A. (2011). A Radiation Effects on Free Convection Flow near a Moving Vertical Plate with Newtonian Heating. *Journal of Applied Sciences*. 11(7): 1096-1104.
- Narahari, M. (2012). Transient Free Convection Flow between Long Vertical Parallel Plates with Ramped Wall Temperature at One Boundary in the Presence of Thermal Radiation and Constant Mass Diffusion. *Meccanica*. 47: 1961-1976.
- Narayana, P. V. S., Venkateswarlu, B. and Venkataramana, S. (2013). Effects of Hall Current and Radiation Absorption on MHD Micropolar Fluid in a Rotating System. *Ain Shams Engineering Journal*. 4: 843-854.
- Narayana, P. V. S., Venkateswarlu, B. and Venkataramana, S. (2015). Thermal Radiation and Heat Source Effects on a MHD Nanofluid past a Vertical Plate in a Rotating System with Porous Medium. *Heat Transfer-Asian Research*. 44(1): 1-19.
- Nazar, M., Corina Fetecau, Vieru, D. and Fetecau, C. (2010). New Exact Solutions Corresponding to the Second Problem of Stokes for Second Grade Fluids. *Nonlinear Analysis: Real World Applications*. 11: 584-591.
- Olajuwon, B. I. and Oahimire, J. I. (2013). Unsteady Free Convection Heat and Mass Transfer in an MHD Micropolar Fluid in the Presence of Thermo Diffusion and Thermal Radiation. *International Journal of Pure and Applied Mathematics*. 84(2): 15-37.
- Pandit, K. K., Sarma, D. and Deka, A. K. (2016). Effects of Hall Current and Rotation on Unsteady MHD Natural Convection Flow past a Vertical Flat Plate With Ramped Wall Temperature and Heat Absorption. *British Journal of Mathematics & Computer Science*. 18(5): 1-26.
- Pantokratoras, A. and Fang, T. (2013). Sakiadis Flow with Nonlinear Rosseland Thermal Radiation. *Physica Scripta*. 87: 1-5.
- Panton, R. (1968). The transient for Stokes' Oscillating Plate: A Solution in the Terms of Tabulated Functions. *Journal of Fluid Mechanics*. 31(4): 819-825.
- Parasuraman, L., Peddisetty, N. C. and Periyannagounder, G. (2015). Radiative Effects on an Unsteady MHD Natural Convective Flow of a Nanofluid Past a Vertical Plate. *Thermal Science*. 19(3): 1037-1050.
- Patra, R. R., Das, S., Jana, R. N. and Ghosh, S. K. (2012). Transient Approach to Radiative Heat Transfer Free Convection Flow with Ramped Wall Temperature. *Journal of Applied Fluid Mechanics*. 5(2): 9-13.

- Philliph, K. J., Raju, M. C., Chamkha, A. J. and Varma, S. V. K. (2014). MHD Rotating Heat and Mass Transfer Free Convective Flow Past an Exponentially Accelerated Isothermal Plate With Fluctuating Mass Diffusion. *International Journal of Industrial Mathematics*. 6(4): 297-306.
- Prasad, V. R., Gaffar, S. A. and Reddy, E. K. (2014). Flow and Heat Transfer of Jeffreys Non-Newtonian Fluid from Horizontal Circular Cylinder. *Journal of Thermophysics and Heat Transfer*. 28(4): 765-770.
- Purkayastha, S. and Choudhury, R. (2014). Hall Current and Thermal Radiation Effect on MHD Convective Flow of an Elastico-Viscous Fluid in a Rotating Porous Channel. *Applied and Theoretical Mechanics*. 9: 196-205.
- Pushpalatha, K., Sugunamma, V., Reddy, J. V. R. and Sandeep, N. (2016). Heat and Mass Transfer in Unsteady MHD Casson Fluid Flow with Convective Boundary Conditions. *International Journal of Advanced Science and Technology*. 91: 19-38.
- Qasim, M. (2013). Heat and Mass Transfer in a Jeffrey Fluid over a Stretching Sheet with Heat Source/Sink. *Alexandria Engineering Journal*. 52: 571-575.
- Qasim, M., Khan, Z. H., Khan, W. A. and Shah, I. A. (2014). MHD Boundary Layer Slip Flow and Heat Transfer of Ferrofluid along a Stretching Cylinder with Prescribed Heat Flux. *PLoS One*. 9(1): 1-6.
- Qayyum, A., Awais, M., Alsaedi, A. and Hayat, T. (2012). Unsteady Squeezing Flow of Jeffrey Fluid between Two Parallel Disks. *Chinese Physics Letters*. 29(3): 1-4.
- Rajesh, V. and Chamkha, A. J. (2014). Effects of Ramped Wall Temperature on Unsteady Two-Dimensional Flow past a Vertical Plate with Thermal Radiation and Chemical Reaction. *Communications in Numerical Analysis*. 2014: 1-17.
- Rajesh, V., Mallesh, M. P. and Bég, O. A. (2015). Transient MHD Free Convection Flow and Heat Transfer of Nanofluid past an Impulsively Started Vertical Porous Plate in the Presence of Viscous Dissipation. *Procedia Materials Science*. 10: 80-89.
- Rajesh, V., Chamkha, A. J. and Mallesh, M. P. (2016). Transient MHD Free Convection Flow and Heat Transfer of Nanofluid past an Impulsively Started Semi-Infinite Vertical Plate. *Journal of Applied Fluid Mechanics*. 9(5): 2457-2467.

- Rajput, U. S. and Kanujia, N. (2016). MHD Flow past a Vertical Plate With Variable Temperature and Mass Diffusion in the Presence of Hall Current. *International Journal of Applied Science and Engineering*. 14(2): 115-123.
- Rana, P., Bhargava, R. and Beg, O. A. (2012). Finite Element Simulation of Unsteady Magneto-hydrodynamic Transport Phenomena on a Stretching Sheet in a Rotating Nanofluid. *Journal of Nanoengineering and Nanosystems*. 227(2): 77-99.
- Rashidi, M. M, Ganesh, N. V., Abdul Hakeem, A. K. and Ganga, B. (2014). Buoyancy Effect on MHD Flow of Nanofluid over a Stretching Sheet in the Presence of Thermal Radiation. *Journal of Molecular Fluids*. 198. 234-238.
- Reddy, G. B., Sreenadh, S., Reddy, R. H. and Kavitha, A. (2015a). Flow of a Jeffrey Fluid between Torsionally Oscillating Disks. *Ain Shams Engineering Journal*. 6: 355-362.
- Reddy, J. V. R., Sugunamma, V. and Sandeep, N. (2015b). Thermo Diffusion and Hall Current Effects on an Unsteady Flow of a Nanofluid under the Influence of Inclined Magnetic Field. *International Journal of Engineering Research in Africa*. 20: 61-79.
- Reddy, S. S. and Shamshudin, MD. (2016). Diffusion –Thermo and Chemical Reaction Effects on an Unsteady MHD Free Convection Flow in a Micropolar Fluid. *Theoretical and Applied Mechanics*. 43(1): 117-131.
- Reddy, L. R., Raju, M. C. and Raju, G. S. S. (2016a). Convective Ramped Wall Temperature and Concentration Boundary Layer Flow of a Chemically Reactive Heat Absorbing and Radiating Fluid over a Vertical Plate in Conducting Field with Hall Current. *Innovative Energy & Research*. 5(1): 1-20.
- Reddy, J. V. R., Sugunamma, V., Sandeep, N. and Sulochana, C. (2016b). Influence of Chemical Reaction, Radiation and Rotation on MHD Nanofluid Flow past a Permeable Flat Plate in Porous Medium. *Journal of the Nigerian Mathematical Society*. 35: 48-65.
- Samiulhaq, Fetecau, C., Khan, I., Ali, F. and Shafie, S. (2012a). Radiation and Porosity Effects on the Magnetohydrodynamics Flow past an Oscillating Vertical Plate with Uniform Heat Flux. *Z. Naturforsch.* 67a: 572-580.
- Samiulhaq, Khan, I., Ali, F. and Shafie, S. (2012b). MHD Free Convection Flow in a Porous Medium with Thermal Diffusion and Ramped Wall Temperature. *Journal of the Physical Society of Japan*. 81: 1-9.

- Samiulhaq, Ahmad, S., Vieru, D., Khan, I. and Shafie, I. (2014a). Unsteady Magnetohydrodynamic Free Convection Flow of a Second Grade Fluid in a Porous Medium with Ramped Wall Temperature. *PLoS ONE*. 9(5): 1-9.
- Samiulhaq, Khan, I., Ali, F. and Shafie, S. (2014b). Free Convection Flow of a Second Grade Fluid with Ramped Wall Temperature. *Heat Transfer Research*. 45(7): 579-588.
- Samiulhaq, Khan, I., Ali, F., Khan, A. and Abdelhameed, T. N. A. (2015). Influence of Slip Condition on Unsteady Free Convection Flow of Viscous Fluid with Ramped Wall Temperature. *Abstract and Applied Analysis*. 2015: 1-7.
- Sandeep, N., Sugunamma, V. and Krishna, P. M. (2013). Effects of Radiation on an Unsteady Natural Convective Flow of a EG-Nimonic 80a Nanofluid Past an Infinite Vertical Plate. *Advances in Physics Theories and Applications*. 23: 36-43.
- Sandeep, N., Sulochana, C., Raju, C. S. K., Jayachandra Babu, M. and Sugunamma, V. (2015). Unsteady Boundary Layer Flow of Thermophoretic MHD Nanofluid Past a Stretching Sheet With Space and Time Dependent Internal Heat Source/Sink. *Applications and Applied Mathematics: An International Journal*. 10(1): 312-327.
- Saraswat, A. and Srivastava, R. K. (2013). MHD Flow past an Oscillating Vertical Plate with Variable Temperature through Porous Media. *International Journal of Emerging Technologies in Computational and Applied Sciences*. 6(5): 370-374.
- Sarkar, B. C., Das, S. and Jana, R. N. (2012). Effects of Hall Currents and Radiation on MHD Free Convective Flow past an Oscillating Vertical Plate with Oscillatory Plate Temperature in a Porous Medium. *The Bulletin of Society for Mathematical Services and Standards*. 3: 5-27.
- Schlichting, H. (1968). *Boundary Layer Theory*. (7th ed.). New York: McGraw-Hill.
- Seth, G. S., Mahato, G. K., Sarkar, S. and Ansari, Md. S. (2012a). Effects of Hall Current on Hydromagnetic Natural Convection Flow of a Heat Absorbing Fluid past an Impulsively Moving Vertical Plate with Ramped Temperature. *International Journal of Applied Mathematical Research*. 1(4): 462-486.
- Seth, G. S., Nandkeolyar, R. and Ansari, Md. S. (2012b). Effects of Hall Current and Rotation on Unsteady MHD Couette Flow in the Presence of an Inclined Magnetic Field. *Journal of Applied Fluid Mechanics*. 5(2): 67-74.

- Seth, G. S., Sarkar, S. and Mahato, G. K. (2013a). Numerical Solution of Unsteady Hydromagnetic Natural Convection Flow of Heat Absorbing Fluid past an Impulsively Moving Vertical Plate with Ramped Wall Temperature. *International Journal of Applied Mathematical Research*. 2(2): 317-324.
- Seth, G. S., Mahato, G. K. and Sarkar, S. (2013b). MHD Natural Convection Flow with Radiative Heat Transfer past an Impulsively Moving Vertical Plate With Ramped Temperature in the Presence of Hall Current and Thermal Diffusion. *International Journal of Applied Mechanics and Engineering*. 18(4): 1201-1220.
- Seth, G. S., Nandkeolyar, R. and Ansari, Md. S. (2013c). Effects of Thermal Radiation and Rotation on Unsteady Hydromagnetic Free Convection Flow past an Impulsively Moving Vertical Plate with Ramped Temperature in a Porous Medium. *Journal of Applied Fluid Mechanics*. 6(1): 27-38.
- Seth, G. S., Hussain, S. M. and Sarkar, S. (2014a). Hydromagnetic Natural Convection Flow with Radiative Heat Transfer past an Accelerated Moving Vertical Plate with Ramped Temperature through a Porous Medium. *Journal of Porous Media*. 17(1): 67-79.
- Seth, G. S., Hussain, S. M. and Sarkar, S. (2014b). Effects of Hall Current and Rotation on Unsteady MHD Natural Convection Flow With Heat and Mass Transfer Past an Impulsively Moving Vertical Plate in the Presence of Radiation and Chemical Reaction. *Bulgarian Chemical Communications*. 46(4): 704-718.
- Seth, G. S., Sarkar, S. and Hussain, S. M. (2014c). Effects of Hall Current, Radiation and Rotation on Natural Convection Heat and Mass Transfer Flow past a Moving Vertical Plate. *Ain Shams Engineering Journal*. 5: 489-503.
- Seth, G. S. and Sarkar, S. (2015). MHD Natural Convection Heat and Mass Transfer Flow past a Time Dependent Moving Vertical Plate with Ramped Temperature in a Rotating Medium with Hall Effects, Radiation and Chemical Reaction. *Journal of Mechanics*. 31(1): 91-104.
- Seth, G. S., Hussain, S. M. and Sarkar, S. (2015a). Hydromagnetic Natural Convection Flow with Heat and Mass Transfer of a Chemically Reacting and Heat Absorbing Fluid Past an Accelerated Moving Vertical Plate with Ramped Temperature and Ramped Surface Concentration through a Porous Medium. *Journal of the Egyptian Mathematical Society*. 23: 197-207.
- Seth, G. S., Kumbhakar, B. and Sarkar, S. (2015b). Soret and Hall Effects on Unsteady MHD Free Convection Flow of Radiating and Chemically Reactive Fluid Past a

- Moving Vertical Plate With Ramped Temperature in Rotating System. *International Journal of Engineering, Science and Technology*. 7(21): 94-108.
- Seth, G. S., Kumbhakar, B. and Sarkar, S. (2016). Unsteady MHD Natural Convection Flow With Exponentially Accelerated Free-Stream Past a Vertical Plate in the Presence of Hall Current and Rotation. *Rendiconti del Circolo Matematico di Palermo*. 1-21.
- Shehzad, S. A., Alsaedi, A. and Hayat, T. (2013). Influence of Thermophoresis and Joule Heating on the Radiative Flow of Jeffrey Fluid with Mixed Convection. *Brazilian Journal of Chemical Engineering*. 30(4): 897-908.
- Shehzad, S. A., Alsaedi, A., Hayat, T. and Alhuthali M. S. (2014a). Thermophoresis Particle Deposition in Mixed Convection Three-Dimensional Radiative Flow of an Oldroyd-B Fluid. *Journal of the Taiwan Institute of Chemical Engineers*. 45: 787–794.
- Shehzad, S. A., Hayat, T. and Alsaedi, A. (2014b). MHD Flow of Jeffrey Nanofluid with Convective Boundary Conditions. *Journal of the Brazilian Society of Mechanical Sciences and Engineering*. 37(873): 1-11.
- Shehzad, S. A., Abdullah, Z., Alsaedi, A., Abbasi, F. M. and Hayat, T. (2016). Thermally Radiative Three-dimensional Flow of Jeffrey Nanofluid with Internal Heat Generation and Magnetic Field. *Journal of Magnetism and Magnetic Materials*. 397: 108-114.
- Sheri, S. R., Chamkha, A. J. and Suram, A. K. (2016). Heat and Mass Transfer Effects on MHD Natural Convection Flow past an Impulsively Moving Vertical Plate with Ramped Wall Temperature. *Journal of Heat and Mass Transfer*. 3(3): 129-148.
- Siegel, R. and Howell, J. R. (2002). *Thermal Radiation Heat Transfer*. (3rd ed.). United State of America: Taylor and Francis.
- Situma, H., Sigey, J. K., Okello, J. A., Okwoyo, J. M and Theuri, D. (2015). Effect of Hall Current and Rotation on MHD Free Convection Flow past a Vertical Infinite Plate under a Variable Transverse Magnetic Field. *The SIJ Transactions on Computer Networks & Communication Engineering*. 3(5): 59-65.
- Sivaraj, R. and Kumar, B. R. (2013). Chemically Reacting Dusty Viscoelastic Fluid Flow in an Irregular Channel with Convective Boundary. *Ain Shams Engineering Journal*. 4: 93–101.

- Sravanthi, C. S., Ratnam, A. L. and Reddy, N. B. (2014). Unsteady Free Convective MHD Flow in a Rotating System Through Porous Medium With Radiation. *International Journal of Mathematical Archive*. 5(3): 160-167.
- Sree, H. K., Kumar, M. S. and Vijayatha, D. (2016). MHD Heat Transfer Oscillatory Flow Jeffrey Fluid in an Inclined Channel Filled with Porous Medium. *Chemical and Process Engineering Research*. 44: 26-30.
- Stokes, G. G. (1851). *Transactions of the Cambridge Philosophical Society*. IX: 8.
- Sugunamma, V., Ramadevi, B., Reddy, J. V. R. and Sandeep, N. (2016). Hall Current Effects on Free Convection Casson Fluid Flow in a Rotating System with Convective Boundary Conditions and Constant Heat Source. *Chemical and Process Engineering Research*. 41: 21-28.
- Sukumar, M., Murthy, M. K., Varma, S. V. K. and Rajinikanth, K. (2016). Slip Effects on Mhd Flow of Jeffrey Fluid over an Unsteady Shrinking Sheet with Wall Mass Transfer. *Middle-East Journal of Scientific Research*. 24(6): 1920-1925.
- Swetha, R., Reddy, G. V. and Varma, S. V. K. (2015). Diffusion-thermo and Radiation Effects on MHD Free Convection Flow of Chemically Reacting Fluid Past an Oscillating Plate Embedded in Porous Medium. *Procedia Engineering*. 127: 553-560.
- Tiwari, R. K. and Das, M. K. (2007). Heat Transfer Augmentation in a Two-Sided Lid-Driven Differentially Heated Square Cavity Utilizing Nanofluids. *International Journal of Heat and Mass Transfer*. 50: 2002-2018.
- Tripathi, D. and Beg, O. A. (2012). Magnetohydrodynamics Peristaltic Flow of a Couple Stress Fluid through Coaxial Channels Containing a Porous Medium. *Journal of Mechanics in Medicine and Biology*. 12(5): 1-20.
- Turkyilmazoglu, M. and Pop, I. (2013). Heat and Mass Transfer of Unsteady Natural Convection Flow of Some Nanofluids Past a Vertical Infinite Flat Plate with Radiation Effect. *International Journal of Heat and Mass Transfer*. 59: 167-171.
- Turkyilmazoglu, M. (2014). Unsteady Convection Flow of Some Nanofluids Past a Moving Vertical Flat Plate With Heat Transfer. *Journal of Heat Transfer*. 136(3): 1-7.
- Umamaheswar, M., Varma, S. V. K. and Raju, M. C. (2013). Unsteady MHD Free Convection Visco-Elastic Fluid Flow Bounded by an Infinite Inclined Porous Plate in the Presence of Heat Source, Viscous Dissipation and Ohmic Heating. *International Journal of Advanced Science and Technology*. 61: 39-52.

- Vani, K. S. R. and Rao, D. R. V. P. (2016). Effect of Thermal Radiation on Unsteady Convective Heat Transfer Flow of a Rotating Nanofluid past a Vertical Plate. *Advances in Applied Science Research*. 7(3): 83-94.
- Vanita and Kumar, A. (2016). Effect of Radial Magnetic Field on Natural Convection Flow in Alternate Conducting Vertical Concentric Annuli with Ramped Temperature. *Engineering Science and Technology, an International Journal*. 19: 1436-1451.
- Veerakrishna, M. and Swarnalathamma, B. V. (2016). Hall Effects on Unsteady MHD Free Convection Flow of an Incompressible Electrically Conducting Second Grade Fluid Through a Porous Medium Over an Infinite Rotating Vertical Plate Fluctuating with Heat Source/Sink and Chemical Reaction. *IOSR Journal of Mathematics*. 12(2): 8-24.
- Vemula, R., Debnath, L. and Chakrara, S. (2016). Unsteady MHD Free Convection Flow of Nanofluid Past an Accelerated Vertical Plate With Variable Temperature and Thermal Radiation. *International Journal of Applied and Computational Mathematics*. 1-17.
- Venkateswarlu, B. and Narayana, P. V. S. (2015). Chemical Reaction and Radiation Absorption Effects on the Flow and Heat Transfer of a Nanofluid in a Rotating System. *Applied Nanoscience*. 5: 351-360.
- Wahiduzzaman, M., Mazumder, G. C., Islam, M. T., Sarker, A. and Uddin, M. S. (2015). Unsteady MHD-Free Convection Flow Past From a Rotating Vertical Plate With the Influence of Hall and Ion-Slip Current. *Annals of Pure and Applied Mathematics*. 9(1): 91-106.
- Widodo, B., Anggriani, I., Khalimah, D. A., Zainal, F. D. S. and Imron, C. (2016). Unsteady Boundary Layer Magnetohydrodynamics in Micropolar Fluid past a Sphere. *Far East Journal of Mathematical Sciences*. 100(2): 291-299.
- White, F. (1998). *Fluid Mechanics*. (4th ed.). New York: McGraw-Hill Higher Education.
- Yazdi, M. E., Moradi, A. and Dinarvand, S. (2014). MHD Mixed Convection Stagnation-Point Flow Over a Stretching Vertical Plate in Porous Medium Filled with a Nanofluid in the Presence of Thermal Radiation. *Arab J Sci Eng*. 39: 2251-2261.

- Zakaria, M. N., Hussanan, A., Khan, I. and Shafie, S. (2013). The Effects of Radiation on Free Convection Flow with Ramped Wall Temperature in Brinkman Type Fluid. *Jurnal Teknologi (Science & Engineering)*. 62(3): 33-39.
- Zhang, J. and Ni, M. (2014). A Consistent and Conservative Scheme for MHD Flows with Complex Boundaries on an Unstructured Cartesian Adaptive System. *Journal of Computational Physics*. 256: 520-542.