

UNMANNED AERIAL VEHICLE LARGE SCALE MAPPING FOR COASTAL
EROSION ASSESSMENT

NORHADIJA BINTI DARWIN

A thesis submitted in fulfilment of the
requirement for the award of the degree of
Doctor of Philosophy (Geomatic Engineering)

Faculty of Geoinformation and Real Estate
Universiti Teknologi Malaysia

MAY 2017

DEDICATION

This PhD Dissertation is dedicated

To my beloved husband (Mr. Hamdi Abdul Hamid), son (Muhammad Hadif Raziq Hamdi), parents (Andriana Mandehe & Darwin Dahlan), siblings (Hadri, Hisyam, Ecah, Patiroy & Ali), parents in law (Siti Hamidah Abdullah & Abdul Hamid Ahmad) brother & sister in law (Hamzee & Hamiza), supervisor (Assoc. Prof. Dr. Hj. Anuar Hj. Ahmad) and friends.

Who taught me to trust in Allah, believe in hard work and that so much could be done with little

Thank you very much

ACKNOWLEDGEMENT

All praises to Allah, for giving me the courage and strength needed to endure and overcome all the challenges that came my way in order to complete this thesis. I would like to take this opportunity to mention my grateful appreciation especially to my only supervisor, Assoc. Prof. Dr. Hj. Anuar Bin Hj. Ahmad, for his teaching, advices and guidance in helping me to accomplish this PhD study. I am also very thankful to my panels Assoc. Prof. Dr. Mushairry bin Mustaffar and Assoc. prof. Dr. Abdul Nasir Matori for their guidance, advices and motivation. Without their continued support and interest, this thesis would not have been the same as presented here.

For my beloved family especially for my husband, mother, father, siblings and parents in law for their encouragement, support, prayers and understanding through the end of my study. Besides that, I would like to extend my appreciation to Geodesy Laboratory staff Faculty of Geoinformation and Real Estate, Universiti Teknologi Malaysia who have helped me a lot in using the GPS instrument that I need to complete this PhD thesis.

To all my beloved friends and UAV group who have helped me in conducting my fieldwork and giving idea for the thesis and support me throughout my PhD study. Finally, I would like to thanks to the people not mentioned here, who helped me whether directly or indirectly are gratefully acknowledged.

ABSTRACT

Most of the time, many countries in tropical region are covered by cloud which obstruct the acquisition of high resolution optical image from satellite. Thus, the application of large scale mapping for coastal erosion assessment is difficult to be carried out. The unmanned aerial vehicle (UAV) can be used for acquisition of high resolution image due to its ability of flying at low altitudes and under cloud cover. This study aims to improve the methodology of data acquisition for assessing eroded coastal area by using UAV system designed for large scale mapping. The objectives of this study are (i) to improve the methodology of data acquisition for large scale coastal erosion assessment using UAV with rapid and low cost, (ii) to assess the accuracy of the digital photogrammetric products obtained with different ground control points (GCP) configurations and flying altitude, and (iii) to identify and assess coastal areas due to erosion based on the large-scale orthophoto produced. Two improved methods were introduced in this study: (i) rapid data acquisition and processing, low cost and accurate mapping using UAV, and (ii) modification of the end point rate (EPR) and linear regression rate (LRR) calculation methods by including two new parameters namely the sea water and wave level to detect coastline changes. The modified EPR and LRR methods in detecting the coastline changes of Crystal Bay, Alai, Melaka and Kampung Seri Pantai, Mersing, Johor were evaluated through statistical model, namely t-test and compared with other studies of similar area for validation and verification. Several configurations of GCP, check points (CP) and flying altitude were used to produce the digital elevation model (DEM) and orthophoto which were then processed photogrammetrically. Subsequently, the coastal erosion assessment was performed and the coastline changes of private properties, buildings and residential areas was identified. The results show that the best GCP configuration to produce coastal erosion mapping scale of 1:14000 is 25 points. Meanwhile, the best flying altitude is 300m with accuracies of $\pm 0.002\text{m}$, $\pm 0.004\text{m}$ and $\pm 0.389\text{m}$ in Northing, Easting and Height respectively. Furthermore, this study shows that most of the coastline, private properties, buildings and residential areas are affected by the coastal erosion. Based on the modified EPR and LRR calculation methods in determining the coastline changes, it is evident that the coastline change rate is significant. In conclusion, this study shows that the UAV system offers many advantages such as its ability to fly at low altitude, low cost, rapid data acquisition and processing in detecting coastline changes and accurate results.

ABSTRAK

Kebanyakan negara dalam kawasan tropika dilitupi oleh awan hampir sepanjang masa di mana ia menghalang perolehan imej optikal beresolusi tinggi daripada satelit. Maka aplikasi seperti pemetaan berskala besar bagi penilaian hakisan pantai sukar dilaksanakan. Pesawat udara tanpa pemandu (UAV) boleh digunakan untuk perolehan imej beresolusi tinggi kerana kebolehan ia untuk terbang pada altitud yang rendah dan di bawah litupan awan. Kajian ini bertujuan untuk menambahbaik metodologi pengumpulan data bagi menilai kawasan hakisan pantai menggunakan sistem UAV yang direkabentuk untuk pemetaan berskala besar. Objektif kajian ini adalah (i) untuk menambahbaik metodologi pengumpulan data bagi penilaian hakisan pantai berskala besar menggunakan UAV dengan pantas dan berkos rendah, (ii) untuk menilai ketepatan produk fotogrametri digital yang diperolehi dengan titik kawalan bumi (GCP) yang berbeza konfigurasi dan altitud penerbangan, dan (iii) untuk mengenalpasti dan menilai kawasan pantai yang terhakis berdasarkan ortofoto berskala besar yang dihasilkan. Terdapat dua penambahbaikan kaedah yang diperkenalkan dalam kajian ini iaitu: (i) kepantasan perolehan dan pemprosesan data, berkos rendah dan pemetaan yang tepat menggunakan UAV, dan (ii) pengubahsuaian dalam kaedah kadar titik akhir (EPR) dan kadar regresi linear (LRR) dengan memasukkan dua parameter baru iaitu paras air laut dan ombak untuk mengesan perubahan garis pantai. Kaedah EPR dan LRR terubah suai bagi mengesan perubahan garis pantai di Crystal Bay, Alai, Melaka and Kampung Seri Pantai, Mersing, Johor telah dinilai melalui model statistik iaitu ujian T dan dibandingkan dengan kajian lain bagi kawasan yang sama untuk pengesahsahihan dan penentusahan. Beberapa konfigurasi GCP, titik semakan (CP) dan altitud penerbangan telah digunakan untuk menghasilkan model ketinggian berdigit (DEM) dan ortofoto yang kemudiannya diproses secara fotogrametri. Seterusnya, penilaian hakisan pantai telah dilaksanakan dan perubahan garis pantai terhadap harta tanah persendirian, bangunan dan kawasan kediaman telah dikenalpasti. Hasil kajian menunjukkan bahawa konfigurasi GCP yang terbaik bagi menghasilkan pemetaan hakisan pantai berskala 1:14000 adalah 25 titik. Manakala ketinggian altitud penerbangan yang terbaik adalah 300m dengan ketepatan $\pm 0.002\text{m}$, $\pm 0.004\text{m}$ and $\pm 0.389\text{m}$ masing-masing bagi Utara, Timur dan Ketinggian. Selain itu, kajian ini menunjukkan bahawa kebanyakan garis pantai, harta tanah persendirian, bangunan dan kawasan kediaman mengalami kesan hakisan pantai. Berdasarkan kaedah kiraan EPR dan LRR terubah suai dalam penentuan perubahan garis pantai, ia menunjukkan bahawa kadar perubahan garis pantai adalah signifikan. Kesimpulannya, kajian ini menunjukkan bahawa sistem UAV menawarkan banyak kelebihan seperti ia mampu terbang pada altitud rendah, kos rendah, kepantasan pengumpulan dan pemprosesan data dalam pengesanan hakisan pantai dan hasil yang tepat.

TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENTS	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	xii
	LIST OF FIGURES	xvi
	LIST OF ABBREVIATIONS	xxiii
	LIST OF APPENDICES	xxv
1	INTRODUCTION	1
	1.1 Research Background	1
	1.2 Statement of Problem	5
	1.3 Aim and Objectives of Study	9
	1.4 Significance of Study	10
	1.5 Scope of Study	11
	1.5.1 Study Area	11
	1.5.2 Coastline Identification	12
	1.5.3 Effectiveness of System	13
	1.5.4 Limitations	13
	1.5.5 Low-cost UAV with Altitude of ≤ 300 m	14
	1.6 Hypothesis of Study	14
	1.7 General Methodology	14

1.8	Thesis Organization	16
2	LITERATURE REVIEW	18
2.1	Introduction	18
2.2	Trends of Unmanned Aerial Vehicle (UAV) in Surveying	19
2.2.1	Hexacopter UAV	20
2.2.2	Cropcam UAV	21
2.3	Digital Photogrammetry and Unmanned Aerial Vehicle (UAV)	22
2.3.1	Photogrammetric Micro UAV	25
2.3.1.1	Flight Planning	27
2.3.1.2	Ground Station	29
2.3.1.3	Aerial Camera	31
2.3.1.4	Digital Camera Calibration	32
2.3.1.5	Aerial Triangulation (AT)	34
2.3.1.6	Digital Terrain Model (DTM) and Digital Elevation Model (DEM)	36
2.3.1.7	Orthophoto	39
2.3.2	The Potential Use of UAV	41
2.4	Coastal Profile	43
2.4.1	Causes of Coastal Erosion	48
2.4.2	Coastal Issues in Malaysia	50
2.4.3	Coastal Types	54
2.5	Coastal Mapping	56
2.5.1	Coastline Extraction Methods	57
2.5.2	Coastal Erosion Assessment	63
2.5.3	Mapping and Coastal Erosion Assessment in Previous Studies	65
2.6	Coastline Change Rate Calculation Methods	72
2.7	Application of UAV in Close Range Photogrammetry	75
2.8	Summary	81

3	RESEARCH METHODOLOGY	83
3.1	Introduction	83
3.2	Methodology	83
3.2.1	Facilities and Equipment	85
3.2.2	Flight Planning	89
3.2.2.1	Flight Planning for Hexacopter UAV	91
3.2.2.2	Flight Planning for Helang UAV	92
3.2.3	Camera Calibration	93
3.3	Data Acquisition	98
3.3.1	Physical Model of Coastal Area	99
3.3.1.1	Data Acquisition of Physical Model	101
3.3.1.2	Data Processing for Digital Images of Physical Model	104
3.3.1.3	Data Analysis of Physical Model	107
3.3.2	Real Site Study Area	107
3.3.2.1	Image Acquisition of Study Area	110
3.3.2.2	Establishment of Ground Control Points (GCPs) and Check Points (CPs)	112
3.4	Data Processing of Real Site Study Area	117
3.4.1	Erdas Imagine Software	117
3.4.2	Agisoft Photoscan Pro Software	121
3.5	Data Analysis and Accuracy Assessment	123
3.5.1	Experiment on Simulation Model using Hexacopter UAV	123
3.5.2	Experiment on Real Site of Coastal Area using Helang UAV	125
3.6	Large Scale Mapping for Coastal Erosion Assessment Analysis	126
3.6.1	Coastline Change Analysis	128
3.6.2	The Modified EPR and LRR	132
3.7	Summary	135

4	RESULTS AND ANALYSIS	136
4.1	Introduction	136
4.2	Physical Model	137
4.2.1	Experiment 1: Capability of Digital Camera and UAV for Simulated Coastal Erosion	137
4.2.2	Experiment 2: Different Digital Image Processing	143
4.2.3	Experiment 3: Different Number of GCPs	148
4.3	Real Site Study Area	150
4.3.1	Accuracy Assessment of Orthophoto and DEM based on Different GCP Numbers	152
4.3.2	Accuracy Assessment on Orthophoto and DEM Different Altitude and Different Number of GCP	166
4.4	Advanced statistical Analysis	182
4.4.1	Statistical Analysis of Physical Model	184
4.4.2	Statistical Analysis of GCP Configuration and Different Altitude of Real Site Study Area	185
4.4.3	Test of Significance of GCP Configuration and Different Altitude of Real Site Study Area	189
4.4	Summary	191
5	COASTAL EROSION ASSESSMENT AND DISCUSSION	193
5.1	Introduction	193
5.2	Assessment on Building and Residential Area	193
5.2.1	Assessment for Crystal Bay, Alai, Melaka	194
5.2.2	Assessment for Kampung Seri Pantai, Mersing, Johor	200
5.3	Assessment on Coastline Changes	205
5.3.1	The Modified EPR and LRR Calculation	208
5.3.2	Assessment for Crystal Bay, Alai, Melaka	210

5.3.3	Assessment for Kampung Seri Pantai, Mersing, Johor	213
5.4	Assessment on Eroded Area for Private Property	215
5.4.1	Assessment for Crystal Bay, Alai, Melaka	216
5.4.2	Assessment for Kampung Seri Pantai, Mersing, Johor	220
5.5	Statistical Analysis of Modified EPR and LRR Methods	222
5.6	Quality Assessment (Visual Analysis)	230
5.6.1	Distance Measurement	233
5.6.2	Image Updating	237
5.7	Summary	239
6	CONCLUSION AND RECOMMENDATION	240
6.1	Introduction	240
6.2	Conclusion	240
6.2.1	Rapid and Low Cost Data Acquisition and Processing Method	240
6.2.2	Accuracy Assessment of the Digital Photogrammetric Products Obtained with Different GCP Configurations and Altitude	243
6.2.3	Large Scale Mapping of Coastal Erosion Assessment	244
6.3	Future Work and Recommendations	246
	REFERENCES	248
	Appendices A-E	288-297

LIST OF TABLES

TABLE NO.	TITLE	PAGE
1.1	Comparisons between Manned Aircraft, LiDAR, Satellite Image and UAV	6
2.1	UAV Categories defined by UVSIA	20
2.2	Features of Aerial, Close and UAV Photogrammetry	24
2.3	Residuals from the Different Calibration Software	34
2.4	Time Estimation for Simulation Work	42
2.5	Definition of Coastal Terms	44
2.6	Distribution of Coastal Area Affected by Erosion in Malaysia	52
2.7	Coastline Extraction Methods	58
2.8	Estimated Accuracy of the Coastlines Derived from Various Sources	59
2.9	Mapping and Coastal Erosion Assessment in Previous Studies	66
2.10	Planimetric Coordinate Accuracy Requirements (metres)	80
2.11	Topographic Elevations Accuracy Requirements (metres) at Clear Ground	81
3.1	List of Equipment and Facilities	87
3.2	Hexacopter UAV Specification	88
3.3	Helang UAV Specification	89
3.4	Canon Powershot XS230 HS Digital Camera Specifications	94
3.5	Camera Calibration Parameters	96

3.6	The Transfer of Height from Bench Mark to Base Station	113
3.7	The Coastline Change Rate Result (m/year) of Onshore and Offshore Baseline for Seven Transects	129
3.8	Comparison between Conventional and Modified Coastline Change Rate Calculation Method	134
4.1	Time and Labor Preparation for Physical Model Work	147
4.2	Results of Erdas Imagine Software	149
4.3	Results of Agisoft Photoscan Pro Software	149
4.4	RMSE Value for Image Processing of Easting, Northing and Height Coordinates based on Different Altitude and GCP Configurations	167
4.5	RMSE Table for Checkpoints of Easting, Northing and Height Coordinates based on Different Altitude and GCP Configurations	169
4.6	ANOVA Results on the Different GCP Number for Physical Model	184
4.7	ANOVA Results on the Different Software for Physical Model	185
4.8	ANOVA Results on the Easting Coordinate Test of the GCP Number for Real Site Study Area	186
4.9	ANOVA Results on the Northing Coordinate Test of the GCP Number for Real Site Study Area	186
4.10	ANOVA Results on the Height Coordinate Test of the GCP Number for Real Site Study Area	187
4.11	ANOVA Results on the Easting Coordinate Test of the GCP Number for Real Site Study Area	188
4.12	ANOVA Results on the Northing Coordinate Test of the GCP Number for Real Site Study Area	188
4.13	ANOVA Results on the Height Coordinate Test of the GCP Number for Real Site Study Area	189
4.14	Significance Test for Easting Coordinate	190
4.15	Significance Test for Northing Coordinate	190

4.16	Significance Test for Height Coordinate	190
4.17	Accuracy Findings based on Previous Research Work	192
5.1	Times and Tides for Crystal Bay, Alai, Melaka	197
5.2	Distance between Coastline and House in Epoch 2008, 2010 and 2013 for Crystal Bay, Alai, Melaka	199
5.3	Times and Tides for Kampung Seri Pantai, Mersing, Johor	203
5.4	Distance between Coastline and House in Epoch 1985 and 2014 for Kampung Seri Pantai, Mersing, Johor	205
5.5	The Example Data of LRR Calculation for Transect 5 of Crystal Bay, Alai, Melaka	208
5.6	The Example of Transect 2 Coastline Information for Both Study Area	208
5.7	The Example of Transect 2 Coastline Information for Crystal Bay, Alai, Melaka	209
5.8	Lot Area Affected by Coastal Erosion in Epoch 2008, 2010 and 2013 in Square Meter for Crystal Bay, Alai Melaka	219
5.9	Lot Area Affected by Coastal Erosion in Epoch 2008, 2010 and 2013 in Square Meter for Crystal Bay, Alai, Melaka	219
5.10	The T-Test Result Between The EPR and Manual Measurement For Crystal Bay, Alai, Melaka	223
5.11	The t-test Result Between the EPR Modified and Manual Measurement for Crystal Bay, Alai, Melaka	223
5.12	The t-test Result Between the LRR and Manual Measurement for Crystal Bay, Alai, Melaka	224
5.13	The t-test Result Between the LRR Modified and Manual Measurement for Crystal Bay, Alai, Melaka	225
5.14	The t-test Result Between the EPR and Manual Measurement for Kampung Seri Pantai, Mersing, Johor	225

5.15	The t-test Result Between the EPR Modified and Manual Measurement for Kampung Seri Pantai, Mersing, Johor	226
5.16	The t-test Result Between the EPR and EPR Modified for Crystal Bay, Alai Melaka	226
5.17	The t-test Result Between the LRR and LRR Modified for Crystal Bay, Alai Melaka	227
5.18	The t-test Result Between the EPR and EPR Modified for Kampung Seri Pantai, Mersing, Johor	227
5.19	The Summary of t-test Result for Both Study Area	228
5.20	Brief Explanation of Methods used for calculating Coastline Change Rate	229
5.21	Distance Measurement of the Crystal Bay, Alai, Melaka	235
5.22	Distance Measurement of the Kampung Seri Pantai, Mersing Johor	236
6.1	Time Duration for Data Acquisition, Processing and Man Power on Approximately 4 kilometers x 1 kilometer Mapping Area	242

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
1.1	Malaysian is Surrounded by Sea	2
1.2	Coastline for Crystal Bay, Alai, Melaka	12
1.3	Coastline for Kampung Seri Pantai, Mersing, Johor	12
2.1	Hexacopter UAV	20
2.2	Cropcam UAV	21
2.3	(a) BATCAM Mini-UAV in Flight; (b) Subsystem Mass Breakdown	26
2.4	(a) Flight line; (b) Image Diagram	27
2.5	The Parameters Involved in Determining Scale of Map	28
2.6	(a) Virtual Cockpit Interface; (b) User-Configurable Data Log Interface	30
2.7	Two Brumby Mk III UAVs and Ground Station Container	30
2.8	Pack Ground Station known as OMNI Ground Station	31
2.9	Kodak DCS460 Camera	32
2.10	(a) Calibration Testfield and Image Network Geometry; (b) Computed Radial Distortion	34
2.11	Configuration of Control Points for One Strip	35
2.12	Oriented Block Images	36
2.13	DEM of Santa Barbara, Clif	38
2.14	(a) Orthophoto and Height Map; (b) A Storm Surge Overwhelms	41
2.15	Coastal Profile	43
2.16	Coastal Erosion Occur Caused by Natural Factor	48
2.17	Map of Malaysia Coastline	51

2.18	Map on Category I Areas	51
2.19	The Coastal Erosion	53
2.20	The Coastal Erosion along Kampung Hailam in Tanjung Keling Melaka	54
2.21	Intertidal or Muddy Coast	55
2.22	Cliff Coast	56
2.23	(a) Vector Dataset; (b) Raster Image from Satellite Image	57
2.24	Difference Analysis Procedure	60
2.25	Comparison and Analysis of Coastline	61
2.26	The Function Design of GIS for Coastline Monitoring and Management	62
2.27	The Condition of Coastal Area After the Erosion Occurred	64
2.28	Three Methods Used for Rate-Of-Change Calculation	73
2.29	Various Camera Platform for Close Range Photogrammetry	78
2.30	(a) Cropcam UAV; (b) Aerosonde UAV	79
3.1	Flowchart of the Research Methodology	86
3.2	Complete Instrumentation Configuration	91
3.3	Waypoints Send to NaviCtrl	92
3.4	Waypoints and Footprint of Study Area	93
3.5	Top View of the Camera Position	95
3.6	Calibration Plate of 0.4 x 0.4 meter and Scale Bar	95
3.7	Ten images were captured from four different camera stations; (a) Position 1, (b) Position 2, (c) Position 3, (d) Position 4 and (e) Position 5	97
3.8	Flowchart of Research Methodology for Simulation Model	100
3.9	Physical Model Constructed using Sand and Plywood	101
3.10	One Strip of Aerial Images for Epoch 1	102
3.11	One Strip of Aerial Images for Epoch 2	102
3.12	Uncontrolled Mosaic using PTGui Software for Epoch	

	1	103
3.13	Uncontrolled Mosaic using PTGui Software for Epoch 2	103
3.14	The Distribution of GCPs and CPs on the Physical Model	104
3.15	Process of Performing Aerial Triangulation using Erdas Imagine v8.6 Software	105
3.16	Footprint for Epoch 1	105
3.17	Footprint for Epoch 2	106
3.18	Process of Performing Texture using Agisoft Photoscan Pro Software	106
3.19	Real Site of Coastal Erosion Study Area of Crystal Bay, Alai, Melaka	108
3.20	Example of Condition of Coastal Study Area at Crystal Bay, Alai, Melaka	108
3.21	Real Site of Coastal Erosion Study Area of Kampung Seri Pantai, Mersing, Johor	109
3.22	Example of Condition of Coastal Study Area at Kampung Seri Pantai Mersing Johor	109
3.23	Concept on Image Acquisition of Real Site Study Area	111
3.24	Aerial Images of Micro Fixed Wing Helang UAV for Cyrastal Bay, Alai Melaka	112
3.25	Aerial Images of Micro Fixed Wing Helang UAV for Kampung Seri Pantai, Mersing, Johor	112
3.26	GCPs and CPs Distribution for Cyrstal Bay, Alai, Melaka	115
3.27	GCPs and CPs Distribution for Kampung Seri Pantai, Mersing, Johor	116
3.28	Digital Camera Frame Editor for Interior Orientation	118
3.29	Point Measurement Dialog Box	119
3.30	Triangulation Summary	119
3.31	DTM Extraction Dialog Box	120
3.32	Orthophoto Extraction Dialog Box	120

3.33	Image Processing Flow for Agisoft Photoscan Software	122
3.34	Texture Generation of the Study Area	123
3.35	Flowchart of Micro Rotary Wing Hexacopter UAV Experiment for Physical Model	124
3.36	Flowchart of Micro Fixed Wing Helang UAV Experiments of Real Site Study Area	126
3.37	Flowchart of Assessment for Real Site Study Area	127
3.38	Baseline location for Offshore and Onshore	129
3.39	Transect Interval of 20m, 50m and 100m	130
3.30	The Value of Coastline Change Rate for 20m, 50m and 100m	131
4.1	Contour Line of Partial Physical Model	138
4.2	Orthophoto (Physical Model – Experiment 1)	139
4.3	DEM (Physical Model – Experiment 1)	139
4.4	Different Value for Easting (X), Northing (Y) and Height Coordinates	140
4.5	RMSE Value for Easting, Northing and Height Coordinates	140
4.6	Orthophoto of Coastal Erosion (a) Before, (b) After	141
4.7	The Coastline Changes (a) Before Coastal Erosion (b) After Coastal Erosion	142
4.8	DEM of Physical Model by using Erdas Imagine Software	144
4.9	DEM of Physical Model by using Agisoft Photoscan Pro Software	144
4.10	Orthophoto of Physical Model by using Erdas Imagine Software	145
4.11	Orthophoto of Physical Model by using Agisoft Photoscan Pro Software	145
4.12	RMSE versus Check Points Coordinates of the Outputs	146

4.13	The Orthophoto with Different Number of GCPs at the Altitude of 300 meters for Crystal Bay, Alai, Melaka (a) 5GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	154
4.14	RMSE graph for Checkpoints based on GCP Configuration for Crystal Bay, Alai, Melaka	156
4.15	The DEM with Different Number of GCPs at the Altitude of 300 meters for Crystal Bay, Alai, Melaka (a) 5GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	158
4.16	The Orthophoto with Different Number of GCP at the Altitude of 300 meters for Kampung Seri Pantai, Mersing, Johor (a) 5GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	161
4.17	RMSE graph for Checkpoints based on GCP Configuration for Kampung Seri Pantai, Mersing, Johor	163
4.18	The DEM with Different Number of GCP at the Altitude of 300 meters for Kampung Seri Pantai, Mersing Johor (a) 5GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	164
4.19	The Orthophoto with Different Number of GCP at the Altitude of 200 meters (a) 5 GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	170
4.20	The DEM with Different Number of GCP at the Altitude of 200 meters (a) 5 GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	172
4.21	The Orthophoto with Different Number of GCP at the Altitude of 250 meters (a) 5 GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	174
4.22	The DEM with Different Number of GCP at the Altitude of 250 meters (a) 5 GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	176

4.23	The Orthophoto with Different Number of GCP at the Altitude of 300 meters (a) 5 GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	178
4.24	The DEM with Different Number of GCP at the Altitude of 300 meters (a) 5 GCPs; (b) 10 GCPs; (c) 15 GCPs; (d) 20 GCPs; (e) 25 GCPs; (f) 30 GCPs	180
5.1	Aerial Images of Manned Aircraft for Crystal Bay, Alai, Melaka in Year 2008	195
5.2	Aerial Images of Manned Aircraft for Crystal Bay, Alai, Melaka in Year 2010	195
5.3	Orthophoto Produced in Different Years for Crystal bay, Alai, Melaka	196
5.4	Orthophoto Comparison Between Year 2008 (Manned Aircraft), 2010 (Manned Aircraft) and 2013 (Helang UAV) for Crystal Bay, Alai, Melaka	198
5.5	Vector Map of Crystal Bay, Alai, Melaka	199
5.6	Aerial Images of Manned Aircraft for Kampung Seri Pantai, Mersing, Johor in Year 1985	201
5.7	Orthophoto Produced by Manned Aircraft and Helang UAV for Kampung Seri Pantai, Mersing, Johor	202
5.8	Orthophoto Comparison between Year 1985 (Manned Aircraft), and 2014 (Helang UAV) for Kampung Seri Pantai, Mersing, Johor	204
5.9	Vector Map of Kampung Seri Pantai, Mersing, Johor	205
5.10	The Example of EPR Calculation for Transects 23 of Kampung Seri Pantai, Mersing, Johor	206
5.11	The Example of LRR Calculation for Transects 5 of Crystal Bay, Alai, Melaka	207
5.12	Linear Model of Coastline Change Rate for Transect 2	210
5.13	Water and Land Map (a) Year 2008, (b) Year 2010 and (c) Year 2013 for Crystal Bay Alai Melaka	211
5.14	Coastline Change Rates for Crystal Bay, Alai, Melaka on The Time Periods 2008 to 2013	212

5.15	Land and Water Area (a) Year 1985 (b) Year 2014 for Kampung Seri Pantai, Mersing, Johor	213
5.16	Coastline Change Rates for Kampung Seri Pantai, Mersing, Johor on The Time Periods 1985 to 2014	214
5.17	The NDCDB data for Crystal Bay, Alai, Melaka	217
5.18	Orthophoto, DEM and NDCDB to Detect the Eroded Lot Area	218
5.19	The NDCDB Data for Kampung Seri Pantai, Mersing, Johor	221
5.20	Orthophoto, DEM and NDCDB Data Overlapped Together; (b) The Land Lot Condition	222
5.21	Overlapping of Helang UAV Data and Ground Survey for Crystal Bay, Alai, Melaka	231
5.22	Overlapping of Helang UAV Data and Ground Survey for Kampung Seri Pantai, Mersing, Johor	232
5.23	Distance Measurement at Crystal Bay, Alai, Melaka (a) Orthophoto of Helang UAV for year 2013; (b) Distance of Point Calibration	234
5.24	Distance Measurement of Kampung Seri Pantai, Mersing, Johor Orthophoto from using micro UAV in year 2014	236
5.25	Image Updating in Google Earth Image for Crystal Bay, Alai, Melaka	237
5.26	Image Updating in Google Earth image for Kampung Seri Pantai, Mersing, Johor	238

LIST OF ABBREVIATIONS

3D	-	Three dimensional
AT	-	Aerial Triangulation
CP	-	Check Point
CRP	-	Close Range Photogrammetry
DEM	-	Digital Elevation Model
DID	-	Department of Irrigation and Drainage
DSM	-	Digital Surface Model
DSMM	-	Department of Surveying and Mapping Malaysia
DTM	-	Digital Terrain Model
EPR	-	End Point Rate
GCP	-	Ground Control Point
GIS	-	Geographic Information System
GPS	-	Global Positioning System
GSD	-	Ground Sampling Distance
IMU	-	Inertial Measurement Unit
INS	-	Inertial Navigation System
InSAR	-	Radar Interferometry
LiDAR	-	Light Detection and Ranging

LRR	-	Linear Regression Rate
NAHRIM	-	National Hydraulic Research Institute of Malaysia
NDCDB	-	National Digital Cadastral Database
Pixel	-	Picture Element
RMSE	-	Root Mean Square Error
RTK	-	Real Time Kinematic
UAV	-	Unmanned Aerial Vehicle
WGS84	-	World Geodetic System 1984

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Metric Camera Calibration for Manned Aircraft	288
B	Current Solar Data (from NOAA)	291
C	Five Ground Control Point for Crystal Bay, Alai, Melaka and Kampung Seri Pantai, Mersing, Johor	292
D	Table Results of Coastline Change Rates	294
E	List of Publications	297

CHAPTER 1

INTRODUCTION

1.1 Research Background

Coastal erosion is a natural disaster occurring from the interactions between natural processes and systems. It is widely believed that erosion occurs continuously along the coastline due to combination of both natural and human factors. These include wearing away of land and removal of beach or dune sediments by tidal currents or rise in sea level (Bruun, 1988, 1989; Douglas *et al.*, 2000; Nicholls and Tol, 2006; Schwartz, 1967; Teh and Voon, 1992; Yu and Chen, 2009), wave currents (Kearney *et al.*, 2001; Silvester and Hsu, 1997), or climate changes (Adger *et al.*, 2005; Feagin *et al.*, 2005; Zhang *et al.*, 2004). Additionally, waves generated by storms and winds may take the form of long-term losses of sediment and rocks, or merely the temporary redistribution of coastal sediments that could also cause erosion (Barnier, 1988; Yu and Chen, 2009). Moreover, human interference can also cause coastal erosion such as dredging in a bay, construction of structures in the coastal beach which could disturb the movement of the sediments, coastal reclamation and other factors (Leatherman *et al.*, 2000; Zhang *et al.*, 2004).

Coastal erosion is a global problem where at least 70 % of sandy beaches around the world are recessional (Bird, 1985). Tsunami causes the most severe effect of coastal erosion in the world, this is because tsunami affects several areas and exposes the coast to the open sea. In 2004, a large tsunami was generated by an earth-quake has affected most of the countries around the Indian Ocean, thus it was claimed as one of the world's worst natural disasters in decades (Szczeniński *et al.*,

2007). According to Stein and Okal (2005), the large tsunami happened when a plate-boundary, thrust-fault earthquakes becomes very large and enormously destructive and a huge area of the plate interface slips, generating seismic waves that can cause great damage near the earthquake. When the tsunami hit the northwestern states of Peninsular Malaysia on December 26, 2004, Malaysia experienced the worst natural disaster in the country's history (Ghazali *et al.*, 2013). Among the damages were severe loss of life, houses, transport, land, and major fishery equipment (Siwar *et al.*, 2006). In addition, 40 villages and approximately 4,000 people were affected (Ling *et al.*, 2006).

Due to the tsunami disaster, the importance of coastal erosion assessment is essential for the impacted countries. Geographically, Malaysia is surrounded by South China Sea (Figure 1.1) and has a long coastline. Malaysia is associated with coastal zone for about 4809 km (Abdullah, 1992) comprise of Peninsular Malaysia (2031 km) and Sabah and Sarawak (2778 km). The coastal zone area is the most valuable asset for marine and fish, wildlife and human's life which have a special socio-economic and environmental significance.



Figure 1.1: Malaysian is surrounded by Sea (Google Earth)

In Malaysia, the occurrence of coastal erosion is increasing and threatening those who are living close to coastal areas. Moreover, coastal erosion is causing losses along the coastal line due to economic activities encompassing urbanization,

agriculture, fisheries, aquaculture, oil and gas exploitation, transportation, communication and recreation (Abdullah, 1992). According to Marfai (2011), coastal areas are also prone to environmental hazards such as erosion and sedimentation processes. These may cause loss of coastal land and damages to infrastructures and buildings.

During monsoon season the coastal areas are expose to erosion (Douglas, 1967; Husain *et al.*, 1995; Wong, 1990) and this may cause damage to mangrove trees, marine animals and human's life. This henceforth requires a severe attention by government and also local authorities. Meanwhile, it is important to identify the approximate magnitude of the overarching needs, set key policies, define possible implementation and financial mechanisms, and begin restoration activities wherever possible at the very early stage (Neuner *et al.*, 2006).

Therefore, Malaysian government has spent millions of Ringgit Malaysia (RM) in order to fix coastal areas, carry out research, development and management of coastal areas. National Hydraulic Research Institute of Malaysia (NAHRIM) is one of the departments that is responsible for coastal management. It was established in 1990 as a centre of coastal management and has started collaborative research development with local universities and research institute on coastal engineering (Othman, 2011). On the other hand, Department of Surveying and Mapping Malaysia (DSMM) survey has conducted surveying mainly to produce topographic mapping for any purpose demanded for coastal area by any agencies such as surveying organization, Department of Irrigation and Drainage (DID), Department of Environment (DOE) and etc. The Survey Departments and Topographic Departments have been established from year 1885 to 1957 until they merged into one department. In 1965, the government has officially approved the establishment of DSMM with the mandate to conduct surveying, mapping and performing geodesy works.

Furthermore, the upgrades of technology survey instruments help to produce maps and digital terrain models (DTM) easier, faster and at low-cost (Darwin *et al.*, 2014; Darwin *et al.*, 2014; Petzold *et al.*, 1999). A map is a representation and the reality of geography in the abstract, in which it is a mean to communicate and

transfer the relevant geographic data in the form of visual or digital information as the end result. It can be seen that maps are not only used for positioning but also for surveillance, erosion monitoring, risk flooding area, erosion assessment and landslide. Conceptually, maps are defined as a representation, usually on a flat surface, of a whole or part of an area and also used to describe spatial relationships of specific features that the map aims to represent (Darwin *et al.*, 2014; Warnaby, 2008). There are two main types of topographic map namely special and specific purpose map. For examples, maps can display political boundaries, population, physical features, natural resources, roads, climates, elevation, and economic activities.

In the 90's, total station instruments were introduced for the purpose of surveying (Becker *et al.*, 2002). The instruments were used to accurately observe the bearing and distance of lines and also to deliver 2D plan. The conventional ways of data collection, data processing and results were replaced by more effective methods by using total station. According to Balenović *et al.* (2012) and Walstra (2006), there are several ways to produce maps by photogrammetric technique namely analogue photogrammetry (from about 1900 to 1960) and analytical Photogrammetry (1960 until end of 1990). However, recently the presence of digital photogrammetry in the photogrammetric industry has revolutionized the industry.

In general, for many countries around the world, the topographic map is produced by using photogrammetric technique (Debevec *et al.*, 1996). The large format aerial photographs were acquired and later undergo photogrammetric process and topographic process to produce topographic map (Aber *et al.*, 2010). Normally the coastal area will be included in the topographic map. The procedure to produce topographic map is lengthy and costly. For map updating, the cost of acquiring aerial photographs and the processes involved are costly too. The small format aerial photography become popular in 1980's (Aber *et al.*, 2002; Mills *et al.*, 1996). However, the cost of map updating is still expansive (Darwin *et al.*, 2014; Darwin *et al.*, 2014; Hashim *et al.*, 2013). In the last decade, the unmanned aerial vehicle (UAV) system has become popular. UAV system has been reportedly used for many

non-photogrammetry applications by various studies conducted by Chiabrando *et al.*, (2011), Lingua *et al.*, (2009), and Remondino *et al.*, (2011).

This study focuses on coastal erosion assessment using small format aerial images obtained from micro UAV and based on low altitude. The imagery is natural color red green and blue (RGB) imagery which were collected for the areas impacted by coastal erosion. Many previous research have focused on UAV in the application on the 3D modeling, slope studies, video recording, agriculture, and archeology but there is lack of information related to coastal erosion assessment. Many small villages along coastal line are being impacted by coastal erosion and need to be assessed continuously. The novel method of UAV large scale mapping for coastal erosion assessment used in this study will be useful for the government and private agencies to evaluate the coastal area especially for decision making purposes and coastal erosion assessment.

1.2 Statement of Problem

Basically, there are several methods in geoinformation that could be used to map or monitor the coastal erosion such as aerial photogrammetry using manned aircraft (Crowell *et al.*, 1991; Kaichang *et al.*, 2003; Moore, 2000, Li *et al.*, 2004), remote sensing (Klema, 2009; Moore, 2000), Light Detection and Ranging (LiDAR) (Moore, 2000; Olsen *et al.*, 2010), Global Positioning System (GPS) (Moore, 2000; Wozencraft and Millar, 2005) and Terrestrial Laser Scanning (TLS) (Alho *et al.*, 2009; Olsen *et al.*, 2009). These geoinformation technologies also assist engineers in protecting coastal erosion. Generally, remote sensing and aerial photogrammetry are widely used for mapping coastal erosion. Through remote sensing, the development of high resolution satellite imagery such as IKONOS, QuickBird and WorldView 2 enabled the mapping of coastal erosion. Similarly, high resolution satellite imagery from airborne or aerial images were obtained by utilizing several technologies (e.g. IKONOS, QuickBird, Spot and WorldView2) and manned aircraft technology (Li *et al.*, 2004).

However, there are some limitations or drawbacks of these methods for obtaining aerial images. For example, according to Al-Tahir *et al.* (2011), many countries in the tropical region are covered with clouds especially during the rainy and monsoon season, thus making it difficult to capture clear images. According to Biesemans *et al.* (2005) and Everaerts (2008), there are also limitations in using satellite and manned aircraft, which are high flight cost, low ground resolution and limited time frame. Hence, it is rather impractical to use these technologies to cover at lower altitude and small area. Table 1.1 shows the summary of the comparison between four methods namely manned aircraft, LiDAR, satellite image and UAV.

Table 1.1: Comparisons between Manned Aircraft, LiDAR, Satellite Image and UAV (Source: Kaichang *et al.*, 2003; Moore, 2000, Li *et al.*, 2004)

Method Aspect	Manned Aircraft	LiDAR	Satellite Image	UAV
Flight Planning	Overlap and side lap need to be considered	More complex due to small strips and potential data voids	No	Overlap and side lap need to be considered
Flight restrictions	Must fly during day time and need clear sky	Less impact from weather, day/night, cloud condition	Most image in the tropical region cover with cloud	Must fly during day, clear sky time and under cloud
Cost estimation	Up to hundred thousand ringgit Malaysia	Up to hundred thousand ringgit Malaysia	Up to ten thousand	Up to thousand ringgit Malaysia
Production rate	Time consuming	Can be automated and faster	Depend on satellite which passes through the area	Can be automated and rapid

Coverage Area	Cover large area and not practical to cover small area	Cover large area	Cover large area	Cover small area based on micro UAV and cover large area based on long endurance UAV
---------------	--	------------------	------------------	--

Nowadays, aerial photogrammetry is often used for highway investigation, environmental, preliminary design and Geographic Information System (GIS). It is proven that the demand for aerial photogrammetry has increased especially after development of design, research and production of UAV platform (Chao *et al.*, 2010, Breckenridge and Dakins, 2011). Therefore, UAV system has expanded data capture opportunities for photogrammetry techniques. The micro UAV system uses the concepts of close range photogrammetry (CRP). The advantage of CRP is that it can survey the physical dimension of any structure and provide valuable insight for assessing the effects of surface changes since this has become a powerful and widely used tool for three-dimensional topographic modeling (Irvine-Fynn *et al.*, 2014; Westoby *et al.*, 2012). In CRP, the photography is acquired where the object-to-camera distance of less than 300m (Atkinson, 2001; Cooper and Robson, 1996; Smith, 1997; Wolf *et al.*, 2000). Moreover, numerous UAV have been developed by organization or individual worldwide including a complete set of UAV which uses high quality fibres as material for plane model (Baoping *et al.*, 2008). The development of this technology is very beneficial for monitoring purpose for limited time and budget. UAV has been practiced in many applications such as farming, surveillance, road maintenance, recording and documentation of cultural heritage (Bryson and Sukkarieh, 2009).

The UAV technology has been developed and progressed rapidly from year to year especially for mapping applications. Furthermore, UAV is the solution for low budget project with time constraints and few manpower rather than using satellites or manned aircraft with expensive flight costs, time consuming and

weather-dependent data collection, restricted manoeuvrability, limited availability, limited flying time and low ground resolution in mapping process (Biesemans *et al.*, 2005). Moreover, three dimensional model can be generated by using UAV image after performing digital image processing.

Through the years, UAV has been modified to have the capabilities to capture low altitude aerial images. UAVs are used for several civilian and industrial applications and have the potential to be used in many diversified applications (Sarris and Atlas, 2001; Skaloud *et al.*, 2006; Valavanis, 2008). For example, UAV has been used in slope mapping (Tahar, 2013), modeling of cultural heritage (Eisenbeiss, 2004; Eisenbeiss and Zhang, 2006; Eisenbeiss, 2009; Püschel *et al.*, 2008), documentation of archaeological sites (Bendea *et al.*, 2007), forest-fire monitoring (Zhou *et al.*, 2005), road monitoring (Egbert and Beard, 2007), vehicle detection (Kaaniche *et al.*, 2005), disaster management (Ambrosia *et al.*, 2003), and mapping urban and suburban areas (Spatalas *et al.*, 2006). In addition, the potential use of UAV has been investigated in producing orthophoto of coastal area (Darwin *et al.*, 2014; Delacourt *et al.*, 2009). The UAV systems are also employed in environmental, agricultural, and natural resources monitoring (Zongjian, 2008).

However, there is lack of research that study on producing large scale mapping of coastal erosion assessment using UAV platform including Malaysia. According to Hapke (2002), the issue of rapid coastal erosion assessment becomes a serious management problem for coastal communities as more and more country's population moves to coastal areas. In addition, the need for conducting coastal erosion assessment requires several weeks, months or even years. Rango *et al.* (2006) and Rango *et al.* (2009) recommended the use of lightweight UAV systems in acquiring high quality geospatial information and fast updating geo-information for resource management agencies, rangeland consultants, local authorities and private land managers.

The UAV system can be used for coastal erosion assessment since it provides rapid data collection, faster, lower cost and utilises less manpower. Moreover, the data processing is rapid and accurate results could be obtained. Hence, this study

attempts to improve the methodology of producing large scale mapping for coastal erosion assessment using UAV technology. This technology can be used by government organizations, private agencies and local authorities for planning, making decision and research purpose. There are several research questions for this study as follows:

- a. What are the potentials of UAV system in regards to mapping coastal erosion assessment?
- b. Are there any limitations in using UAV technology?
- c. Is UAV able to produce coastal map for coastal erosion monitoring?
- d. What are the parameters affect the accuracy of photogrammetric output obtained from UAV?
- e. Can UAV be used to improve the method of producing large scale mapping for coastal erosion assessment?

1.3 Aim and Objectives of Study

The aim of this study is to improve the methodology of data acquisition for the assessment on eroded area due to coastal erosion by using UAV system designed for large scale mapping. The following are the objectives of this study:

- i. To improve the methodology of data acquisition for large scale coastal erosion assessment using UAV with rapid and low cost.
- ii. To assess the accuracy of the digital photogrammetric products obtained with different ground control points (GCP) configurations and flying altitude.
- iii. To identify and assess coastal areas due to erosion based on the large-scale orthophoto produced.

1.4 Significance of Study

Previously, aerial photogrammetry using manned aircraft has some limitations such as requirement of professional pilot on board, inability to fly on cloudy days, costly and need a large format film to be scanned before it can be processed using a photogrammetric software. The current aerial photogrammetry method i.e using a digital mapping camera used where direct digital image can be obtained. However the total cost of this current method including the operation cost is very expensive. Recently, Unmanned Aerial Vehicle (UAV) was introduced. UAV is an autonomous flying vehicle which does not require a pilot on board and suitable for covering small area. Thus work can be done within short period of time with small budget. Moreover, UAV technology is useful for many organizations in different areas such as job scope, research or project. Therefore, there are several important contributions expected from this study as follows:

- i. To provide insight on UAV technique; which is very attractive and beneficial for small companies as sometimes their project or study area only cover a small area.
- ii. To produce a large scale coastal mapping application especially for small area with limited budget, time and less manpower. This study provides the new knowledge on hardware, software, data acquisition method and data processing procedure to produce the final photogrammetric output for coastal erosion assessment.
- iii. To provide an exposure and expertise in using UAV technology. In digital photogrammetry, UAV platform is a new technology especially for large scale mapping of coastal area. It can be utilized by any organization especially the Department of Surveying and Mapping Malaysia (DSMM), Licensed Surveying Firms, Department of Irrigation and Drainage (DID), Department of Environment (DOE) and other government agencies to apply the UAV technology in their projects including coastal engineering project.
- iv. To provide an estimation cost by using UAV technology which utilizes digital cameras, GPS and other sensors.

- v. To improve the data acquisition methodology for coastal erosion assessment using UAV system
- vi. To improve the current method of calculating coastline change rate using orthophoto obtained from UAV system.

1.5 Scope of Study

There are many aspects to be considered in coastal mapping. To fulfil the aim and objectives of this study, the scope of the study was considered. The main scope of this study covers several aspects as follows:

1.5.1 Study Area

There are two types of study area. The first study area involves a small area which is suitable for large scale mapping. This area demonstrates an accurate measurement of mapping coastal erosion by using physical model and rotary wing UAV. The second study area was conducted to map the real coastal erosion area by using fixed wing UAV. This study concentrates on mapping and assessing two coastal erosion areas. The first is Crystal Bay, Alai, Melaka which is located on the west coast of Peninsular Malaysia (Figure 3.29). The second coastal erosion area is Kampung Seri Pantai, Mersing, Johor which is located in the east coast of Peninsular Malaysia (Figure 3.31).

The first coastal erosion area is at The Crystal Bay, Alai, Melaka which is located on the west coast of Peninsular Malaysia (Figure 3.19). The Crystal Bay coast is characterized by fine-grained sedimentary deposits, predominantly silt and clay that come from rivers. This coast can be classified as a “soft” coast. It has a broad gentle seaward slope, known as an intertidal mud flat where mangrove forest, saltmarshes, shrubs and other trees were found. Most erosion is generated by river damming that reduces sediment supply, diminishes vegetation cover (usually mangroves and saltmarshes) and exposes vegetation roots by lowering the mud flat.

The second coastal erosion area is Kampung Seri Pantai, Mersing, Johor. It is located in the east coast of Peninsular Malaysia (Figure 3.21). The coastal area in Mersing shows high hills terrain which is also known as cliff coast. According to Prasetya (2006), cliff coast can be classified as “hard” coast as it is formed from resistant materials such as sedimentary or volcanic rocks.

1.5.2 Coastline Identification

The study focus on producing large scale mapping from micro UAV platform on coastline using GIS software for digitizing and mapping. Then, the coastline identification was made by tides condition along the coast of the study area as shown in Figure 1.2 and Figure 1.3 for Crystal Bay, Alai, Melaka and Kampung Seri Pantai, Mersing, Johor, respectively.



Figure 1.2: Coastline for Crystal Bay, Alai, Melaka




Figure 1.3: Coastline for Kampung Seri Pantai, Mersing, Johor

1.5.3 Effectiveness of system

In this study, there are two types of analysis were carried out. The analysis includes quantitative and qualitative assessment. For quantitative assessment, it was performed based on the Root Mean Square Error (RMSE) for the photogrammetry output obtained from UAV technology. The RMSE was used to compare the differences between 3D coordinates obtained from Erdas Imagine v8.6 software and 3D coordinates from ground survey measurement either based on total station or GPS techniques. For qualitative analysis, the potential use of UAV was compared to manned aircraft output and ground control survey (i.e. in term of manpower and time).

All the results were shown in this study. However, to see the effectiveness of this UAV large scale coastal mapping accuracy whether it was accepted or not, advanced statistical significant analysis was applied to validate whether both method of field data and UAV image are able to provide similar result of easting, northing and height coordinate accuracy value or not. There are two types of advanced statistical analysis that have been applied in this study which are t-test and Analysis of Variance test (ANOVA).

1.5.4 Limitations

Coastal erosion assessment in this study was limited to the real site coastal area which includes only the nearly eroded area. The coastal erosion assessment in large scale mapping using micro UAV platform could assess the coastline changes, private properties, building and residential area which is potentially affected by erosion. In this study, the end point rate (EPR) and linear regression rate (LRR) method were used to calculate the coastline changes. These methods were modified by including two new parameters namely mean sea level and wave.

1.5.5 Low-cost UAV with Altitude of ≤ 300 m

The study adopts low-cost data acquisition by using micro UAV to perform aerial photography through certain procedure and subsequently the data were processed to produce photogrammetry output such as digital map, digital elevation model and orthophoto of the coastal erosion study area. Low altitude UAV is preferable in this study (altitude of ≤ 300 m) because it focuses on large scale mapping and uses close range photogrammetry approach.

The altitudes of this study were divided into 200m, 250m and 300m that cover the real site study area. In addition, a series of digital images of coastal area were acquired by using a high resolution digital camera. The high resolution digital camera was attached to the UAV to provide small format images.

1.6 Hypothesis of Study

There are two hypotheses indicates in this study such as: (1) large scale mapping for coastal erosion assessment using existing methods is inefficient, time consuming and costly, and (2) the UAV approach provides an effective method in large scale mapping for coastal erosion assessment and enhances productive data on demand.

1.7 General Methodology

In Malaysia, the total coast line is 4809km and nowadays many states in Malaysia are facing problem of coastal erosion. The federal government and state government have spent millions of ringgit to overcome coastal erosion. In hard engineering, it is an expensive project to construct breakwater in the form of concrete or other material. Whereas in soft engineering such as planting mangrove tree, the cost is expensive too. This is because the trees need to be monitored after the

plantation. This study concentrates on mapping the coastal erosion on the east coast of Peninsular Malaysia in Kampung Seri Pantai, Mersing, Johor and west coast of Peninsular Malaysia in Crystal Bay, Alai, Melaka. Recently, these areas are mostly affected by coastal erosion. This study comprises of several phases that include preliminary study, acquiring real data, processing the data, analyzing the data and finally, drawing the conclusion and providing recommendations.

In preliminary study, there are several steps that were performed. These steps are (a) Gathering and compiling related and crucial information on the proposed study from various sources such as articles, journals, books, the internet and previous theses; (b) Gaining better understanding in all aspects before data collection. It helps to understand more detail on types of UAV either long, medium or short endurance during the data collection; (c) Exploring the suitable UAV for this study especially for large scale mapping based on small format aerial photograph; (d) Choosing the suitable equipment for establishment of GCPs and CPs and software for data processing related to the proposed study.

Data acquisition is very important in any project or study. It needs to be done properly so that the objective of the study could be achieved. Data acquisition involves the following; (a) acquiring aerial photographs which are obtained from UAV system based on small format imagery; (b) Carrying out the camera calibration in order to recover the calibration parameter and later use it in digital image processing especially in the interior orientation process; (c) Establishing the GCPs by using GPS technique for absolute orientation or exterior orientation and to perform aerial triangulation. The CPs are also established by using GPS techniques and used for accuracy assessment.

Data processing was carried out after the required data were acquired successfully. In this study, the data processing involves the following; (a) The collected data were processed by using ERDAS Imagine software and ArcGIS software was employed to produce map either in softcopy or/and hardcopy; (b) The GCPs and CPs obtained from ground survey measurement (i.e total station) were processed by using Civil Design Software (CDS) software to obtain the 3D

coordinates of these points. These points were then used for physical model. For real site coastal erosion study area (i.e. mapping and coastal erosion assessment), the GCPs and CPs were established by using GPS rapid static technique.

The results obtained for this study were analyzed using qualitative and quantitative analysis. The steps for data analysis are as follows; (a) The final results obtained from UAV system which include digital map, digital terrain model (DTM), contour line and orthophoto were analyzed in this phase; (b) It was evaluated in terms of point analysis (i.e. quantitative analysis based on RMSE) and visual analysis (i.e. qualitative analysis). The analysis of the coastal erosion assessment and discussion between two real site study areas (Crystal Bay, Alai, Melaka and Kampung Seri Pantai, Mersing, Johor) were analysed. The coastline change rate was calculated using both modified End Point Rate (EPR) and Linear Regression Rate (LRR). Furthermore, a method on large scale mapping for coastal erosion assessment using micro UAV approach was improved.

The final phase of research methodology is conclusion and recommendation. This phase involves the following; (a) whether or not the objectives of this study are achievable or vice-versa; and (b) recommendations are made based upon the final results and limitation of the study.

1.8 Thesis Organization

Chapter 1 is an introduction of this research study. This chapter consists of the background of the study, problem statement, objectives of study, significance of study, scope of study and research methodology.

Chapter 2 describes the fundamental part of the research which provides appropriate knowledge including the theories and applications employed in this study. This chapter reviews the existing research related to coastal erosion assessment and some useful references on photogrammetry and UAV system. The

current coastal mapping which includes coastal management, coastal assessment and coastal erosion assessment are also explained in this chapter.

Chapter 3 consists of research methodology which covers field procedure, data collection and data processing in details for preliminary study and real site study area. The method of accuracy assessment is also discussed in this chapter. All the important details as well as obstacle before, during and after the data acquisition are included in this chapter.

Chapter 4 presents the results and the analyzed data. This chapter discusses on the accuracy assessment which consists of quantitative analysis and qualitative analysis for each results (e.g. orthophoto, DEM, and contours). The results cover two main photogrammetric results namely digital orthophoto and DEM for preliminary study and real site study area. It also discusses on the effect of GCP configuration, different flying height and different software capabilities. The results and relevant analysis are illustrated and elaborated in various forms such as table, graphic presentation, tabular form and graph presentation.

Chapter 5 contains coastal erosion assessment and discussion of the real site study area. This chapter discusses two different real site study area which are Crystal Bay, Alai, Melaka and Kampung Seri Pantai, Mersing, Johor. The discussion includes the qualitative assessment of large scale coastal mapping, coastal erosion assessment and map updating.

Finally, Chapter 6 delivers the concluding remarks and recommendations which are drawn from the study that has been carried out. This chapter concludes the research finding of this study and achievement of research objectives. Finally, this chapter discusses the suggestions or recommendations that can be used for future work.

REFERENCES

- Ambercore, 2008. Terrapoint Aerial Services—A White Paper on LIDAR Mapping. URL: <http://www.ambercore.com/files/TerrapointWhitePaper.pdf> (accessed 4 May, 2011).
- Abdullah, S., S., M. (1992). Developed plan for coastal zone management: issues and recommendation, in S M S Abdullah and H D Tija (editors), *The Coastal Zone of Peninsular Malaysia* (Penerbit UKM. Bangi) pages 63-71.
- Aber, J. S., Aber, S. W., and Pavri, F. (2002). Unmanned Small Format Aerial Photography From Kites Acquiring Large-Scale, High-Resolution, Multiview-Angle Imagery. *International Archives of Photogrammetry Remote Sensing and Spatial Information Sciences*, 34(1), 1-6.
- Aber, J. S., Marzoff, I., and Ries, J. (2010). *Small-format aerial photography: principles, techniques and geoscience applications*: Elsevier.
- Adger, W. N., Hughes, T. P., Folke, C., Carpenter, S. R., and Rockström, J. (2005). Social-ecological resilience to coastal disasters. *Science*, 309(5737), 1036-1039.
- Adams, S. M., and Friedland, C. J. (2011). A Survey of Unmanned Aerial Vehicle (UAV) Usage for imagery Collection in Disaster Research and Management. *Paper presented at the 9th International Workshop on Remote Sensing for Disaster Response*.
- Agisoft, L. 2012. Agisoft PhotoScan user manual. Professional edition, version 0.9.0. AgiSoft LLC.
- Aguilar, F. J., Carvajal, F., Aguilar, M. A., and Aguera, F. (2007). Developing Digital Cartography In Rural Planning Applications. *Computers and electronics in agriculture*, 55(2), 89-106. doi: 10.1016/j.compag.2006.12.008
- Ahmad, A. (2006). Digital Photogrammetry: An experience of processing aerial photograph of UTM acquired using digital camera. *Asia GIS, Mac 2006*.

- Ahmad, A. (2011). Digital Mapping Using Low Altitude UAV. *Pertanika Journal of Science and Technology*, 19, 51-58.
- Ahmad, A., and Chandler, J. H. (1999). Photogrammetric Capabilities Of The Kodak DC40, DCS420 And DCS460 Digital Cameras. *Photogrammetric Record*, 16(94), 601-615. doi: Doi 10.1111/0031-868x.00141
- Ahmad, A., and Samad, A. (2010). Aerial mapping using high resolution digital camera and unmanned aerial vehicle for Geographical Information System. *Paper presented at 6th International Colloquium on the Signal Processing and Its Applications (CSPA), 2010*, pp. 1-6:IEEE.
- Ahn, J., and Lee, D. (2013). Aerodynamic Characteristics of a Micro Air Vehicle and the Influence of Propeller Location. *Fluid Dynamics and Co-located Conferences, June 24-27, 2013*. arc.aiaa.org/doi/pdf/10.2514/6.2013-2655.
- Al-Hatrushi, S. M., Kwarteng, A. Y., Sana, A., Al-Buloushi, A. S., MacLachlan, A., and Hamed, K. H. (2014). Coastal Erosion in Al Batinah, Sultanate of Oman. *Sultan Qaboos University – Academic Publication Board*. 263 Pages.
- Al-Tahir, R., Arthur, M., and Davis, D. (2011). Low Cost Aerial Mapping Alternatives for Natural Disasters in the Caribbean. *Paper presented at the FIG Working Week*.
- Albornoz, F. (2014). *LIDAR, a laser alternative for remote sensing*. Master in Emergency Early Warning and Response Space Applications. Mario Gulich Institue, Conae, Argentina.
- Alho, P., Kukko, A., Hyypä, H., Kaartinen, H., Hyypä, J., and Jaakkola, A. (2009). Application of boat-based laser scanning for river survey. *Earth Surface Processes and Landforms*, 34(13), 1831-1838. doi: 10.1002/esp.1879.
- Allen, T. R., Oertel, G. F., and Gares, P. A. (2012). Mapping coastal morphodynamics with geospatial techniques, Cape Henry, Virginia, USA. *Geomorphology*, 137(1), 138-149. doi: 10.1016/j.geomorph.2010.10.040
- Ambrosia, V. G., Wegener, S. S., Sullivan, D. V., Buechel, S. W., Dunagan, S. E., Brass, J. A., Schoenung, S. M. (2003). Demonstrating UAV-acquired real-time thermal data over fires. *Photogrammetric Engineering and Remote Sensing*, 69(4), 391-402.
- Andrea, M., and Moreno, Z. (2014). *Applying Ecosystem Service Assessment in Coastal Classification—a case study in Argentina*. Master's Thesis. Christian Albrechts Universität zu Kiel.

- Arias, P., Herraiez, J., Lorenzo, H., and Ordonez, C. (2005). Control of structural problems in cultural heritage monuments using close-range photogrammetry and computer methods. *Computers & structures*, 83(21-22), 1754-1766. doi: 10.1016/j.compstruc.2005.02.018
- Arias, P., Ordonez, C., Lorenzo, H., Herraiez, J., and Armesto, J. (2007). Low-cost documentation of traditional agro-industrial buildings by close-range photogrammetry. *Building and environment*, 42(4), 1817-1827. doi: 10.1016/j.buildenv.2006.02.002
- Arrabito, G. R., Ho, G., Lambert, A., Rutley, M., Keillor, J., Chiu, A., Hou, M. (2010). Human Factors Issues for Controlling Uninhabited Aerial Vehicles: Preliminary Findings in Support of the Canadian Forces Joint Unmanned Aerial Vehicle Surveillance Target Acquisition System Project. Defence Research And Development Toronto, Canada. No. DRDC-T-TR-2009-043.
- Assault, A. (2006). Peter L. Guth. *Encyclopedia of Coastal Science*, 29, 311.
- Atkinson, K. B. (1996). *Close Range Photogrammetry and Machine Vision*: Whittles Publishing, Scotland, UK, 156-168.
- Atkinson, K. B. (2001). *Close Range Photogrammetry and Machine Vision*. London: Whittles Publishing.
- Austin, M., Scott, T., Brown, J., Brown, J., MacMahan, J., Masselink, G., and Russell, P. (2010). Temporal observations of rip current circulation on a macro-tidal beach. *Continental Shelf Research*, 30(9), 1149-1165. doi: 10.1016/j.csr.2010.03.005
- Austin, R. (2011). *Unmanned aircraft systems: UAVS design, development and deployment* (Vol. 54): John Wiley & Sons.
- Australia, E. (2012). *Climate Change Adaptation Guidelines in Coastal Management & Planning*. Engineers Australia: Engineers Media.
- Backstrom, J. T., Jackson, D. W. T., Cooper, J. A. G., and Malvarez, G. C. (2008). Storm-Driven Shoreface Morphodynamics on a Low-Wave Energy Delta: The Role of Nearshore Topography and Shoreline Orientation. *Journal of Coastal Research*, 24(6), 1379-1387. doi: 10.2112/07-0926.1.
- Balenović, I., Seletković, A., Pernar, R., Marjanović, H., Vuletić, D., Paladinić, E., Benko, M. (2012). Digital Photogrammetry–State of the Art and Potential for Application in Forest Management in Croatia. *SEEFOR (South-East European Forestry)*, 2(2), 81-93.

- Baltsavias, E. P. (1999). A comparison between photogrammetry and laser scanning. *ISPRS Journal of Photogrammetry and Remote sensing*, 54(2-3), 83-94. doi: Doi 10.1016/S0924-2716(99)00014-3
- Banton, J. D., and Dowding, D. D. (2013). Caribbean storm surge mapping - an overview towards guidelines. *Proceedings of the Institution of Civil Engineers-Maritime Engineering*, 166(1), 3-13. doi: 10.1680/maen.2011.17.
- Baoping, L., Xinpu, S., Ahiyu, X., Chengwen, E., and Bing, L. (2008). Actualize of Low Altitude Large Scale Aerophotography and Geodesic base on Fixed-wing Unmanned Aerial Vehicle Platform. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences. Vol. XXXVII. Part B1*.
- Barazzetti, L., Remondino, F., Scaioni, M., and Brumana, R. (2010). Fully automatic UAV image-based sensor orientation. *Paper presented at the Proceedings of the 2010 Canadian Geomatics Conference and Symposium of Commission I*.
- Barnier, B. (1988). A numerical study on the influence of the Mid-Atlantic Ridge on nonlinear first-mode baroclinic Rossby waves generated by seasonal winds. *Journal of physical oceanography*, 18(3), 417-433.
- Barrington, L., Ghosh, S., Greene, M., Har-Noy, S., Berger, J., Gill, S., Huyck, C. (2012). Crowdsourcing earthquake damage assessment using remote sensing imagery. *Annals of Geophysics*, 54(6).
- Bartlett, D., and Smith, J. (2004). *GIS for coastal zone management*: CRC press.
- Beard, R. W., Kingston, D., Quigley, M., Snyder, D., Christiansen, R., Johnson, W., Goodrich, M. (2005). Autonomous vehicle technologies for small fixed-wing UAVs. *Journal of Aerospace Computing, Information, and Communication*, 2(1), 92-108.
- Beatley, T., Brower, D., and Schwab, A. K. (2002). *An introduction to coastal zone management*: Island Press.
- Becker, J., Lilje, M., Olsson, P., and Eriksson, P.-O. (2002). Motorised Levelling—The Ultimate Tool for Production of Classic National Height Networks *Vertical Reference Systems* (pp. 137-141): Springer.
- Benavente, J., Rio, L., Gracia, F. J., and Martinez-del-Pozo, J. A. (2006). Coastal flooding hazard related to storms and coastal evolution in Valdelagrana spit (Cadiz Bay Natural Park, SW Spain). *Continental Shelf Research*, 26(9), 1061-1076. doi: 10.1016/j.csr.2005.12.015

- Bendea, H., Chiabrandu, F., Giulio Tonolo, F., and Marenchino, D. (2007). Mapping of Archaeological Areas Using A Low-Cost UAV. The Augusta Bagiennorum test site. *In AntiCIP Ating the Future of the Cultural Past. Proceeding of the CIPA 2007 XXI International Symposium, Athens, Greece, October 1-6.*
- Biesemans, J., Everaerts, J., and Lewycky, N. (2005). PEGASUS: Remote sensing from a HALE-UAV. *Paper Presented at the ASPRS Annual Convention.*
- Billé, R. (2008). Integrated coastal zone management: four entrenched illusions. *SAPI EN. S. Surveys and Perspectives Integrating Environment and Society*(1.2).
- Birch, J. (2006). Using 3DM analyst mine mapping suite for rock face characterization. *Paper presented at the Laser and photogrammetric methods for rock face characterization, Proceedings of 41st US rock mechanics symposium ARMA, Golden, CO.*
- Bird, E., and Lewis, N. (2015). *Beach Renourishment*: Springer.
- Bird, E. C. F. (1985). *Coastline changes. A global review*: John Wiley and Sons Inc., New York, NY
- Birtwistle, S., Wallner, N., Keech, G. R., Simmons, C. L., Spooner, D. A., and Lowe, D. D. (2014). *U.S. Patent No. 8,791,941*. Washington, DC: U.S. Patent and Trademark Office.
- Black K.P. 1999. Submerged structures for coastal protection: A short summary of what they are, why we need them and how they work. Hamilton, New Zealand, Artificial Reefs Program. Centre of Excellence in Coastal Oceanography and Marine Geology Department of Earth Sciences, University of Waikato and National Institute of Water and Atmospheric Research. 9 pp.
- Boak, E. H., and Turner, I. L. (2005). Shoreline definition and detection: A review. *Journal of Coastal Research*, 21(4), 688-703. doi: 10.2112/03-0071.1
- Board, O. S. (2007). *Mitigating shore erosion along sheltered coasts*: National Academies Press.
- Boike, J., and Yoshikawa, K. (2003). Mapping of periglacial geomorphology using kite/balloon aerial photography. *Permafrost and periglacial processes*, 14(1), 81-85.
- Boori, M. S., Amaro, V. E., and Vital, H. (2010). Coastal ecological sensitivity and risk assessment: A case study of sea level change in Apodi River (Atlantic

- Ocean), Northeast Brazil. *International journal of Environmental, Earth Science and Engineering*, ISSN, 1307-6892.
- Bordi, I., Fraedrich, K., Suter, A., and Zhu, X. (2014). Ground-based GPS measurements: time behavior from half-hour to years. *Theoretical and applied climatology*, 115(3-4), 615-625.
- Boroujeni, N. S., Etemad, S. A., and Whitehead, A. (2012). Robust horizon detection using segmentation for uav applications. *Paper presented at the Ninth Conference on Computer and Robot Vision (CRV), 2012*.
- Borrego, C., (1994). Sustainable Development of Coastal Environment: Why is it Important? In *Littoral 94*, edited by de Cavellio, S. and Gomes, V., pp 11-23.
- Bray, J.M., Carter, D.J. & J.M.Littoral cell definition and budgets for central southern England. *Journal of Coastal Research*, 11(2): 381–400.
- Breckenridge, R. P., and Dakins, M. E. (2011). Evaluation of Bare Ground on Rangelands Using Unmanned Aerial Vehicles: A Case Study. *GIScience & Remote Sensing*, 48(1), 74-85.
- Breithaupt, B. H., Matthews, N. A., and Noble, T. A. (2004). An integrated approach to three-dimensional data collection at dinosaur tracksites in the Rocky Mountain West. *Ichnos*, 11(1-2), 11-26.
- Brgm (2014). Johanna: Forecasting the costs of damage from coastal flooding and storm surges. <http://www.brgm.eu/projects/johanna-forecasting-costs-of-damage-from-coastal-flooding-storm-surges>. Accessed on 12 August 2015.
- Brimicombe, A. (2009). *GIS, environmental modeling and engineering*: CRC Press.
- Bristeau, P.-J., Callou, F., Vissière, D., and Petit, N. (2011). The navigation and control technology inside the ar. drone micro uav. *Paper presented at the 18th IFAC world congress*.
- Brutto, M. L., Borruso, A., and D'Argenio, A. (2012). UAV Systems for photogrammetric data acquisition of archaeological sites. *International Journal of Heritage in the Digital Era*, 1, 7-14.
- Bruun, P. (1988). The Bruun rule of erosion by sea-level rise: a discussion on large-scale two-and three-dimensional usages. *Journal of Coastal Research*, 627-648.
- Bruun, P. (1989). Coastal engineering and use of the littoral zone. *Ocean and Shoreline Management*, 12(5), 495-516.

- Bryson, M., and Sukkarieh, S. (2009). Architectures for cooperative airborne simultaneous localisation and mapping. *Journal of Intelligent and Robotic Systems*, 55(4-5), 267-297.
- Burner, A., Snow, W., Shortis, M., and Goad, W. (1989). *Laboratory calibration and characterization of video cameras*: NASA Technical Documents
- Butler, J., Lane, S., Chandler, J., and Porfiri, E. (2002). Through-water close range digital photogrammetry in flume and field environments. *The Photogrammetric Record*, 17(99), 419-439.
- Button, C. D. (2013). *Coastal vulnerability and climate change in Australia: public risk perceptions and adaptation to climate change in non-metropolitan coastal communities*. Doctor Philosophy. University of Adelaide, Australia.
- Büyüksalih, G., Baz, I., Alkan, M., and Jacobsen, K. (2012). DEM generation with WorldView-2 images. *Paper presented at the ISPRS Symposium Melbourne*.
- Cai, G., Chen, B. M., Lee, T. H., and Dong, M. (2009). Design and implementation of a hardware-in-the-loop simulation system for small-scale UAV helicopters. *Mechatronics*, 19(7), 1057-1066.
- Cai, G., Dias, J., and Seneviratne, L. (2014). A survey of small-scale unmanned aerial vehicles: Recent advances and future development trends. *Unmanned Systems*, 2(02), 175-199.
- Caldwell, M., and Segall, C. H. (2007). No day at the beach: sea level rise, ecosystem loss, and public access along the California coast. *Ecology LQ*, 34, 533.
- Callahan, M. A., LeBlanc, B., Vreeland, R., and Bretting, G. (2012). *Close-Range Photogrammetry with Laser Scan Point Clouds*: SAE Technical Paper.
- Calvão, T., Pessoa, M. F., and Lidon, F. C. (2013). Impact of human activities on coastal vegetation: A review. *Emirates Journal of Food and Agriculture*, 25(12), doi: 10.9755/ejfa.v9725i9712. 16730.
- Carrara, A., Guzzetti, F., Cardinali, M., and Reichenbach, P. (1999). Use of GIS technology in the prediction and monitoring of landslide hazard. *Natural hazards*, 20(2-3), 117-135.
- Carter, R. W. G. (2013). *Coastal environments: an introduction to the physical, ecological, and cultural systems of coastlines*: Elsevier.
- Cesetti, A., Frontoni, E., Mancini, A., Ascani, A., Zingaretti, P., and Longhi, S. (2011). A visual global positioning system for unmanned aerial vehicles used

- in photogrammetric applications. *Journal of Intelligent & Robotic Systems*, 61(1-4), 157-168.
- Chand, P., and Acharya, P. (2010). Shoreline change and sea level rise along coast of Bhitarkanika wildlife sanctuary, Orissa: an analytical approach of remote sensing and statistical techniques. *International Journal of Geomatics and Geosciences*, 1(3), 436-455.
- Chandler, J. H., Buffin-Bélanger, T., Rice, S., Reid, I., and Graham, D. J. (2003). The accuracy of a river bed moulding/casting system and the effectiveness of a low-cost digital camera for recording river bed fabric. *The Photogrammetric Record*, 18(103), 209-223.
- Chandler, J. H., Fryer, J. G., and Jack, A. (2005). Metric capabilities of low-cost digital cameras for close range surface measurement. *The Photogrammetric Record*, 20(109), 12-26.
- Chao, H., Cao, Y., and Chen, Y. (2010). Autopilots for small unmanned aerial vehicles: a survey. *International Journal of Control, Automation and Systems*, 8(1), 36-44.
- Chape, S., Spalding, M., and Jenkins, M. (2008). *The world's protected areas: status, values and prospects in the 21st century*: Univ de Castilla La Mancha.
- Chaturvedi, A. (2000). Accuracy assessment of DTM data: a cost effective approach for a large scale digital mapping project. *International Archives Of Photogrammetry And Remote Sensing*, 33(B2; PART 2), 105-111.
- Chowdhary, G., Johnson, E. N., Magree, D., Wu, A., and Shein, A. (2013). GPS-denied Indoor and Outdoor Monocular Vision Aided Navigation and Control of Unmanned Aircraft. *Journal of Field Robotics*, 30(3), 415-438.
- Church, E., and Quinn, A. O. (1948). *Elements of photogrammetry*: Syracuse University Press.
- Chiabrande, F., Nex, F., Piatti, D., and Rinaudo, F. (2011). UAV and RPV systems for photogrammetric surveys in archaeological areas: two tests in the Piedmont region (Italy). *Journal of archaeological science*, 38(3), 697-710.
- Cinner, J. E., McClanahan, T., Graham, N., Daw, T., Maina, J., Stead, S., Bodin, Ö. (2012). Vulnerability of coastal communities to key impacts of climate change on coral reef fisheries. *Global Environmental Change*, 22(1), 12-20.
- Clark, J.R. 1995. Coastal zone management handbook. Lewis. 695 pp.
- Clark, J. R. (2009). *Coastal seas: the conservation challenge*: John Wiley & Sons.

- Clarke, T., and Fryer, J. (1998). The development of camera calibration methods and models. *The Photogrammetric Record*, 16(91), 51-66.
- Colomina, I., and Molina, P. (2014). Unmanned aerial systems for photogrammetry and remote sensing: A review. *ISPRS Journal of Photogrammetry and Remote sensing*, 92, 79-97.
- Cooper, M., and Robson, S. (1996). *Chapter 2: Theory of close range photogrammetry*. In: Atkinson, KB, (ed.) *Close Range Photogrammetry and Machine Vision*. (9 - 51).
- Cooper, H. M., Chen, Q., Fletcher, C. H., and Barbee, M. M. (2013). Assessing vulnerability due to sea-level rise in Maui, Hawai 'i using LiDAR remote sensing and GIS. *Climatic Change*, 116(3-4), 547-563.
- Cramer, M., Stallmann, D., and Haala, N. (2000). Direct georeferencing using GPS/inertial exterior orientations for photogrammetric applications. *International Archives of Photogrammetry and Remote Sensing*, 33(B3/1; PART 3), 198-205.
- Cronk, S., Fraser, C., and Hanley, H. (2006). Automated metric calibration of colour digital cameras. *The Photogrammetric Record*, 21(116), 355-372.
- Crowell, M., Leatherman, S. P., and Buckley, M. K. (1991). Historical shoreline change: error analysis and mapping accuracy. *Journal of Coastal Research*, 839-852.
- Crowsey, R. C. (2012). *Coastal hurricane damage assessment via wavelet transform of remotely sensed imagery*. Doctor Philosophy. University of Southern Mississippi.
- Cunningham, W., and Cunningham, M. A. (2009). *Environmental science: A global concern*: Granite Hill Publishers.
- Darwin, N., Ahmad, A., and Akib, W. A. A. W. M. (2014). The Potential of Low Altitude Aerial Data for Large Scale Mapping. *Jurnal Teknologi*, 70(5).
- Darwin, N., Ahmad, A., and Zainon, O. (2014). The Potential of Unmanned Aerial Vehicle for Large Scale Mapping of Coastal Area. *In IOP Conference Series: Earth and Environmental Science* (Vol. 18, No. 1, p. 012031). IOP Publishing.
- Davenport, J., and Davenport, J. L. (2006). The impact of tourism and personal leisure transport on coastal environments: a review. *Estuarine, Coastal and Shelf Science*, 67(1), 280-292.

- Dawson, A. G., Gómez, C., Ritchie, W., Batstone, C., Lawless, M., Rowan, J. S., Muir, D. (2012). Barrier island geomorphology, hydrodynamic modelling, and historical shoreline changes: an example from South Uist and Benbecula, Scottish Outer Hebrides. *Journal of Coastal Research*, 28(6), 1462-1476.
- Dawson, R. J., Dickson, M. E., Nicholls, R. J., Hall, J. W., Walkden, M. J., Stansby, P. K., Milligan, J. (2009). Integrated analysis of risks of coastal flooding and cliff erosion under scenarios of long term change. *Climatic Change*, 95(1-2), 249-288.
- De Sousa, J., McGuillivary, P., Vicente, J., Bento, M. N., Morgado, J. A., Matos, M. M., de Oliveira, P. M. (2014). Unmanned Aircraft Systems for Maritime Operations *Handbook of Unmanned Aerial Vehicles* (pp. 2787-2811): Springer.
- Debevec, P. E., Taylor, C. J., and Malik, J. (1996). Modeling and rendering architecture from photographs: A hybrid geometry-and image-based approach. *Paper presented at the Proceedings of the 23rd annual conference on Computer graphics and interactive techniques*.
- Delacourt, C., Allemand, P., Jaud, M., Grandjean, P., Deschamps, A., Ammann, J., Suanez, S. (2009). DRELIO: An unmanned helicopter for imaging coastal areas. *Journal of Coastal Research*, 1489-1493.
- Dibajnia, M., Soltanpour, M., Vafai, F., Shoushtari, S. M. H. J., and Kebriaee, A. (2012). A shoreline management plan for Iranian coastlines. *Ocean & Coastal Management*, 63, 1-15.
- Dlamini, S. N. (2011). *Policy Integration and Stakeholder Participation For Sustainable Development: A Case Of The Environment Management Act (Ema) of 2002 In Swaziland*. Degree of Master. University of Swaziland
- Dolan, R., Hayden, B., and Heywood, J. (1978). A New Photogrammetric Method for Determining Shoreline Erosion. *Coastal Engineering*, 2, 21-39.
- Dolan, R., Hayden, B. P., May, P., and May, S. (1980). The reliability of shoreline change measurements from aerial photographs. *Shore and Beach*, 48(4), 22-29.
- Dolan, R., Fenster, M.S. and Holmes, S.J. (1991). Temporal analysis of shoreline recession and accretion. *Journal of Coastal Research*, 7(3), 723-744.

- Dong, M., Chen, B. M., Cai, G., and Peng, K. (2007). Development of a real-time onboard and ground station software system for a UAV helicopter. *Journal of Aerospace Computing, Information, and Communication*, 4(8), 933-955.
- Dorling, D., and Fairbairn, D. (2013). *Mapping: Ways of representing the world*: Routledge.
- Dossou, K. M., and Glehouenou-Dossou, B. (2007). The vulnerability to climate change of Cotonou (Benin) the rise in sea level. *Environment and Urbanization*, 19(1), 65-79.
- Douglas, B., Kearney, M. T., and Leatherman, S. P. (2000). *Sea level rise: History and consequences* (Vol. 75): Academic Press.
- Douglas, I. (1967). Natural and man-made erosion in the humid tropics of Australia, Malaysia and Singapore. *Int. Assoc. Hydrol. Sci. Publ*, 75, 17-30.
- Drake, L. (2012). Scientific prerequisites to comprehension of the tropical cyclone forecast: Intensity, track, and size. *Weather and Forecasting*, 27(2), 462-472.
- Egbert, J., and Beard, R. W. (2007). Low altitude road following constraints using strap-down EO cameras on miniature air vehicles. *Paper presented at the American Control Conference, 2007. ACC'07*.
- Egels, Y., and Kasser, M. (2003). *Digital photogrammetry*: CRC Press.
- Eisenbeiss, H. (2004). A mini unmanned aerial vehicle (UAV): system overview and image acquisition. *International Archives of Photogrammetry. Remote Sensing and Spatial Information Sciences*, 36(5/W1).
- Eisenbeiss, H., and Zhang, L. (2006). Comparison of DSMs generated from mini UAV imagery and terrestrial laser scanner in a cultural heritage application. *International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences XXXVI-5*, 90e96.
- Eisenbeiss, H. (2009). *UAV photogrammetry*. Doctor Philosophy. Eidgenössische Technische Hochschule (ETH), Zürich, Germany.
- Elaksher, A. F. 2012. Potential of using automatically extracted straight lines in rectifying high-resolution satellite images. *International Journal of Remote Sensing*, 33, 1-12.
- Eldeberky, Y. (2011). Coastal adaptation to sea level rise along the Nile delta, Egypt. *Coastal Processes II*, 149, 1141.

- Emovon, E.U., (1991). *National Science and Technology Policy and the Nigerian Environment*. In *The Making of the Nigerian Environment Policy*, edited by Aina, E.O.A. and Adedipe, N.O., pp 71-78.
- Everaerts, J. (2008). The use of unmanned aerial vehicles (UAVs) for remote sensing and mapping. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 37, 1187-1192.
- Fahlstrom, P., and Gleason, T. (2012). *Introduction to UAV systems*: John Wiley & Sons.
- Faig, W. (1975). Calibration of close-range photogrammetric systems: Mathematical formulation. *Photogrammetric Engineering and Remote Sensing*, 41(12).
- Faudzi, F., A. (2012). Pantai Remis Semakin Nazak. http://ww1.utusan.com.my/utusan/Kota/20121211/wk_01/Pantai-Remis-semakin-nazak. (Accessed on 13 August 2015).
- Feagin, R. A., Sherman, D. J., and Grant, W. E. (2005). Coastal erosion, global sea-level rise, and the loss of sand dune plant habitats. *Frontiers in Ecology and the Environment*, 3(7), 359-364.
- Fenster, M. and Dolan, R. (1996). Assessing the impact of tidal inlets on adjacent barrier island shorelines. *Journal of Coastal Research*, 12(1), 294-310.
- Finn, A., and Scheduling, S. (2012). *Developments and challenges for autonomous unmanned vehicles*: Springer.
- FitzGerald, D. M., Fenster, M. S., Argow, B. A., and Buynevich, I. V. (2008). Coastal impacts due to sea-level rise. *Annu. Rev. Earth Planet. Sci.*, 36, 601-647.
- Foley, M. M., Halpern, B. S., Micheli, F., Armsby, M. H., Caldwell, M. R., Crain, C. M., Beck, M. W. (2010). Guiding ecological principles for marine spatial planning. *Marine Policy*, 34(5), 955-966.
- Ford, M. (2013). Shoreline changes interpreted from multi-temporal aerial photographs and high resolution satellite images: Wotje Atoll, Marshall Islands. *Remote Sensing of Environment*, 135, 130-140.
- Foster, E.R. and Savage, R.J., 1989. Historical shoreline change in southeast Florida, *In: Magoon, O.T.; Converse, H.; Miner, D.; Tobin, L.T., and Clark, D., (eds.), Coastal Zone '89*. American Society of Civil Engineers, 5, 44064433.

- Foyle, A., and Naber, M. (2012). Decade-scale coastal bluff retreat from LiDAR data: Lake Erie coast of NW Pennsylvania, USA. *Environmental Earth Sciences*, 66(7), 1999-2012.
- Fraser, C. (1996). *Network design, Close range photogrammetry and machine vision*: Whittles Publishing.
- Fraser, C., and Shortis, M. (1995). Metric exploitation of still video imagery. *The Photogrammetric Record*, 15(85), 107-122.
- Fraser, C. S. (1997). Digital camera self-calibration. *ISPRS Journal of Photogrammetry and Remote sensing*, 52(4), 149-159.
- French, P. W. 2001. *Coastal defences: processes, problems and solutions*: Psychology Press.
- Freund, J. G., and Gal, R. (2013). *U.S. Patent No. 8,531,472*. Washington, DC: U.S. Patent and Trademark Office.
- Frew, E. W., and Brown, T. X. (2009). Networking issues for small unmanned aircraft systems. *Journal of Intelligent and Robotic Systems*, 54(1-3), 21-37.
- Fridfinnson, V., and Session, C. (2013). Unmanned Aircraft Systems. *Paper presented at the 2013 Conference and Exhibition of The Transportation Association of Canada-Transportation: Better-Faster-Safer*, Canada.
- Fryer, J. (1996). Camera calibration. *Close range photogrammetry and machine vision*, 371, 156-179.
- Fryer, J. G. (1993). Recent developments in camera calibration for close-range applications. *International Archives of Photogrammetry and Remote Sensing*, 29, 594-594.
- Fryer, J. G., and Brown, D. C. (1986). Lens distortion for close-range photogrammetry. *Photogrammetric Engineering and Remote Sensing*, 52(1), 51-58.
- Gallego, J., and Bamps, C. (2008). Using CORINE land cover and the point survey LUCAS for area estimation. *International Journal of Applied Earth Observation and Geoinformation*, 10(4), 467-475.
- Gao, J. (1997). Resolution and accuracy of terrain representation by grid DEMs at a micro-scale. *International Journal of Geographical Information Science*, 11(2), 199-212.

- Garcia, R., Valavanis, K., and Kontitsis, M. (2005). A high power, inexpensive on-board vision system for miniature unmanned VTOL vehicles. *CRASAR, USF, Tech. Rep, 4*.
- Georgopoulos, A., and Natsis, S. (2008). A Simpler Method for Large Scale Digital Orthophoto Production. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 37, 266.
- Ghazali, N. H. M. (2006). Coastal erosion and reclamation in Malaysia. *Aquatic Ecosystem Health & Management*, 9(2), 237-247. doi: 10.1080/14634980600721474
- Ghazali, S. R., Elklit, A., Yaman, K., and Ahmad, M. (2013). Symptoms of PTSD Among Adolescents in Malaysia 4 Years Following the 2004 Tsunami. *Journal of Loss and Trauma*, 18(3), 260-274. doi: 10.1080/15325024.2012.688703
- Gianinetto, M. & Scaioni, M. 2008. Automated geometric correction of high-resolution pushbroom satellite data. *Photogrammetric Engineering & Remote Sensing*, 74, 107-116.
- Giri, C., Ochieng, E., Tieszen, L., Zhu, Z., Singh, A., Loveland, T., Duke, N. (2011). Status and distribution of mangrove forests of the world using earth observation satellite data. *Global Ecology and Biogeography*, 20(1), 154-159.
- Gomasasca, M. A. (2009). Elements of Photogrammetry *Basics of Geomatics* (pp. 79-121): Springer.
- Gómez-Candón, D., De Castro, A. and López-Granados, F. 2014. Assessing the accuracy of mosaics from unmanned aerial vehicle (UAV) imagery for precision agriculture purposes in wheat. *Precision Agriculture*, 15, 44-56.
- Gómez, C., Wulder, M. A., Dawson, A. G., Ritchie, W., and Green, D. R. (2014). Shoreline Change and Coastal Vulnerability Characterization with Landsat Imagery: A Case Study in the Outer Hebrides, Scotland. *Scottish Geographical Journal*, 130(4), 279-299.
- Goncalves, R. M., Awange, J. L., Krueger, C. P., Heck, B., and dos Santos Coelho, L. (2012). A comparison between three short-term shoreline prediction models. *Ocean & Coastal Management*, 69, 102-110.
- Goodchild, M. F., Fu, P., and Rich, P. (2007). Sharing geographic information: an assessment of the Geospatial One-Stop. *Annals of the Association of American Geographers*, 97(2), 250-266.

- Gopi, S. (2007). *Advanced Surveying: Total Station, GIS and Remote Sensing*: Pearson Education India.
- Graham, R., and Koh, A. (2002). *Digital aerial survey: theory and practice*: CRC Press.
- Graham, R., Read, R., and Kure, J. (1985). Small Format Migrolight Surveys. *The International Society for Photogrammetry and Remote Sensing*, Commission 1, p 70-80.
- Grant, S. B., Kim, J. H., Jones, B. H., Jenkins, S. A., Wasyl, J., and Cudaback, C. (2005). Surf zone entrainment, along-shore transport, and human health implications of pollution from tidal outlets. *Journal of Geophysical Research: Oceans (1978–2012)*, 110(C10).
- Grenzdörffer, G., Engel, A., and Teichert, B. (2008). The photogrammetric potential of low-cost UAVs in forestry and agriculture. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 31(B3), 1207-1214.
- Gruen, A., Kuebler, O., and Agouris, P. (1995). *Automatic Extraction of Man-Made Objects from Aerial Space Images*: Springer.
- Guarnieri, A., Milan, N., and Vettore, A. (2013). Monitoring of complex structure for structural control using terrestrial laser scanning (TLS) and photogrammetry. *International Journal of Architectural Heritage*, 7(1), 54-67.
- Guidi, G., Remondino, F., Morlando, G., Del Mastio, A., Ucheddu, F., and Pelagotti, A. (2007). Performances evaluation of a low cost active sensor for cultural heritage documentation. *Paper presented at the Proceeding of VIII Conference on Optical 3D Measurement Techniques*.
- Gunetti, P., Thompson, H., and Dodd, T. (2013). Autonomous mission management for UAVs using soar intelligent agents. *International Journal of Systems Science*, 44(5), 831-852.
- Gupta, S. G., Ghonge, M. M., and Jawandhiya, P. (2013). Review of unmanned aircraft system (UAS). *Technology*, 2(4).
- Haala, N., and Rothermel, M. (2012). Dense multi-stereo matching for high quality digital elevation models. *Photogrammetrie-Fernerkundung-Geoinformation*, 2012(4), 331-343.

- Habib, A. F., Kim, E.-M., and Kim, C.-J. (2007). New methodologies for true orthophoto generation. *Photogrammetric Engineering & Remote Sensing*, 73(1), 25-36.
- Hallermeier, R. J. (1981). A profile zonation for seasonal sand beaches from wave climate. *Coastal Engineering*, 4, 253-277.
- Hansen, H. S. (2010). Modelling the future coastal zone urban development as implied by the IPCC SRES and assessing the impact from sea level rise. *Landscape and Urban Planning*, 98(3-4), 141-149. doi: 10.1016/j.landurbplan.2010.08.018
- Hansen, J. E., and Barnard, P. L. (2010). Sub-weekly to interannual variability of a high-energy shoreline. *Coastal Engineering*, 57(11), 959-972.
- Hapke, C. J. (2002). *Multi-scale 3D Mapping of Coastal Cliff Erosion and Coastal Landslides in California: Applications in Digital Photogrammetry and GIS*. Doctor Philosophy. University of California, Santa Cruz.
- Hardaway Jr, C. S., Varnell, L. M., Milligan, D. A., Priest, W. I., Thomas, G. R., Dewing, S., and Brindley, R. C. (1999). Shoreline Management Plan With Habitat Enhancement. *A Technical Report of the Virginia Institute of Marine Science funded, in part, by the Virginia Coastal Program of the Department of Environmental Quality*.
- Harwin, S., and Lucieer, A. (2012). Assessing the accuracy of georeferenced point clouds produced via multi-view stereopsis from unmanned aerial vehicle (UAV) imagery. *Remote Sensing*, 4(6), 1573-1599.
- Hashim, K. A., Darwin, N. H., Ahmad, A., and Samad, A. M. (2013). Assessment of low altitude aerial data for large scale urban environmental mapping. *Paper presented at the 9th International Colloquium on Signal Processing and its Applications (CSPA), 2013. pp. 229-234, IEEE*.
- Haslett, S. (2008). *Coastal systems*: Routledge.
- Hassan, F. M., Lim, H., and Jafri, M. M. (2011). CropCam UAV for Land Use/Land Cover Mapping over Penang Island, Malaysia. *Pertanika Journal of Science & Technology*, 19.
- Heberger, M. (2009). *The impacts of sea-level rise on the California coast*: Pacific Institute Oakland.

- Héquette, A., Hemdane, Y., and Anthony, E. J. (2008). Sediment transport under wave and current combined flows on a tide-dominated shoreface, northern coast of France. *Marine geology*, 249(3), 226-242.
- Hill, L. L. (2009). *Georeferencing: The geographic associations of information*: Mit Press.
- Hodge, S. M., Wright, D. L., Bradley, J. A., Jacobel, R. W., Skou, N., and Vaughn, B. (1990). Determination of the surface and bed topography in central Greenland. *J. Glaciol*, 36(122), 17-30.
- Hoekman, D. H., Vissers, M. A., and Wielaard, N. (2010). PALSAR wide-area mapping of Borneo: methodology and map validation. *Selected Topics in IEEE Journal of Applied Earth Observations and Remote Sensing*, 3(4), 605-617.
- Holt, J., Harle, J., Proctor, R., Michel, S., Ashworth, M., Batstone, C., Smith, G. (2009). Modelling the global coastal ocean. *Philos Trans A Math Phys Eng Sci*, 367(1890), 939-951. doi: 10.1098/rsta.2008.0210
- Hong, S.K., Koh, C.H., Harris, R. R., Kim, J.E., Lee, J.S., and Ihm, B.S. (2010). Land use in Korean tidal wetlands: impacts and management strategies. *Environmental management*, 45(5), 1014-1026.
- Honkavaara, E. (2008). *Calibrating digital photogrammetric airborne imaging systems using a test field*: Finnish Geodetic Institute.
- Honkavaara, E., Ahokas, E., Hyypä, J., Jaakkola, J., Kaartinen, H., Kuittinen, R., Nurminen, K. (2006). Geometric test field calibration of digital photogrammetric sensors. *ISPRS Journal of Photogrammetry and Remote sensing*, 60(6), 387-399.
- Howes, D., Harper, J., and Owens, E. (1994). Physical shore-zone mapping system for British Columbia. *Report prepared by Environmental Emergency Services, Ministry of Environment (Victoria, BC), Coastal and Ocean Resources Inc.(Sidney, BC), and Owens Coastal Consultants (Bainbridge, WA)*.
- Hsu, T.W., Lin, T.Y., and Tseng, I.F. (2007). Human impact on coastal erosion in Taiwan. *Journal of Coastal Research*, 961-973.
- Hughes, M. L., McDowell, P. F., and Marcus, W. A. (2006). Accuracy assessment of georectified aerial photographs: Implications for measuring lateral channel movement in a GIS. *Geomorphology*, 74(1), 1-16.

- Husain, M. L., Yaakob, R., and Saad, S. (1995). Beach Erosion Variability during a Northeast Monsoon: The Kuala Setiu Coastline, Terengganu, Malaysia. *Pertanika Journal of Science & Technology*, 3(2), 337-348.
- Huyck, C., Verrucci, E., and Bevington, J. (2014). Remote Sensing for Disaster Response: A Rapid, Image-Based Perspective. *Earthquake Hazard, Risk, and Disasters*, 1.
- Ian, H. (2010). *An introduction to geographical information systems*: Pearson Education India.
- Ip, A., Mostafaa, M., Huttona, J., and Barriere, J. (2008). An optimally integrated direct georeferencing and flight management system for increased productivity of airborne mapping and remote sensing. *International Archive of Photogrammetry and Remote Sensing (IAPRS)*, 37(B1), 579-584.
- Irvine-Fynn, T. D., Sanz-Ablanedo, E., Rutter, N., Smith, M. W., and Chandler, J. H. (2014). Measuring glacier surface roughness using plot-scale, close-range digital photogrammetry. *Journal of Glaciology*, 60(223), 957-969.
- Integrated Shoreline Management Plan (ISMP) (2007). Vol. II. p. 251. Melaka: Integrated Shoreline Management Plan.
- Jaboyedoff, M., Choffet, M., Derron, M.H., Horton, P., Loye, A., Longchamp, C., Pedrazzini, A. (2012). Preliminary Slope Mass Movement Susceptibility Mapping Using DEM and LiDAR DEM *Terrigenous Mass Movements* (pp. 109-170): Springer.
- Jafari, S., M. (2014). *The Analysis of Open Source Software and Data for Establishment of GIS Services Throughout the Network in a Mapping Organization at National or International Level*. Politecnico di Torino.
- James, L. A., Watson, D. G. & Hansen, W. F. 2007. Using LiDAR data to map gullies and headwater streams under forest canopy: South Carolina, USA. *Catena*, 71, 132-144.
- Jiang, R., Jáuregui, D. V., and White, K. R. (2008). Close-range photogrammetry applications in bridge measurement: literature review. *Measurement*, 41(8), 823-834.
- Jin, D., Ashton, A. D., and Hoagland, P. (2013). Optimal responses to shoreline changes: an integrated economic and geological model with application to curved coasts. *Natural Resource Modeling*, 26(4), 572-604.

- Jones, C. B. (2014). *Geographical information systems and computer cartography*: Routledge.
- Junior, O. C., Guimaraes, R., Freitas, L., Gomes-Loebmann, D., Gomes, R. A., Martins, E., and Montgomery, D. R. (2010). Urbanization impacts upon catchment hydrology and gully development using mutli-temporal digital elevation data analysis. *Earth Surface Processes and Landforms*, 35(5), 611-617.
- Kaaniche, K., Champion, B., Pégard, C., and Vasseur, P. (2005). A vision algorithm for dynamic detection of moving vehicles with a UAV. *Proceedings of the 2005 IEEE International Conference on the Robotics and Automation, 2005. ICRA 2005*.
- Kafatos, M., Wolf, H. D., Wong, D. W., Yang, R., and Yang, C. (2010). *U.S. Patent No. 7,725,529*. Washington, DC: U.S. Patent and Trademark Office.
- Kaichang, D., Ruijin, M., and Rongxing, L. (2003). Geometric processing of Ikonos stereo imagery for coastal mapping applications. *Photogrammetric Engineering & Remote Sensing*, 69(8), 873-879.
- Kamphuis, J. W. (2010). *Introduction to coastal engineering and management* (Vol. 30): World Scientific.
- Kasper-Zubillaga, J. J., Acevedo-Vargas, B., Bermea, O. M., and Zamora, G. O. (2008). Rare earth elements of the Altar Desert dune and coastal sands, Northwestern Mexico. *Chemie der Erde-Geochemistry*, 68(1), 45-59.
- Kdtz, A. H. (1966). *Some Notes on the History of Aerial Reconnaissance (Part I)*: RAND Corporation.
- Keane, J. F., and Carr, S. S. (2013). A Brief History of Early Unmanned Aircraft. *Johns Hopkins APL Technical Digest*, 32(3), 558-571.
- Kearney, M. S., Douglas, B., Kearney, M., and Leatherman, S. (2001). *Late Holocene sea level variation*: Academic Press: San Diego, CA.
- Kennie, T., and Petrie, G. (1990). *Digital terrain modelling*: John Wiley & Sons Inc., New York.
- Khan, A. E., Xun, W. W., Ahsan, H., and Vineis, P. (2011). Climate change, sea-level rise, & health impacts in Bangladesh. *Environment: Science and Policy for Sustainable Development*, 53(5), 18-33.
- Kingston, D., Beard, R., McLain, T., Larsen, M., and Ren, W. (2003). Autonomous vehicle technologies for small fixed wing UAVs. *Paper presented at the*

AIAA 2nd Unmanned Unlimited Systems, Technologies, and Operations—Aerospace, Land, and Sea Conference and Workshop & Exhibit.

- Klemas, V. (2012). Remote Sensing of Coastal and Ocean Currents: An Overview. *Journal of Coastal Research*, 282, 576-586. doi: 10.2112/jcoastres-d-11-00197.1
- Klemas, V. V. (2009). The role of remote sensing in predicting and determining coastal storm impacts. *Journal of Coastal Research*, 1264-1275.
- Klingbeil, L., Nieuwenhuisen, M., Schneider, J., Eling, C., Droeschel, D., Holz, D., Kuhlmann, H. (2014). Towards autonomous navigation of an UAV-based mobile mapping system. *Paper presented at the Proceeding of International Conference on Machine Control and Guidance (MCG).*
- Knowles, N. (2010). Potential inundation due to rising sea levels in the San Francisco Bay region. *San Francisco Estuary and Watershed Science*, 8(1).
- König, M., and Sturm, M. (1998). Mapping snow distribution in the Alaskan Arctic using aerial photography and topographic relationships. *Water Resources Research*, 34(12), 3471-3483.
- Kopeikin, A. N., Ponda, S. S., Johnson, L. B., and How, J. P. (2013). Dynamic mission planning for communication control in multiple unmanned aircraft teams. *Unmanned Systems*, 1(01), 41-58.
- Kozak, K. H., Graham, C. H., and Wiens, J. J. (2008). Integrating GIS-based environmental data into evolutionary biology. *Trends in Ecology & Evolution*, 23(3), 141-148.
- Kraak, M.-J., and Ormeling, F. (2011). *Cartography: visualization of spatial data*: Guilford Press.
- Kraus, K. 1993. *Photogrammetry. Fundamentals and Standard Processes.—Vol. 1. Bonn*: Dümmmler Verlag.
- Kraus, K. 1997. *Photogrammetry, volume 2: Advanced methods and applications, Ferd*: Dummler's Verlag, Bonn.
- Kraus, K. (2007). *Photogrammetry: geometry from images and laser scans: (Vol.1)* Walter De Gruyter.
- Kroon, A., Davidson, M., Aarninkhof, S., Archetti, R., Armaroli, C., Gonzalez, M., and Holman, R. (2007). Application of remote sensing video systems to coastline management problems. *Coastal Engineering*, 54(6), 493-505.

- Kuleli, T. (2010). Quantitative analysis of shoreline changes at the Mediterranean Coast in Turkey. *Environmental monitoring and assessment*, 167(1-4), 387-397.
- Kuleli, T., Guneroglu, A., Karsli, F., and Dihkan, M. (2011). Automatic detection of shoreline change on coastal Ramsar wetlands of Turkey. *Ocean Engineering*, 38(10), 1141-1149.
- Kumar, T. S., Mahendra, R., Nayak, S., Radhakrishnan, K., and Sahu, K. (2010). Coastal vulnerability assessment for Orissa State, east coast of India. *Journal of Coastal Research*, 523-534.
- Läbe, T., and Förstner, W. (2004). Geometric stability of low-cost digital consumer cameras. *Paper presented at the Proceedings of the 20th ISPRS Congress, Istanbul, Turkey*.
- Laliberte, A. S., Herrick, J. E., Rango, A., and Winters, C. (2010). Acquisition, orthorectification, and object-based classification of unmanned aerial vehicle (UAV) imagery for rangeland monitoring. *Photogrammetric Engineering & Remote Sensing*, 76(6), 661-672.
- Laliberte, A. S., and Rango, A. (2009). Texture and scale in object-based analysis of subdecimeter resolution unmanned aerial vehicle (UAV) imagery. *Geoscience and Remote Sensing, IEEE Transactions on*, 47(3), 761-770.
- Lambin, E. F., and Meyfroidt, P. (2011). Global land use change, economic globalization, and the looming land scarcity. *Proceedings of the National Academy of Sciences*, 108(9), 3465-3472.
- Lang, M., McDonough, O., McCarty, G., Oesterling, R., and Wilen, B. (2012). Enhanced detection of wetland-stream connectivity using LiDAR. *Wetlands*, 32(3), 461-473.
- Lantuit, H., Overduin, P. P., Couture, N., Wetterich, S., Aré, F., Atkinson, D., and Forbes, D. L. (2012). The Arctic coastal dynamics database: A new classification scheme and statistics on Arctic permafrost coastlines. *Estuaries and Coasts*, 35(2), 383-400.
- Laurini, R. (2002). *Information systems for urban planning: a hypermedia cooperative approach*: CRC Press.
- Leatherman, S. P., Zhang, K., and Douglas, B. C. (2000). Sea level rise shown to drive coastal erosion. *Eos, Transactions American Geophysical Union*, 81(6), 55-57.

- Lejot, J., Delacourt, C., Piégay, H., Fournier, T., Trémélo, M. L., and Allemand, P. (2007). Very high spatial resolution imagery for channel bathymetry and topography from an unmanned mapping controlled platform. *Earth Surface Processes and Landforms*, 32(11), 1705-1725.
- Lemmens, M. (2011). Photogrammetry: Geometric Data from Imagery *Geo-information* (pp. 123-151): Springer.
- Leonard, N. E. (2013). Cooperative vehicle environmental monitoring. *This volume*.
- Leone, F., Lavigne, F., Paris, R., Denain, J. C., and Vinet, F. (2011). A spatial analysis of the December 26th, 2004 tsunami-induced damages: Lessons learned for a better risk assessment integrating buildings vulnerability. *Applied Geography*, 31(1), 363-375.
- Lerma, J. L., and Cabrelles, M. (2007). A review and analyses of plumb-line calibration. *The Photogrammetric Record*, 22(118), 135-150.
- Li, J., Zhou, Y., and Lamont, L. (2013). Communication architectures and protocols for networking unmanned aerial vehicles. *Paper presented at the IEEE on Globecom Workshops, 2013*.
- Li, R., Di, K., and Ma, R. (2001). A comparative study of shoreline mapping techniques. *GIS for coastal zone management*, pp. 53-60.
- Li, R., Di, K., and Ma, R. (2004). A comparative study of shoreline mapping techniques. *GIS for coastal zone management. CRC Press, Boca Raton*, pp. 27-34.
- Li, R., Keong, C. W., Ramcharan, E., Kjerfve, B., and Willis, D. (1998). A coastal GIS for shoreline monitoring and management-case study in Malaysia. *Surveying and Land Information Systems*, 58(3), 157-166.
- Li, R., Liu, J.-K., and Felus, Y. (2001). Spatial Modeling and Analysis for Shoreline Change Detection and Coastal Erosion Monitoring. *Marine Geodesy*, 24(1), 1-12. doi: 10.1080/01490410121502
- Li, R., Ma, R., and Di, K. (2002). Digital tide-coordinated shoreline. *Marine Geodesy*, 25(1-2), 27-36.
- Li, Z., Zhu, C., and Gold, C. (2010). *Digital terrain modeling: principles and methodology*: CRC press.
- Li, Z., Zhu, Q., and Gold, C. (2005). *Digital terrain modeling: principles and methodology* CRC Press.

- Lin, Y.C., and Wang, R. (2011). Discussion on the Skills and Experiences of DOM Production [J]. *Geomatics & Spatial Information Technology*, 1, 031.
- Ling, F. S., Shiozaki, Y., and Horita, Y. (2006). Evaluation of the reconstruction plans for tsunami victims in Malaysia. *Journal of Asian Architecture and Building Engineering*, 5(2), 293-300.
- Lingua, A., Marenchino, D., and Nex, F. (2009). Performance analysis of the SIFT operator for automatic feature extraction and matching in photogrammetric applications. *Sensors (Basel)*, 9(5), 3745-3766.
- Liu, P., Chen, A. Y., Huang, Y.N., Han, J.Y., Lai, J.S., Kang, S.C., Tsai, M.H. (2014). A review of rotorcraft Unmanned Aerial Vehicle (UAV) developments and applications in civil engineering. *Smart Structures and Systems*, 13(6), 1065-1094.
- Liu, X., Chen, P., Tong, X., Liu, S., Liu, S., Hong, Z., Luan, K. (2012). UAV-based low-altitude aerial photogrammetric application in mine areas measurement. *Paper presented at the Second International Workshop on Earth Observation and Remote Sensing Applications (EORSA), 2012.*
- Liu, X., Zhang, Z., Peterson, J., and Chandra, S. (2007). LiDAR-derived high quality ground control information and DEM for image orthorectification. *GeoInformatica*, 11(1), 37-53.
- Longley, P. (2005). *Geographic information systems and science*: John Wiley & Sons.
- Lorenzatti, A., Abel, M., Fiorini, S. R., Bernardes, A. K., and dos Santos Scherer, C. M. (2010). Ontological primitives for visual knowledge *Advances in artificial intelligence—SBIA 2010* (pp. 1-10): Springer.
- Lucieer, A., de Jong, S., and Turner, D. (2013). Mapping landslide displacements using Structure from Motion (SfM) and image correlation of multi-temporal UAV photography. *Progress in Physical Geography*, 0309133313515293.
- Luhmann, T., Robson, S., Kyle, S., and Boehm, J. (2013). *Close-range photogrammetry and 3D imaging*: Walter De Gruyter.
- Maguire, D. J., Goodchild, M. F., and WRHIND, D. (1991). *Principles and Applications*: Longman.
- Maio, C. V., Gontz, A. M., Tenenbaum, D. E., and Berkland, E. P. (2012). Coastal hazard vulnerability assessment of sensitive historical sites on Rainsford

- Island, Boston Harbor, Massachusetts. *Journal of Coastal Research*, 28(1A), 20-33.
- Makino, M., and Matsuda, H. (2005). Co-management in Japanese coastal fisheries: institutional features and transaction costs. *Marine Policy*, 29(5), 441-450.
- Manferdini, A., and Remondino, F. (2012). A review of reality-based 3D model generation, segmentation and web-based visualization methods. *International Journal of Heritage in the Digital Era*, 1(1), 103-124.
- Mangor, K., Brøker, I., Deigaard, R., and Grunnet, N. (2010). Bypass harbours at littoral transport coasts. *Paper presented at the PIANC MMX Congress Liverpool UK*.
- Marfai, M. A. (2011). The hazards of coastal erosion in Central Java, Indonesia: An overview. *Geografia Malaysia J Soc Space*, 7(3), 1-9.
- Manual, S. P. (1984). Coastal Engineering Research Center. *Department of the Army, Waterways Experiment Station*, 1.
- Margono, B. A., Turubanova, S., Zhuravleva, I., Potapov, P., Tyukavina, A., Baccini, A., Hansen, M. C. (2012). Mapping and monitoring deforestation and forest degradation in Sumatra (Indonesia) using Landsat time series data sets from 1990 to 2010. *Environmental Research Letters*, 7(3), 034010.
- Marzolff, I., and Poesen, J. (2009). The potential of 3D gully monitoring with GIS using high-resolution aerial photography and a digital photogrammetry system. *Geomorphology*, 111(1), 48-60.
- Mason, S., Rüther, H., and Smit, J. (1997). Investigation of the Kodak DCS460 digital camera for small-area mapping. *ISPRS Journal of Photogrammetry and Remote sensing*, 52(5), 202-214.
- Masselink, G., Auger, N., Russell, P., and O'HARE, T. (2007). Short-term morphological change and sediment dynamics in the intertidal zone of a macrotidal beach. *Sedimentology*, 54(1), 39-53.
- Matsuyama, I., and Nimmo, F. (2009). Gravity and tectonic patterns of Mercury: Effect of tidal deformation, spin-orbit resonance, nonzero eccentricity, despinning, and reorientation. *Journal of Geophysical Research: Planets (1991–2012)*, 114(E1).
- Matthews, N., and Noble, T. (2008). Aerial and close-range photogrammetric technology: providing resource documentation, interpretation, and preservation. *Technical Note*, 428, 42.

- Matthews, N. A. (2007). Of Time and The Soil: Detecting Microtopographic Changes Using Extreme Close-Range Photogrammetry. *Paper presented at the 2007 GSA Denver Annual Meeting.*
- May, V. (2014). Coastal cliff conservation and management: the Dorset and East Devon Coast World Heritage Site. *Journal of Coastal Conservation*, 1-9.
- McDonald, J. (2008). Project Management GIS Applications and Tools for Coastal-Erosion Mapping in Ohio. *Digital Mapping Techniques workshop*. Moscow, Idaho.
- McGlashan, D. J., Duck, R. W., and Reid, C. T. (2005). Defining the foreshore: coastal geomorphology and British laws. *Estuarine, Coastal and Shelf Science*, 62(1), 183-192.
- McLachlan, A., and Brown, A. C. (2010). *The ecology of sandy shores*: Academic Press.
- McLain, T. W. (1999). Coordinated control of unmanned air vehicles. *Paper presented at the Proceedings of the 2000 American Control Conference, and Visiting Scientist Summer.*
- Mee, L. (2012). Between the Devil and the Deep Blue Sea: The coastal zone in an Era of globalisation. *Estuarine, Coastal and Shelf Science*, 96, 1-8.
- Meilianda, E., Dohmen-Janssen, C., Maathuis, B., Hulscher, S., and Mulder, J. (2010). Short-term morphological responses and developments of Banda Aceh coast, Sumatra Island, Indonesia after the tsunami on 26 December 2004. *Marine geology*, 275(1), 96-109.
- Meiner, A. (2010). Integrated maritime policy for the European Union—consolidating coastal and marine information to support maritime spatial planning. *Journal of Coastal Conservation*, 14(1), 1-11.
- Melo, R., Barreto, J. P., and Falcao, G. (2012). A new solution for camera calibration and real-time image distortion correction in medical endoscopy—initial technical evaluation. *Biomedical Engineering, IEEE Transactions on*, 59(3), 634-644.
- Mills, J., Buckley, S., Mitchell, H., Clarke, P., and Edwards, S. (2005). A geomatics data integration technique for coastal change monitoring. *Earth Surface Processes and Landforms*, 30(6), 651-664.

- Mills, J., and Newton, I. (1996). A new approach to the verification and revision of large-scale mapping. *ISPRS Journal of Photogrammetry and Remote sensing*, 51(1), 17-27.
- Mills, J., Newton, I., and Graham, R. (1996). Aerial photography for survey purposes with a high resolution, small format, digital camera. *The Photogrammetric Record*, 15(88), 575-587.
- Mitasova, H., Neteler, M., and Mitas, L. (2014). Environmental Data Management, Analysis and Modeling in Grass6. *Environmental Software Systems*, 406.
- Miththapala, S. (2008). *Seagrasses and sand dunes* (Vol. 3): IUCN.
- Mmom, P., and Chukwu-Okeah, G. (2011). Factors and Processes of Coastal Zone Development in Nigeria: A Review. *Research Journal of Environmental and Earth Sciences*, 3(6), 625-632.
- Moore, I. D., Grayson, R., and Ladson, A. (1991). Digital terrain modelling: a review of hydrological, geomorphological, and biological applications. *Hydrological processes*, 5(1), 3-30.
- Moore, L. J. (2000). Shoreline mapping techniques. *Journal of Coastal Research*, 111-124.
- Morain, S. A., and Budge, A. M. (2012). *Environmental Tracking for Public Health Surveillance*: CRC Press.
- Morgan, D., and Falkner, E. (2010). *Aerial mapping: methods and applications*: CRC Press.
- Morton, R. A. (2005). Mapping Shores and Coastal Terrain. *Encyclopedia of Coastal Science*, 618-623.
- Morton, R. A., Miller, T., and Moore, L. (2005). Historical shoreline changes along the US Gulf of Mexico: a summary of recent shoreline comparisons and analyses. *Journal of Coastal Research*, 704-709.
- Mozas-Calvache, A., Pérez-García, J., Cardenal-Escarcena, F., Mata-Castro, E., and Delgado-García, J. (2012). Method for photogrammetric surveying of archaeological sites with light aerial platforms. *Journal of archaeological science*, 39(2), 521-530.
- Mucher, S., Roerink, G., Franke, J., Suomalainen, J., and Kooistra, L. (2014). Monitoring agricultural crop growth: comparison of high spatial-temporal satellite imagery versus UAV-based imaging spectrometer time series

- measurements. *In EGU General Assembly Conference Abstracts*. Vol. 16, p. 15788.
- Mueller, T. J., and DeLaurier, J. D. (2003). Aerodynamics of small vehicles. *Annual Review of Fluid Mechanics*, 35(1), 89-111.
- Müller, J., Gärtner-Roer, I., Thee, P., and Ginzler, C. (2014). Accuracy assessment of airborne photogrammetrically derived high-resolution digital elevation models in a high mountain environment. *ISPRS Journal of Photogrammetry and Remote Sensing*, 98(0), 58-69. doi: <http://dx.doi.org/10.1016/j.isprsjprs.2014.09.015>.
- Mujabar, P. S., and Chandrasekar, N. (2013). Shoreline change analysis along the coast between Kanyakumari and Tuticorin of India using remote sensing and GIS. *Arabian Journal of Geosciences*, 6(3), 647-664.
- Mulcahy, N. P. E. (2014). *The geomorphic significance of hurricanes on coral-fringed calcium carbonate coastlines: Hurricane Wilma 15-25 October 2005, Northeastern Yucatan Peninsula, Mexico*. Degree of Master. Victoria University of Wellington, New Zealand.
- Mulder, J. P., Hommes, S., and Horstman, E. M. (2011). Implementation of coastal erosion management in the Netherlands. *Ocean & Coastal Management*, 54(12), 888-897.
- Murali, R. S. N., and Luis, M. (2013). Beach erosion reaching homes. <http://www.thestar.com.my/News/Community/2013/07/11/Beach-erosion-reaching-homes-There-is-urgent-need-to-embark-on-remedial-measures-says-Ghazale-Mohama/>. (Accessed on 13 August 2015).
- Murray, K. (1989). Medium and small format photography for the maintenance of national mapping. *The Photogrammetric Record*, 13(73), 85-94.
- Musialski, P., Wonka, P., Aliaga, D. G., Wimmer, M., Gool, L., and Purgathofer, W. (2013). A survey of urban reconstruction. In *Computer graphics forum*, Vol. 32, No. 6, pp. 146-177.
- Mutalib, M., H., A. (2012). Pantai Kuala Pak Amat hilang seri. http://ww1.utusan.com.my/utusan/Timur/20120817/wt_01/Pantai-Kuala-Pak-Amat-hilang-seri. (Accessed on 13 August 2015).
- Nag, P., and Sengupta, S. (2007). *Introduction To Geographical Information Systems*: Concept Publishing Company.

- National Research Council (NRC), 1990. *Managing Coastal Erosion*. National Research Council, National Academy Press, Washington D.C., 182p.
- Nawrat, A., and Kus, Z. (2013). *Vision Based Systems for UAV Applications*: Springer Publishing Company, Incorporated.
- Neteler, M., Bowman, M. H., Landa, M., and Metz, M. (2012). GRASS GIS: A multi-purpose open source GIS. *Environmental Modelling & Software*, 31, 124-130.
- Neumann, J. E., Hudgens, D. E., Herter, J., and Martinich, J. (2010). Assessing sea-level rise impacts: a GIS-based framework and application to coastal New Jersey. *Coastal Management*, 38(4), 433-455.
- Neuner, F., Schauer, E., Catani, C., Ruf, M., and Elbert, T. (2006). Post-tsunami stress: A study of posttraumatic stress disorder in children living in three severely affected regions in Sri Lanka. *Journal of Traumatic Stress*, 19(3), 339-347.
- Nex, F., and Remondino, F. (2014). UAV for 3D mapping applications: a review. *Applied Geomatics*, 6(1), 1-15.
- Nicholls, R. J., and Tol, R. S. (2006). Impacts and responses to sea-level rise: a global analysis of the SRES scenarios over the twenty-first century. *Philos Trans A Math Phys Eng Sci*, 364(1841), 1073-1095. doi: 10.1098/rsta.2006.1754.
- Nicholls, R. J., and Cazenave, A. (2010). Sea-level rise and its impact on coastal zones. *Science*, 328(5985), 1517-1520.
- Niethammer, U., James, M., Rothmund, S., Travelletti, J., and Joswig, M. (2012). UAV-based remote sensing of the Super-Sauze landslide: Evaluation and results. *Engineering Geology*, 128, 2-11.
- Nwilo, P. C. (1995). *Sea level variations and the impacts along the coastal areas of Nigeria*. University of Salford.
- Nwilo, P. C. (2004). GIS applications in coastal management: A view from the developing world. *Bartlett et Smith: GIS for coastal zone management*. CRC Press, Londres, 181-194.
- O'Connor, T. (1992). Recent trends in coastal environmental quality: Results from the first five years of the NOAA Mussel Watch Project. *NOAA Coastal Monitoring Branch, NOAA N/ORCA21*, 6001.

- Ohanian, H. C., and Ruffini, R. (2013). *Gravitation and spacetime*: Cambridge University Press.
- Olsen, M. J., Johnstone, E., Driscoll, N., Ashford, S. A., and Kuester, F. (2009). Terrestrial laser scanning of extended cliff sections in dynamic environments: Parameter analysis. *Journal of Surveying Engineering*, 135(4), 161-169.
- Olsen, M. J., Johnstone, E., Kuester, F., Driscoll, N., and Ashford, S. A. (2010). New automated point-cloud alignment for ground-based light detection and ranging data of long coastal sections. *Journal of Surveying Engineering*, 137(1), 14-25.
- Olsen, M. J., Young, A. P., and Ashford, S. A. (2012). TopCAT—Topographical Compartment Analysis Tool to analyze seacliff and beach change in GIS. *Computers & Geosciences*, 45, 284-292.
- Ono, T., Akamatsu, S. I., and Hattori, S. (2004). A Long Range Photogrammetric Method with Orthogonal Projection Model. *International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences*, 35(3), 1010-1015.
- Othman, M. A. 1994. Value of mangroves in coastal protection. *Hydrobiologia*, 285(1-3), 277-282
- Othman, S. (2011). *Adaptation to climate change and reducing natural disaster risk: A study on country practices and lesson between Malaysia and Japan*: Malaysian Meteorological Department, Kuala Lumpur, Malaysia.
- Paine, D. P., and Kiser, J. D. (2003). *Aerial photography and image interpretation*: John Wiley and Sons.
- Palalane, J., Larson, M., Hanson, H., and Juízo, D. (2015). Coastal Erosion in Mozambique: Governing Processes and Remedial Measures. *Journal of Coastal Research In-Press*. doi: <http://dx.doi.org/10.2112/JCOASTRES-D-14-00020.1>.
- Panigrahi, J. K., and Mohanty, P. K. (2012). Effectiveness of the Indian coastal regulation zones provisions for coastal zone management and its evaluation using SWOT analysis. *Ocean and Coastal Management*, 65, 34-50.
- Pardesi, M. S. (2005). Unmanned Aerial Vehicles/Unmanned Combat Aerial Vehicles. *Air & Space Power Journal*, 45-54.

- Paris, R., Lavigne, F., Wassmer, P., and Sartohadi, J. (2007). Coastal sedimentation associated with the december 26, 2004 tsunami in lhok nga, west banda aceh (sumatra, indonesia). *Marine geology*, 238(1), 93-106.
- Paterson, S. K., Loomis, D. K., and Young, S. E. (2014). The Human Dimension of Changing Shorelines Along the US North Atlantic Coast. *Coastal Management*, 42(1), 17-35.
- Paton, D., Johnston, D. M., and Johal, S. (2013). Human Impacts of Hazards *Encyclopedia of Natural Hazards* (pp. 474-478): Springer.
- Peckham, R. J., and Gyoza, J. (2007). *Digital terrain modelling*: Springer.
- Penning-Rowsell, E., Priest, S., Parker, D., Morris, J., Tunstall, S., Viavattene, C., Owen, D. (2014). *Flood and coastal erosion risk management: a manual for economic appraisal*: Routledge.
- Perez, D., Maza, I., Caballero, F., Scarlatti, D., Casado, E., and Ollero, A. (2013). A ground control station for a multi-uav surveillance system. *Journal of Intelligent & Robotic Systems*, 69(1-4), 119-130.
- Perroy, R. L., Bookhagen, B., Asner, G. P., and Chadwick, O. A. (2010). Comparison of gully erosion estimates using airborne and ground-based LiDAR on Santa Cruz Island, California. *Geomorphology*, 118(3), 288-300.
- Petzold, B., Reiss, P., and Stössel, W. (1999). Laser scanning—surveying and mapping agencies are using a new technique for the derivation of digital terrain models. *ISPRS Journal of Photogrammetry and Remote sensing*, 54(2), 95-104.
- Phillips, M. R., and Jones, A. L. (2006). Erosion and tourism infrastructure in the coastal zone: Problems, consequences and management. *Tourism Management*, 27(3), 517-524.
- Pidot, J. (2013). Deconstructing Disaster. *Brigham Young University Law Review*, 2013(2), 213-258.
- Pradhan, B., Chaudhari, A., Adinarayana, J., and Buchroithner, M. F. (2012). Soil erosion assessment and its correlation with landslide events using remote sensing data and GIS: a case study at Penang Island, Malaysia. *Environmental monitoring and assessment*, 184(2), 715-727.
- Puri, A. (2005). *A Survey of Unmanned Aerial Vehicles (UAV) for Traffic Surveillance*: Department of Computer Science and Engineering, University of South Florida.

- Püschel, H., Sauerbier, M., and Eisenbeiss, H. (2008). A 3D model of Castle Landenberg (CH) from combined photogrammetric processing of terrestrial and UAV-based images. *Int. Arch. Photogramm. Remote Sens. Spat. Inf. Sci.*, 37, 93-98.
- Quigley, M., Goodrich, M. A., Griffiths, S., Eldredge, A., and Beard, R. W. (2005). Target acquisition, localization, and surveillance using a fixed-wing mini-UAV and gimbaled camera. *Proceedings of the IEEE International Conference on the Robotics and Automation, 2005. ICRA 2005*, pp. 2600-2605.
- Rahimuddin, R., Maimun, A., Abdul Ghani, P., Priyanto, A., and Muhammad, A. H. (2012). Nonlinear response of SemiSWATH ship, bow-diving, and fin stabilizer effect in following seas. *International Journal of Engineering & Technology IJET-IJENS*, 12(2), 38-47.
- Rahman, T., and Krouglicof, N. (2012). An efficient camera calibration technique offering robustness and accuracy over a wide range of lens distortion. *IEEE Transactions on Image Processing*, 21(2), 626-637.
- Ramieri, E., Hartley, A., Barbanti, A., Santos, F. D., Gomes, A., Hilden, M., Santini, M. (2011). Methods for assessing coastal vulnerability to climate change. *European Topic Centre on Climate Change Impacts, Vulnerability and Adaptation Technical Paper 1/2011*.
- Ramsay, D., Gibberd, B., Dahm, J., and Bell, R. (2012). Defining coastal hazard zones and setback lines. *A guide to good practice. National Institute of Water & Atmospheric Research Ltd, Hamilton, New Zealand. Cover photograph: R Bell, NIWA*, 5.
- Rango, A., Laliberte, A., Herrick, J. E., Winters, C., Havstad, K., Steele, C., and Browning, D. (2009). Unmanned aerial vehicle-based remote sensing for rangeland assessment, monitoring, and management. *Journal of Applied Remote Sensing*, 3(1), 033542-033542-033515.
- Rango, A., Laliberte, A., Steele, C., Herrick, J. E., Bestelmeyer, B., Schmutz, T., Jenkins, V. (2006). Using unmanned aerial vehicles for rangelands: current applications and future potentials. *Environmental Practice*, 8(03), 159-168.
- Remondino, F., Barazzetti, L., Nex, F., Scaioni, M., and Sarazzi, D. (2011). UAV photogrammetry for mapping and 3d modeling—current status and future

- perspectives. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 38(1), C22.
- Remondino, F., and Fraser, C. (2006). Digital camera calibration methods: considerations and comparisons. *International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences*, 36(5), 266-272.
- Retzlaff, R., Lord, N., and Bentley, C. (1993). Airborne-radar studies: Ice Streams A, Band C, West Antarctica. *Journal of Glaciology*, 39(1), 33.
- Revell, D. L., Battalio, R., Spear, B., Ruggiero, P., and Vandever, J. (2011). A methodology for predicting future coastal hazards due to sea-level rise on the California Coast. *Climatic Change*, 109(1), 251-276.
- Roelvink, D., Reniers, A., van Dongeren, A., van Thiel de Vries, J., McCall, R., and Lescinski, J. (2009). Modelling storm impacts on beaches, dunes and barrier islands. *Coastal Engineering*, 56(11), 1133-1152.
- Roelvink, J., and Reniers, A. (2011). *A guide to modeling coastal morphology* (Vol. 12): World Scientific.
- Rosen, P. A., Hensley, S., Wheeler, K., Sadowy, G., Miller, T., Shaffer, S., Madsen, S. (2006). UAVSAR: a new NASA airborne SAR system for science and technology research. *Paper presented at the IEEE Conference on Radar, 2006*, pp.8.
- Rosnell, T., and Honkavaara, E. (2012). Point cloud generation from aerial image data acquired by a quadcopter type micro unmanned aerial vehicle and a digital still camera. *Sensors (Basel)*, 12(1), 453-480. doi: 10.3390/s120100453
- Ryabchuk, D., Zhamoida, V., Sergeev, A., KOvaleva, O., Nesterova, E., and Budanov, L. (2014). The Coastal Erosion Map For Different Climate Change. Scenarios. Compilation - Methodology And Results. *South-East Finland - Russia Enpi CBC 2007 – 2013*.
- Sadeghzadeh, I., and Zhang, Y. (2011). A review on fault-tolerant control for unmanned aerial vehicles (UAVs). *Infotech@ Aerospace, 29 - 31 March 2011, St. Louis, Missouri*, AIAA 2011-1472.
- Salamí, E., Barrado, C., and Pastor, E. (2014). UAV flight experiments applied to the remote sensing of vegetated areas. *Remote Sensing*, 6(11), 11051-11081.
- Samad, A. M., Sauri, N. H., Hamdani, M. A., Adnan, R., and Ahmad, A. (2012). Kellie Castle Facade Recording Using Digital Close-range photogrammetry.

Paper presented at the IEEE 8th International Colloquium on Signal Processing and its Applications (CSPA), 23-25 March 2012, Melaka, pp. 216-222.

- Santise, M., Fornari, M., Forlani, G. & Roncella, R. 2014. Evaluation Of DEM Generation Accuracy From UAS Imagery. *ISPRS-International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 1, 529-536.
- Sargeant, N. (2012). *Unmanned aerial vehicle payload development for aerial survey*. Doctor Philosophy. Murdoch University, Australia.
- Sarris, Z., and Atlas, S. (2001). Survey of UAV applications in civil markets. *Paper presented at the IEEE Mediterranean Conference on Control and Automation, 27-29 June 2001.*
- Schenk, T. (2005). *Introduction to photogrammetry*: The Ohio State University, Columbus.
- Schenk, T., and Csathó, B. (2002). Fusion of LIDAR data and aerial imagery for a more complete surface description. *International Archives of Photogrammetry Remote Sensing and Spatial Information Sciences*, 34(3/A), 310-317.
- Schmidt, R. A. (2012). Diseases in forest ecosystems: the importance of functional diversity. *Plant diseases: an advanced treatise*, 2, 287-315.
- Schwartz, M. L. (1967). The Bruun theory of sea-level rise as a cause of shore erosion. *The Journal of Geology*, 76-92.
- Seidelmann, P. K. (2006). *Explanatory supplement to the astronomical almanac*: University Science Books.
- Semke, W. H., Schultz, R. R., Dvorak, D., Trandem, S., Berseth, B., and Lendway, M. (2007). Utilizing UAV payload design by undergraduate researchers for educational and research development. *In American Society of Mechanical Engineers on International Mechanical Engineering Congress and Exposition*, pp. 113-120.
- Shah, B., and Kim, K., I. (2014). A Survey on Three-Dimensional Wireless Ad Hoc and Sensor Networks. *International Journal of Distributed Sensor Networks*, Vol. 2014, pp.20. <http://dx.doi.org/10.1155/2014/616014>.
- Sharples, C., Mount, R., and Pedersen, T. (2009). *The Australian Coastal Smartline Geomorphic and Stability Map Version 1: Manual and Data Dictionary*.

Report of the University of Tasmania for the Department of Climate Change and Geoscience Australia.

- Siebert, S., and Teizer, J. (2014). Mobile 3D mapping for surveying earthwork projects using an Unmanned Aerial Vehicle (UAV) system. *Automation in Construction*, 41, 1-14.
- Silvester, R., and Hsu, J. R. (1997). *Coastal stabilization* (Vol. 14): World Scientific Singapore.
- Siwar, C., Ibrahim, M. Z., Harizan, S. H. M., and Kamaruddin, R. (2006). Impact of tsunami on fishing, aquaculture and coastal communities in Malaysia. *Proceedings Persidangan Antarabangsa Pembangunan Aceh, UKM Bangi, Malaysia*, 41-52.
- Skaloud, J., Vallet, J., Keiler, K., Veyssi re, G., and Kolbl, O. (2006). Rapid Aerial Mapping with Handheld Sensors. *GPS World*, pp. 26-32.
- Slama, C. C., Theurer, C., and Henriksen, S. W. (1980). *Manual of photogrammetry* (No. Ed. 4): American Society of Photogrammetry.
- Smith, D. P. & Atkinson, S. F. 2001. Accuracy of rectification using topographic map versus GPS ground control points. *Photogrammetric Engineering & Remote Sensing*, 67, 565-570.
- Smith, M. (1997). Close range photogrammetry and machine vision. *Survey Review*, 34(266), 276-276.
- Sonka, M., Hlavac, V., and Boyle, R. (2014). *Image processing, analysis, and machine vision*: Cengage Learning.
- Spatalas, S., Tsioukas, V., and Daniil, M. (2006). The use of remote controlled helicopter for the recording of large scale urban and suburban sites. *Culture of Representation, Xanthi, Greece. March, 2006.*
- Stein, S., and Okal, E. A. (2005). The 2004 Sumatra earthquake and Indian Ocean tsunami: What happened and why?. *Visual Geosciences*, 10(1), 21-26.
- Sterr, H. 2008. Assessment of vulnerability and adaptation to sea-level rise for the coastal zone of Germany. *Journal of Coastal Research*, 380-393.
- Stocker, L., Kennedy, D., Kenchington, R., and Merrick, K. (2012). *Sustainable Coastal Management and Climate Adaptation, Global Lessons from Regional Approaches in Australia*. CRC Press: Boca Raton, FL, 29-56.
- Stupakis, J. S. (2013). Unmanned aircraft systems for firefighting: *U.S. Patent Application 13/920,593.*

- Sulaiman, A. H. (2012). *Impacts of Climate Change on Coastal Resources*. Department of Irrigation and Drainage. Ministry of Natural Resources and Environment Malaysia.
- Sunseri, T. (2007). The political ecology of the copal trade in the Tanzanian coastal hinterland, c. 1820–1905. *The Journal of African History*, 48(02), 201-220.
- Szczuciński, W., Niedzielski, P., Kozak, L., Frankowski, M., Zioła, A., and Lorenc, S. (2007). Effects of rainy season on mobilization of contaminants from tsunami deposits left in a coastal zone of Thailand by the 26 December 2004 tsunami. *Environmental Geology*, 53(2), 253-264.
- Tahar, K. (2013). *Photogrammetric Micro Unmanned Aerial Vehicle for Large Scale Slope Mapping*. Doctor Philosophy. University Technology of Malaysia.
- Tahar, K. N., and Ahmad, A. (2011). Capability of low cost digital camera for production of orthophoto and volume determination. *Paper presented at the IEEE 7th International Colloquium on Signal Processing and its Applications (CSPA)*, pp. 67-71.
- Tahar, K. N., and Ahmad, A. (2012). A simulation study on the capabilities of rotor wing unmanned aerial vehicle in aerial terrain mapping. *International Journal of Physical Sciences*, 7(8), 1300-1306.
- Teh, T. S., and voon, P. K. (1992). *Impact of Sea level Rise on the Coastal Zone of Malaysia*: WWF Malaysia Resource Library Economic Planning Unit, Kuala Lumpur.
- Telford, J., Cosgrave, J., and Houghton, R. (2006). *Joint evaluation of the international response to the Indian Ocean tsunami: Synthesis Report*: Edita.
- Tempelmann, U., Börner, A., Chaplin, B., Hinsken, L., Mykhalevych, B., Miller, S., Uebbing, R. (2000). Photogrammetric software for the LH Systems ADS40 airborne digital sensor. *International Archives of Photogrammetry and Remote Sensing*, 33(B2; PART 2), 552-559.
- Thamm, H. P., Ludwig, T., and Reuter, C. (2013). Design of a Process Model for Unmanned Aerial Systems (UAS) in Emergencies. *Proceedings of the Information Systems for Crisis Response and Management (ISCRAM)*, 478-487.
- Torresan, S., Critto, A., Dalla Valle, M., Harvey, N., and Marcomini, A. (2008). Assessing coastal vulnerability to climate change: comparing segmentation at

- global and regional scales. *Sustainability Science*, 3(1), 45-65. doi: 10.1007/s11625-008-0045-1.
- Tozer, T., Grace, D., Thompson, J., and Baynham, P. (2000). UAVs and HAPs-Potential Convergence for Military Communications. *In IEEE Colloquium on Military Satellite Communications* (Ref. No. 2000/024), pp. 10-1.
- Tsai, M., Chiang, K., Huang, Y., Lin, Y., Tsai, J., Lo, C., Wu, C. (2010). The development of a direct georeferencing ready UAV based photogrammetry platform. *Proceedings of the 2010 Canadian Geomatics Conference and Symposium of Commission I*.
- Turki, I., Medina, R., Gonzalez, M., and Coco, G. (2013). Natural variability of shoreline position: observations at three pocket beaches. *Marine geology*, 338, 76-89.
- Turner, D., Lucieer, A., and Watson, C. (2012). An automated technique for generating georectified mosaics from ultra-high resolution unmanned aerial vehicle (UAV) imagery, based on structure from motion (SfM) point clouds. *Remote Sensing*, 4(5), 1392-1410.
- Udin, W., and Ahmad, A. (2014). Assessment of Photogrammetric Mapping Accuracy Based on Variation Flying Altitude Using Unmanned Aerial Vehicle. *In IOP Conference Series: Earth and Environmental Science, Vol. 18, No. 1, p. 012027*. IOP Publishing.
- Udin, W. S., and Ahmad, A. (2012). Large scale mapping using digital aerial imagery of unmanned aerial vehicle. *International Journal of Scientific & Engineering Research*, 3(11), 1-6.
- Udo, K., Sugawara, D., Tanaka, H., Imai, K., and Mano, A. (2012). Impact of the 2011 Tohoku earthquake and tsunami on beach morphology along the northern Sendai coast. *Coastal Engineering Journal*, 54(01).
- Udo, K., Yamawaki, S., and Ito, Y. (2006). Temporal changes of backshore topography and sand grain size under wind and wave actions. *American Society of Civil Engineers*, 30(3), p. 2906.
- Ulén, B. M., and Kalisky, T. (2005). Water erosion and phosphorus problems in an agricultural catchment—need for natural research for implementation of the EU Water Framework Directive. *Environmental Science & Policy*, 8(5), 477-484.

- Uysal, M., Toprak, A., and Polat, N. (2013). Photo Realistic 3d Modeling with UAV. *ISPRS-International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 1(2), 659-662.
- Valavanis, K. P. (2008). *Advances in unmanned aerial vehicles: state of the art and the road to autonomy* (Vol. 33): Springer.
- Vallega, A. (2013). *Fundamentals of integrated coastal management* (Vol. 49): Springer Science and Business Media.
- Van der Weide, J., de Vroeg, H. & F. Sanyang. 2001. Guidelines for coastal erosion management. In: E. Ozhan, ed. *Medcoast 01: proceedings of the fifth international conference on Mediterranean coastal environment*. Vol. 3, pp. 1399–1414. Ankara. Turkey.
- Van Dijk, M. (2005). *Morphological analysis and optimization of Dubai nourishments*. Degree of Master. Delft University of Technology, Delft, The Netherlands.
- Van Hinsberg, W., Rijdsdijk, M., and Witteveen, W. (2013). UAS for cadastral applications: testing suitability for boundary identification in urban areas. *GIM Int*, 27, 20-25.
- Van Rijn, L. (2011). Coastal erosion and control. *Ocean & Coastal Management*, 54(12), 867-887.
- Vargas, R. A. (2012). *Unmanned Systems: Operational Considerations for the 21st Century Joint Task Force Commander and Staff*. Degree of Master. St. John's University, Queens, New York.
- Verhoeven, G., Doneus, M., Briese, C., and Vermeulen, F. (2012). Mapping by matching: a computer vision-based approach to fast and accurate georeferencing of archaeological aerial photographs. *Journal of archaeological science*, 39(7), 2060-2070.
- Viles, H. and Spencer, T. (2014). *Coastal problems: Geomorphology, Ecology and Society at the Coast*: Routledge.
- Vocal Ferencevic, M., and Ashmore, P. (2012). Creating and Evaluating Digital Elevation Model-Based Stream-Power Map as A Stream Assessment Tool. *River Research and Applications*, 28(9), 1394-1416.
- Walstra, J. (2006). *Historical aerial photographs and digital photogrammetry for landslide assessment*: Jan Walstra.

- Wargo, C. A., Church, G. C., Glaneueski, J., and Strout, M. (2014). Unmanned Aircraft Systems (UAS) Research and Future Analysis. *In IEEE Aerospace Conference*, pp. 1-16.
- Warnaby, G. (2008). Maps and the representation of urban shopping destinations. *International Journal of Retail & Distribution Management*, 36(3), 224-234.
- Weibel, R., and Heller, M. (1993). *Digital Terrain Modelling*: Oxford University Press.
- Weng, C. N. (2005). Sustainable management of rivers in Malaysia: Involving all stakeholders. *International Journal of River Basin Management*, 3(3), 147-162.
- Westoby, M., Brasington, J., Glasser, N., Hambrey, M., and Reynolds, J. (2012). 'Structure-from-Motion' photogrammetry: A Low-Cost, Effective Tool for Geoscience Applications. *Geomorphology*, 179, 300-314.
- Wheeler, M. D., Lorimer, E. D., and Kramer, D. (2014). *U.S. Patent No. 8,713,032*. Washington, DC: U.S. Patent and Trademark Office.
- Williams, K. W. (2004). *A summary of unmanned aircraft accident/incident data: Human factors implications*, No. DOT/FAA/AM-04/24: DTIC Document, Washington.
- Wimmer, R. (2010). True Orthophoto Generation. Degree of Master. University of Applied Sciences, Serbian.
- Winterwerp, J. C., Borst, W. G., and De Vries, M. B. (2005). Pilot study on the erosion and rehabilitation of a mangrove mud coast. *Journal of Coastal Research*, 223-230.
- Wolf, P. R., Dewitt, B. A., and Wilkinson, B. E. (2000). *Elements of Photogrammetry: with applications in GIS* (Vol. 3): McGraw-Hill New York.
- Wong, P. (1990). The geomorphological basis of beach resort sites—some Malaysian examples. *Ocean and Shoreline Management*, 13(2), 127-147.
- Wozencraft, J., and Millar, D. (2005). Airborne lidar and integrated technologies for coastal mapping and nautical charting. *Marine Technology Society Journal*, 39(3), 27-35.
- Wu, H., Yao, W., Li, Y., and Yao, L. (2014). Traffic Accident Base-Map Mapping Based on Images and Topographic Maps: Method and Its Application in LBS *Principle and Application Progress in Location-Based Services* (pp. 279-294): Springer.

- Wu, Q., and Lu, Y. (2012). A Study of Lidar-Based Sense Making and Topographic Mapping. In *SPIE Asia-Pacific Remote Sensing*, pp. 85260C-85260C. International Society for Optics and Photonics.
- Xiang, H., and Tian, L. (2011). Development of a low-cost agricultural remote sensing system based on an autonomous unmanned aerial vehicle (UAV). *Biosystems engineering*, 108(2), 174-190.
- Yastikli, N., and Jacobsen, K. (2005). Direct sensor orientation for large scale mapping—Potential, problems, solutions. *The Photogrammetric Record*, 20(111), 274-284.
- Yin, J., Yin, Z., Wang, J., and Xu, S. (2012). National assessment of coastal vulnerability to sea-level rise for the Chinese coast. *Journal of Coastal Conservation*, 16(1), 123-133.
- Yoo, J., Fritz, H. M., Haas, K. A., Work, P. A., and Barnes, C. F. (2010). Depth inversion in the surf zone with inclusion of wave nonlinearity using video-derived celerity. *Journal of Waterway, Port, Coastal, and Ocean Engineering*, 137(2), 95-106.
- Young, L., Garde, G., and Sterling, W. (2007). A practical approach for scientific balloon film strain measurement using photogrammetry. In *Presentation at AIAA Balloon Technical Conference*, AIAA-2007-2607.
- Yu, K., and Chen, T. (2009). Beach Sediments from Northern South China Sea Suggest High and Oscillating Sea Levels During the Late Holocene. *Earth Science Frontiers*, 16(6), 138-145. doi: 10.1016/s1872-5791(08)60110-4.
- Yuan, Y., and Raubal, M. (2012). Extracting Dynamic Urban Mobility Patterns From Mobile Phone Data. *Geographic Information Science*, pp. 354-367: Springer.
- Zebedin, L., Klaus, A., Gruber-Geymayer, B., and Karner, K. (2006). Towards 3D map generation from digital aerial images. *ISPRS Journal of Photogrammetry and Remote sensing*, 60(6), 413-427.
- Zhang, C., and Kovacs, J. M. (2012). The application of small unmanned aerial systems for precision agriculture: a review. *Precision Agriculture*, 13(6), 693-712.
- Zhang, G., Xie, H., Duan, S., Tian, M., and Yi, D. (2011). Water level variation of Lake Qinghai from satellite and in situ measurements under climate change. *Journal of Applied Remote Sensing*, 5(1), 053532-053532-053515.

- Zhang, K., Douglas, B. C., and Leatherman, S. P. (2004). Global warming and coastal erosion. *Climatic Change*, 64(1-2), 41-58.
- Zhang, Z. (2000). A flexible new technique for camera calibration. *Pattern Analysis and Machine Intelligence, IEEE Transactions on*, 22(11), 1330-1334.
- Zhou, G., Li, C., and Cheng, P. (2005). Unmanned aerial vehicle (UAV) real-time video registration for forest fire monitoring. In *IEEE Geoscience and Remote Sensing Symposium, 2005*, Vol. 3, pp. 1803-1806.
- Zhu, X., Linham, M. M., and Nicholls, R. J. (2010). *Technologies for climate change adaptation-Coastal erosion and flooding: TNA Guidebook Series*, University of Southampton, Denmark.
- Zongjian, L. (2008). UAV for Mapping—Low Altitude Photogrammetric Survey. *Paper presented at the International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences. XXXVII(B1)*, Beijing, China.