PARAMETER OPTIMIZATION OF EVOLVING SPIKING NEURAL NETWORK WITH DYNAMIC POPULATION PARTICLE SWARM OPTIMIZATION

NUR NADIAH BT MD SAID

A thesis submitted in fulfillment of the
Master of Philosophy

School of Computing
Faculty of Engineering
Universiti Teknologi Malaysia

AUGUST 2018

“My dearest Lily, Addy, mama, ayah and family”

This is for all of you

DEDICATION

In the name of Allah, the Most Gracious, the Most Merciful. Alhamdulillah, all parises to Allah for the stength and His blessing in completing this thesis. I would first like to express my gratitude to my supervsior, Dr Haza Nuzly Abdull Hamed for the continous guidance, encouragement, as well as advised when I'm feeling demotivated throught out this study. My husband, Addysaiful who were always supported me, encourage me when I'm feeling down and even accompanied me late nights at the lab whenever I have a deadline. To my daughther, Lily Marissa, this one is for you. You were in my stomach when I did this. I will always remember how I carry you around in the campus, how I bring you to the lab when you were only just two months old. I have no choice but you gave me strength. For my parents, Norhayati and Md Said, the one that always supported me in emotionally and financially. For my siblings, thank you for always to lend an ear hearing me struggling with master and life. For my friends and lab mates, who always helping me out when I needed one and who would take your own time taking care of Lily whenever I bring her to lab. Thank you everyone who have help me out through out this journey, I really appreciate it and may Allah bless you.

ABSTRACT

Evolving Spiking Neural Network (ESNN) is widely used in classification problem. However, ESNN like any other neural networks is incapable to find its own parameter optimum values, which are crucial for classification accuracy. Thus, in this study, ESNN is integrated with an improved Particle Swarm Optimization (PSO) known as Dynamic Population Particle Swarm Optimization (DPPSO) to optimize the ESNN parameters: the modulation factor (*Mod*), similarity factor (*Sim*) and threshold factor (*C*). To find the optimum ESNN parameter value, DPPSO uses a dynamic population that removes the lowest particle value in every pre-defined iteration. The integration of ESNN-DPPSO facilitates the ESNN parameter optimization searching during the training stage. The performance analysis is measured by classification accuracy and is compared with the existing method. Five datasets gained from University of California Irvine (UCI) Machine Learning Repository are used for this study. The experimental result presents better accuracy compared to the existing technique and thus improves the ESNN method in optimising its parameter values.

ABSTRAK

Rangkaian Neural Pakuan Berevolusi (ESNN) digunakan secara meluas dalam masalah mengklasifikasi. Walau bagaimanapun, ESNN seperti mana rangkaian saraf lain tidak mampu untuk mencari nilai optimum parameter sendiri, untuk ketepatan klasifikasi. Oleh itu, dalam kajian ini, ESNN digabungkan dengan Pengoptimuman Kelompok Partikel (PSO) yang lebih baik yang dikenali sebagai Pengoptimuman Kelompok Partikel Dinamik (DPPSO) untuk mengoptimumkan parameter ESNN: faktor modulasi (*Mod*), faktor kesamaan (*Sim*) dan faktor ambang (*C*). Untuk mencari nilai parameter ESNN optimum, DPPSO menggunakan populasi yang dinamik yang menghilangkan nilai zarah terendah dalam setiap lelaran yang telah ditentukan sebelumnya. Penyepaduan ESNN-DPPSO memudahkan pencarian pengoptimuman parameter ESNN semasa proses latihan. Analisis prestasi diukur dengan ketepatan klasifikasi dan dibandingkan dengan kaedah yang sedia ada. Lima dataset yang diperoleh dari Repositori Pembelajaran Mesin *University of California Irvine* (UCI) digunakan untuk kajian ini. Hasil kajian menjelaskan ketepatan yang lebih baik berbanding dengan teknik sedia ada dan dengan itu meningkatkan kaedah ESNN dalam mengoptimumkan nilai parameternya

TABLE OF CONTENTS

LIST OF FIGURE

LIST OF TABLES

LIST OF SYMBOL

Mod	-	Modulation factor
Sim	-	Similarity factor
C	-	Threshold
PSP	-	Pre-synaptic neuron

LIST OF APPENDICES

CHAPTER 1

INTRODUCTION

1.1 Overview

Neural networks have influence many researchers in solving problems related to classification, speech recognition and prediction. Neural network is dependent on its parameter to establish the best result. Neural networks, inspired by the human brain, are gaining popularity nowadays due to their capability in solving various problems. The prominent model of the neural network is the Artificial Neural Network (ANN); a group of processing components in a collective network which resembles the features of a biological neural network (Sedghi *et al*., 2014). In ANN, training a network is the process of varying the weights in between layers of a network to obtain the preferred output (Gautam, 2016). The Mcculloch and Pitts Artificial Neuron Model (MPAN) introduced in 1943 is the basic form of the neural network (Narain *et al.*, 2007).

The Spiking Neural Network (SNN) is the recent and in the third generation of neural network. Evolving Spiking Neural Network (ESNN) is a well-known SNN architecture. ESNN has latest spiking neuron that evolves (Hamed, 2012). ESNN has the ability to fast learning where it studies a new pattern that comes from the incoming data in one pass-mode that will form a new network without retraining (Dhoble *et al.*, 2012). ESNN is widely applied to solve classification issue (Hamed, 2012; Saleh *et al.*, 2014; Dora *et al.*, 2018), prediction problem (Arya *et al.*, 2016) and pattern recognition (Wang *et al.*, 2015).

ESNN is useful for data processing; however, the main issue arises is in deciding the optimum parameter values for a dataset (Saleh *et al., 2014*). For every neural network there are parameters involved and some approaches are employed for parameter setting such as manual tuning or an automated process using an optimizer (Silva *et al.,* 2014). The parameter refinement in ESNN is important since its influence the output result. Thus, an optimizer algorithm helps ESNN to find its parameter optimum value. There are many types of optimizer algorithm such as Dynamic Population Particle Swarm Optimization, Genetic Algorithm, Evolutionary Algorithm, Particle Swarm Optimization and much more. Hence, a new approach is proposed in this research to solve the data classification problem using an Evolving Spiking Neural Network (ESNN) with Dynamic Population Particle Swarm Optimization (DPPSO) as an optimizer

1.2 Problem Background

Spiking Neural Network (SNN) falls into the third generation of Artificial Neural Networks (ANN). The Evolving Spiking Neural Network is one of the prominent SNN architecture. This model is believed to be an auspicious technique due to its simplicity, a competent neural model and rapid one-pass learning. However, according to Saleh *et al.* (2014) the fundamental problem encountered in ESNN is that the manual tuning of the parameters needs to be done since deciding the optimum value for the parameters for a dataset is crucial.

ESNN consist of three parameters where its value can be changed accordingly, these are known as the modulation factor (*Mod),* the threshold (*C)* and the similarity factor (*Sim).* According to Hamed *et al.* (2009) similar to other neural network models, ESNN also needs the right parameter mixture for the network execution. Since these parameters influence the segregation outcome, the ESNN capability and is reliant on data to be categorized, further improvement of the model is necessary in terms of optimizing its parameter (Schliebs *et al.,* 2010).

ESNN model is unable to find its own parameter optimal value. Therefore, an optimizer algorithm helps the ESNN to optimize its parameter. Several ESNN integrated with an optimizer algorithm has been done previously to cater the issue (Schliebs *et al.,* 2009; Hamed *et al.,* 2009; Saleh *et al.,* 2014). The previous works demonstrate an improvement in ESNN performance. However, there are many potential optimizers that are worth explored in order to solve this issue more efficiently. One of the optimizer algorithms notable by many to solve parameter setting is Particle Swarm Optimization (He *et al*., 2017; Harrison *et al.,* 2017; Zhu *et al.*, 2017).

PSO was introduced by Kennedy and Eberhart and was inspired by the nature of bird flocking (Kennedy, 2010; Eberhart and Kennedy 1995). PSO is easy to apply, has less parameter to regulate and proven to be robust in resolving optimization issue (M'hamdi *et al.*, 2016). However, according to Saxena *et al*., 2015, the PSO has disadvantages such as trap in local optima. Thus, recent studies have shown that PSO need improvement to enhance the quality of the objective function by manipulating the particle population and known as Dynamic Population Particle Swarm Optimization (DPPSO) (M'hamdi *et al.,* 2016; Saxena *et al.,* 2015; Leong and Yen, 2008).

DPPSO has the ability to dynamically manipulate its population to find the best fitness value. The manipulation of the DPPSO population can increase or decreasing. Previous work has proven that by removing or adding a single particle can improve the performance of the algorithm (Soudan and Saad, 2008; Sun *et al*., 2007; Tundong *et al*., 2012). However, according to Soudan and Saad, 2008, iteratively decreasing the population size is better in terms of accuracy. Previous work has shown that the dynamic PSO is used for parameter estimation (Liu, *te al.*, 2017; M'hamdi *et al.*, 2016; Khan *et al.,* 2016; He *et al*., 2017). Thus, DPPSO is a promising candidate to integrate with ESNN to automate the parameter setting.

1.3 Problem Statement

ESNN architecture that has spiking neuron, one pass learning where the ability to process data is faster since it eliminates retraining data. It has shown promising result in data processing (Saleh *et al.*, 2014). However, similar to other neural network, ESNN needs parameter refining and incapable to find its parameter optimum value (Silva, *et al.,* 2014). The process of parameter setting in manual tuning by trial and error approach is a challenging task. Based on previous work by (Hamed, 2012; Saleh *et al.,* 2014, Schliebs and Kasabov, 2013) shows that ESNN model is integrated with an optimizer algorithm to enhance its performance result. However, no previous work has applied dynamic population PSO with ESNN model to solve classification problem. Thus, for this research, an integration of dynamic population PSO (DPPSO) with ESNN is proposed in resolving classification issue.

1.4 Aim of Study

The aim of this study is to enhance the Evolving Spiking Neural Network learning for classification problems with the help of the parameter optimization technique called new Dynamic Population Particle Swarm Optimization algorithm.

1.5 Research Question

The research questions to address the research objective are as follows:.

i) How to optimize ESNN for best performance in solving classification problem?

ii) How to enhance PSO as a new and effective Evolving Spiking Neural Network parameter optimizer?

iii) What is the optimum value of ESNN parameters?

1.6 Research Objectives

The objectives of the study are as follows:

i) To develop an integrated ESNN and DPPSO model to solve classification problem.
ii) To introduce new dynamic-population-PSO (DPPSO) as an effective parameter optimizer for ESNN.
iii) To discover the optimum values of ESNN parameters

1.7 Research Scope

In this research, the following scope will be covered to achieve the stated goals:

i) The proposed algorithm is to solve classification problems.
ii) The proposed architecture will optimize three ESNN parameters namely the Modulation Factor, Similarity Factor and the Threshold.
iii) Testing of the algorithm will use five benchmark datasets, specifically the Iris, Breast Cancer, Pima Indian Diabetes, Heart and Wine datasets from UCI Machine Learning.
iv) Performance will be measured based on classification accuracy as implemented by other researchers in the same field.

1.8 Research Significance

The significance of the research is as follows. Firstly, utilize DPPSO with evolving spiking neural network to optimize ESNN parameter. The ESNN model is dependent on parameter tuning. Thus, an optimizer is needed to help automate the process of determining the ESNN's parameter optimum value (Saleh *et al.*, 2014). The proposed DPPSO implement dynamic population where a lowest fitness particle is removed in every 20% of the cycle. This in returns will create a population that has only good fitness value. Thus, an optimum value for ESNN parameter can be selected easily by using DPPSO.

Secondly, DPPSO has not been applied yet to optimize ESNN parameter. Previous studies using an optimizer algorithm for the evolving spiking neural network include the use of the Differential Evolution Algorithm (Saleh *et al.*, 2014), Particle Swarm Optimization (Hamed *et al.*, 2011), Rank Order Learning (Dhoble *et al.*, 2012) and Quantum Inspired SNN (Schliebs *et al.*, 2010).

1.9 Research Outline

This part describes the organization of the research outline:

Chapter 1: This chapter presents the introduction to the research that includes the introduction, problem background, problem statement and the aim of the study, objectives, research scope and the research significance.

Chapter 2: This chapter provides the literature review relating to the research. This comprises the overview of the neural network which includes types of neural network, the architecture and the applications of the neural network.

Chapter 3: This chapter describes the research methodology of the research. It presents the research framework, data description and algorithm overview of the Evolving Spiking Neural Network and Dynamic Population Particle Swarm Optimization.

Chapter 4: This chapter provides the results of the proposed ESNN-DPPSO for classification issue. Also, the empirical analysis of the existing optimization technique is discussed.

Chapter 5: This chapter presents the conclusion and future work.

1.10 Publication

Throughout the two years of study, the following publications have been accepted to be published:

v) Said, N. N. M., Hamed, H. N. A., and Abdullah, A (2017). The Enhancement of Evolving Spiking Neural Network with Dynamic Population Particle Swarm Optimization. *Communications in Computer and Information Science*, 752, 95-103. Springer. (Scopus indexed)

vi) Said, N. N. M., Hamed, H. N. A., and Abdullah, A (2017). The Integration of Evolving Spiking Neural Network with Dynamic Population Particle Swarm Optimization. Accepted in ICEEI2017 and to be published in Scopus indexed journal (IJEECS or IJEEI).

1.11 . Summary

This chapter first describes the introduction to the research. Next, the problem background to the research is presented. Then, the aim of the study is described and the objectives of the research are explained. Later, the scope and also the significance of the study are addressed. The research outlines are then further reviewed. The next chapter will present the literature review relating to the research.

REFERENCE

Agarwal, S., Singh, A. P., and Anand, N. (2013). Evaluation performance study of Firefly algorithm, particle swarm optimization and artificial bee colony algorithm for non-linear mathematical optimization functions. In *Computing, Communications and Networking Technologies (ICCCNT), 2013 Fourth International Conference*, 1-8.

Anbazhagan, S., and Kumarappan, N. (2013). Day-ahead deregulated electricity market price forecasting using recurrent neural network. *Systems Journal, IEEE*, *7*(4), 866-872.

Anbazhagan, S., and Kumarappan, N. (2014). Day-ahead deregulated electricity market price forecasting using neural network input featured by DCT. In *Energy Conversion and Management*, *78*, 711-719.

Arya, A. S., Ravi, V., Tejasviram, V., Sengupta, N. & Kasabov, N. (2016). Cyber fraud detection using evolving spiking neural network. *2016 11th International Conference on Industrial and Information Systems (ICIIS)*, Roorkee, 263-268.

Batllori, R., Laramee, C. B., Land, W., and Schaffer, J. D. (2011). Evolving spiking neural networks for robot control. *Procedia Computer Science*, *6*, 329-334.

Bhatia, R. S., Tu, J. V., Lee, D. S., Austin, P. C., Fang, J., Haouzi, A., and Liu, P. P. (2006). Outcome of heart failure with preserved ejection fraction in a population-based study. *New England Journal of Medicine*, *355*(3), 260-269.

Bidar, M., and Rashidy Kanan, H. (2013). Modified firefly algorithm using fuzzy tuned parameters. In *Fuzzy Systems (IFSC), 2013 13th Iranian Conference*, 1-4.

Boughrara, H., Chtourou, M. & Amar, C. B. (2012). MLP neural network based face recognition system using constructive training algorithm. *2012 International Conference on Multimedia Computing and Systems*, pp. 233-238. Tangier

Capecci, E. *et al*. (2015). Modelling Absence Epilepsy seizure data in the NeuCube evolving spiking neural network architecture. In *2015 International Joint Conference on Neural Networks (IJCNN)*, 1-8.

Capuozzo, M. D., and Livingston, D. L. (2011). A compact evolutionary algorithm for integer spiking neural network robot controllers. *2011 Proceedings of IEEE*, 237-242.

Chien, C. W., Hsu, Z. R., & Lee, W. P. (2009). Improving the performance of differential evolution algorithm with modified mutation factor. *Proceedings of International Conference on Machine Learning and Computing (ICMLC 2009)*, 6.

Connolly, J. F., Granger, É. and Sabourin, R. (2011). Comparing dynamic PSO algorithms for adapting classifier ensembles in video-based face recognition. *2011 IEEE Workshop on Computational Intelligence in Biometrics and Identity Management (CIBIM)*, 1-8.

Dedgaonkar, S. G., Chandavale, A. A., and Sapkal, A. M. (2012). Survey of methods for character recognition. *International Journal of Engineering and Innovative Technology (IJEIT), 1*(5), 180-189.

Delshadpour, S. (2003). Improved MLP neural network as chromosome classifier. *IEEE EMBS Asian-Pacific Conference on Biomedical Engineering*, 324-325.

Dhawale, V. R., Tidke, J. A., and Dudul, S. V. (2013). Neural network based classification of pollen grains. In *Advances in Computing, Communications and Informatics (ICACCI), 2013 International Conference*, 79-84.

Dhoble, K., Nuntalid, N., Indiveri, G., and Kasabov, N. (2012). Online spatio-temporal pattern recognition with evolving spiking neural networks utilising address event representation, rank order, and temporal spike learning. In *Neural Networks (IJCNN), The 2012 International Joint Conference*, 1-7.

Doborjeh, M. G., Capecci, E., and Kasabov, N. (2014). Classification and segmentation of fMRI Spatio-Temporal Brain Data with a NeuCube evolving Spiking Neural Network model. In *Evolving and Autonomous Learning Systems (EALS), 2014 IEEE Symposium*. 73-80.

Dokeroglu, T., Tosun, U., and Cosar, A. (2012). Particle Swarm Intelligence as a new heuristic for the optimization of distributed database queries. *Application* *of Information and Communication Technologies (AICT), 2012 6th International Conference*. 1-7.

Dora, S., Suresh, S., and Sundararajan, N. (2014). A sequential learning algorithm for a Minimal Spiking Neural Network (MSNN) classifier. In *Neural Networks (IJCNN), 2014 International Joint Conference,* 2415-2421.

Dora, S., Sundaram, S. and Sundararajan, N. (2018). An Interclass Margin Maximization Learning Algorithm for Evolving Spiking Neural Network," in *IEEE Transactions on Cybernetics*. PP(99), 1-11.

Dorigo, M., Maniezzo, V. and Colorni, A. (1996). Ant system: optimization by a colony of cooperating agents. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 26(1), 29-41.

Dorigo, M., and Birattari, M. (2010). Ant colony optimization. *Encyclopaedia of machine learning*, 36-39.

Duan, J., Zhu, Y. A., and Huang, S. (2012). Stigmergy agent and swarm-intelligence-based multi-agent system. In *Intelligent Control and Automation (WCICA), 2012 10th World Congress*, 720-724.

Eberhart, R., and Kennedy, J. (1995). A new optimizer using particle swarm theory. In *Micro Machine and Human Science, 1995. MHS'95., Proceedings of the Sixth International Symposium*, 39-43.

Eskandari, E., Ahmadi, A., Gomar, S., Ahmadi, M. and Saif, M. (2016). Evolving Spiking Neural Networks of artificial creatures using Genetic Algorithm. *2016 International Joint Conference on Neural Networks (IJCNN)*, 411-418.

Fang, Y., and Dickerson, S. J. (2017). Achieving Swarm Intelligence with Spiking Neural Oscillators. In *Rebooting Computing (ICRC), 2017 IEEE International Conference*, 1-4.

Fisher, R. A. (1936). The use of multiple measurements in taxonomic problems. *Annals of human genetics*, *7*(2), 179-188.

Foresti, G. L. and Dolso, T. (2004). An adaptive high-order neural tree for pattern recognition. In *IEEE Trans. Syst., Man, Cybern. B, Cybern.*, 34(2), 998-996.

Forina, M., and Aeberhard, S. (2012). Wine dataset. *http://archive. ics. uci. edu/ml/datasets/W ine*.

Fung, G. M., and Mangasarian, O. L. (2004). A feature selection Newton method for support vector machine classification. *Computational optimization and applications*, *28*(2), 185-202.

Fung, G. M., and Mangasarian, O. L. (2005). Multicategory proximal support vector machine classifiers. *Machine learning*, *59*(1-2), 77-97.

Gabbouj, M. (2010). Multidimensional particle swarm optimization and applications in data clustering and image retrieval. *Image Processing Theory Tools and Applications (IPTA), 2010 2nd International Conference*, 5-5.

Gao, W., Zhao, H., Xu, J. and Song, C. (2008). A Dynamic Mutation PSO algorithm and its Application in the Neural Networks. *2008 First International Conference on Intelligent Networks and Intelligent Systems*, 103-106.

Gautam, P. (2016). System identification of nonlinear Inverted Pendulum using artificial neural network. *2016 International Conference on Recent.*

Ghaemmaghami, M. P., Sameti, H., Razzazi, F., BabaAli, B. & Saeed Dabbaghchian (2009). Robust speech recognition using MLP neural network in log-spectral domain. *2009 IEEE International Symposium on Signal Processing and Information Technology (ISSPIT)*, Ajman, 2009, 467-472. *Advances and Innovations in Engineering (ICRAIE)*, 1-5.

Goel, S., and Panchal, V. K. (2014). Performance evaluation of a new modified firefly algorithm. *Reliability, Infocom Technologies and Optimization (ICRITO)(Trends and Future Directions), 2014 3rd International Conference*, 1-6.

Gomar, S., Ahmadi, A., and Eskandari, E. (2013). A modified adaptive exponential integrate and fire neuron model for circuit implementation of spiking neural networks. *Electrical Engineering (ICEE), 2013 21st Iranian Conference*, 1-6.

Guo, P., Wang, X., and Han, Y. (2010). The enhanced genetic algorithms for the optimization design. *Biomedical Engineering and Informatics (BMEI), 2010 3rd International Conference*, 7, 2990-2994.

Guo, N., Xiao, R., Gao, S. and Tang, H. (2017). A neurally inspired pattern recognition approach with latency-phase encoding and precise-spike-driven rule in spiking neural network. *2017 IEEE International Conference on Cybernetics and Intelligent Systems (CIS) and IEEE Conference on Robotics, Automation and Mechatronics (RAM)*, 484-489.

Guoyin, W. and Hongbao, S (1996). Symbolic logic inference system based on recurrent multilayered perceptron neural networks. *Neural Networks, 1996., IEEE International Conference,* 16, 1144-1149.

Gupta, A., Pandey, O. J., Shukla, M., Dadhich, A., Ingle, A., and Gawande, P. (2014). Towards context-aware smart mechatronics networks: Integrating Swarm Intelligence and Ambient Intelligence. *Issues and Challenges in Intelligent Computing Techniques (ICICT), 2014 International Conference*, 64-69.

Han, H. G., Zhang, L., Hou, Y., and Qiao, J. F. (2016). Nonlinear Model Predictive Control Based on a Self-Organizing Recurrent Neural Network. *IEEE Transactions on Neural Networks and Learning Systems*, 27(2), 402-415.

Hamed, H. N. A., Kasabov, N., and Shamsuddin, S. M. (2009). Integrated feature selection and parameter optimization for evolving spiking neural networks using quantum inspired particle swarm optimization. *Soft Computing and Pattern Recognition, 2009. SOCPAR'09. International Conference,*. 695-698.

Hamed, H. N. A., Kasabov, N., Shamsuddin, S. M., Widiputra, H., and Dhoble, K. (2011). An extended evolving spiking neural network model for spatio-temporal pattern classification. *Neural Networks (IJCNN), The 2011 International Joint Conference*, 2653-2656.

Hamed, H.N.A. (2012). *Novel Integrated Methods of Evolving Spiking Neural Network and Particle Swarm Optimisation* (Doctoral dissertation, Auckland University of Technology).

Harrison, K. R., Engelbrecht, A. P. & Ombuki-Berman, B. M. (2017). An adaptive particle swarm optimization algorithm based on optimal parameter regions. *2017 IEEE Symposium Series on Computational Intelligence (SSCI)*, 1-8.

Hashim, M. N., Osman, M. K., Ibrahim, M. N., Abidin, A. F. and Mahmud, M. N. (2016). Single-ended fault location for transmission lines using traveling wave and multilayer perceptron network. *2016 6th IEEE International Conference on Control System, Computing and Engineering (ICCSCE)*, 522-527.

Hassanzadeh, T., and Meybodi, M. R. (2012). A new hybrid approach for data clustering using firefly algorithm and K-means. *Artificial Intelligence and Signal Processing (AISP), 2012 16th CSI International Symposium*, 007-011.

Haviluddin and Alfred, R. (2015). A genetic-based backpropagation neural network for forecasting in time-series data. *2015 International Conference on Science in Information Technology (ICSITech)*, 158-163.

He, Z., Ding, S., Li, B. , Yin, M. & Zhang, X. (2017). An improved particle swarm optimization of support vector machine parameters for hyperspectral image classification. *2017 12th IEEE Conference on Industrial Electronics and Applications (ICIEA)*, 499-503.

Heris, J. E. A., and Oskoei, M. A. (2014). Modified genetic algorithm for solving n-queens problem. *Intelligent Systems (ICIS), 2014 Iranian Conference*, 1-5.

Ho, C. Y. F., Ling, B. W. K., and Lu, H. H. C. (2010). Invariant Set of Weight of Perceptron Trained by Perceptron Training Algorithm. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 40(6), 1521-1530.

Hodgkin, A. L. and Huxley, A. F. (1952). A quantitative description of membrane current and its application to conduction and excitation in nerve. J. Physiol., 117(4), 500-544.

Howard, G., Gale, E., Bull, B., de Lacy Costello, B., and Adamatzky, A. (2012). Evolution of Plastic Learning in Spiking Neural Network via Memristive Connections. *IEEE Transactions on Evolutionary Computation*, 711-729.

Huang, W., Hong, H., Song, G., and Xie, K. (2014). Deep process neural network for temporal deep learning. *Neural Networks (IJCNN), 2014 International Joint Conference*, 465-472.

Huqqani, A. A., Schikuta, E., and Mann, E. (2014). Parallelized neural networks as a service. *Neural Networks (IJCNN), 2014 International Joint Conference*, 2282-2289.

Husnayain, F., Utomo, A. R., and Priambodo, P. S. (2014). State of charge estimation for a lead-acid battery using backpropagation neural network method. *2014 International Conference on Electrical Engineering and Computer Science (ICEECS)*, 274-278.

Huynh, D. C., Nguyen, T. M., Dunnigan, M. W. and Mueller, M. A. (2013). Global MPPT of solar PV modules using a dynamic PSO algorithm under partial shading conditions. *2013 IEEE Conference on Clean Energy and Technology (CEAT)*, 134-139.

Hyun-Soo K. (2009). A comparison and analysis of genetic algorithm and particle swarm optimization using neural network models for high efficiency solar cell fabrication processes. *FUZZ-IEEE 2009. IEEE International Conference*, 1879 – 1884.

Iakymchuk, T., Rosado, A., Frances, J. V., and Batallre, M. (2012). Fast spiking neural network architecture for low-cost FPGA devices. *Reconfigurable Communication-centric Systems-on-Chip (ReCoSoC), 2012 7th International Workshop,* 1-6.

Iqbal, M. J., Faye, I., Said, A. M., and Samir, B. B. (2013). A distance-based feature-encoding technique for protein sequence classification in bioinformatics. *Computational Intelligence and Cybernetics (CYBERNETICSCOM), 2013 IEEE International Conference,* 1-5.

Izhikevich, E. M. (2003). Simple model of spiking neurons. *IEEE Transactions on neural networks*, *14*(6), 1569-1572.

Jia, Y., Zhao, L., Xu, L., and Yang, X. (2015). An ICA with reference based on artificial fish swarm algorithm. *Cognitive Informatics & Cognitive Computing (ICCI* CC), 2015 IEEE 14th International Conference,* 84-89.

Johari, N. F., Zain, A. M., Noorfa, M. H., and Udin, A. (2013). Firefly algorithm for optimization problem. *Applied Mechanics and Materials*, 421, 512-517.

Johnson, C., Roychowdhury, S., and Venayagamoorthy, G. K. (2011). A reversibility analysis of encoding methods for spiking neural networks. In*Neural Networks (IJCNN), The 2011 International Joint Conference*, 1802-1809.

Kaur, R. and Arora, M. (2016). A novel asynchronous Mc-Cdma multiuser detector with modified Particle Swarm Optimization algorithm (MPSO). *2016 2nd International Conference on Next Generation Computing Technologies (NGCT),* 420-425.

Kasabov, N. (2012). Evolving spiking neural networks for spatio-and spectro-temporal pattern recognition. *2012 6th IEEE INTERNATIONAL CONFERENCE INTELLIGENT SYSTEMS*

Kasabov, N., Dhoble, K., Nuntalid, N., and Indiveri, G. (2013). Dynamic evolving spiking neural networks for on-line spatio-and spectro-temporal pattern recognition. *Neural Networks, 41*, 188-201.

Kistler, W. M. and Gerstner, W. (2002). Stable Propagation of Activity Pulses in Populations of Spiking Neurons. *Neural Computation*, 14(5), 987-997.

Kennedy, J. (2010). Particle swarm optimization. *Encyclopaedia of Machine Learning* (pp. 760-766). Springer US.

Khan, S. U., Yang, S., Wang, L. and Liu, L. (2016). A Modified Particle Swarm Optimization Algorithm for Global Optimizations of Inverse Problems. i*IEEE Transactions on Magnetics*, 52(3), pp. 1-4.

Khoshgoftaar, T. M., Dittman, D. J., Wald, R., and Awada, W. (2013). A Review of Ensemble Classification for DNA Microarrays Data. *Tools with Artificial Intelligence (ICTAI), 2013 IEEE 25th International Conference*, 381-389.

Khoshgoftaar, T. M., Fazelpour, A., Dittman, D. J., and Napolitano, A. (2014). Effects of the Use of Boosting on Classification Performance of Imbalanced Bioinformatics Datasets. *Bioinformatics and Bioengineering (BIBE), 2014 IEEE International Conference,* 420-426.

Kriesel, D. (2007). A brief Introduction on Neural Networks.

Kulkarni, S. R., and Baghini, M. S. (2013). Spiking neural network based ASIC for character recognition. *Natural Computation (ICNC), 2013 Ninth International Conference*, 194-199.

Kumar, A. (2014). Efficient hierarchical hybrids parallel genetic algorithm for shortest path routing. *Confluence The Next Generation Information Technology Summit (Confluence), 2014 5th International Conference*, 257-261.

Kussul, E., Baidyk, T., and Wunsch, D. C. (2010). *Neural networks and micromechanics*, IX-1.

Kussul, E., Baidyk, T., Kasatkina, L., and Lukovich, V. (2001). Rosenblatt perceptrons for handwritten digit recognition. *Neural Networks, 2001. Proceedings. IJCNN '01. International Joint Conference*, 2, 1516-1520.

Lee, M. F., and Chen, G. S. (2013). Backpropagation neural network model for detecting artificial emotions with color. *Awareness Science and Technology* *and Ubi-Media Computing (iCAST-UMEDIA), 2013 International Joint Conference,* 433-438.

Leong, Wen-Fung and Yen, G. G. (2006). Dynamic Population Size in PSO-based Multiobjective Optimization. *2006 IEEE International Conference on Evolutionary Computation*, 1718-1725.

Leong, W. F., & Yen, G. G. (2008). PSO-Based Multiobjective Optimization With Dynamic Population Size and Adaptive Local Archives. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 38(5), 1270-1293.

Li, J., Liang, W., and Li, Y. (2014). Research on flight scheduling of two runways based on the fusion of artificial fish school algorithm and genetic algorithm. In *Software Engineering and Service Science (ICSESS), 2014 5th IEEE International Conference*, 279-282.

Li, X. L., Shao, Z. J., and Qian, J. X. (2002). An optimizing method based on autonomous animats: fish-swarm algorithm. *System Engineering Theory and Practice*, *22*(11), 32-38.

Li, X. L., Shao, Z. J., and Qian, J. X. (2002). An optimizing method based on autonomous animats: fish-swarm algorithm. *System Engineering Theory and Practice*, *22*(11), 32-38.

Liang, X. B., and Wang, J. (2000). A recurrent neural network for nonlinear optimization with a continuously differentiable objective function and bound constraints. *Neural Networks, IEEE Transactions on*, *11*(6), 1251-1262.

Lichman, M. (2013). UCI Machine Learning Repository [http://archive.ics.uci.edu/ml]. Irvine, CA: University of California, School of Information and Computer Science.

Little, M. A., McSharry, P. E., Roberts, S. J., Costello, D. A., and Moroz, I. M. (2007). Exploiting nonlinear recurrence and fractal scaling properties for voice disorder detection. *BioMedical Engineering OnLine*, *6*(1), 23.

Liu, Z. H., Wei, H. L., Zhong, Q. C., Liu, K., Xiao, X. S. and Wu, L. H. (2017). Parameter Estimation for VSI-Fed PMSM Based on a Dynamic PSO With Learning Strategies. *IEEE Transactions on Power Electronics*, 32(4), 3154-3165.

Lu, Y.Z and Wei, Z.Y. (2004). Facial expression recognition based on wavelet transform and MLP neural network. *Signal Processing, 2004. Proceedings. ICSP '04. 2004 7th International Conference,* 2, 1340-1343.

Luo, X., Liu, Q., Liu, Q., and Xia, Y. (2010). Research on remote sensing classification based on improved Kohonen neural network. *2010 2nd International Conference on Computer Engineering and Technology*, V4-544-V4-547.

Mangat, V., and Vig, R. (2014). An Algorithm for Mining Usable Rules Using Holistic Swarm Based Approach. *Journal of Computer Science*, *10*(4), 585.

Mazzoleni, M., Maroni, G., & Previdi, F. (2017). Unsupervised learning of fundamental emotional states via word embeddings. *2017 IEEE Symposium Series on Computational Intelligence (SSCI)*, 1-6.

McCulloch, W. S., and Pitts, W. (1943). A logical calculus of the ideas immanent in nervous activity. *The bulletin of mathematical biophysics*, *5*(4), 115-133.

Minsky, M., and Papert, S. (1969). Perceptron (expanded edition).

Muhammad, J. and Altun, H. (2016). A systematic circular weight initialisation of Kohonen neural network for travelling salesman problem. *2016 24th Signal Processing and Communication Application Conference (SIU)*, 1265-1268.

Nagaraj, K., and Sridhar, A. (2015). NeuroSVM: A Graphical User Interface for Identification of Liver Patients. *arXiv preprint arXiv:1502.05534*.

Narain, S., and Jain, A. (2007). Artificial neuron models for hydrological modeling. *Neural Networks*, *2007. IJCNN 2007. International Joint Conference*, 1338-1342.

Neeraj and Kumar, A. (2014). Efficient hierarchical hybrids parallel genetic algorithm for shortest path routing. *2014 5th International Conference - Confluence The Next Generation Information Technology Summit (Confluence)*, 257-261.

Neshat, M., Sepidnam, G., Sargolzaei, M., and Toosi, A. N. (2014). Artificial fish swarm algorithm: a survey of the state-of-the-art, hybridization, combinatorial and indicative applications. *Artificial Intelligence Review*, *42*(4), 965-997.

Pawar, P. S., and Patil, D. (2012). Breast cancer detection using backpropagation neural network with comparison between different neuron. *Parallel*

Distributed and Grid Computing (PDGC), 2012 2nd IEEE International Conference, 170-173.

Pirooznia, M., Yang, J., Yang, M. Q., and Deng, Y. (2008). A comparative study of different machine learning methods on microarray gene expression data.*BMC genomics*, *9*(Suppl 1), S13.

Qin, S., and Xue, X. (2014). A Two-Layer Recurrent Neural Network for Nonsmooth Convex Optimization Problems.

Rakitianskaia, A. and Engelbrecht, A. P. (2009). Training neural networks with PSO in dynamic environments. *2009 IEEE Congress on Evolutionary Computation*, 667-673.

Ratnasingam, S., and Robles-Kelly, A. (2013). A spiking neural network for illuminant-invariant colour discrimination. *Neural Networks (IJCNN), The 2013 International Joint Conference,* 1-8.

Reid, D., Hussain, A. J., and Tawfik, H. (2013). Spiking neural networks for financial data prediction. *Neural Networks (IJCNN), The 2013 International Joint Conference,* 1-10.

Reitmaier, T., Calma, A., and Sick, B. (2016). Semi-Supervised Active Learning for Support Vector Machines: A Novel Approach that Exploits Structure Information in Data.

Ren, Y., Qiu, X., and Suganthan, P. N. (2014). Empirical mode decomposition based adaboost-backpropagation neural network method for wind speed forecasting. *2014 IEEE Symposium on Computational Intelligence in Ensemble Learning (CIEL),* 1-6.

Ribeiro, F. A., Rosário, F. F., Bezerra, M. C., Rita de Cássia, C. W., Bastos, A. L., Melo, V. L., and Poppi, R. J. (2014). Evaluation of chemical composition of waters associated with petroleum production using Kohonen neural networks.*Fuel*, *117*, 381-390.

Rojas, R. (1996). The backpropagation algorithm. *Neural networks*, 149-182.

Rosita, Y. D. and Junaedi, H. (2016). Infant's cry sound classification using Mel-Frequency Cepstrum Coefficients feature extraction and Backpropagation Neural Network. *2016 2nd International Conference on Science and Technology-Computer (ICST),* 160-166.

Rosenblatt, F. (1958). The perceptron: A Probabilistic Model for Information Storage and Organization in the Brain. *Psychol. Rev.*, 65, 386–408.

Rosenblatt, F. (1962). Principles of Neurodynamics. Spartan Books, 616.

Rosenfeld, S. (2013). Critical junction: Nonlinear dynamics, swarm intelligence and cancer research. In *Computational Intelligence in Bioinformatics and Computational Biology (CIBCB), 2013 IEEE Symposium,* 206-211.

Roslan, F., Hamed, H. N. A., and Isa, M. A. (2017). The Enhancement of Evolving Spiking Neural Network with Firefly Algorithm. *Journal of Telecommunication, Electronic and Computer Engineering (JTEC),* 63-66.

Rumelhart, D. E., Hinton, G. E., and Williams, R. (1986a). Learning Representations by Backpropagating Errors. Nature, 323, 533–536.

Rumelhart, D. and McClelland J. (1986b). Parallel Distributed Processing: Explorations in the Microstructureof Cognition, I & II, MIT Press, Cambridge MA

Rustempasic, I., and Can, M. (2013). Diagnosis of Parkinson’s disease using principal component analysis and boosting committee machines.

Saleh, A. Y., Shamsuddin, S. M., and Hamed, H. N. B. A. (2014). Parameter Tuning of Evolving Spiking Neural Network with Differen-tial Evolution Algorithm. *International,* 13.

Santana, L., and Canuto, A. M. (2013). Particle swarm intelligence as feature selector in ensemble systems. In *Intelligent Systems (BRACIS), 2013 Brazilian Conference*, 89-94.

Saxena, N., Tripathi, A., Mishra, K. K. & Misra, A. K. (2015). Dynamic-PSO: An improved particle swarm optimizer. *2015 IEEE Congress on Evolutionary Computation (CEC)*, 212-219.

Schliebs, S., Defoin-Platel, M., Worner, S., and Kasabov, N. (2009). Integrated feature and parameter optimization for an evolving spiking neural network: Exploring heterogeneous probabilistic models. *Neural Networks*, 623-632.

Schliebs, S., Defoin-Platel, M., and Kasabov, N. (2010). Analyzing the dynamics of the simultaneous feature and parameter optimization of an evolving spiking neural network. In *Neural networks (ijcnn), the 2010 international joint conference,* 1-8.

Schliebs, S., Mohemmed, A. and Kasabov, N. (2011). Are probabilistic spiking neural networks suitable for reservoir computing?. *The 2011 International Joint Conference on Neural Networks,* 3156-3163.

Schliebs, S., and Kasabov, N. (2013). Evolving spiking neural network—a survey. *Evolving Systems*, *4*(2), 87-98.

Schuman, C. D., Plank, J. S., Disney, A., and Reynolds, J. (2016). An evolutionary optimization framework for neural networks and neuromorphic architectures. *2016 International Joint Conference on Neural Networks (IJCNN),* 145-154.

Sedghi, M., Ahmadi, A., Eskandari, E., and Heydari, R. (2014). A performance evaluation of probabilistic vs. deterministic spiking neural network. In *Electrical Engineering (ICEE), 2014 22nd Iranian Conference,* 274-278.

Shahbakhi, M., Far, D. T., and Tahami, E. (2014). Speech Analysis for Diagnosis of Parkinson's Disease Using Genetic Algorithm and Support Vector Machine. *Journal of Biomedical Science and Engineering*, *2014*.

Shafie, A. S., Mohtar, I. A., Masrom, S., and Ahmad, N. (2012). Backpropagation neural network with new improved error function and activation function for classification problem. *Humanities, Science and Engineering Research (SHUSER), 2012 IEEE Symposium,* 1359-1364.

Shirin, D., Savitha, R., and Suresh, S. (2013). A basis coupled evolving spiking neural network with afferent input neurons. *Neural Networks (IJCNN), The 2013 International Joint Conference,* 1-8.

Silva, M., Koshiyama, A., Vellasco, M., and Cataldo, E. (2014). Evolutionary features and parameter optimization of spiking neural networks for unsupervised learning. *Neural Networks (IJCNN), 2014 International Joint Conference,* 2391-2398.

Smith, J. W., Everhart, J. E., Dickson, W. C., Knowler, W. C., and Johannes, R. S. (1988). Using the ADAP learning algorithm to forecast the onset of diabetes mellitus. *Proceedings of the Annual Symposium on Computer Application in Medical Care*, 261.

Soltic, S., Wysoski, S. G. and Kasabov, N. K. (2008). Evolving spiking neural networks for taste recognition. *2008 IEEE International Joint Conference on Neural Networks (IEEE World Congress on Computational Intelligence)*, 2091-2097.

Soni, N., Bhatt, R. and Parmar, G. (2016). Optimal LFC system of interconnected thermal power plants using hybrid particle swarm optimization-pattern search algorithm (hPSO-PS). *2016 2nd International Conference on Communication Control and Intelligent Systems (CCIS)*, 225-229.

Soudan, B. & Saad, M. (2008). An Evolutionary Dynamic Population Size PSO Implementation. *2008 3rd International Conference on Information and Communication Technologies: From Theory to Applications*, 1-5.

Sporea, I., and Grüning, A. (2013). Supervised learning in multilayer spiking neural networks. *Neural computation*, *25*(2), 473-509.

Sun, S., Ye, G., Liang, Y., Liu, Y., and Pan, Q. (2007). Dynamic population size based particle swarm optimization. *International Symposium on Intelligence Computation and Applications*, 382-392.

Tang, T., Luo, R., Li, B., Li, H., Wang, Y., and Yang, H. (2014). Energy efficient spiking neural network design with rram devices. *Integrated Circuits (ISIC), 2014 14th International Symposium*, 268-271.

Tang, D., Tang, T. Y., Botzheim, J., Kubota, N., and Yamaguchi, T. (2015). Fuzzy Spiking Neural Network for Abnormality Detection in Cognitive Robot Life Supporting System. *2015 IEEE Symposium Series on Computational Intelligence*, 130-137.

Tayade, A., and Ragha, L. (2012). Ant colony optimizer as an adaptive classifier. *Communication, Information & Computing Technology (ICCICT), 2012 International Conference*, 1-6.

Tayade, A., and Ragha, L. (2012). Ant colony optimizer as an adaptive classifier. *Communication, Information & Computing Technology (ICCICT), 2012 International Conference*, 1-6.

Ting Wu *et al*., (2012). A simple probabilistic spiking neuron model with Hebbian learning rules. *The 2012 International Joint Conference on Neural Networks (IJCNN),* 1-6.

Tiwari, A. K., Sharma, L. K., and Krishna, G. R. (2013). Comparative Study of Artificial Neural Network based Classification for Liver Patient. *Journal of Information Engineering and Applications*, *3*(4), 1-5.

Tundong, L., Huafei, Z. & Yang, G. (2012). Solving TSP via fuzzy dynamic PSO and HNN algorithm. *7th International Conference on Computer Science & Education (ICCSE)*, 105-109.

Velázquez-González, J. S., Rosales-Silva, A. J., Gallegos-Funes, F. J., and Guzmán-Bárcenas, G. D. J. (2015). Detection and classification of Non-Proliferative Diabetic Retinopathy using a Back-Propagation neural network.*Revista Facultad de Ingeniería Universidad de Antioquia*, (74), 70-85.

Vishwaas, M., Arjun, M. M., and Dinesh, R. (2012). Handwritten Kannada character recognition based on Kohonen Neural Network. *Recent Advances in Computing and Software Systems (RACSS), 2012 International Conference,* 91-97.

Wei-hong, Y., Ai-ying, D., and Hong-bin, Z. (2010). Dynamic characteristics clustering of electric loads based on Kohonen neural network. *2010 International Conference on Logistics Systems and Intelligent Management (ICLSIM)*, 456-461.

Werbos, P. (1974). *Beyond regression: New Tools for Prediction and Analysis in the Behavioral Sciences*. Doctoral Dissertation, Appl. Math., Harvard University.

Wang, J., Belatreche, A., Maguire, L. and McGinnity, T. M. (2015). Dynamically Evolving Spiking Neural network for pattern recognition. *2015 International Joint Conference on Neural Networks (IJCNN)*, 1-8.

Whitley, D. (2001). An overview of evolutionary algorithms: practical issues and common pitfalls. *Information and software technology*, *43*(14), 817-831.

Widiastuti, N. I. and Suhendar, R. (2015). Scattered object recognition using Hu Moment invariant and backpropagation neural network. *2015 3rd*

International Conference on Information and Communication Technology (ICoICT), 578-583.

Wolberg, W. H., and Mangasarian, O. (1992). Wisconsin breast cancer database. *UCI Repository of Machine Learning Databases, Irvine, CA*.

Wu, T., Fu, S., Cheng, L., Zheng, R., Wang, X., Kuai, X., and Yang, G. (2012). A simple probabilistic spiking neuron model with Hebbian learning rules, 1-6.

Wysoski, S. G., Benuskova, L., and Kasabov, N. (2006). Adaptive learning procedure for a network of spiking neurons and visual pattern recognition. *International Conference on Advanced Concepts for Intelligent Vision Systems*, 1133-1142.

Wysoski, S. G., Benuskova, L., and Kasabov, N. (2010). Evolving spiking neural networks for audiovisual information processing. *Neural Networks*, *23*(7), 819-835.

Xiaolei, C., Fang, L., and Xiaoping, O. (2012). The concatenate encoding method for the communication of high-accuracy data acquisition. In *Fuzzy Systems and Knowledge Discovery (FSKD), 2012 9th International Conference*, 2245-2247.

Xu, Jianhua & Zhang, Xuegong (2005). A multiclass kernel perceptron algorithm. *2005 International Conference on Neural Networks and Brain*, 717-721.

Yanling, Z, Bimin, D and Zhanrong, W (2002). Analysis and study of perceptron to solve XOR problem. *The 2nd International Workshop on Autonomous Decentralized System*, 168-173.

Yang, X. S., Hosseini, S. S. S., and Gandomi, A. H. (2012). Firefly algorithm for solving non-convex economic dispatch problems with valve loading effect.*Applied Soft Computing*, *12*(3), 1180-1186.

Yen, G. G. and Lu, H. (2003). Dynamic population strategy assisted Particle Swarm Optimization. *Proceedings of the 2003 IEEE International Symposium on Intelligent Control*, 697-702.

Zhang, M., Shao, C., Li, F., Gan, Y., and Sun, J. (2006). Evolving neural network classifiers and feature subset using artificial fish swarm. *Mechatronics and Automation, Proceedings of the 2006 IEEE International Conference*, 1598-1602.

Zhou, Q., Lu, H., Jia, L. and Mao, K. (2016). Automatic modulation classification with genetic backpropagation neural network. *2016 IEEE Congress on Evolutionary Computation (CEC)*, 4626-4633.

Zhu, Q., Li, T., Bao, Q., and Chen, Z (2017). Parameter estimation of polynomial phase signal based on particle swarm optimization. *2017 Progress in Electromagnetics Research Symposium - Fall (PIERS - FALL)*, 2790-2796.