

STRESS RESPONSE INDEX FOR ADVERSE CHILDHOOD EXPERIENCE  
BASED ON FUSION OF HYPOTHALAMUS PITUITARY ADRENOCORTICOL  
AND AUTONOMIC NERVOUS SYSTEM BIOMARKERS

NOOR AIMIE BINTI SALLEH

A thesis submitted in fulfilment of the  
requirements for the award of the degree of  
Doctor of Philosophy (Biomedical Engineering)

Faculty of Biosciences and Medical Engineering  
Universiti Teknologi Malaysia

JULY 2017

## ACKNOWLEDGEMENT

I would like to express my gratitude to all those who have given me encouragement to complete this research. I wish to express my deepest gratitude to my supervisor Dr Malarvili Balakrishnan for her invaluable guidance, encouragement, and direction throughout this work. My sincere thanks also go to Dr Anna C. Phillip who gave me the opportunity to join her and her team while providing me access to the laboratory and research facilities during my research attachment at the University of Birmingham United Kingdom. Without their precious support it would not have been possible to complete this research.

I would also like to thank to all my family members, especially my mother, Mdm Jumiah Sukaimi for her great support and love throughout my PhD study. A big thank to my colleagues for all their helps, opinions, and support. A special thanks also goes to my beloved husband, Mr Mohd Soufi bin Kemaran Pirdous for his constant support, patience and love and to my dear little girl, Aisya binti Mohd Soufi, who is my greatest inspiration.

My deepest appreciation to all my friends for their continues support during difficult and challenging moments. In particular, special thanks to my lovely friend Amelia Mohd Khalili who helped me find the way out when I was stuck and kept pushing me to continue the journey. Heartfelt thanks also to my dear friend Izwyn Zulkapri who patiently revised my thesis, polishing my English and gave a helping hand to look after my daughter during research meetings and discussions.

Finally, I want to thank, everyone who has, in one way or another, help me to conduct this research.

## ABSTRACT

Early life exposure to stress such as adverse childhood experiences has been suggested to cause changes in physiological processes and alteration in stress response magnitude which might have significant impact on health later in life. For this reason, detection of this altered stress response can be used as an indicator for future health. To date, there is no study that utilized this information to indicate future health. In order to detect the altered stress response, biomarkers that represent both Autonomic Nervous System (ANS) and Hypothalamic-Pituitary-Adrenocorticol (HPA) is proposed. Among the available biomarkers, Heart Rate Variability (HRV) has been proven as a powerful biomarker that represents ANS. Meanwhile, salivary cortisol has been suggested as a biomarker that reflects the HPA. Even though many studies used multiple biomarkers to measure the stress response, the results for each biomarker were analysed separately. Therefore, this study fuses the biomarker that represents both ANS and HPA as a single measure, proposes a new method to classify the stress response based on adverse childhood experience in the form of stress response index as a future health indicator. Electrocardiograph, blood pressure, pulse rate and Salivary Cortisol (SCort) were collected from 23 participants, 12 participants who had adverse childhood experience while the remaining 11 act as the control group. The recording session was done during a Paced Auditory Serial Addition Test (PASAT). HRV features were then extracted from the electrocardiograph (ECG) using time, frequency, time-frequency analysis, and wavelet transform. Following this, genetic algorithm was implemented to select a subset of 12 HRV features from 83 features. Next, the selected HRV features were combined with other biomarkers using parallel and serial fusion for performance comparison. Using Support Vector Machine (SVM), results showed that fused feature of the parallel fusion, so-called Euclidean distance ( $e_d$ ), demonstrated the highest performance with 80.0% accuracy, 83.3% sensitivity and 78.3% specificity. Finally, the fused feature of the Euclidean distance was fed into SVM in order to model the stress response index as an indicator for future health. This index was validated using all samples and achieved 91.3% accuracy. From this study, a new method based on HRV-SCort biomarker using Euclidean distance and SVM named as  $e_d$ -SVM was proven to be an effective method to classify the stress response and could further be used to model a stress response index. This index can then be benefited as an indicator for future health to improve the health care management in adulthood.

## ABSTRAK

Pendedahan terhadap tekanan di awal usia seperti pengalaman buruk semasa zaman kanak-kanak telah dicadangkan mampu mengubah proses fisiologi dan magnitud tindak balas tekanan yang akan memberi kesan kepada kesihatan di kemudian hari. Pengesanan pada perubahan tindak balas tekanan ini boleh digunakan sebagai indikator kesihatan masa hadapan. Sehingga kini, tiada lagi kajian yang menggunakan maklumat ini sebagai indikator kesihatan pada masa hadapan. Untuk mengesan tindak balas tekanan ini, penanda biologi yang mewakili Sistem Saraf Autonomi (ANS) dan hypothalamic-pituitari-Adrenocorticol (HPA) telah dicadangkan. Dalam kebanyakan penanda biologi yang sedia ada, kadar variasi jantung (HRV) telah terbukti sebagai penanda biologi yang baik bagi ANS. Sementara kortisol saliva pula telah dicadangkan sebagai penanda biologi yang memaparkan HPA. Walaupun banyak kajian menggunakan beberapa penanda biologi untuk mengukur tindak balas tekanan, keputusan untuk setiap penanda biologi telah dianalisis secara berasingan. Oleh itu, kajian ini menggabungkan penanda biologi yang mewakili ANS dan HPA sebagai satu pengukuran induk sebagai pendekatan baru bagi mengelaskan tindak balas tekanan berdasarkan pengalaman buruk zaman kanak-kanak untuk membina indeks tindak balas tekanan sebagai indikator kesihatan masa depan. Elektrokardiograf (ECG), tekanan darah, kadar denyutan dan kortisol saliva dikumpul dari 23 peserta, 12 peserta yang mempunyai pengalaman pahit semasa zaman kanak-kanak dan 11 peserta bertindak sebagai kumpulan kawalan. Sesi rakaman dijalankan semasa Ujian Auditori Penambahan Bersiri (PASAT). Ciri-ciri HRV kemudiannya diekstrak dari ECG dengan menggunakan analisis masa, frekuensi, masa-frekuensi, dan transformasi wavelet. Algoritma genetik kemudiannya diimplimentasi untuk memilih 12 subset ciri HRV daripada 83 ciri. Ciri HRV yang dipilih kemudiannya digabungkan dengan penanda biologi lain menggunakan kaedah gabungan selari dan bersiri untuk perbandingan prestasi. Dengan menggunakan Mesin Vektor Sokongan (SVM), keputusan menunjukkan gabungan ciri yang menggunakan kaedah gabungan selari, juga dikenali sebagai jarak Euclidean ( $e_d$ ) menunjukkan prestasi tertinggi dengan ketepatan 80.0%, kepekaan 83.3% dan kekhususan 78.3%. Akhir sekali, gabungan ciri dengan kaedah jarak Euclidean kemudiannya dimasukkan ke dalam SVM untuk menghasilkan indeks tindak balas tekanan sebagai indikator kesihatan masa hadapan. Indeks ini disahkan dengan menggunakan semua sampel dan mencapai ketepatan 91.3%. Daripada kajian ini, satu kaedah baru berdasarkan penanda biologi HRV-SCort dengan menggunakan kaedah jarak Euclidean dan SVM yang dikenali sebagai  $e_d$ -SVM terbukti berkesan dalam mengklasifikasikan tindak balas tekanan dan seterusnya digunakan untuk menghasilkan indeks tindak balas tekanan. Indeks ini kemudiannya boleh digunakan sebagai indikator kesihatan pada masa hadapan bagi menambah baik pengurusan penjagaan kesihatan semasa dewasa.

## TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	<b>ACKNOWLEDGEMENT</b>	iii
	<b>ABSTRACT</b>	iv
	<b>ABSTRAK</b>	v
	<b>TABLE OF CONTENTS</b>	vi
	<b>LIST OF TABLES</b>	ix
	<b>LIST OF FIGURES</b>	xi
	<b>LIST OF SYMBOLS</b>	xiv
	<b>LIST OF ABBREVIATIONS</b>	xv
	<b>LIST OF APPENDICES</b>	xviii
<b>1</b>	<b>INTRODUCTION</b>	<b>2</b>
	1.1 Background of the Research	2
	1.2 Problem Statement	3
	1.3 Objectives of Study	5
	1.4 Scopes of the Study	5
	1.5 Contributions of the Study	6
	1.6 Thesis Organization	7
<b>2</b>	<b>LITERATURE REVIEW</b>	<b>9</b>
	2.1 Introduction	9
	2.2 Background of the Stress	11
	2.3 Stress Factor	12
	2.3.1 Adverse Childhood Experience	13
	2.3.2 Acute Stress: Mental Stress Test	14

2.4	Stress Response	16
2.4.1	Mechanism of Stress Response	16
2.5	Measurement of Stress	19
2.5.1	Questionnaire	20
2.5.2	Biological markers	20
2.6	Analysis of Heart Rate variability	24
2.6.1	HRV Feature Extraction	25
2.6.1.1	Time Domain Analysis	27
2.6.1.2	Frequency Domain Analysis	27
2.6.1.3	Time-Frequency Signal Analysis	30
2.6.1.4	Discrete Wavelet Transform	32
2.6.2	HRV Feature Selection	34
2.7	Data Fusion	38
2.7.1	Classification	39
2.7.2	Fusion of Biomarker for Stress Response Measure	39
2.8	Chapter Summary	41
<b>3</b>	<b>RESEARCH METHODOLOGY</b>	<b>44</b>
3.1	Introduction	44
3.2	Data Acquisition	46
3.2.1	Participants	46
3.2.2	Mental Stress Test: The Paced Auditory Serial Addition Test (PASAT)	47
3.2.3	Procedure	47
3.2.4	Saliva Sampling and Cortisol Assays	49
3.3	Pre-Processing: From ECG to HRV	49
3.4	HRV Feature Extraction	56
3.4.1	Time-Domain Analysis	56
3.4.2	Frequency Domain Analysis	58
3.4.3	Time-Frequency Domain Analysis	60

3.4.3.1	Modified B-Distribution (MBD)	60
3.4.3.2	TFD-Based Nonlinear Entropy Analysis	61
3.4.4	Wavelet Transform Analysis	62
3.4.5	Feature Extraction: Summary	65
3.5	HRV Feature Selection	67
3.5.1	Genetic Algorithm	67
3.6	Fusion of Biomarkers	72
3.6.1	Feature Fusion	74
3.6.2	Classification	76
3.6.2.1	Support Vector Machine	78
3.6.3	Classifier Performance Evaluation	79
3.7	Stress Response Index	81
3.8	Chapter Summary	81
<b>4</b>	<b>RESULTS AND DISCUSSIONS</b>	<b>82</b>
4.1	Introduction	82
4.2	Pre-processing	83
4.3	Feature Extraction	86
4.4	Feature Selection: Genetic Algorithm	99
4.5	Fusion of Biomarkers	104
4.5.1	Feature Fusion	104
4.5.2	Support Vector Machine Model Fusion	107
4.6	Chapter Summary	112
<b>5</b>	<b>CONCLUSION AND FUTURE WORK</b>	<b>113</b>
5.1	Introduction	113
5.2	Conclusion	113
5.3	Future Work	115
	<b>REFERENCES</b>	<b>117</b>
	Appendices A – D	141-151

## LIST OF TABLES

TABLE NO.	TITLE	PAGE
2.1	Diseases and health problem caused by psychological stress	11
2.2	Mental stress test used in studies related to adverse childhood experience	15
2.3	Biological marker (biomarker) used in stress related studies	22
2.4	HRV feature that demonstrated significant result in stress studies	26
2.5	Quadratic TFDs and their corresponding kernels	31
2.6	Review on method for HRV feature selection	37
2.7	Review on fusion method for stress classification	40
3.1	Extracted Features of HRV	66
3.2	The tested parameter value for the HRV feature selection in GA	70
4.1	The Total Number of Extracted HRV features	86
4.2	Optimization of GA operators	100
4.3	Genetic Algorithm's operators used in this study	101
4.4	Feature Extracted from feature selection by Genetic Algorithm	102
4.5	Comparison of classification error rate of the fused biomarker using different classifier	106
4.6	Performance of fused biomarker by SVM classifier	106



4.7	Comparison of the performance between fused and single biomarker for stress response classification by using SVM	107
4.8	The validation of stress response index algorithm	109

## LIST OF FIGURES

<b>FIGURE NO.</b>	<b>TITLE</b>	<b>PAGE</b>
2.1	Flow diagram of the reviewed topics	10
2.2	Systems involve in stress response	16
2.3	Flow diagram of the Autonomic Nervous System	17
2.4	ANS activation during stress	18
2.5	HPA activation during stress	19
2.6	From ECG to HRV	25
2.7	Frequency bands indicating ANS activity	28
2.8	Power spectral density (PSD) during resting baseline	29
2.9	Time-frequency distribution of HRV during resting baseline which contains both time and frequency Information. The left plot shows the time-domain of the HRV signal, the bottom shows the spectral component and middle one is the TF representation of the HRV signal	31
2.10	Decomposition of signal by Wavelet transform	34
3.1	Process flow of the research method	45
3.2	The procedure involved during the laboratory session	48
3.3	The algorithm of pre-processing technique	50
3.4	ECG signal after low pass filtering	51
3.5	ECG signal after high pass filtering	52
3.6	ECG signal after differentiating	53

3.7	ECG signal after squaring	54
3.8	ECG signal after moving average filter	55
3.9	<i>RR</i> peak detection	55
3.10	PSD with the frequency distribution of HRV	60
3.11	Time-frequency distribution of HRV using MBD during resting baseline which contains both time and frequency information	61
3.12	The Daubechies Wavelet function	63
3.13	The approximation and detail coefficients for level 5 of eight-order Daubechies mother wavelet (db8)	64
3.14	Flowchart of the Genetic Algorithm	68
3.15	Crossover operations in GA	70
3.16	Mutation operations in GA	71
3.17	Flow diagram of the fusion method	73
3.18	Computation of the absolute value of a complex number based on the Pythagorean Theorem	75
3.19	Iteration of 10-fold cross validation	77
3.20	A two-dimensional classification problem, where the two classes have been split by an optimal line	78
3.21	Confusion Matrix	79
4.1	Framework of proposed fusion method for stress response index ( <i>SR<sub>i</sub></i> )	83
4.2	The output of HRV pre-processing using Pan and Tompkins algorithm	84
4.3	The output of pre-processing from <i>R-R</i> interval to HRV	85
4.4	Sample of HRV generated from 3 participants who had adverse childhood experience; (i) HRV during resting baseline (ii) HRV during stress testing	88

4.5	Sample of HRV generated from 3 participants who had no adverse childhood experience; (i) HRV during resting baseline (ii) HRV during stress testing	89
4.6	Sample of PSD generated from 3 participants who had adverse childhood experience; (i) PSD during resting baseline (ii) PSD during stress testing	91
4.7	Sample of PSD generated from 3 participants who had no adverse childhood experience; (i) PSD during resting baseline (ii) PSD during stress testing	92
4.8	Sample of TFD generated from 3 participants who had adverse childhood experience; (i) TFD during resting baseline (ii) TFD during stress testing. For each figure, the left plot shows the time-domain of the HRV signal, the bottom shows the spectral component and middle one is the TF representation of the HRV signal	94
4.9	Sample of TFD generated from 3 participants who had no adverse childhood experience; (i) TFD during resting baseline (ii) TFD during stress testing. For each figure, the left plot shows the time-domain of the HRV signal, the bottom shows the spectral component and middle one is the TF representation of the HRV signal	95
4.10	Sample of WLT generated from 3 participants who had adverse childhood experience; (i) WLT during resting baseline (ii) WLT during stress testing	97
4.11	Sample of WLT generated from 3 participants who had no adverse childhood experience; (i) WLT during resting baseline (ii) WLT during stress testing	98
3.17	Convergence of Genetic Algorithm	101
4.12	Stress response index ( $SR_i$ ) by using $e_d$ -SVM of HRV and salivary cortisol (HRV-SCort) based on adverse childhood experience	112

## LIST OF SYMBOLS

$\mathbf{b}$	-	Blood Pressure Feature Vector
$\mathbf{c}$	-	Combination of HRV, BP and PR Feature Vector
$\mathbf{c}$	-	Salivary Cortisol Feature Vector
$C_p$	-	Cross over probability
$E_c$	-	Elite Children
$e_d$	-	Euclidean Distance
$E_r$	-	Classification error
$f_e$	-	Parallel Fusion
$f_s$	-	Serial Fusion
$\mathbf{h}$	-	HRV Feature Vector
$i$	-	Imaginary Unit
$k$	-	Number of $k$ for $k$ -Nearest Neighbor
$k_l$	-	Linear kernel
$M_p$	-	Mutation probability
$N$	-	Total window length
$N_5$	-	5 minutes window length
$\mathbf{p}$	-	Pulse Rate Feature Vector
$p_A$	-	AR model order
$RR$	-	Normal-to-Normal time interval
$S$	-	Sample
$Y_D$	-	Maximum of the sample density distribution
$\beta$	-	MBD kernel parameter
$\sigma$	-	Radial Basis Function (RBF) Scaling Factor
$\psi$	-	Wavelet family function

## LIST OF ABBREVIATIONS

A	-	Approximation coefficient
Acc	-	Accuracy
ACTH	-	Adrenocorticotropin
ANS	-	Autonomic Nervous System
ApEn	-	Approximate entropy
AR	-	Autoregressive
BP	-	Blood pressure
BVP	-	Blood volume pulse
C-DIS-IV	-	Computerized Diagnostic Interview Schedule IV
CNS	-	Central Nervous System
Cort	-	Cortisol
CRH	-	Corticotrophin-Releasing Hormone
CTQ	-	Childhood traumatic questionnaire
CWD	-	Choi William Distribution
CWT	-	Continuous Wavelet Transform
D	-	Detail coefficient
db8	-	Eight-order Daubechies mother Wavelet
DWT	-	Discrete Wavelet transform
E	-	Energy
ECG	-	Electrocardiogram
EEG	-	Electroencephalogram
EMG	-	Electromyogram
$E_r$	-	Error rate
FA	-	Frequency domain analysis
FFT	-	Fast Fourier Transform
<i>FitFunc</i>	-	Fitness Function
FN	-	False negative

FP	-	False positive
FPE	-	Final prediction error
F <sub>s</sub>	-	Sampling Frequency
GA	-	Genetic algorithm
GSR	-	Galvanic skin response
HF	-	High Frequency
HF <sub>nu</sub>	-	Normalized unit of high frequency
HPA	-	Hypothalamus Pituitary Adrenocorticol
HR	-	Heart Rate
HRV	-	Heart Rate Variability
HTI	-	Heart Rate Variability Triangular Index
IHD	-	Ischemic Heart Disease
kNN	-	k-Nearest Neighbor
Kur	-	Kurtosis
LF	-	Low Frequency
LFM	-	Low Frequency Modulation
LF <sub>nu</sub>	-	Normalized unit of Low Frequency
M	-	Mean
MBD	-	Modified-B Distribution
NB	-	Naive Bayes
PASAT	-	Paced Auditory Serial Addition Test
PD	-	Pupil Diameter
PNS	-	Parasympathetic Nervous System
PR	-	Pulse rate
PSD	-	Power Spectral Density
RBF	-	Radial Basis Function
Resp	-	Respiration rate
RIS	-	Rissanen's minimum description length
RMSSD	-	Root Mean Square of Standard Deviation
ROC	-	Receiver Operating Characteristic
RO	-	Research objective
SampEn	-	Sample Entropy
SC	-	Skin conductance
SCort	-	Salivary Cortisol

SD	-	Standard Deviation
SDNN	-	Standard deviation of N-N interval
Sen	-	Sensitivity
Skw	-	Skewness
SNS	-	Sympathetic Nervous System
SP	-	Spectrogram
Spe	-	Specificity
SPWVD	-	Smoothed Wigner Ville Distribution
<i>SRi</i>	-	Stress Response Index
ST	-	Skin Temperature
STFT	-	Short Time Fourier Transform
SV	-	Support vector
SVM	-	Support vector machine
TA	-	Time domain analysis
TF	-	Time Frequency
TFD	-	Time Frequency Distribution
TFSA	-	Time Frequency Signal Analysis
TN	-	True negative
TP	-	Total Power
VLF	-	Very Low Frequency
WL	-	Wavelet
WLT	-	Wavelet transform
WVD	-	Wigner Ville Distribution



**LIST OF APPENDICES**

<b>APPENDIX</b>	<b>TITLE</b>	<b>PAGE</b>
A	Screening questionnaire	141
B	Laboratory Protocol	145
C	PASAT Protocol	147
D	Extracted variables from Support Vector Machine Model	150

## CHAPTER 1

### INTRODUCTION

#### 1.1 Background of the Research

Stress is an individual's adaptive process to external and internal challenges that is regulated on the systemic and cellular level. In the resistance stage, stress heightens awareness, increases mental alertness, and leads to superior cognitive and behavioral performance such as seen in sports. However, stress in the long run will enter its exhaustion stage and could eventually cause exhaustion of hormonal, cardiovascular, neural and muscular system due to insufficient time for recovery and repair (Rice, 2012). In addition, stress has been proven to be one of the main risk factor for serious illnesses and lead to mortality (Schneiderman, Ironson and Siegel, 2005). Due to the significant impact of stress on health, the study of stress with its various modalities has drawn the attention of several researchers. For example, the effects of stress and its relationship with certain diseases have been widely discussed, and a number of treatments have been proposed (Rice, 2012; Schneiderman, Ironson and Siegel, 2005).

When the body is under stress, there are two primary systems that are particularly involved in adapting to the situation which are the Autonomic Nervous System (ANS) and the Hypothalamus Pituitary Adrenocorticol (HPA) axis (Applegate, 1995; Michels *et al.*, 2013b). In times of stress, basically, ANS will increase heart rate (HR), (blood pressure) BP and breathing rate (Applegate, 1995). Heart Rate Variability (HRV), a signal derived for electrocardiograph (ECG) allows a much more accurate and detailed determination of the functional regulatory

characteristics of the ANS than simple HR and BP alone. For this reason, HRV is recognized as a quantitative biomarker of the ANS (Task Force, 1996) and thus as a powerful biomarker of psychological stress (Acharya *et al.*, 2006; Allen *et al.*, 2014; Thayer *et al.*, 2012). Meanwhile, the second body system that activates upon stress, HPA, stimulates the adrenal cortex to increase the cortisol secretion (Michels *et al.*, 2013a; Michels *et al.*, 2013b; Nevid, Rathus and Greene, 2011). As HPA plays a significant role in the stress response, the measurement of the cortisol level is regarded as a biomarker in stress related studies. It has been found that the salivary cortisol concentrations is closely correlated to the serum cortisol concentration and thus it has been suggested as a possible biomarker that reflects the HPA system (Hamer *et al.*, 2010; Nomura *et al.*, 2009).

The detection and classification of stress is another research area that has become popular recently (Soman, Sathiya and Suganti, 2014; Sharma and Gedeon, 2012; Widjaja *et al.*, 2013; Wijsman *et al.*, 2013; Zhai and Barreto, 2006). Results and innovations that spring from such studies are very important in providing information by which accurate and reliable treatment can be given to patients. Apart from this, the results can be also used for the development of an early detection tool for certain diseases. Stress classification can be a big challenge since certain biomarkers are too complex to be processed such as, HRV. However, this complex biomarker has been proven able to represent important information of the heart as well as autonomic function in responding to the stress (Acharya *et al.*, 2006; Allen *et al.*, 2014; Task Force, 1996; Thayer *et al.*, 2012). Throughout the years, the method of processing this signal has been improved to a satisfying stage. However, as the health problems grow rapidly, the demand of more advanced treatment, diagnosis as well as health monitoring has increased. These demands lead to the investigation and development of a new processing method for specific application, in this case, stress classification for the development of a health indicator and potentially may provide better health care.

In this study, HRV which was derived from ECG has been studied as one particular biomarker in investigating stress response. Other than ECG, BP, PR and salivary cortisol (SCort) is also studied. The following section outlines the problem

statement that led to the present work. This is followed by the objectives, scopes, and finally the contributions of this study.

## 1.2 Problem Statement

Early life exposure to stress has been suggested to be predictive of a range of health outcomes (Anda *et al.*, 1993; Felitti *et al.*, 1998). Reports spring from the area of disease control and prevention linking early life adversity to a wide range of psychological and physical health outcomes such as alcohol addiction, obesity, depression, smoking, use of substance, sexual behavior problem (Anda *et al.*, 2006) and also serious illnesses such as cardiovascular disease (Batten *et al.*, 2004; Dong *et al.*, 2004) depression (Batten *et al.*, 2004; Danese *et al.*, 2009; Kendall-Tackett, 2000), irritable bowel syndrome (Kendall-Tackett, 2000) as well as cancer (Jacobs and Bovasso, 2000). Motivated from these findings, recent work in the area of childhood trauma discovered that adverse childhood exposure might cause changes in physiological processes such as cardiovascular stress reactivity. For example, individuals with a history of one or more significant adverse events earlier in their lives showed altered cortisol and heart rate responses to acute psychological stress (Lovallo *et al.*, 2012; Lovallo, 2013). Children from aggressive family environments have also been shown to have altered cardiovascular reactivity to stress task (Luecken and Roubinov, 2012). These evidences suggest that stress reactivity is determined through events occurring at quite an early age, and that exposure to stress can determine the magnitude of stress reactivity which might have significant impact on health later in life (Boyce and Ellis, 2005; Ellis, Essex and Boyce, 2005). For this strong reason, detection of this altered stress response caused by adverse childhood experiences is important to be used as an indicator for the future health. However, until recently, there has been no study that utilized this information as an indicator for future health thus a study that fills this gap is needed.

In order to detect the altered stress response, selection of appropriate biomarker is crucial. Among the available biomarkers, HRV has been proven as a

powerful biomarker that represents autonomic nervous system (Acharya *et al.*, 2006; Allen *et al.*, 2014; Task Force, 1996; Thayer *et al.*, 2012). Time and frequency domain analyses are the conventional approaches applied by many previous studies in HRV analysis during stress classification (Deepak *et al.*, 2014; Karthikeyan, Murugappan and Yaacob, 2014; Muaremi, Arnrich and Tröster, 2013). Due to the non-stationary nature of the HRV, valuable information embedded within the signal might not be completely extracted by these conventional methods. Therefore, more advanced analysis such as Time Frequency Distribution (TFD) and Wavelet transform (WT) are proposed (Acharya *et al.*, 2015; Boashash, 2003; Carvalho *et al.*, 2003; Neto *et al.*, 2016; Wachowiak, Hay and Johnson, 2016). However, in studies related to adverse childhood experience, very few studies were found using HRV to measure the stress response and only conventional frequency domain method was used (Carroll *et al.*, 2013; Ockenburg *et al.*, 2014; Winzeler *et al.*, 2017). Therefore, HRV analysis, using both conventional and more advanced approaches for stress response on individual who have had adverse childhood experience should be carried out.

Since ANS and HPA are two major body systems that play important role in stress response regulation, combination of the biomarkers that represent both ANS and HPA is recommended (Michels *et al.*, 2013a; Michels *et al.*, 2013b). Even though many studies used multiple biomarkers to measure the stress response, the results for each biomarker however were analysed separately (Ginty *et al.*, 2012a; Phillips, 2011; Phillips *et al.*, 2012). Hence, the combination or fusion of those biomarkers as a single measure, need to be done.

Therefore, to address these research gaps, a new approach to the fusion method for stress response classification of adverse childhood experience is proposed. Since the irregularity of stress response caused by adverse childhood experience can be used as essential indication of the adult's health status, a stress response index is proposed as an indicator for future health. The detection of this stress response irregularity is important so that preventive measures can be taken and if needed, further thorough diagnosis can be done. This perhaps might improve the

health care management during adulthood. Next, the objectives and scopes of this thesis is explained in detail in the next section.

### **1.3 Objectives of Study**

The main objective of this study is to fuse the biomarker that represents both ANS and HPA in order to classify the stress response of a group of people who had adverse childhood experience and propose a stress response index as an indicator for future health. The main objective is achieved through the following objectives.

1. To extract the HRV features of stress response from mental stress test of normal participants who had adverse childhood experience and normal participant who had no adverse childhood experience.
2. To select the relevant sub-set HRV features in classifying two classes of stress response using feature selection algorithm.
3. To investigate the stress response through fusion of biomarkers that represent both ANS and HPA using serial and parallel fusion method.
4. To propose a stress response index by using HRV and Salivary Cortisol (HRV-SCort) based on adverse childhood experience as an indicator for future health.

### **1.4 Scopes of the Study**

The scopes of the study are listed as follow:

1. In this study, the participants were restricted to University of Birmingham United Kingdom students, aged 17 to 23 years old with no history of cardiovascular disease, current endocrine or immune disorder, acute infection or other chronic illnesses, and who are non-smokers as well as not on any medication.
2. Even though there are several other factors that may affect how the individual responds to a mental stress test, this study only focused on adverse childhood experience since the irregularity of stress response caused by this factor can be used as essential indication of future health.
3. There are several biomarkers that represent ANS and HPA either direct or indirectly. However, this study only focused on measuring significant biomarkers which are HRV, BP, PR and salivary cortisol as the biomarker for stress response classification.
4. All analysis starting from pre-processing, feature extraction, feature selection, feature fusion until stress response classification were computed using MATLAB software.
5. In order to stimulate the stress, a mental stress task was needed. In this study stimulated arithmetic stress test named Paced Auditory Serial Addition Test (PASAT) was used.

## **1.5 Contributions of the Study**

The contributions of the current study are:

1. This study proposed HRV and salivary cortisol named as HRV-SCort as the most effective measure for stress response classification compared to either

different combinations of biomarkers or single biomarkers. It is important to be noted that, this combined biomarker represents both ANS and HPA, which are two main body systems that are activated during stress. Therefore, this new approach to measurement is believed to be more reliable and accurate compared to the existing measures as it is able to assess both essential systems simultaneously and thus minimize the errors and limitations caused by single biomarkers.

2. A new method for classification of stress response based on HRV-SCort biomarker using Euclidean distance and SVM named as  $e_d$ -SVM is proposed. The robustness of this method is crucial in contributing to the effectiveness of the proposed stress response index.
3. Based on adverse childhood experience and the fused biomarkers, HRV-SCort, by using  $e_d$ -SVM, a stress response index was proposed. This stress response index differentiates how the individual responds to stress by classifying between irregular stress response and normal stress response. This index can then be used for an indicator for future health. The detection of this stress response irregularity is important so that preventive measures can be taken and if needed, further thorough diagnosis can be done. This perhaps might improve the health care management during adulthood.

## 1.6 Thesis Organization

The thesis consists of five chapters. The organization of the thesis is as follows:

Chapter 1 is an introductory chapter. The chapter starts with a brief explanation of background of stress and stress classification. It presents the problem statement that leads to this research. Then, the chapter explains the objectives, scope and contributions of this study and outlines the overview of this thesis.



Chapter 2 provides a comprehensive review to a number of topics that were used as a base in developing the material of this thesis from both medical and signal processing perspectives. It gives a brief description on background of stress, stress factor and mechanism of stress response. Next, the chapter reviews the measurement of stress and analysis of HRV. The analysis of HRV included the feature extraction and feature selection. It is followed by a review of the fusion of biomarkers for stress classification.

Chapter 3 explains the implementation of the method used in the present work. This chapter starts with a brief description of data acquisition, including the recruitment of the participants and the procedure of measuring the stress response using various biomarkers. It is followed by the pre-processing of HRV and continued with HRV feature extraction and selection. The fusion of biomarkers is discussed next and finally the algorithm for the stress response index is presented in the last section.

Chapter 4 discusses the findings of this study. It starts by discussing the results of the HRV pre-processing and followed with the HRV feature extraction by using time, frequency, TF and wavelet analysis method. Then, the HRV feature selection using Genetic Algorithm (GA) is discussed. It is then followed with the presentation of the performance of the fused feature using different fusion methods. Finally, the proposed stress response index based on the adverse childhood experience is discussed in the last section.

Chapter 5 gives some conclusions based on the results obtained in the thesis and recommends some directions for further research.

## REFERENCES

- Abbaspour, S., Gholamhosseini, H. and Linden, M. (2015). Evaluation of Wavelet Based Methods in Removing Motion Artifact from ECG Signal
- Acharya, R., U., Vidya, K. S., Ghista, D. N., Lim, W. J. E., Molinari, F. and Sankaranarayanan, M. (2015). Computer-Aided Diagnosis of Diabetic Subjects by Heart Rate Variability Signals using Discrete Wavelet Transform Method. *Knowledge-Based Systems*, 81, 56-64.
- Acharya, U. R., Joseph, K. P., Kannathal, N., Lim, C. and Suri, J. (2006). Heart Rate Variability: A Review. *Medical and Biological Engineering and Computing*, 44(12), 1031-1051.
- Acharya, U. R., Sankaranarayanan, M., Nayak, J., Xiang, C. and Tamura, T. (2008). Automatic Identification of Cardiac Health using Modeling Techniques: A Comparative Study. *Information Sciences*, 178(23), 4571-4582.
- Ahuja, N. D., Raghavan, V., Lath, V., Patil, A. and Pill, S. (2004). Heart Rate Variability and Its Clinical Application for Biofeedback. *17th IEEE Symposium on Computer-Based Medical Systems*. 24-25 June Mumbai, India: IEEE Computer Society, 263.
- Aimie-Salleh, N. (2013). *Autonomic Function Assessment Tool Using Time-Frequency Analysis of Heart Rate Variability*. Master Thesis, Universiti Teknologi Malaysia, Johor Bahru.
- Aimie-Salleh, N. and Malarvili, M. B. (2011). Study of Relationship between Heart Rate Variability and Autonomic Function using Cold Pressor Test for Malaysian Population. *IEEE Colloquium on Humanities, Science and Engineering (CHUSER)*. 5-6 December. Penang, Malaysia, 351-354.
- Aimie-Salleh, N., Malarvili, M. B. and Phillip, A. C. (2015). Quantitative Comparison of Time-Frequency Distributions for Heart Rate Variability During Autonomic Function Testing using Performance Measure. *Journal of Wireless Networking and Communications*, 5(2A), 1-5.

- Akaike, H. (1969). Fitting Autoregressive Models for Prediction. *Annals of the Institute of Statistical Mathematics*, 21(1), 243-247.
- Akaike, H. (1974). A New Look at the Statistical Model Identification. *IEEE Transactions on Automatic Control*, 19(6), 716 - 723
- Akar, S. A., Kara, S. and Bilgiç, V. (2016). Investigation of Heart Rate Variability in Major Depression Patients using Wavelet Packet Transform. *Psychiatry Research*, 238, 326-332.
- Akay, M. (1994). *Biomedical Signal Processing*. San Diego: Academic Press.
- Akhter, N., Dabhade, S., Bansod, N. and Kale, K. (2016). Feature Selection for Heart Rate Variability Based Biometric Recognition using Genetic Algorithm. In Berretti, S., Thampi, S. M. & Srivastava, P. R. (Ed.) *Intelligent Systems Technologies and Applications* (pp. 91-101). Maharashtra, India: Springer International Publishing.
- Akselrod, S., Gordon, D., Ubel, F. A., Shannon, D. C., Berger, A. C. and Cohen, R. J. (1981). Power Spectrum Analysis of Heart Rate Fluctuation: A Quantitative Probe of Beat-to-Beat Cardiovascular Control. *Science*, 213(4504), 220-2.
- Allen, A. P., Kennedy, P. J., Cryan, J. F., Dinan, T. G. and Clarke, G. (2014). Biological and Psychological Markers of Stress in Humans: Focus on the Trier Social Stress Test. *Neuroscience and Biobehavioral Reviews*, 38, 94–124.
- Anda, R., Williamson, D., Jones, D., Macera, C., Eaker, E., Glassman, A. and Marks, J. (1993). Depressed Affect, Hopelessness, and the Risk of Ischemic Heart Disease in a Cohort of U.S. Adults. *Epidemiology*, 4(4), 285-294.
- Anda, R. F., Brown, D. W., Dube, S. R., Bremner, J. D., Felitti, V. J. and Giles, W. H. (2008). Adverse Childhood Experiences and Chronic Obstructive Pulmonary Disease in Adults. *American Journal of Preventive Medicine*, 34(5), 396-403.
- Anda, R. F., Felitti, V. J., Bremner, J. D., Walker, J. D., Whitfield, C., Perry, B. D., Dube, S. R. and Giles, W. H. (2006). The Enduring Effects of Abuse and Related Adverse Experiences in Childhood. *European Archives of Psychiatry and Clinical Neuroscience*, 256(3), 174-186.
- Andrews, G., Tennant, C., Hewson, D. M. and Vaillant, G. E. (1978). Life Event Stress, Social Support, Coping Style, and Risk of Psychological Impairment. *The Journal of Nervous and Mental Disease*, 166(5), 307-16.

- Appel, M. L., Berger, R. D., Saul, J. P., Smith, J. M. and Cohen, R. J. (1989). Beat to Beat Variability in Cardiovascular Variables: Noise or Music? *Journal of American College and Cardiology*, 14(5), 1139-48.
- Applegate, E. J. (1995). *The Anatomy and Physiology Learning System* (1<sup>th</sup> ed.) Philadelphia: Saunders
- Appleton, A. A., Loucks, E. B., Buka, S. L., Rimm, E. and Kubzansky, L. D. (2013). Childhood Emotional Functioning and the Developmental Origins of Cardiovascular Disease Risk. *Journal of Epidemiology and Community Health*, 67(5), 405–411.
- Bailon, R., Mainardi, L. T. and Laguna, P. (2006). Time-Frequency Analysis of Heart Rate Variability During Stress Testing using “a Priori” Information of Respiratory Frequency. *Computers in Cardiology*. 17-20 September. Valencia, Spain: IEEE, 169-172.
- Baldwa, V. S. and Ewing, D. J. (1977). Heart Rate Response to Valsalva Manoeuvre: Reproducibility in Normals, and Relation to Variation in Resting Heart Rate in Diabetics. *British Heart Journal*, 39(6), 641-644.
- Banga, V. K. and Pawar, S. (2012). Diagnosis of Stress Involving Acquisition of Biological Signals for Example Heart Rate, Electrocardiogram, Electromyography Signals. *International Journal of Engineering Research & Technology (IJERT)*, 1(4), 1-9.
- Baraniuk, R. G., Flandrin, P., Janssen, A. J. E. M. and Michel, O. J. J. (2001). Measuring Time-Frequency Information Content using the Renyi Entropies. *IEEE Transactions on Information Theory*, 47(4), 1391-1409.
- Barkat, B. and Boashash, B. (2001). A High-Resolution Quadratic Time-Frequency Distribution for Multicomponent Signals Analysis. *IEEE Transactions on Signal Processing*, 49(10), 2232-2239.
- Batten, S. V., Aslan, M., Maciejewski, P. K. and Mazure, C. M. (2004). Childhood Maltreatment as a Risk Factor for Adult Cardiovascular Disease and Depression. *Journal of Clinical Psychiatry*, 65(2), 249-54.
- Baum, A., O'Keeffe, M. K. and Davidson, L. M. (1990). Acute Stressors and Chronic Response: The Case of Traumatic Stress. *Journal of Applied Social Psychology*, 20(20), 1623-1724.
- Begoña, M. d. T., Nicole, J., Antoine, P., Iona, L. S., Olivier, I. and Bengt, K. (2013). Perceived and Measured Physical Activity and Mental Stress Levels in

- Obstetricians. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 171(1), 44-48.
- Berger, R. D., Akselrod, S., David, G. and Cohen, R. J. (1986). An Efficient Algorithm for Spectral Analysis of Heart Rate Variability. *IEEE Transactions on Biomedical Engineering*, BME-33(9), 384-387.
- Bernardi, L., Wdowczyk-Szulc, J., Valenti, C., Castoldi, S., Passino, C., Spadacini, G. and Sleight, P. (2000). Effects of Controlled Breathing, Mental Activity and Mental Stress with or without Verbalization on Heart Rate Variability. *Journal of the American College of Cardiology*, 35(6), 1462-1469.
- Bernstein, D. P., Stein, J. A., Newcomb, M. D., Walker, E., Pogge, D., Ahluvalia, T., Stokes, J., Handelsman, L., Medrano, M., Desmond, D. and Zule, W. (2003). Development and Validation of a Brief Screening Version of the Childhood Trauma Questionnaire. *Child Abuse & Neglect*, 27(2), 169-90.
- Birkhofer, A., Geissendoerfer, J., Alger, P., Mueller, A., Rentrop, M., Strubel, T., Leucht, S., Förstl, H., Bär, K. J. and Schmidt, G. (2013). The Deceleration Capacity – a New Measure of Heart Rate Variability Evaluated in Patients with Schizophrenia and Antipsychotic Treatment. *European Psychiatry*, 28(2), 81-86.
- Boardman, A., Schlindwein, F. S., Rocha, A. P. and Leite, A. (2002). A Study on the Optimum Order of Autoregressive Models for Heart Rate Variability. *Physiological Measurement*, 23(2), 325.
- Boashash, B. (2003). *Time Frequency Signal Analysis and Processing: A Comprehensive Reference*. (1<sup>th</sup> ed.) Oxford, U. K.: Elsevier.
- Borges, G. and Brusamarello, V. (2015). Sensor Fusion Methods for Reducing False Alarms in Heart Rate Monitoring. *Journal of Clinical Monitoring and Computing*, (Journal of Clinical Monitoring and Computing).
- Boutana, D., Benidir, M., Marir, F. and Barkat, B. (2005). A Comparative Study of Some Time-Frequency Distributions Using Rényi Criterion. *Proceedings of the 13th European Signal Processing Conferences*. 4-8 September. Antalya, Turkey: IEEE.
- Boyce, W. T. and Ellis, B. J. (2005). Biological Sensitivity to Context: I. An Evolutionary-Developmental Theory of the Origins and Functions of Stress Reactivity. *Development and Psychopathology*, 17(2), 271-301.

- Bricout, V., DeChenaud, S. and Favre-Juvin, A. (2010). Analyses of Heart Rate Variability in Young Soccer Players: The Effects of Sport Activity. *Autonomic Neuroscience*, 154(1-2), 112-116.
- Brindle, R. C., Ginty, A. T. and Conklin, S. M. (2013). Is the Association between Depression and Blunted Cardiovascular Stress Reactions Mediated by Perceptions of Stress? *International Journal of Psychophysiology*, 90(1), 66-72.
- Bryla, C. M. (1996). The Relationship between Stress and the Development of Breast Cancer: A Literature Review. *Oncol Nurs Forum*, 23(3), 441-8.
- Byrne, D. G., Davenport, S. C. and Mazanov, J. (2007). Profiles of Adolescent Stress: The Development of the Adolescent Stress Questionnaire (Asq). *Journal of Adolescence*, 30(3), 393-416.
- Carroll, D., Phillips, A. C. and Der, G. (2008). Body Mass Index, Abdominal Adiposity, Obesity, and Cardiovascular Reactions to Psychological Stress in a Large Community Sample. *Psychosomatic Medicine*, 70(6), 653-60.
- Carroll, D., Phillips, A. C., Hunt, K. and Der, G. (2007). Symptoms of Depression and Cardiovascular Reactions to Acute Psychological Stress: Evidence from a Population Study. *Biological Psychology*, 75(1), 68-74.
- Carroll, D., Phillips, A. C., Ring, C., Der, G. and Hunt, K. (2005). Life Events and Hemodynamic Stress Reactivity in the Middle-Aged and Elderly. *Psychophysiology*, 42(3), 269-76.
- Carroll, J. E., Gruenewald, T. L., Taylor, S. E., Janicki-Deverts, D., Matthews, K. A. and Seeman, T. E. (2013). Childhood Abuse, Parental Warmth, and Adult Multisystem Biological Risk in the Coronary Artery Risk Development in Young Adults Study. *Proceedings of the National Academy of Sciences*, 110(42), 17149-17153.
- Carvalho, J. L. A., Rocha, A. F., Junqueira, L. F., Jr., Neto, J. S., Santos, I. and Nascimento, F. A. O. (2003). A Tool for Time-Frequency Analysis of Heart Rate Variability. *Proceedings of the 25th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*. 17-21 September 2003. Brasilia University, Brazil: IEEE, 2574-2577.
- Castro, M. N., Vigo, D. E., Chu, E. M., Fahrer, R. D., de Achával, D., Costanzo, E. Y., Leiguarda, R. C., Nogués, M., Cardinali, D. P. and Guinjoan, S. M. (2009). Heart Rate Variability Response to Mental Arithmetic Stress Is

- Abnormal in First-Degree Relatives of Individuals with Schizophrenia. *Schizophrenia Research*, 109(1–3), 134-140.
- Castro, M. N., Vigo, D. E., Weidema, H., Fahrer, R. D., Chu, E. M., de Achával, D., Nogués, M., Leiguarda, R. C., Cardinali, D. P. and Guinjoan, S. M. (2008). Heart Rate Variability Response to Mental Arithmetic Stress in Patients with Schizophrenia: Autonomic Response to Stress in Schizophrenia. *Schizophrenia Research*, 99(1–3), 294-303.
- Chan, H.-L., Lin, M.-A., Chao, P.-K. and Lin, C.-H. (2007). Correlates of the Shift in Heart Rate Variability with Postures and Walking by Time-Frequency Analysis. *Computer Methods and Programs in Biomedicine*, 86(2), 124-130.
- Chapman, D. P., Whitfield, C. L., Felitti, V. J., Dube, S. R., Edwards, V. J. and Anda, R. F. (2004). Adverse Childhood Experiences and the Risk of Depressive Disorders in Adulthood. *Journal of Affective Disorders*, 82(2), 217-225.
- Choi, J. and Gutierrez-Osuna, R. (2009). using Heart Rate Monitors to Detect Mental Stress. *Sixth International Workshop on Wearable and Implantable Body Sensor Networks*. 3-5 June. USA: IEEE, 219-223
- Cohen, H., Neumann, L., Shore, M., Amir, M., Cassuto, Y. and Buskila, D. (2000). Autonomic Dysfunction in Patients with Fibromyalgia: Application of Power Spectral Analysis of Heart Rate Variability. *Seminars in Arthritis and Rheumatism*, 29(4), 217-227.
- Cosetl, R. C. and Lopez, J. M. D. B. (2011). Voice Stress Detection: A Method for Stress Analysis Detecting Fluctuations on Lippold Microtremor Spectrum using FFT. *21st International Conference on Electrical Communications and Computers* 28 February -2 March. Puebla, Mexico: IEEE, 184-189.
- Cummins, S. E. and Gevirtz, R. N. (1993). The Relationship between Daily Stress and Urinary Cortisol in a Normal Population: An Emphasis on Individual Differences. *Behavioral Medicine*, 19(3), 129-134.
- Cvetkovic, D., Ubeyli, E. D. and Cosic, I. (2008). Wavelet Transform Feature Extraction from Human PPG, ECG and EEG Signal Responses to ELF PEMF Exposures: A Pilot Study. *Digital Signal Processing*, 18, 861-874.
- Danese, A., Moffitt, T. E., Harrington, H., Milne, B. J., Polanczyk, G., Pariante, C. M., Poulton, R. and Caspi, A. (2009). Adverse Childhood Experiences and Adult Risk Factors for Age-Related Disease: Depression, Inflammation, and

- Clustering of Metabolic Risk Markers. *Archives of Pediatrics and Adolescent Medicine*, 163(12), 1135-43.
- Deepak, A., Deepak, AN., Nallulwar, S. and Khode, V. (2014). Time Domain Measures of Heart Rate Variability During Acute Mental Stress in Type 2 Diabetics: A Case Control Study. *National Journal of Physiology, Pharmacy & Pharmacology*, 4(1), 34 – 38.
- DeGiorgio, C. M., Miller, P., Meymandi, S., Chin, A., Epps, J., Gordon, S., Gornbein, J. and Harper, R. M. (2010). RMSSD, a Measure of Heart Rate Variability, Is Associated with Risk Factors for Sudep: The Sudep-7 Inventory. *Epilepsy & Behavior : E&B*, 19(1), 78-81. PMC.
- Devijver, A. and Kittler, I. (1982). *Pattern Recognition: A Statistical Approach*. ed.) Englewood, Cliffs, NJ: Prentice-Hall
- Dishman, R. K., Nakamura, Y., Garcia, M. E., Thompson, R. W., Dunn, A. L. and Blair, S. N. (2000). Heart Rate Variability, Trait Anxiety, and Perceived Stress among Physically Fit Men and Women. *International Journal of Psychophysiology*, 37(2), 121-133.
- Dong, M., Giles, W. H., Felitti, V. J., Dube, S. R., Williams, J. E., Chapman, D. P. and Anda, R. F. (2004). Insights into Causal Pathways for Ischemic Heart Disease: Adverse Childhood Experiences Study. *Circulation*, 110(13), 1761-6.
- Dube, S. R., Anda, R. F., Felitti, V. J., Edwards, V. J. and Croft, J. B. (2002). Adverse Childhood Experiences and Personal Alcohol Abuse as an Adult. *Addictive Behaviors*, 27(5), 713-725.
- Dube, S. R., Felitti, V. J., Dong, M., Chapman, D. P., Giles, W. H. and Anda, R. F. (2003). Childhood Abuse, Neglect, and Household Dysfunction and the Risk of Illicit Drug Use: The Adverse Childhood Experiences Study. *Pediatrics*, 111(3), 564.
- Ellis, B. J., Essex, M. J. and Boyce, W. T. (2005). Biological Sensitivity to Context: Ii. Empirical Explorations of an Evolutionary-Developmental Theory. *Development and Psychopathology*, 17(2), 303-28.
- Everly, J. G. S. and Lating, J. M. (2013). The Anatomy and Physiology of the Human Stress Response. In Everly, J. G. S. & Lating, J. M. (Ed.) *A Clinical Guide to the Treatment of the Human Stress Response* (pp. 17-51). New York: Springer.



- Faust, O., Acharya, R. U., Allen, A. R. and Lin, C. M. (2008). Analysis of EEG Signals During Epileptic and Alcoholic States using AR Modeling Techniques. *ITBM-RBM*, 29(1), 44–52.
- Faust, O., Acharya, U. R., Molinari, F., Chattopadhyay, S. and Tamura, T. (2012). Linear and Non-Linear Analysis of Cardiac Health in Diabetic Subjects. *Biomedical Signal Processing and Control* 7, 295– 302.
- Feldman, J. r. M., Ebrahim, M. H. and Bar-Kana, I. (1997). Robust Sensor Fusion Improves Heart Rate Estimation: Clinical Evaluation. *Journal of Clinical Monitoring and Computing*, 13(379-384).
- Felitti, F. V. J., Anda, M. S. R. F., Nordenberg, D., Williamson, D. F., Spitz, M. P. H. A. M., Edwards, V., Koss, M. P. and Marks, M. P. H. J. S. (1998). Relationship of Childhood Abuse and Household Dysfunction to Many of the Leading Causes of Death in Adults: The Adverse Childhood Experiences (Ace) Study. *American Journal of Preventive Medicine*, 14(4), 245-258.
- Felitti, V. J. (1991). Long-Term Medical Consequences of Incest, Rape, and Molestation. *Southern Medical Journal*, 84(3), 328-331. PubMed.
- Felitti, V. J. (1993). Childhood Sexual Abuse, Depression, and Family Dysfunction in Adult Obese Patients: A Case Control Study. *Southern Medical Journal*, 86(7), 732-736. PubMed.
- Fernandes, A., Helawar, R., Lokesh, R., Tari, T. and Shahapurkar, A. V. (2013). A Survey on Analysis of Stress. *International Journal of Latest Trends in Engineering and Technology*, Special Issue, 31-35.
- Finlay-Jones, R. and Brown, G. W. (1981). Types of Stressful Life Event and the Onset of Anxiety and Depressive Disorders. *Psychol Med*, 11(4), 803-15.
- Fredrikson, M. and Matthews, K. A. (1990). Cardiovascular Responses to Behavioral Stress and Hypertension: A Meta-Analytic Review. *Annals of Behavioral Medicine*, 12(1), 30-39.
- Gil, E., Orini, M., Bailon, R., Vergara, J. M., Mainardi, L. and Laguna, P. (2010). Photoplethysmography Pulse Rate Variability as a Surrogate Measurement of Heart Rate Variability During Non-Stationary Conditions. *Physiological Measure*, 31(9), 1271-90.
- Ginty, A. T. and Conklin, S. M. (2011). High Perceived Stress in Relation to Life Events Is Associated with Blunted Cardiac Reactivity. *Biology Psychology*, 86(3), 383-5.

- Ginty, A. T., Phillips, A. C., Der, G., Deary, I. J. and Carroll, D. (2011). Cognitive Ability and Simple Reaction Time Predict Cardiac Reactivity in the West of Scotland Twenty-07 Study. *Psychophysiology*, 48(7), 1022-7.
- Ginty, A. T., Phillips, A. C., Higgs, S., Heaney, J. L. and Carroll, D. (2012a). Disordered Eating Behaviour is Associated with Blunted Cortisol and Cardiovascular Reactions to Acute Psychological Stress. *Psychoneuroendocrinology*, 37(5), 715-24.
- Ginty, A. T., Phillips, A. C., Higgs, S., Heaney, J. L. J. and Carroll, D. (2012b). Disordered Eating Behaviour Is Associated with Blunted Cortisol and Cardiovascular Reactions to Acute Psychological Stress. *Psychoneuroendocrinology*, 37(5), 715-724.
- Giri, D., Acharya, U. R., Martisb, R. J., Sreed, S. V., Lim, T.-C., Ahamed VI, T. and Suri, J. S. (2013). Automated Diagnosis of Coronary Artery Disease Affected Patients Using LDA, PCA, ICA and Discrete Wavelet Transform *Knowledge-Based Systems*, 37, 274-282.
- Golz, M., Sommer, D., Chen, M., Mandic, D. and Trutschel, U. (2007). Feature Fusion for the Detection of Microsleep Events. *Journal of VLSI Signal Processing* 49, 329–342.
- Gomez-Pilar, J., Guti´errez-Tobal, G. C., Alvarez, D., del Campo, F. and Hornero, R. (2014). Classification Methods from Heart Rate Variability to Assist in Sahs Diagnosis *XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013*, Springer International Publishing Switzerland.
- Gorman, J. M. and Sloan, R. P. (2000). Heart Rate Variability in Depressive and Anxiety Disorders. *American Heart Journal*, 140(4, Supplement), S77-S83.
- Goswami, D. P., Bhattacharya, D. K. and Tibarewala, D. N. (2010). Analysis of Heart Rate Variability in Meditation using Normalized Shannon Entropy. *Journal of International Academy of Physical Sciences*, 14(1), 61-67.
- Greene, B. R., deChazal, P., Boylan, G., Reilly, R. B., O’Brien, C. and Connolly, S. (2006). Heart and Respiration Rate Changes in the Neonate During Electroencephalographic Seizure. *Medical and Biological Engineering and Computing*, 44(1), 27-34.
- Gronwall, D. (1977). Paced Auditory Serial Addition Task: A Measure of Recovery from Concussion. *Perceptual Motor Skills*, 44, 367-373.

- Guillen, P., Vallverdu, M., Claria, F., Jugo, D., Carrasco, H. and Caminal, P. (2000). Complexity Analysis of Heart Rate Variability Applied to Chagasic Patients and Normal Subjects. *Computers in Cardiology*, 27, 469-472.
- Guler, I. and Ubeyli, E. D. (2007). Multiclass Support Vector Machines for EEG Signals Classification. *IEEE Transactions on Information Technology in Biomedicine*, 11(2), 117-126.
- Gunn, S. R. 1998. Support Vector Machines for Classification and Regression. University of Southampton.
- Gunstad, J., Paul, R. H., Spitznagel, M. B., Cohen, R. A., Williams, L. M., Kohn, M. and Gordon, E. (2006). Exposure to Early Life Trauma Is Associated with Adult Obesity. *Psychiatry Research*, 142(1), 31-37.
- Guo, X. H., Yi, G., Batchvarov, V., Gallagher, M. M. and Malik, M. (1999). Effect of Moderate Physical Exercise on Noninvasive Cardiac Autonomic Tests in Healthy Volunteers. *International Journal of Cardiology*, 69(2), 155-168.
- Haker, E., Egekvist, H. and Bjerring, P. (2000). Effect of Sensory Stimulation (Acupuncture) on Sympathetic and Parasympathetic Activities in Healthy Subjects. *Journal of the Autonomic Nervous System*, 79(1), 52-59.
- Hamer, M., O'Donnell K Fau - Lahiri, A., Lahiri A Fau - Steptoe, A. and Steptoe, A. (2010). Salivary Cortisol Responses to Mental Stress Are Associated with Coronary Artery Calcification in Healthy Men and Women. *European Heart Journal* (2010), 31, 424-429.
- Hayase, M., Shimada, M. and Seki, H. (2014). Sleep Quality and Stress in Women with Pregnancy-Induced Hypertension and Gestational Diabetes Mellitus. *Women and Birth*, 27(3), 190-195.
- Heathers, J. A. J. (2013). Smartphone-Enabled Pulse Rate Variability: An Alternative Methodology for the Collection of Heart Rate Variability in Psychophysiological Research. *International Journal of Psychophysiology*, 89(3), 297-304.
- Hellhammer, D. H., Wust, S. and Kudielka, B. M. (2009). Salivary Cortisol as a Biomarker in Stress Research. *Psychoneuroendocrinology*, 34, 163-171.
- Hellhammer, J. and Schubert, M. (2012). The Physiological Response to Trier Social Stress Test Relates to Subjective Measures of Stress During but Not before or after the Test. *Psychoneuroendocrinology*, 37(1), 119-124.

- Hjortskov, N., Rissén, D., Blangsted, A., Fallentin, N., Lundberg, U. and Søgaard, K. (2004). The Effect of Mental Stress on Heart Rate Variability and Blood Pressure During Computer Work. *European Journal of Applied Physiology*, 92(1-2), 84-89.
- Holland, J. H. (1975). *Adaptation in Natural and Artificial Systems: An Introductory Analysis with Applications to Biology, Control, and Artificial Intelligence*. (1<sup>th</sup> ed.) Michigan, USA: University of Michigan Press.
- Hosseini, S. A., Khalilzadeh, M. A., Naghibi-Sistani, M. B. and Homam, S. M. (2015). Emotional Stress Recognition using a New Fusion Link between Electroencephalogram and Peripheral Signals *Iranian Journal of Neurology*, 14(3), 142-151.
- Jacobs, J. R. and Bovasso, G. B. (2000). Early and Chronic Stress and Their Relation to Breast Cancer. *Psychological Medicine*, 30(3), 669-78.
- Jacobson, M. L. (2003). *Acquisition and Classification of Heart Rate Variability Using Time-Frequency Representation*. PhD Thesis, Napier University, Edinburgh.
- Kamath, M. V. and Fallen, E. L. (1993). Power Spectral Analysis of Heart Rate Variability: A Noninvasive Signature of Cardiac Autonomic Function. *Critical Review in Biomedical Engineering*, 21(3), 245-311.
- Kampouraki, A., Manis, G. and Nikou, C. (2009). Heartbeat Time Series Classification with Support Vector Machines. *IEEE Transactions on Information Technology in Biomedicine*, 13(4), 512-518.
- Karthikeyan, P., Murugappan, M. and Yaacob, S. (2013). Multiple Physiological Signal-Based Human Stress Identification using Non-Linear Classifiers. *Elektronika Ir Elektrotechnika*, 19(7), 80-85.
- Karthikeyan, P., Murugappan, M. and Yaacob, S. (2014). Analysis of Stroop Color Word Test-Based Human Stress Detection using Electrocardiography and Heart Rate Variability Signals. *Arabian Journal for Science and Engineering*, 39(3), 1835-1847.
- Kendall-Tackett, K. A. (2000). Physiological Correlates of Childhood Abuse: Chronic Hyperarousal in PTSD, Depression, and Irritable Bowel Syndrome. *Child Abuse & Neglect*, 24(6), 799-810.

- Kendall-Tackett, K. A. (2002). The Health Effects of Childhood Abuse: Four Pathways by Which Abuse Can Influence Health. *Child Abuse & Neglect* 26(6-7), 715-29.
- Khazaei, A. and Ebrahimzadeh, A. (2010). Classification of Electrocardiogram Signals with Support Vector Machines and Genetic Algorithms using Power Spectral Features. *Biomedical Signal Processing and Control*, 5, 252–263.
- Kheder, G., Kachouri, A., Massoued, M. B. and Samet, M. (2009). Heart Rate Variability Analysis using Threshold of Wavelet Package Coefficients *International Journal on Computer Science and Engineering*, 1, 131-136.
- Kluttig, A., Kuss, O. and Greiser, K. H. (2010). Ignoring Lack of Association of Heart Rate Variability with Cardiovascular Disease and Risk Factors: Response to the Manuscript "The Relationship of Autonomic Imbalance, Heart Rate Variability Cardiovascular Disease Risk Factors" By Julian F. Thayer, Shelby S. Yamamoto, Jos F. Brosschot. *International Journal of Cardiology*, 145(2), 375-376.
- Kopp, M. S., Thege, B. K., Balog, P., Stauder, A., Salavec, G., Rózsa, S., Purebl, G. and Ádám, S. (2010). Measures of Stress in Epidemiological Research. *Journal of Psychosomatic Research*, 69(2), 211-225.
- Kruk, J. and Aboul-Enein, H. Y. (2004). Psychological Stress and the Risk of Breast Cancer: A Case-Control Study. *Cancer Detection and Prevention*, 28(6), 399-408.
- Kulur, A. B., Haleagrahara, N., Adhikary, P. and Jeganathan, P. S. (2009). Effect of Diaphragmatic Breathing on Heart Rate Variability in Ischemic Heart Disease with Diabetes. *Arquivos Brasileiros de Cardiologia*, 92(6), 423-9, 440-7, 457-63.
- Kumar, V. and Minz, S. (2014). Feature Selection: A Literature Review. *Smart Computing Review*, 4(3), 211-229.
- Laborde, S., Brüll, A., Weber, J. and Anders, L. S. (2011). Trait Emotional Intelligence in Sports: A Protective Role against Stress through Heart Rate Variability? *Personality and Individual Differences*, 51(1), 23-27.
- Lal, T. N., Schroder, M., Hinterberger, T., Weston, J., Bogdan, M., Birbaunner, N. and Scholkopf, B. (2004). Support Vector Channel Selection for Bci. *IEEE Transactions on Biomedical Engineering* 51(6), 1003-1010.

- Lantz, P. M., House, J. S., Lepkowski, J. M., Williams, D. R., Mero, R. P. and Chen, J. (1998). Socioeconomic Factors, Health Behaviors, and Mortality: Results from a Nationally Representative Prospective Study of Us Adults. *JAMA*, 279(21), 1703-8.
- Lee, M.Y. and Yu, S.-N. (2012). Selection of Heart Rate Variability Features for Congestive Heart Failure Recognition using Support Vector Machine-Based Criteria. In Jobbágy, Á. (Ed.) *5th European Conference of the International Federation for Medical and Biological Engineering: 14–18 September 2011, Budapest, Hungary* (pp. 400-403). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Levine, A., Cohen, D. and Zadik, Z. (1994). Urinary Free Cortisol Values in Children under Stress. *The Journal of Pediatrics*, 125(6), 853-857.
- Liew, W. S., Seera, M., Loo, C. K., Lim, E. and Kubota, N. (2016). Classifying Stress from Heart Rate Variability using Salivary Biomarkers as Reference. *IEEE Transactions on Neural Networks and Learning Systems*, 27(10), 2035-2046.
- Little, A. C., McPherson, J., Dennington, L. and Jones, B. C. (2011). Accuracy in Assessment of Self-Reported Stress and a Measure of Health from Static Facial Information. *Personality and Individual Differences*, 51(6), 693-698.
- Liu, C. J. and Wechsler, H. (2001). A Shape and Texture Based Enhanced Classifier for Face Recognition. *IEEE Transaction and Image Processing*, 10(4), 598-608.
- Liu, H. and Motoda, H. (2007). *Computational Methods of Feature Selection*. Arizona: Chapman and Hall/CRC.
- Lovallo, W. R. (2013). Early Life Adversity Reduces Stress Reactivity and Enhances Impulsive Behavior: Implications for Health Behaviors. *International Journal of Psychophysiology*, 90(1), 8-16.
- Lovallo, W. R., Farag, N. H., Sorocco, K. H., Cohoon, A. J. and Vincent, A. S. (2012). Lifetime Adversity Leads to Blunted Stress Axis Reactivity: Studies from the Oklahoma Family Health Patterns Project. *Biological Psychiatry*, 71(4), 344-349.
- Luecken, L. J. (1998). Childhood Attachment and Loss Experiences Affect Adult Cardiovascular and Cortisol Function. *Psychosomatic Medicine*, 60(6), 765-72.

- Luecken, L. J. and Lemery, K. S. (2004). Early Caregiving and Physiological Stress Responses. *Clinical Psychology Review*, 24(2), 171-191.
- Luecken, L. J. and Roubinov, D. S. (2012). Hostile Behavior Links Negative Childhood Family Relationships to Heart Rate Reactivity and Recovery in Young Adulthood. *International Journal of Psychophysiology*, 84(2), 172-179. PMC.
- Mahmoud, S. S., Hussain, Z. M., Cosic, I. and Fang, Q. (2006). Time-Frequency Analysis of Normal and Abnormal Biological Signals. *Biomedical Signal Processing and Control*, 1(1), 33-43.
- Mainardi, L. T. (2009). On the Quantification of Heart Rate Variability Spectral Parameters using Time-Frequency and Time-Varying Methods. *Philosophical Transactions: Mathematical, Physical and Engineering Sciences*, 367, 255-275.
- Malarvili, M. B. (2008). *Combining Newborn EEG and HRV for Automatic Seizure Detection*. PhD Thesis, University of Queensland, Queensland.
- Malarvili, M. B. and Mesbah, M. (2009). Newborn Seizure Detection Based on Heart Rate Variability. *IEEE Transactions Biomedical Engineering*, 56(11), 2594-2603.
- Malarvili, M. B., Mesbah, M. and Boashash, B. (2007a). HRV Feature Selection Based on Discriminant and Redundancy Analysis for Neonatal Seizure Detection. *2007 6th International Conference on Information, Communications & Signal Processing*. 10-13 Dec. 2007. 1-5.
- Malarvili, M. B., Mesbah, M. and Boashash, B. (2007b). Time-Frequency Analysis of Heart Rate Variability for Neonatal Seizure Detection. *EURASIP Journal on Advances in Signal Processing*, 2007(1), 103-103.
- Malarvili, M. B., Sucic, V., Mesbah, M. and Boashash, B. (2007). Rényi Entropy of Quadratic TFD: Effects of Signal Parameters. *Proceedings of the International Symposium on Signal Processing and its Applications*. 12-15 February. Sharjah, UAE: IEEE.
- Malliani, A., Pagani, M., Lombardi, F. and Cerutti, S. (1991). Cardiovascular Neural Regulation Explored in the Frequency Domain. *Circulation*, 84(2), 1482-1492.

- Mangai, U. G., Samanta, S., Das, S. and Chowdhury, P. R. (2010). A Survey of Decision Fusion and Feature Fusion Strategies for Pattern Classification. *IETE Technical Review*, 27(4), 293-307.
- May, O. and Arildsen, H. (2000). Assessing Cardiovascular Autonomic Neuropathy in Diabetes Mellitus: How Many Tests to Use? *Journal of Diabetes and its Complications*, 14(1), 7-12.
- Mayeux, R. (2004). Biomarkers: Potential Uses and Limitations. *The Journal of the American Society for Experimental Neuro Therapeutics*, 1, 182-188.
- Mehta, R. K. (2014). Impacts of Obesity and Stress on Neuromuscular Fatigue Development and Associated Heart Rate Variability. *Int J Obes*.
- Melillo, P., Bracale, M. and Pecchia, L. (2011). Nonlinear Heart Rate Variability Features for Real-Life Stress Detection. Case Study: Students under Stress Due to University Examination. *BioMedical Engineering OnLine*, 10(1), 1-13.
- Michels, N., Sioen, I., Braet, C., Huybrechts, I., Vanaelst, B., Wolters, M. and Henauw, S. D. (2013a). Relation between Salivary Cortisol as Stress Biomarker and Dietary Pattern in Children. *Psychoneuroendocrinology*, 38, 1512-1520.
- Michels, N., Sioen, I., Clays, E., De Buyzere, M., Ahrens, W., Huybrechts, I., Vanaelst, B. and De Henauw, S. (2013b). Children's Heart Rate Variability as Stress Indicator: Association with Reported Stress and Cortisol. *Biological Psychology*, 94(2), 433-440.
- Minakuchi, E., Ohnishi, E., Ohnishi, J., Sakamoto, S., Hori, M., Motomura, M., Hoshino, J., Murakami, K. and Kawaguchi, T. (2013). Evaluation of Mental Stress by Physiological Indices Derived from Finger Plethysmography. *Journal of Physiological Anthropology*, 32(17).
- Mitani, A. (2013). Asthma and Stress. In Gellman, M. D. & Turner, J. R. (Ed.) *Encyclopedia of Behavioral Medicine* (pp. 140-142). New York, NY: Springer New York.
- Mohamad, M. S., Deris, S., Yatim, S. M. and Othman, M. R. (2004). Feature Selection Method using Genetic Algorithm for the Classification of Small and High Dimension Data. *First International Symposium on Information and Communications Technologies*. 7-8 October. Putrajaya, Malaysia, 1-4.



- Muaremi, A., Arnrich, B. and Tröster, G. (2013). Towards Measuring Stress with Smartphones and Wearable Devices During Workday and Sleep. *BioNanoScience*, 3(2), 172-183.
- Nater, U. M., Rohleder, N., Gaab, J., Berger, S., Jud, A., Kirschbaum, C. and Ehlert, U. (2005). Human Salivary Alpha-Amylase Reactivity in a Psychosocial Stress Paradigm. *International Journal of Psychophysiology*, 55(3), 333-342.
- Neto, O. P., Oliveira Pinheiro, A., Pereira Jr, V. L., Pereira, R., Baltatu, O. C. and Campos, L. A. (2016). Morlet Wavelet Transforms of Heart Rate Variability for Autonomic Nervous System Activity. *Applied and Computational Harmonic Analysis*, 40(1), 200-206.
- Nevid, J. S., Rathus, S. A. and Greene, B. (2011). *Abnormal Psychology in a Changing World: Stress, Psychological Factors and Health*. (8<sup>th</sup> ed.) USA: Pearson.
- Nguyen, T. A. and Zeng, Y. (2013). A Physiological Study of Relationship between Designer's Mental Effort and Mental Stress During Conceptual Design. *Computer-Aided Design*, 54, 3–18.
- Nomura, S., Mizuno, T., Nozawa, A., Asana, H. and Ide, H. (2009). Salivary Cortisol as a New Biomarker for a Mild Mental Workload. *International Conference in Biometrics and Kansei Engineering*. 25-28 June. Japan: IEEE, 127-131.
- Ockenburg, S. L. V., Tak, L. M., Bakker, S. J. L., Gans, R. O. B., Jonge, P. D. and Rosmalen, J. G. M. (2014). Effects of Adverse Life Events on Heart Rate Variability, Cortisol, and C-Reactive Protein. *Acta Psychiatrica Scandinaviaca*, 131(1), 40-50.
- Ollander, S. (2015). *Wearable Sensor Data Fusion for Human Stress Estimation*. Master Thesis, Linköping University, Linköping.
- Oluleye, B., Leisa, A., Leng, J. and Dean, D. (2014a). A Genetic Algorithm-Based Feature Selection. *International Journal of Electronics Communication and Computer Engineering*, 5(4), 899-905.
- Oluleye, B., Leisa, A., Leng, J. and Dean, D. (2014b). Zernike Moments and Genetic Algorithm : Tutorial and Application. *British Journal of Mathematics & Computer Science* 4(15), 2217-2236.
- Otzenberger, H., Gronfier, C., Simon, C., Charloux, A., Ehrhart, J., Piquard, F. and Brandenberger, G. (1998). Dynamic Heart Rate Variability: A Tool for

- Exploring Sympathovagal Balance Continuously During Sleep in Men. *American Journal of Physiology*, 275(3 Pt 2), H946-50.
- Pan, J. and Tompkins, J. W. (1985). A Real-Time Qrs Detection Algorithm. *IEEE Transactions on Biomedical Engineering*, 32(3), 230-236.
- Peressutti, C., Martín-González, J. M., M.García-Manso, J. and Mesa, D. (2010). Heart Rate Dynamics in Different Levels of Zen Meditation. *International Journal of Cardiology*, 145(1), 142-146.
- Phillips, A. C. (2011). Blunted Cardiovascular Reactivity Relates to Depression, Obesity, and Self-Reported Health. *Biological Psychology*, 86(2), 106-13.
- Phillips, A. C., Carroll, D., Ring, C., Sweeting, H. and West, P. (2005). Life Events and Acute Cardiovascular Reactions to Mental Stress: A Cohort Study. *Psychosomatic Medicine*, 67, 384–392.
- Phillips, A. C., Der, G., Hunt, K. and Carroll, D. (2009). Haemodynamic Reactions to Acute Psychological Stress and Smoking Status in a Large Community Sample. *International Journal of Psychophysiology*, 73(3), 273-278.
- Phillips, A. C., Ginty, A. T. and Hughes, B. M. (2013). The Other Side of the Coin: Blunted Cardiovascular and Cortisol Reactivity Are Associated with Negative Health Outcomes. *International Journal of Psychophysiology*, 90(1), 1-7.
- Phillips, A. C., Hunt, K., Der, G. and Carroll, D. (2010). Blunted Cardiac Reactions to Acute Psychological Stress Predict Symptoms of Depression Five Years Later: Evidence from a Large Community Study. *Psychophysiology*, 48(1), 142-148.
- Phillips, A. C., Roseboom, T. J., Carroll, D. and de Rooij, S. R. (2012). Cardiovascular and Cortisol Reactions to Acute Psychological Stress and Adiposity: Cross-Sectional and Prospective Associations in the Dutch Famine Birth Cohort Study. *Psychosomatic Medicine*, 74(7), 699-710.
- Phongsuphap, S., Pongsupap, Y., Chandanamattha, P. and Lursinsap, C. (2008). Changes in Heart Rate Variability during Concentration Meditation. *International Journal of Cardiology*, 130(3), 481-484.
- Pincus, A. M. (1991). Approximate Entropy as a Measure of System Complexity. *Proceedings of the National Academy of Sciences*, 88, 2297–2301.
- Pincus, S. M., Gladstone, I. M. and Richard, A. E. (1991). A Regularity Statistic for Medical Data Analysis. *Journal of Clinical Monitoring and Computing* 7(4), 335-45.

- Ping, S., Sijung, H. and Yisheng, Z. (2008). A Preliminary Attempt to Understand Compatibility of Photoplethysmographic Pulse Rate Variability with Electrocardiogramic Heart Rate Variability. *Journal of Medical and Biological Engineering*, 28, 173-180.
- Pitale, R., Tajane, K. and Uma, J. (2014). Heart Rate Variability Classification and Feature Extraction using Support Vector Machine and PCA: An Overview *Journal of Engineering Research and Applications* 4(1), 381-384
- Pole, N. T. and Otte, C. (2007). Associations between Childhood Trauma and Emotion-Modulated Psychophysiological Responses to Startling Sounds: A Study of Police Cadets. *Journal of Abnormal Psychology*, 116, 352-361.
- Popper, K. (2005). *The Logic of Scientific Discovery*. New York: Taylor & Francis.
- Pumpřla, J., Howorka, K., Groves, D., Chester, M. and Nolan, J. (2002). Functional Assessment of Heart Rate Variability: Physiological Basis and Practical Applications. *International Journal of Cardiology*, 84(1), 1-14.
- Rao, T. V. K. H. (2010). Entropy Estimation of Heart Rate Variability and Computation of Its Multiscale Entropy. *European Journal of Scientific Research*, 47(4), 517-530.
- Raol, J. R. (2009). *Multi-Sensor Data Fusion with Matlab*. (1<sup>th</sup> ed.) New York: CRC Press.
- Rice, V. H. (2012). Theories of Stress and Its Relationship to Health. In Rice, V. H. (Ed.) *Handbook of Stress, Coping, and Health: Implications for Nursing Research, Theory, and Practice* (pp. 23-42). Detroit: SAGE Publications, Inc.
- Richman, J. S. and Mooran, J. R. (2000). Physiological Time-Series Analysis using Approximate Entropy and Sample Entropy. *American Journal of Physiology*, 278, 2039-2049.
- Riera, A., Soria-Frisch, A., Albajes-Eizagirre, A., Cipresso, P., Grau, C., Dunne, S. and Ruffini, G. (2012). Electro-Physiological Data Fusion for Stress Detection *Annual Review of Cybertherapy and Telemedicine* 228-232.
- Ring, C., Harrison, L. K., Winzer, A., Carroll, D., Drayson, M. and Kendall, M. (2000). Secretory Immunoglobulin A and Cardiovascular Reactions to Mental Arithmetic, Cold Pressor, and Exercise: Effects of Alpha-Adrenergic Blockade. *Psychophysiology*, 37(5), 634-643.
- Rissanen, J. (1984). Universal Coding, Information, Prediction, and Estimation. *IEEE Transactions on Information Theory*, 30(4), 629-636.

- Rojo-Alvarez, J. L., Bermejo, J., Juarez-Caballero, V. M., Yotti, R., Cortina, C., Garcia-Fernandez, M. A. and Antoranz, J. C. (2006). Support Vector Analysis of Color-Doppler Images: A New Approach for Estimating Indices of Left Ventricular Function. *IEEE Transactions on Medical Imaging*, 25(8), 1037-1043.
- Romans, S., Belaise, C., Martin, J., Morris, E. and Raffi, A. (2002). Childhood Abuse and Later Medical Disorders in Women. *Psychotherapy and Psychosomatics*, 71(3), 141-150.
- Rompelman, E. A. (1985). Spectral Analysis of Heart Rate Variability. In J. F. Orlebeke, G. M. V. D. L. P. J. (Ed.) *Psychophysiology of Cardiovascular Control* (pp. 315-331). New York: Plenum Press.
- Russek, L. G. and Schwartz, G. E. (1997). Perceptions of Parental Caring Predict Health Status in Midlife: A 35-Year Follow-up of the Harvard Mastery of Stress Study. *Psychosomatic Medicine*, 59(2), 144-149.
- Saeys, Y., Inza, I. and Larrañaga, P. (2007). A Review of Feature Selection Techniques in Bioinformatics. *Bioinformatics*, 23(19), 2507-2517.
- Salleh, M. R. (2008). Life Event, Stress and Illness. *The Malaysian Journal of Medical Science: MJMS*, 15(4), 9-18. Pmc.
- Sanders, K. A. and Bruce, N. W. (1997). A Prospective Study of Psychosocial Stress and Fertility in Women. *Human Reproduction*, 12(10), 2324-2329.
- Satyapriya, M., Nagendra, H. R., Nagarathna, R. and Padmalatha, V. (2009). Effect of Integrated Yoga on Stress and Heart Rate Variability in Pregnant Women. *International Journal of Gynecology & Obstetrics*, 104(3), 218-222.
- Schneiderman, N., Ironson, G. and Siegel, S. D. (2005). Stress and Health: Psychological, Behavioral, and Biological Determinant. *Annual Review of Clinical Psychology*, 1, 607-628.
- Schumacher, A. (2004). Linear and Nonlinear Approaches to the Analysis of R-R Interval Variability. *Biological Research For Nursing*, 5(3), 211-221.
- Schumann, A., Wessel, N., Schirdewan, A., Osterziel, K. J. and Voss, A. (2002). Potential of Feature Selection Methods in Heart Rate Variability Analysis for the Classification of Different Cardiovascular Diseases. *Statistic in Medicine*, 21(15), 2225-42.
- Seong, H. M., Lee, J. S., Shin, T. M., Kim, W. S., Yoon, Y. R. and Yoon, Y. R. (2004). The Analysis of Mental Stress using Time-Frequency Distribution of

- Heart Rate Variability Signal. *Proceedings of the 26th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*. 1-5 September. San Francisco, California: IEEE, 283-295.
- Shahamat, H. and Pouyan, A. A. (2015). Feature Selection using Genetic Algorithm for Classification of Schizophrenia using fMRI Data. *Journal of AI and Data Mining* 3(1), 30-37.
- Shannon, C. E. (1948). A Mathematical Theory of Communication. *Bell Labs Technical Journal*, 27(3), 379–423.
- Sharma, N. and Gedeon, T. (2012). Objective Measures, Sensors and Computational Techniques for Stress Recognition and Classification: A Survey. *Computer Methods and Programs in Biomedicine*, 108, 1287-1302.
- Shonkoff, J. P., Boyce, W. and McEwen, B. S. (2009). Neuroscience, Molecular Biology, and the Childhood Roots of Health Disparities: Building a New Framework for Health Promotion and Disease Prevention. *JAMA*, 301(21), 2252-2259.
- Siao, Z. B., Murugappan, M., Yaacob, S. and Murugappan, S. (2013). Human Emotional Stress Analysis through Time Domain Electromyogram Features. *2013 IEEE Symposium on Industrial Electronics & Applications*. 22-25 Sept. 2013. 172-177.
- Sierra, A. d. S., Ávila, C. S., Pozo, G. B. D. and Casanova, J. G. (2011). Stress Detection by Means of Stress Physiological Template. *Third World Congress on Nature and Biologically Inspired Computing*. 19-21 October. Salamanca, Spain: IEEE, 131-136.
- Sivanandam, S. N. and Deepa, S. N. (2007). *Introduction to Genetic Algorithms*. New York: Springer.
- Sollers, J. J., Buchanan, T. W., Mowrer, S. M., Hill, L. K. and Thayer, J. F. (2007). Comparison of the Ratio of the Standard Deviation of the R-R Interval and the Root Mean Squared Successive Differences (SD/RMSSD) to the Low Frequency-to-High Frequency (LF/HF) Ratio in a Patient Population and Normal Healthy Controls. *Biomedical Sciences Instrumentation*, 43, 158-63.
- Soman, K., Sathiya, A. and Suganti, N. (2014). Classification of Stress of Automobile Drivers using Radial Basis Function Kernel Support Vector Machine *International Conference on Information Communication and Embedded Systems*. 27-28 February. Chennai, Tamil Nadu, India: IEEE.

- Springer, K. W., Sheridan, J., Kuo, D. and Carnes, M. (2007). Long-Term Physical and Mental Health Consequences of Childhood Physical Abuse: Results from a Large Population-Based Sample of Men and Women. *Child Abuse & Neglect*, 31(5), 517-530.
- Stalder, T., Evans, P., Hucklebridge, F. and Clow, A. (2011). Associations between the Cortisol Awakening Response and Heart Rate Variability. *Psychoneuroendocrinology*, 36(4), 454-462.
- Stein, P. K., Bosner, M. S., Kleiger, R. E. and Conger, B. M. (1994). Heart Rate Variability: A Measure of Cardiac Autonomic Tone. *American Heart Journal*, 127(5), 1376-1381.
- Steptoe, A. and Vogele, C. (1991). Methodology of Mental Stress Testing in Cardiovascular Research. *Circulation*, 83(4 Suppl), II14-II24.
- Sun, F.-T., Kuo, C., Cheng, H.-T., Buthpitiya, S., Collins, P. and Griss, M. (2012). Activity-Aware Mental Stress Detection using Physiological Sensors. In Gris, M. & Yang, G. (Ed.) *Mobile Computing, Applications, and Services* (pp. 211-230). Springer Berlin Heidelberg.
- Taelman, J., Vandeput, S., Gligorijević, I., Spaepen, A. and Van, H. S. (2011). Time-Frequency Heart Rate Variability Characteristics of Young Adults During Physical, Mental and Combined Stress in Laboratory Environment. *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*. 30 August - 3 September. Boston, USA: IEEE, 1973 - 1976.
- Taelman, J., Vandeput, S., Spaepen, A. and Van Huffel, S. (2009). Influence of Mental Stress on Heart Rate and Heart Rate Variability. *4th European Conference of the International Federation for Medical and Biological Engineering*. 23-27 November. Antwerp, Belgium: Springer Berlin Heidelberg, 1366-1369.
- Takai, N., Yamaguchi, M., Aragaki, T., Eto, K., Uchihashi, K. and Nishikawa, Y. (2004). Effect of Psychological Stress on the Salivary Cortisol and Amylase Levels in Healthy Young Adults. *Archives of Oral Biology*, 49(12), 963-968.
- Takalo, R. H. and Ihalainen, H. H. (2006). Tutorial on Univariate Autoregressive Spectral Analysis Export. *The Journal of Clinical Monitoring and Computing*, 20(5), 379-379.
- Task Force (1996). Heart Rate Variability: Standards of Measurement, Physiological Interpretation, and Clinical Use. Task Force of the European Society of

- Cardiology and the North American Society of Pacing and Electrophysiology. *Circulation*, 93(5), 1043-1065.
- Tealman, J., Huffel, S. V. and Spaepen, A. (2007). Wavelet Independent Component Analysis to Remove Electrocardiography Contamination in Surface Electromyography. *29th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*. 22-26 August. Lyon, France: IEEE, 682-685
- Thayer, J. F., Åhs, F., Fredrikson, M., Sollers Iii, J. J. and Wager, T. D. (2012). A Meta-Analysis of Heart Rate Variability and Neuroimaging Studies: Implications for Heart Rate Variability as a Marker of Stress and Health. *Neuroscience & Biobehavioral Reviews*, 36(2), 747-756.
- Therlund, G. M., Dahlquist, G., Hansson, K., Ivarsson, S. A., Ludvigsson, J., Sjöblad, S. and Hägglöf, B. (1995). Psychological Stress and the Onset of Iddm in Children: A Case-Control Study. *Diabetes Care*, 18(10), 1323.
- Utsey, S. O., Abrams, J. A., Hess, D. W. and McKinley, W. (2014). Heart Rate Variability as a Correlate of Trauma Symptom Expression, Psychological Well-Being, and Emotion Regulation in African Americans with Traumatic Spinal Cord Injury. *Journal of Black Psychology*, 41(4), 1-12.
- Vanderlei, L. C., Pastre, C. M., Hoshi, R. A., Carvalho, T. D. and Godoy, M. F. (2009). Basic Notions of Heart Rate Variability and Its Clinical Applicability. *The Brazilian Journal of Cardiovascular Surgery*, 24(2), 205-217.
- Verkuil, B., Brosschot, J. F. and Thayer, J. F. (2014). Cardiac Reactivity to and Recovery from Acute Stress: Temporal Associations with Implicit Anxiety. *International Journal of Psychophysiology*, 92(2), 85-91.
- Vuksanovic, V. and Gal, V. (2007). Heart Rate Variability in Mental Stress Aloud. *Medical Engineering & Physics*, 29(3), 344-349.
- Wachowiak, M. P., Hay, D. C. and Johnson, M. J. (2015). Quantification of Wavelet Band Metrics for Assessing Heart Rate Variability. In Jaffray, D. A. (Ed.) *World Congress on Medical Physics and Biomedical Engineering, June 7-12, 2015, Toronto, Canada* (pp. 1026-1029). Cham: Springer International Publishing.
- Wachowiak, M. P., Hay, D. C. and Johnson, M. J. (2016). Assessing Heart Rate Variability through Wavelet-Based Statistical Measures. *Computers in Biology and Medicine*, 77, 222-230.

- Wang, H.-M. and Huang, S.-C. (2012). SDNN/RMSSD as a Surrogate for Lf/Hf: A Revised Investigation. *Modelling and Simulation in Engineering*, 2012, 8.
- Wang, J.-S., Lin, C.-W. and Yang, Y.-T. C. (2012). Using Heart Rate Variability Parameter-Based Feature Transformation Algorithm for Driving Stress Recognition. In Huang, D.-S., Gan, Y., Bevilacqua, V. & Figueroa, J. C. (Ed.) *Advanced Intelligent Computing: 7th International Conference, Iccic 2011, Zhengzhou, China, August 11-14, 2011. Revised Selected Papers* (pp. 532-537). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Wang, J.-S., Lin, C.-W. and Yang, Y.-T. C. (2013). A  $k$ -Nearest-Neighbor Classifier with Heart Rate Variability Feature-Based Transformation Algorithm for Driving Stress Recognition. *Neurocomputing*, 116, 136-143.
- Washington, T. D. (2009). Psychological Stress and Anxiety in Middle to Late Childhood and Early Adolescence: Manifestations and Management. *Journal of Pediatric Nursing*, 24(4), 302-313.
- Wegman, H. L. and Stetler, C. (2009). A Meta-Analytic Review of the Effects of Childhood Abuse on Medical Outcomes in Adulthood. *Psychosomatic Medicine*, 71(8), 805-812.
- Widjaja, D., Orini, M., Vlemincx, E. and Van Huffel, S. (2013). Cardiorespiratory Dynamic Response to Mental Stress: A Multivariate Time-Frequency Analysis. *Computational and Mathematical Methods in Medicine*, 2013, 1-12.
- Wijisman, J., Grundlehner, B., Penders, J. and Hermens, H. (2013). Trapezius Muscle EMG as Predictor of Mental Stress. *ACM Transactions on Embedded Computing Systems*, 12(4), 99:1-99:20.
- Willemsen, G., Ring, C., Carroll, D., Evans, P., Clow, A. and Hucklebridge, F. (1998). Secretory Immunoglobulin A and Cardiovascular Reactions to Mental Arithmetic and Cold Pressor. *Psychophysiology*, 35(3), 252-259.
- Williamson, D. F., Thompson, T. J., Anda, R. F., Dietz, W. H. and Felitti, V. (2002). Body Weight and Obesity in Adults and Self-Reported Abuse in Childhood. *International Journal of Obesity and Related Metabolic Disorder*, 26(8), 1075-82.
- Winzeler, K., Voellmin, A., Hug, E., Kirmse, U., Helmig, S., Princip, M., Cajochen, C., Bader, K. and Wilhelm, F. H. (2017). Adverse Childhood Experiences and Autonomic Regulation in Response to Acute Stress: The Role of the



- Sympathetic and Parasympathetic Nervous Systems. *Anxiety, Stress, & Coping*, 30(2), 145-154.
- Yang, J., Yang, J.-y., Zhang, D. and Lu, J.-f. (2003). Feature Fusion: Parallel Strategy Vs Serial Strategy. *Pattern Recognition*, 36, 1369-1381.
- Yu, S.N. and Lee, M.-Y. (2012). Conditional Mutual Information-Based Feature Selection for Congestive Heart Failure Recognition using Heart Rate Variability. *Computer Methods and Programs in Biomedicine*, 108(1), 299-309.
- Yu, S. N. and Chen, S. F. (2015). Emotion State Identification Based on Heart Rate Variability and Genetic Algorithm. *Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. 25-29 August 2015. Milan: IEEE, 538-541.
- Yu, X. and Zhang, J. (2012). Estimating the Cortex and Autonomic Nervous Activity During a Mental Arithmetic Task. *Biomedical Signal Processing and Control*, 7(3), 303-308.
- Zhai, J. and Barreto, A. (2006). Stress Detection in Computer Users Based on Digital Signal Processing of Noninvasive Physiological Variables. *Annual International Conference of the IEEE Engineering in Medicine and Biology Society*. 30 August-3 September. New York: IEEE, 1355-1358.
- Zhang, J. (2007). Effect of Age and Sex on Heart Rate Variability in Healthy Subjects. *Journal of Manipulative and Physiological Therapeutics*, 30(5), 374-379.