TREE SPECIES FOR URBAN PARKS AND ROADSIDE BASED ON CARBON STORAGE, SEQUESTRATION AND MAINTENANCE IN ISKANDAR MALAYSIA

ROHAYU BINTI ABDULLAH

A thesis submitted in fulfilment of the requirements for the award of the degree of Master of Philosophy

Faculty of Built Environment and Surveying Universiti Teknologi Malaysia

MAY 2019

DEDICATION

This thesis is dedicated to

My parents

Mr. Abdullah & Mrs. Fatimah

ACKNOWLEDGEMENT

This thesis could not have been realised without the kind support and help of many individuals.

Foremost, praise be to *Allah S.W.T* for His uncountable blessings, He bestowed upon me, the strength and good health in order to finish this research.

I would like to express my special gratitude towards my supervisor; *Prof. TPr. Dr. Ho Chin Siong* and co-supervisor; *Assoc. Prof. Dr. Kasturi Devi A/P Kanniah* for their guidance, imparting knowledge and constant supervision in completing this endeavour.

I am more than thankful to my UTM-LCARC colleagues; *Wani, Mlysha, Kak Nad, Akmal, Joe* and *Kak Azi* their support and encouragement which helped me a lot in completing this research.

I am highly indebted to UTM-LCARC researchers; *Mr. Chau Loon Wai* and *Dr. Gabriel Ling Hoh Teck* for sharing their knowledge and technical know-how.

Many thanks and appreciation also go to anyone who are involved in this research and have willingly helped me out with their abilities.

Thank you!

ABSTRACT

Urbanisation triggers high carbon emission and exacerbates global warming. Trees play a significant role to tackle these problems as they provide vital ecosystem services including carbon storage and sequestration. However, trees vary in their ability to provide these services and there is little information on how actual carbon storage and sequestration by trees could be estimated particularly in the tropical region. Furthermore, trees with low endurance rate and unhealthy ones can be harmful to properties and human lives as well as overhanging branches can obscure streetlights, signs and traffic signals and affect road users' vision in the vicinity. These situations contribute to the cumulative maintenance burden to the local authority. This research aims to select types of urban tree species suitable for urban parks and roadsides based on their capacity to store and sequester carbon, and ease of maintenance in Iskandar Malaysia. Field data of 2,245 urban trees were collected from two local authorities, namely Johor Bahru City Council and Pasir Gudang Municipal Council. Allometric equations were used to estimate carbon storage and sequestration. The findings showed that Pterocarpus indicus, Alstonia angustifolia, Syzygium grande, Pongamia pinnata and *Hopea odorata* stored (2,019, 1,531, 615, 321 and 244 kg tree⁻¹, respectively) and sequestered (78, 61, 30, 17 and 13 kg tree⁻¹ year⁻¹, respectively) the highest carbon in comparison to other species. In addition, a questionnaire survey was also conducted to gain detailed information about tree maintenance from professionals including urban planners, landscape architects and certified arborists. Results showed that Pongamia pinnata had the highest score of 94, followed by Syzygium grande (91), Alstonia angustifolia (90), Hopea odorata (90) and Pterocarpus indicus (83). Hence, these are the most suitable tree species to be planted at urban parks and roadsides because of their high capacity to store and sequester carbon and their low maintenance as shown by the local authorities. This study has shown ways to assess the actual role of urban trees in reducing carbon and mitigate climate change as well as reduce the burden of maintenance for local authorities and decision makers. The implication would be better management plans for urban forestry in Malaysia for the future.

ABSTRAK

Perbandaran mencetuskan pelepasan karbon yang tinggi dan memburukkan lagi pemanasan global. Pokok-pokok memainkan peranan penting dalam menangani masalah ini kerana pokok-pokok menyediakan perkhidmatan ekosistem yang penting termasuk penyimpanan dan penyerapan karbon. Walau bagaimanapun, kemampuan untuk menyediakan perkhidmatan ini adalah berbeza-beza mengikut pokok dan maklumat mengenai bagaimana penyimpanan dan penyerapan karbon boleh dianggarkan terutamanya di rantau tropika adalah kurang. Selain itu, pokok-pokok dengan daya ketahanan yang rendah dan tidak sihat boleh memberi kemudaratan kepada harta benda dan nyawa manusia, serta dahan pokok yang tergantung boleh menghalang lampu jalan, tanda dan isyarat lalu lintas dan menjejaskan penglihatan pengguna jalan raya di sekitarnya. Keadaan ini menyumbang kepada beban penyelenggaraan secara kumulatif kepada pihak berkuasa tempatan. Kajian ini bertujuan untuk memilih spesies pokok bandar yang sesuai untuk ditanam di taman bandar dan tepi jalan berdasarkan kapasiti mereka untuk menyimpan dan menyerap karbon, dan memudahkan penyelenggaraan di Iskandar Malaysia. Sebanyak 2,245 data pokok bandar telah dikumpulkan daripada dua pihak berkuasa tempatan iaitu Majlis Bandaraya Johor Bahru dan Majlis Perbandaran Pasir Gudang. Persamaan allometrik telah digunakan untuk menganggarkan jumlah penyimpanan dan penyerapan karbon. Dapatan kajian menunjukkan Pterocarpus indicus, Alstonia angustifolia, Syzygium grande, Pongamia pinnata dan Hopea odorata menyimpan (masing-masing 2,019, 1,531, 615, 321 and 244 kg pokok⁻¹) dan menyerap (masingmasing 78, 61, 30, 17 and 13 kg pokok⁻¹ tahun⁻¹) karbon paling tinggi berbanding spesies yang lain. Di samping itu, kajian soal selidik juga dijalankan untuk mendapatkan maklumat terperinci tentang penyelenggaraan pokok daripada golongan profesional termasuk perancang bandar, arkitek landskap dan arboris yang diperakui. Hasil kajian menunjukkan bahawa Pongamia pinnata memperoleh skor tertinggi iaitu 94, diikuti oleh Syzygium grande (91), Alstonia angustifolia (90), Hopea odorata (90) dan Pterocarpus indicus (83). Oleh itu, spesies ini merupakan spesies pokok yang paling sesuai untuk ditanam di taman bandar dan tepi jalan kerana mempunyai kapasiti dalam menyimpan dan menyerap karbon dan vang tinggi memerlukan penyelenggaraan yang sedikit seperti yang ditunjukkan oleh pihak berkuasa tempatan. Kajian ini telah menunjukkan cara untuk menilai peranan sebenar pokok-pokok bandar dalam mengurangkan karbon dan mengurangkan kesan perubahan iklim serta mengurangkan beban penyelenggaraan kepada pihak berkuasa tempatan dan pembuat keputusan. Implikasinya adalah menyumbang kepada rancangan pengurusan yang lebih baik untuk perhutanan bandar di Malaysia pada masa yang akan datang.

TABLE OF CONTENTS

TITLE

DECLARATION	ii
DEDICATION	iii
ACKNOWLEDGEMENT	iv
ABSTRACT	v
ABSTRAK	vi
TABLE OF CONTENTS	vii
LIST OF TABLES	X
LIST OF FIGURES	xiii
LIST OF ABBREVIATIONS	XV
LIST OF SYMBOLS	xvi
LIST OF APPENDICES	xvii

CHAPTER 1	INTRODUCTION	1
1.1	Background of Research	1
1.2	Problem Statement	3
1.3	Research Aim	8
1.4	Research Objectives	8
1.5	Research Questions	8
1.6	Scope of Research	9
1.7	Expected Findings	9
1.8	Research Significance	10
1.9	Structure of Thesis	10

CHAPTER 2	LITERATURE REVIEW	12	
2.1	Introduction	12	
2.2	Tree planting	12	
2.3	The need to select tree species for urban parks and roadsides	13	
2.4	Selection of tree species for urban parks and roadsides in Iskandar Malaysia	23	
	2.4.1 Carbon storage and sequestration	29	
	2.4.2 Tree maintenance	42	
	2.4.3 Location for tree planting	46	
2.5	Summary	52	
CHAPTER 3	RESEARCH METHODOLOGY	53	
3.1	Introduction	53	
3.2	Background of study area		
3.3	Research framework		
3.4	Methods of data collection		
	3.4.1 Primary data collection	59	
	3.4.2 Secondary data collection	62	
3.5	Method of analysis	64	
	3.5.1 Carbon storage	67	
	3.5.2 Carbon sequestration	70	
	3.5.3 Tree maintenance	71	
	3.5.4 Location for tree planting	73	
	3.5.5 Best tree species for planting at urban parks and roadsides in Iskandar Malaysia	73	
3.6	Summary	74	

CHAPTER 4	DATA ANALYSIS AND FINDINGS	75		
4.1	Introduction	75		
4.2	Data collection			
4.3	Carbon storage and sequestration	84		
	4.3.1 Carbon storage	87		
	4.3.2 Carbon sequestration	89		
4.4	Tree maintenance	89		
4.5	Location for tree planting	92		
4.6	Best tree species for planting at urban parks and roadsides in Iskandar Malaysia	97		
4.7	Summary	102		
CHAPTER 5	DISCUSSION AND CONCLUSION	103		
5.1	Introduction	103		
5.2	Discussions	103		
	5.2.1 Carbon storage and sequestration	104		
	5.2.2 Tree maintenance	105		
	5.2.3 Location for tree planting	106		
	5.2.4 Best tree species for planting in urban parks and roadsides in Iskandar Malaysia	107		
5.3	Limitations and suggestions for future research	113		
5.4	Conclusion	114		
REFERENCES		115		
APPENDICES		126		
LIST OF PUBL	ICATIONS	141		

LIST OF TABLES

TABLE NO.	TITLE	PAGE
Table 1. 1	12 Actions in Low Carbon Society Blueprint for Iskandar Malaysia 2025	6
Table 2. 1	Parameters considered when selecting suitable species for planting according to researchers	20
Table 2. 2	i-Tree urban forest analysis tools and their description	37
Table 2. 3	Comparison between allometric equation, CTCC and i-Tree Eco	38
Table 2. 4	Factors affecting carbon storage and sequestration	40
Table 2. 5	Factors affecting tree maintenance	45
Table 2. 6	Hierarchy of open space and recreational parks	47
Table 2.7	Roadside planting width	48
Table 2. 8	Suggested tree species for planting at the major collector, arterial and expressway (road reserve more than 30m)	48
Table 2. 9	Suggested tree species for planting at the minor collector and local road (road reserve more 12 to 20m)	49
Table 2. 10	Factors affecting location (urban parks and roadsides) for tree planting	51
Table 3. 1	Land use of Johor Bahru and Pasir Gudang	55
Table 3. 2	Locations of urban parks and roadsides in Johor Bahru and Pasir Gudang	55
Table 3. 3	Data collection method based on RO and RQ	58
Table 3. 4	Profile of respondents	60
Table 3. 5	Years of working in landscape field	61
Table 3. 6	List of maintenance works and tree emergencies	61
Table 3.7	Data analysis method based on RO and RQ	64
Table 3.8	r and c values	71
Table 3.9	Score obtained and its ratio	72
Table 3. 10	Score range for maintenance and its indications	72

Table 3. 11	Range of average carbon storage (kg tree ⁻¹) and allocated score	73
Table 3. 12	Range of average carbon sequestration (kg tree ⁻¹ year ⁻¹) and allocated score	73
Table 3. 13	Range of tree maintenance score and allocated score	74
Table 3. 14	Range of total score for best tree species for planting in park and roadside in Iskandar Malaysia	74
Table 4. 1	Data on trees obtained from Johor Bahru and Pasir Gudang	76
Table 4. 2	Detail of trees obtained from Johor Bahru	77
Table 4. 3	Detail of trees obtained from Pasir Gudang	79
Table 4. 4	Detail of trees obtained from Johor Bahru and Pasir Gudang	81
Table 4. 5	No. of tree and species according to age	85
Table 4. 6	No. of tree and species of age 20 according to DBH	85
Table 4. 7	No. of tree (more than 3) and species of age 20 according to DBH	86
Table 4. 8	Average carbon storage (kg tree ⁻¹) by different species in the study area	88
Table 4. 9	Average carbon sequestration (kg tree ⁻¹ year ⁻¹) by different species in the study area	89
Table 4. 10	Scores for maintenance for every trees species	90
Table 4. 11	Score range for tree maintenance	92
Table 4. 12	Comparison between existing location and suitable location for tree planting	93
Table 4. 13	Range of average carbon storage (kg tree ⁻¹) and the assigned score	97
Table 4. 14	Score for carbon storage according to tree species	98
Table 4. 15	Range of average carbon sequestration (kg tree ⁻¹ year ⁻¹) and the assigned score	98
Table 4. 16	Score for carbon sequestration according to tree species	98
Table 4. 17	Range of tree maintenance score and the assigned score	99
Table 4. 18	Score for tree maintenance according to tree species	99

Table 4. 19	Range of total score for best tree species for planting in park and roadside in Iskandar Malaysia	100
Table 4. 20	Best tree species for planting in park and roadside in Iskandar Malaysia and their total score	101
Table 5. 1	Comparison of carbon storage (kg tree- ¹) among similar DBH tree species	105
Table 5. 2	Recommended tree species for planting in parks and roadsides in Iskandar Malaysia	107

LIST OF FIGURES

FIGURE NO	. TITLE	PAGE
Figure 1. 1	Five flagship zones in Iskandar Malaysia (Johor Bahru Low Carbon Society Action Plan 2025)	2
Figure 1.2	Fallen trees in Kuala Lumpur – Bentong highway (Utusan Malaysia, 2015)	7
Figure 2. 1	Iskandar Malaysia urban growth pattern and scenario (Comprehensive Development Plan for South Johor Economic Region, 2006)	26
Figure 2. 2	Process of photosynthesis (Illustrated by author, 2018)	29
Figure 2. 3	Tree that have fallen and caused accidents in Jalan Ampang, Kuala Lumpur (Astro Awani, 2018)	44
Figure 2. 4	Landscape reserve for local road (12m) and minor collector (20m) (<i>Garis Panduan Landskap Negara</i> , 2008)	49
Figure 2. 5	Landscape reserve for major collector (30m) (Garis Panduan Landskap Negara, 2008)	50
Figure 2. 6	Landscape reserve for arterial (40m) (Garis Panduan Landskap Negara, 2008)	50
Figure 2. 7	Landscape reserve for expressway (50m) (Garis Panduan Landskap Negara, 2008)	50
Figure 3. 1	Location of Johor Bahru and Pasir Gudang (GIS IRDA 2013)	54
Figure 3. 2	Proposed research framework	57
Figure 3. 3	Data of trees	63
Figure 3. 4	Microsoft Excel spreadsheet for data analysis	66
Figure 3. 5	A comprehensive concept of estimating AGB using allometric equation from Chave et al., (2005)	68
Figure 3. 6	Simple scoring method for maintenance level	72
Figure 4. 1	<i>Pinus</i> planted at Dataran Bandaraya, Johor Bahru (<i>Inventori</i> <i>Pokok Warisan</i> (<i>T.P.O</i>) Johor Bahru City Council, 2010)	95
Figure 4. 2	Samanea saman planted at Jalan Abu Bakar, Johor Bahru (Inventori Pokok Warisan (T.P.O) Majlis Bandaraya Johor Bahru, 2010)	96

Figure 5. 1	Images of Alstonia angustifolia (topsimages, 2018)	109
Figure 5. 2	Images of <i>Pterocarpus indicus</i> (Mahmud Yussop, 2015; Forest and Kim Starr, 2007)	109
Figure 5. 3	Images of Syzygium grande (National Parks Board, 2014)	110
Figure 5. 4	Images of <i>Hopea odorata</i> (Mahmud Yussop, 2011; Yeoh Yi Shuen, 2014)	110
Figure 5. 5	Images of <i>Pongamia pinnata</i> (TreeWorld Wholesale, 2018)	111
Figure 5. 6	Images of Hevea brasiliensis (Eden Project, 2018)	112
Figure 5. 7	Images of <i>Peltophorum pterocarpumis</i> (Sandra, 2014; Chong Siew Way, 2014)	112
Figure 5.8	Images of Samanea saman (TreeWorld Wholesale, 2018)	112

LIST OF ABBREVIATIONS

AGB	-	Above ground biomass
BaU	-	Business as Usual
BOVC	-	Biogenic volatile organic compound
CTCC	-	CUFR Tree Carbon Calculator
CUFR	-	Center for Urban Forest Research's
DBH	-	Diameter at breast height
EC		Eddy covariance
GHG	-	Greenhouse gases
JB	-	Johor Bahru
LB	-	Leaf biomass
MBJB	-	Johor Bahru City Council
MPPG	-	Pasir Gudang Municipal Council
NPO	-	Non-profit organisation
PG	-	Pasir Gudang
RB	-	Root biomass
SD	-	Standard deviation
SOC	-	Soil organic carbon
USDA	-	United States Department of Agriculture

LIST OF SYMBOLS

cm	-	centimetre
CO_2	-	carbon dioxide
g/cm ³	-	gram per cubic centimetre
H ₂ O	-	water
На	-	hectare
O ₂	-	oxygen
ρ	-	wood density
m	-	meter
m^2	-	square meter
kg tree ⁻¹	-	kilogram per tree
km	-	kilometer
°C	-	Celsius
PgC	-	Petagram of Carbon
PgC/yr	-	Petagram of Carbon per year
tC/ha		tonne Carbon per hectare
tC/yr	-	tonne Carbon per year
kg tree ⁻¹ year ⁻¹	-	kilogram per tree per year
MtCO ₂ eq	-	Million tonne carbon dioxide equivalent
NOx	-	Nitrogen Oxides

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
Appendix A	Detailed description of allometric equations	126
Appendix B	Questionnaire survey form	128
Appendix C	Average carbon storage (kg tree ⁻¹) for each tree species by DBH in the study area	different 137
Appendix D	Average carbon sequestration (kg tree ⁻¹ year ⁻¹) for each tre by different DBH in the study area	e species 139

CHAPTER 1

INTRODUCTION

1.1 Background of Research

Many countries including Malaysia government recognise climate change and its consequences. At the United Nations Climate Change Conference 2009 in Copenhagen (COP15), our former Prime Minister aspired to reduce 40 percent of carbon emissions intensity by the year 2020 compared to 2005 levels. In 2014, 33 percent of carbon emission intensity is successfully reduced. The target has been revised up to 45 percent reduction in emission intensity by 2030 at COP21 in Paris in 2015. Since cities around the world are responsible for consuming two-thirds of the world's energy (The World Bank, 2010) and 70 percent of national carbon emission are responsible by urban developments (Ho et al., 2010), thus it is necessary for authority of urban areas in Malaysia to support the government effort by regulating and minimising its carbon emissions.

Iskandar Malaysia also makes an effort to minimise its carbon emission. Covering an area of 2,217 square kilometres, Iskandar Malaysia is a visionary economic region in Southern Peninsular that was established in 2005 as one of the catalyst development corridors to spur the growth of the Malaysia economy as well as an integrated global node that synergises with the growth of the global City-state of Singapore and Indonesia. The population is expected to increase by more than double from 1.35 million people in 2005 to 3 million by 2025. This is supported by a stable seven (7) to eight (8) percent annual GDP (Johor Bahru Low Carbon Society Action Plan 2025). Five (5) flagship zones have been earmarked as key growth poles for the development in Iskandar Malaysia in order to strengthen the existing economic and diversifying growth (refer to Figure 1.1). Every flagship is identified by its key economic activities including industries and manufacturing, services and commercial.



- Johor Port
- Pasir Gudang Industrial Park
- APTEC (Lakehill Resort City)
- Senai High-Tech Park
- Sedenak Industrial Park
- MSC Cyberport City
- Johor Technology Park
- Johor Premium Outlets[®]

Figure 1.1 Five flagship zones in Iskandar Malaysia (Johor Bahru Low Carbon Society Action Plan 2025)

Economic activities and carbon dioxide emissions are interrelated. Most economic activities involve the use of fossil fuels which led to an increase in carbon emission. In line with Iskandar Malaysia's vision to be "a strong sustainable metropolis of international standing" and Malaysia's voluntary commitment to reduce carbon emission, it is important for Iskandar Malaysia consider its carbon generation at the same time seeking robust economic growth. This principle is known as decoupling of carbon emission against economic growth. In the year 2013, Iskandar Malaysia with the cooperation of Universiti Teknologi Malaysia (UTM) and several other universities, produced the "Low Carbon Society Blueprint for Iskandar Malaysia 2025", sponsored by the Japan International Cooperation Agency (JICA) and Japan Science and Technology Agency (JST).

The blueprint is to guide the development in Iskandar Malaysia towards climate resilient urban development. It nurtures low carbon living society and develop a total urban –regional environment that enables rapid economic growth but at the same time, reducing the carbon emission. The Low Carbon Society Blueprint for Iskandar Malaysia 2025 proposed 12 Actions Plan and one of them is "Green and Blue Infrastructure and Rural Resources". Green and blue infrastructure includes the natural environmental components as well as green and blue spaces within or adjoining an urban area. Hence, in relation to creating low carbon society for Iskandar Malaysia, it is important to know how this green and blue infrastructure works.

1.2 Problem Statement

World's urbanisation rate has increased from under 30 percent to over 50 percent in the year between 1950 and 2010 (United Nations, 2012). Urbanisation leads to the growth of cities and population as a result of industrialisation and economic development. Consequences of urbanisation contribute to both positive and negative implications. Positive implications of urbanisation include the growth of commercial activities, improvement in the economy, employment opportunities and efficient services. Moreover, it can offer better basic services and other specialist facilities including transportation, water, educational and health care. However, in many

instances, rapid urbanisation may result also in uncoordinated and uncontrolled development.

The rapid increase of urbanisation triggers environmental degradation and exacerbated global warming. To accommodate population increase, land is developed into buildings comprises of housing, commercial and other uses which indirectly cause more artificial and impervious surfaces. The transportation sector is also involved. Motorised vehicles lead to combustion of fossil fuel. Rising vehicle-dependence lifestyle attributed by urbanisation caused further increase in consumption of fossil fuel and overdependence on vehicle, thus worsening the situation. Cities with poor public transport system are often linked to overdependence of private vehicles which also cause traffic congestion. These kinds of activities indirectly emitted many greenhouse gases (GHG) primarily carbon dioxide (CO_2) to the atmosphere. Despite causing serious human health problems and inhibit plant growth, these GHG gases can create smog and acid rain (B.Bhatta, 2010). The most alarming effect of GHG gases is rising atmospheric temperature, also known as global warming. According to Nowak and Crane (2002), since the late 1800s, average air temperature on the earth's surface has increased from 0.3 °C to 0.6 °C. The floating ice over the Arctic Ocean is also thinning from an average thickness of 10 feet in 1950 to 6 feet in the late 1990s due to global warming (BBC News, 2000).

Iskandar Malaysia is also experiencing rapid urbanisation. It is evident that the urban area has grown by 78 percent in 2014 compared to 2000. On the other hand, green and blue infrastructure including forest, mangrove and rubber have experienced degradation (Kanniah et al. 2015). GHG emission in Iskandar Malaysia is predicted to increase to 31.3MtCO₂eq in 2025 based on Business as Usual (Low Carbon Society Blueprint for Iskandar Malaysia, 2013). Iskandar Malaysia therefore initiate its' own climate change action plan named 'Low Carbon Society Blueprint for Iskandar Malaysia 2025'. It is also in line with Malaysia's voluntary commitment to reduce 45 percent reduction in emission intensity by 2030.

The Low Carbon Society Blueprint for Iskandar Malaysia 2025 is a written document that presents a comprehensive climate change mitigation policy and 12 detail action plans and strategies to guide the development of Iskandar Malaysia towards a strong and sustainable metropolis of international standing in the year 2025. One of them is "Action 10: Green and Blue Infrastructure and Rural Resources" (refer to Table 1.1). Green infrastructure refers to any vegetated lands within or adjoining an urban area such as urban forests (trees in parks, roadsides and incidental pocket parks), golf course, grassland, agriculture land, community garden and sports fields and other open lands within the built-up area. Meanwhile, blue infrastructure is linked to water bodies and courses, wetlands and woodlands such as rivers, lakes, fountains, pools, ponds and any water features (water fountains and water walls). Both green and blue infrastructure are key elements of sustainable development and critical as other action plans. They can help to store and sequestrate excessive carbon, moderate environment temperature, moderate storm water runoff, reduce urban noise and provide shading. Thus, all of these must be protected and managed wisely.

However, among all benefits that trees can offer, their capabilities to store and sequestrate excessive carbon is critical for developing cities including Iskandar Malaysia. Known as a sink for CO₂, trees play a significant role to tackle the increasing levels of atmospheric carbon which resulted from anthropogenic sources and also to improve urban sustainability (Rahman and Ennos n.d.). In order to evaluate the actual and potential role of urban forests in reducing atmospheric CO₂, research regarding carbon storage and sequestration by the urban trees is vital (Nowak and Crane, 2002). One of the research areas is through the identification of urban tree species that can store and sequester more carbon. Urban tree species vary in their ability to provide these benefits due to their features such as genus, wood density, diameter at breast height (DBH) and others. Suggestions on suitable urban tree species that can store and sequester more carbon can be made in order to effectively reduce carbon emission as well as guide future urban development towards climate resilient and low carbon.

At present, there is very little published information on the extent of carbon storage and sequestration by urban trees in Iskandar Malaysia or even in Malaysia. In other countries such as the United Kingdom (UK), United States (US) and China, carbon storage and sequestration have been widely researched. In addition, there is limited information on how carbon storage and sequestration by urban trees could be estimated particularly in the tropical region. Therefore, this research is expected to initiate the determination of carbon storage and sequestration by urban trees in Iskandar Malaysia.

2025
Actions
Green Economy
Action 1: Integrated Green Transportation
Action 2: Green Industry
Action 3: Low Carbon Urban Governance
Action 4: Green Building and Construction
Action 5: Green Energy System and Renewable Energy
Green Community
Action 6: Low Carbon Lifestyle
Action 7: Community Engagement and Consensus Building
Green Environment
Action 8: Walkable, Safe and Livable City Design
Action 9: Smart Urban Growth
Action 10: Green and Blue Infrastructure and Rural Resources
Action 11: Sustainable Waste Management
Action 12: Clean Air Environment

Table 1. 112 Actions in Low Carbon Society Blueprint for Iskandar Malaysia2025

Source: Low Carbon Society Blueprint for Iskandar Malaysia 2025

Trees, however, can also be harmful to both human lives and properties. Trees which are unhealthy or have a low endurance rate planted at roadsides increase the risk of falling trees which are hazardous to motorists and pedestrians and may cause damage to properties (ISA, 2011). Although there is no report of an accident caused by roadside tree in Iskandar Malaysia, it does happen in other cities like Kuala Lumpur (refer to Figure 1.2). Overhanging branches can also obscure streetlights, signs and traffic signals and affect road users' vision in the vicinity. These situations contribute to the maintenance cost to the local authority, shorter-survival of trees as well as the production of secondary air pollutants (Churkina et al., 2015). Besides, selection of site or location to plant trees should also be appropriate according to tree species (City

of London Urban Forestry Strategy, 2014). This helps to assure trees become healthy, safe, resilient, can survive for long-term and reduce maintenance burden to the local authority. Therefore, it is imperative to consider tree maintenance and suitable location for urban trees planting when making the selection for tree planting, apart from the ability to store and sequester carbon.



Figure 1. 2 Fallen trees in Kuala Lumpur – Bentong highway (Utusan Malaysia, 2015)

At the end of this study, urban trees that can help to minimise more concentration of CO₂ through carbon storage and sequestration and need least necessary maintenance will be listed and suggested to be planted at urban parks and roadsides in Iskandar Malaysia. This helps to provide new insights to the local authorities in Iskandar Malaysia or related professionals such as town planners and landscape architects to improve management plans for urban forestry in Malaysia in the future. Local authorities have always focused on the beautification of places (Sreetheran et al. 2006), thus, most trees were planted due to their appearance. Unfortunately, these trees are reported to be dying rapidly because they get infected by an unknown disease. Subsequently, local authorities make changes in tree planting by including tree maintenance. This is reported in many landscape policies or plans including *Garis Panduan Landskap Negara* (2008) by the National Landscape Department, Ministry of Federal Territories. However, not all tree species are included. Up until now, the tree feature or form as well as tree maintenance are the

only parameters that local authorities considered when planting trees. It is therefore timely for cities that experiencing rapid urbanisation and increasing of GHG emission including Iskandar Malaysia to consider trees capability to store and sequester more carbon for future planting.

1.3 Research Aim

This research aims to;

"Select types of urban trees species that are suitable for urban parks and roadsides based on their capacity to store and sequester carbon and have low maintenance in Iskandar Malaysia"

1.4 Research Objectives

Four research objectives have been outlined as follow;

- (a) To identify urban trees species that can store and sequester more carbon in Iskandar Malaysia.
- (b) To find out the maintenance level of urban tree species in Iskandar Malaysia.
- (c) To identify suitable locations for tree planting in Iskandar Malaysia.
- (d) To determine urban tree species that are suitable to be planted in urban parks and roadsides in Iskandar Malaysia based on carbon storage and sequestration and maintenance level.

1.5 Research Questions

The research questions that have been raised in this research are;

- (a) Which urban tree species store and sequester more carbon in Iskandar Malaysia?
- (b) Which urban tree species require least maintenance level in Iskandar Malaysia?

- (c) Where are suitable locations for tree planting in Iskandar Malaysia?
- (d) What appropriate urban tree species should be planted for urban parks and roadsides in Iskandar Malaysia based on carbon storage and sequestration and maintenance level?

1.6 Scope of Research

The scope of the research includes the following aspects;

- (a) The study area covers two (2) local authorities; Johor Bahru City Council and Pasir Gudang Municipal Council. This project limits the study area based on the available data of urban trees.
- (b) Only data of urban trees that have been planted and supervised by both local authorities will be taken into account.
- (c) Apart from urban trees field data collection, a questionnaire survey also will be conducted to gain detailed information about trees maintenance and location for tree planting. Meanwhile, allometric equations will be applied to estimate the carbon storage and sequestration of trees, simple scoring method and frequency analysis will be used to predict the maintenance level and location for tree planting in this research.
- (d) In order to respond to the issues raised in the research, this study proposes a list of urban trees that is suitable for urban parks and roadsides in Iskandar Malaysia that concern on carbon storage and sequestration and tree maintenance. It can be as an alternative way to select urban trees for future planting.

1.7 Expected Findings

This research is expected to produce a list of trees species that are suitable for urban parks and roadsides in Iskandar Malaysia by taking carbon storage and sequestration, tree maintenance and location for planting into consideration. Such trees can help reduce GHG emission caused by urbanisation in Iskandar Malaysia. At the same time, it can reduce the maintenance burden to the local authority. Suitable locations for tree planting will also be identified (either urban parks or roadsides or both) based on the suggestion from expertise such as arborist and landscape architect from the local authority and other institutions.

1.8 Research Significance

The list of urban trees species is important to guide and inform the local authorities particularly landscape architect and urban planners to decide the most suitable trees species to be planted at the urban parks and by the roadsides in the future. This list is initiated by considering both carbon storage and sequestration, and maintenance of trees which can help reduce GHG emission and mitigate climate change without compromising the need for least tree maintenance to reduce burden to the local authority in Iskandar Malaysia. The study of carbon storage and sequestration alone is still new in Malaysia and knowledge on maintenance of each of trees species is still presently lacking. Hence, this research is significant to solve the problems and at the same time, helps cities or regions particularly Iskandar Malaysia to develop toward low carbon society and achieve the vision to be "a strong sustainable metropolis of international standing".

1.9 Structure of Thesis

The discussion in this research is organised into five (5) chapters as follows;

Chapter 1: Introduction

The introduction establishes the context and significance of this research being conducted. It starts by summarising the current understanding and background about the selection of trees species for urban parks and roadside in Iskandar Malaysia. It is followed by research objectives, research questions, scope of the research, expected contribution, significance of research and organisation of chapters.

Chapter 2: Literature Review

Chapter 2 discusses previous studies or research related to selection of tree species for urban parks and roadsides in Iskandar Malaysia. It is pivoted on related literature to produce a theoretical basis and context of the research.

Chapter 3: Research Methodology

Chapter 3 describes the research methods used to evaluate carbon storage and sequestration and maintenance of trees. It starts with an elaboration of the background of the study area, followed by research framework, data collection method, sampling methods and data analysis.

Chapter 4: Data Analysis and Findings

Upon methodology in Chapter 3 been applied, the findings of carbon storage and sequestration, tree maintenance and location for tree planting analysis are gathered and reported. The findings are arranged in a logical sequence to avoid biasness or misinterpretation.

Chapter 5: Discussion and Conclusion

Chapter 5 presents the summary of finding and its significance to the research. It also includes a recommendation on a list of trees species suitable for urban parks and roadside in Iskandar Malaysia. It will also discuss the study limitation and offer suggestion on future research.

REFERENCES

- Abeyasekera, S. (2005). Quantitative analysis approaches to qualitative data: why, when and how? Methods in Development Research: Combining Qualitative and Quantitative Approaches, 97–106. Retrieved from https://mail.google.com/mail/u/0/?ui=2&ik=0cf3e160bb&view=att&th=1397f 5783d773f75&attid=0.1&disp=safe&zw
- Aguaron, E., & Mcpherson, E. G. (2012). Carbon Sequestration in Urban Ecosystems, 43–71. https://doi.org/10.1007/978-94-007-2366-5
- Alamah, M., Sakurah, J., & Siti Mazwin, K. (2015). Carbon Sequestration through Urban Green Reserve and Open Space. Faculty of Architecture, Planning and Surveying. Journal of the Malaysian Institute of Planners, XIII, 101–122
- Amir, S., & Misgav, A. (1990). A Framework for Street Tree Planning in Urban Areas in Israel, 19.
- Astro Awani (2018) Dua orang awam cedera, pokok tumbang di Jalan Ampang by Nuradilla Noorazam (accessed on 16 November 2018).
- Badrulhishama, N., & Othman, N. (2016). Knowledge in Tree Pruning for Sustainable Practices in Urban Setting: Improving our quality of life, 234, 210–217. https://doi.org/10.1016/j.sbspro.2016.10.236
- B.Bhatta. (2010). Causes and Consequences of Urban Growth and Sprawl (pp. 17–37). https://doi.org/10.1007/978-3-642-05299-6
- Baker, T. R., Phillips, O. L., Malhi, Y., Almeidas, S., Arroyo, L., di Fiore, A., Erwin, T., Killee, T. J., Laurance, S. G., Laurance, W. F., Lewis, S. L., Lloyd, J., Monteagudo, A., Neill, D. A., Patiño, S., Pitman, N. C. A., Silva, J. N. M., and Vásquez-Martínez, R.(2004): Variation in wood density determines spatial patterns in Amazo- nian forest biomass, Glob. Change Biol., 10, 545–562
- Basuki, T. M. (2009). Allometric equations for estimating the above-ground biomass in tropical lowland Dipterocarp forests. Forest Ecology and Management, 257(8), 1684–1694. https://doi.org/10.1016/j.foreco.2009.01.027
- BBC News. (2000). North Pole ice ' turns to water ', 10–11.

- Berry B. J. L., F. E. Horton, and J. O. Abiodun (1970). Geographic Perspectives on Urban Systems with Integrated Readings. Prentice-Hall, Englewood Cliffs, N. J., 564 pp. ISBN: 9780133513127.
- Bharadwaj, S., Ballare, S., & Chandel, M. K. (2017). ScienceDirect ScienceDirect
 ScienceDirect Impact of congestion on greenhouse gas emissions for road
 Impact of congestion on greenhouse gas emissions for road transport in
 Mumbai metropolitan region transport in Mumbai metropolitan region.
 Transportation Research Procedia, 25, 3538–3551.
 https://doi.org/10.1016/j.trpro.2017.05.282
- Brown, S., (1986). Estimating biomass and biomass change of tropical forests: a primer. FAO Forestry Paper 134. Food and Agriculture Organization of the United Nations, Rome.
- Brown, S., Gillespie, A. & Lugo, A., (1989). Biomass estimation methods for tropical forests with applications to forest inventory data. Forest science, 35(4), pp.881–902.
- Cairns, M. a., Brown, S., Helmer, E. H., & Baumgardner, G. a. (1997). Root biomass allocation in the world's upland forests. Oecologia, 111(1), 1–11. https://doi.org/10.1007/s004420050201
- Chave, J., Andalo, C., Brown, S., Cairns, M. a, Chambers, J. Q., Eamus, D., ... Yamakura, T. (2005). Tree allometry and improved estimation of carbon stocks and balance in tropical forests. Oecologia, 145(1), 87–99. https://doi.org/10.1007/s00442-005-0100-x [Accessed July 10, 2014].
- Chave, J., Olivier, J., Bongers, F., Châtelet, P., Forget, P.-M., van der Meer, P., ... Charles-Dominique, P. (2008). Above-ground biomass and productivity in a rain forest of eastern South America. Journal of Tropical Ecology, 24(4), 355– 366. https://doi.org/10.1017/S0266467408005075 [Accessed June 12, 2016].
- Churkina, G., Grote, R., Butler, T. M., & Lawrence, M. (2015). Natural selection? Picking the right trees for urban greening. Environmental Science & Policy, 47, 12–17. https://doi.org/10.1016/j.envsci.2014.10.014 [Accessed December 1, 2015].
- City of London Urban Forest Strategy (2014). Enhancing The Forest City. Retrieved from City of London official website: https://www.london.ca/residents/Environment/Trees-

Forests/Documents/London%20Urban%20Forestry%20Strategy%20Final.pdf

- Comprehensive Development Plan for South Johor Economic Region 2006-2025 (2006). Khazanah Nasional Berhad (KNB).
- Conway, T. M., & Vander V. J. (2015). Growing a diverse urban forest: Species selection decisions by practitioners planting and supplying trees. Landscape and Urban Planning, 138, 1–10. https://doi.org/10.1016/j.landurbplan.2015.01.007 [Accessed December 1, 2015].
- Daily Express (2015) Taming a hot capital city by Kan Yaw Chong. Daily Express enewspaper Monday (accessed on 11 May 11 2015).
- Davies, Z. G., Edmondson, J. L., Heinemeyer, A., Leake, J. R., & Gaston, K. J. (2011). Mapping an urban ecosystem service: quantifying above-ground carbon storage at a city-wide scale. Journal of Applied Ecology, 1125–1134. https://doi.org/10.1111/j.1365-2664.2011.02021.x
- Davis J. C., and J. V. Henderson (2003). Evidence on the political economy of the urbanization process. Journal of Urban Economics 53, 98 – 125. doi: 10.1016 / S0094-1190(02)00504-1, ISSN: 0094-1190.
- Dobson, M., & Ryan, J. (2000). Trees and Shrubs for Noise Control. In Arboricultural Practice Note.
- Donoghue, E. M., Benson, G. L., & Chamberlain, J. L. (2004). Sutainable Production of Wood and Non-Wood Forest Products.In Proceedings of the IUFRO Division 5 Research Groups 5.11 and 5.12, Rotorua, New Zealand.
- Dorélien A., D. Balk, and M. Todd (2013). What is Urban? Comparing a satel- lite view with the demographic and health surveys. Population and Develop- ment Review 39, 413 439. doi: 10.1111 / j.1728-4457.2013.00610.x, ISSN: 00987921.
- Duryea, M. L., Kampf, E., & Littell, R. C. (2007). Hurricanes and the urban forest: I. Effects on southeastern United States coastal plain tree species. Arboriculture and Urban Forestry, 33, 83–97.
- Escobedo F., S. Varela, M. Zhao, J. E. Wagner, and W. Zipperer (2010). Ana-lyzing the efficacy of subtropical urban forests in offsetting carbon emissions from cities. Environmental Science & Policy 13, 362 – 372. doi: 10.1016 / j. envsci.2010.03.009, ISSN: 1462-9011.
- Fazio, J. R. (n.d.). How Trees Can Retain Stormwater Runoff. Tree City USA Bulletin No. 55. Arbor Day Foundation.

- Fernandes, A., & Agency, D. (2018). Coptotermes sp . Termite Attacks in Some Locations of Red Meranti (Shorea leprosula Miq .) Plantation, (April). https://doi.org/10.18502/kls.v3i4.69
- Francisco, S., & Area, B. (2016). Saving trees from needless destruction in the San Francisco Bay Area Facts about carbon storage in grasses do not support assumptions of native plant advocates, 1–5.
- Furtado, C.X. 1935. A disease of angsana tree. Journal of Malaysian Branch of the Royal Asiatic Society 13(2):163–192
- Garis Panduan Landskap Negara Edisi 2 (2008).Jabatan Landskap Negara Kementerian Perumahan Dan Kerajaan Tempatan Malaysia.
- Henderson V. (2003). The Urbanization Process and Economic Growth:
- Ho, C.S., Chau L.W., Teh B.T., Matsuoka Y., Gomi K., Rohayu A., Nadzirah J., Nur Syazwani S., Muhammad Akmal Hakim H. and Lv Y. (eds.) (2015) Low Carbon Society Action Plan for Johor Bahru 2025: Vibrant World Class Cosmopolis of the South. Johor Bahru: UTM-Low Carbon Asia Research Centre.
- IEA, 2010. Sustainable Production of Second-Generation Biofuels. IEA Information Paper, Paris.
- ISA. (2011). Why Hire an Arborist? Isa.
- Jim C. Y., and W. Y. Chen (2009). Ecosystem services and valuation of urban forests in China. Cities 26, 187 – 194. doi: 10.1016/j.cities.2009.03.003, ISSN: 0264-2751.
- Jøker, D. 2000. Hopea odorata Roxb. Available at: http://sl.ku.dk/rapporter/seed-leaflets/filer/hopea- odorata-49.pdf. (Accessed: March 2017).
- Justine, M. F., Yang, W., Wu, F., Tan, B., Khan, M. N., & Zhao, Y. (2015). Biomass Stock and Carbon Sequestration in a Chronosequence of Pinus massoniana Plantations in the Upper Reaches of the Yangtze River. Forest, 6, 3665–3682. https://doi.org/10.3390/f6103665
- Kanniah, K. D., Tan, K. P., Cracknell, A. P., Huete, A. R., Idris, N. H., Meng, A., ... Ahmad, A. (2018). Assessment of biophysical properties of Royal Belum tropical forest, Malaysia, 39, 90–106. https://doi.org/10.1111/sjtg.12215
- Kanniah, K.D. et al., (2015). Satellite Images for Monitoring Mangrove Cover Changes in a Fast Growing Economic Region in Southern., (Im), pp.14360– 14385.

- Karuppannam, S., Baharuddin, Z. M., Sivam, A., & Daniels, C. B. (2014). Urban Green Space and Urban Biodiversity: Urban Green Space and Urban Biodiversity: Kuala Lumpur , Malaysia, (April 2016). https://doi.org/10.5539/jsd.v7n1p1
- Kato, R., Tadaki, Y., & Ogawa, H. (1978). Plant biomass and growth increment studies in Pasoh Forest.
- Kelaine, E., Vargas, E., gregory McPherson, J. R., Simpson, P. J., Peper, S. L., Gardner, & Xiao, Q. (2006). Temperate Interior West Community Tree Guide
 Benefits, Costs and Strategic Planting. United States Department of Agriculture.
- Kenzo, T., Furutani, R., Hattori, D., Kendawang, J. J., Tanaka, S., Sakurai, K., & Ninomiya, I. (2009). Allometric equations for accurate estimation of aboveground biomass in logged-over tropical rainforests in Sarawak, Malaysia. Journal of Forest Research, 14(6), 365–372. https://doi.org/10.1007/s10310-009-0149-1
- Kraenzel, M., Castillo, A., Moore, T., Potvin, C., 2003. Carbon storage of harvest-age teak (Tectona grandis) plantations, Panama. For. Ecol. Manage. 173, 213–225.
- Kumar, V., & Tiwari, A. (2017). A monthly open access e-magazine, (November). https://doi.org/10.13140/RG.2.2.13639.39840
- Kuser, J. E. (2007). URBAN AND COMMUNITY FORESTRY IN THE NORTHEAST. Springer Netherlands.
- Liu, C. & Li, X., (2012). Carbon storage and sequestration by urban forests in Shenyang, China. Urban Forestry & Urban Greening, 11(2), pp.121–128. Available at: http://linkinghub.elsevier.com/retrieve/pii/S1618866711000227 [Accessed January 3, 2016].
- Losi, C. J., Siccama, T. G., Condit, R., & Morales, J. E. (2003). Analysis of alternative methods for estimating carbon stock in young tropical plantations. Forest Ecology and Management, 184(1–3), 355–368. https://doi.org/10.1016/S0378-1127(03)00160-9
- Mader, S. (2007). Climate Project: Carbon Sequestration and Storage by California Forests and Forest Products.
- Marak, T., & Khare, N. (2017). Carbon Sequestration Potential of Selected Tree Species in the Campus of Carbon Sequestration Potential of Selected Tree

Species in the Campus of Shuats. International Journal for Scientific Research & Development, 5(June). https://doi.org/10.5061/dryad.69sg2

- McElhinney, A., Harper, R., & A.Lass, D. (2018). What Does it Cost to Plant a Tree? What Does it Cost to Plant a Tree? The Citizen Forester, 214(Massachusetts Urban & Community Forestry Program).
- McHale, M. R., Burke, I. C., Lefsky, M. a., Peper, P. J., & McPherson, E. G. (2009). Urban forest biomass estimates: is it important to use allometric relationships developed specifically for urban trees? Urban Ecosystems, 12(1), 95–113. https://doi.org/10.1007/s11252-009-0081-3
- McPherson EG (1994) Using urban forests for energy efficiency and carbon storage.J For 92:36–41
- McPherson EG (1998) Atmospheric carbon dioxide reduction by Sacramento's urban forest. J Arboric 24(4):215–223
- Missouri Botanical Garden, 2018. Available at: missouribotanicalgarden.org [Accessed December 11, 2018]
- Morgenroth, J., Santos, B., & Cadwallader, B. (2015). Urban Forestry & Urban Greening Conflicts between landscape trees and lawn maintenance equipment The first look at an urban epidemic. Urban Forestry & Urban Greening, 14(4), 1054–1058. https://doi.org/10.1016/j.ufug.2015.10.002
- Muller-Landau, H. C., Condit, R. S., Chave, J., Thomas, S. C., Bohlman, S. a, Bunyavejchewin, S., ... Ashton, P. (2006). Testing metabolic ecology theory for allometric scaling of tree size, growth and mortality in tropical forests. Ecology Letters, 9(5), 575–88. https://doi.org/10.1111/j.1461-0248.2006.00904.x
- National Parks Board, 2018. Available at: https://florafaunaweb.nparks.gov.sg/Home.aspx [Accessed November 27, 2018]
- Nelson, B.W., Mesquita, R., Periera, J.L.G., Aquino de Souza, S.G., Batista, G.T., Couto, L.B., 1999. Allometric regressions for improved estimate of secondary forest biomass in the central Amazon. For. Ecol. Manage. 117, 149–167.
- Ngo, K. M., & Lum, S. (2018). Aboveground biomass estimation of tropical street trees, 1–6. https://doi.org/10.1093/jue/jux020
- Niklas, K.J., Enquist, B.J., 2002. Canonical rules for plant organ biomass partitioning and annual allocation. American Journal of Botany 89, 812–819

- Nowak, D. J., & Crane, D. E. (2002). Carbon storage and sequestration by urban trees in the USA, 116, 381–389.
- Nowak, D. J., Greenfield, E. J., Hoehn, R. E., & Lapoint, E. (2013). Carbon storage and sequestration by trees in urban and community areas of the United States. Environmental Pollution (Barking, Essex : 1987), 178, 229–36. Available at: https://doi.org/10.1016/j.envpol.2013.03.019 [Accessed April 15, 2015].
- Nowak, D.J., (1994). Atmospheric carbon dioxide reduction by Chicago's urban forest. In: McPherson, E.G., Nowak, D.J., Rowntree, R.A. (Eds.), Chicago's Urban Forest Ecosystem: Results of the Chicago Urban Forest Climate Project. General Technical Report. Northeastern Forest Experiment Station-186, pp. 83–94
- O'Donoghue, A. & Shackleton, C.M., (2013). Current and potential carbon stocks of trees in urban parking lots in towns of the Eastern Cape, South Africa. Urban Forestry & Urban Greening, 12(4), pp.443–449. Available at: http://linkinghub.elsevier.com/retrieve/pii/S1618866713000782 [Accessed November 20, 2014].
- Orange & Rockland. (n.d.). Tree Maintenance Guide. Tips for Proper Tree Selection, Planting, and Pruning.
- Park, J. H., Baek, S. G., Kwon, M. Y., Je, S. M., & Young, S. (2018). Volumetric equation development and carbon storage estimation of urban forest in Daejeon , Korea Volumetric equation development and carbon storage estimation of urban. Forest Science and Technology, 14(2), 97–104. https://doi.org/10.1080/21580103.2018.1452799
- Philip, E. 1999. Wilt disease of angsana (Pterocarpus indicus) in Pen- insular Malaysia and its possible control. Journal of Tropical Forest Science 11(3):519–527.
- Pretzsch, H., Biber, P., Uhl, E., Dahlhausen, J., Rötzer, T., Caldentey, J., ... Pauleit, S. (2015). Urban Forestry & Urban Greening Crown size and growing space requirement of common tree species in urban centres, parks, and forests. Urban Forestry & Urban Greening, 14(3), 466–479. https://doi.org/10.1016/j.ufug.2015.04.006
- Rahman, M.A. & Ennos, A.R. (n.d). What we know and don't know about the carbon storage and sequestration of urban trees. , pp.1–14.

- Roloff, A., Korn, S. & Gillner, S. (2009) The climate-species-matrix to select tree species for urban habitats considering climate change. Urban Forestry and Urban Greening, 8, 295–308
- Russo, A., Escobedo, F. J., Timilsina, N., Schmitt, A. O., Varela, S., Zerbe, S., ...
 Schmitt, A. O. (2014). Assessing urban tree carbon storage and sequestration in Bolzano, Italy. International Journal of Biodiversity Science, Ecosystem Services & Management, 10(1), 54–70. https://doi.org/10.1080/21513732.2013.873822
- Salleh, N., Azeman, S., Kiew, R., Kamin, I., & Kong, R. C. C. (2017). Plant Checklist of the Bukit Nanas Forest Reserve, Kuala Lumpur, Malaysia. One Ecosystem 2. https://doi.org/10.3897/oneeco.2.e13708
- Saunders, M., Lewis, P. & Thornhill, A. (2012) "Research Methods for Business Students" 6th edition, Pearson Education Limited
- Scott, K.I., J.R. Simpson, and E.G. McPherson. (1999). Effects of tree cover on parking lot microclimate and vehicle emissions. J.Arboric. 25:129–142.
- Seto K. C., M. Fragkias, B. Güneralp, and M. K. Reilly (2011). A Meta-Analysis of Global Urban Land Expansion. PLOS ONE 6, e23777. doi: 10.1371 / journal. pone.0023777.
- Seto K. C., S. Dhakal, A. Bigio, H. Blanco, G. C. Delgado, D. Dewar, L. Huang, A. Inaba, A. Kansal, S. Lwasa, J. E. McMahon, D. B. Müller, J. Murakami, H. Nagendra, and A. Ramaswami, (2014): Human Settlements, Infrastructure and Spatial Planning. In: Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel and J.C. Minx (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Shahar, F. M, (2016). 14 cases of heat exhaustion and heat stroke recorded so far: Health Ministry. New Straits Times (18th April 2016). https://www.nst.com.my/news/2016/03/133523/14-cases-heat-exhaustionand-heat-stroke-recorded-so-far-health-ministry accessed 10.09.2018
- Shahzad, U. (2015). Global Warming: Causes, Effects and Solutions Global Warming: Causes, Effects and Solutions. Durreesamin Journal, 1(4).

- Silk JWF. (2009). Plants of Southeast Asia. Available at: http://www.asianplant.net [Accessed January 12, 2019]
- Sinar Harian, (2014). Gerai, Motosikal Dihempap Pokok, Sinar Harian e- newspaper 7th November 2014.
- Smith WB, Shifley SR. (1984). Diameter growth, survival, and volume esti- mates for trees in Indiana and Illinois. St. Paul, MN: United States Forest Service. North Central Forest Experiment Station Research Paper NC-257
- Soh W.K. & Parnell J. (2015). A revision of Syzygium Gaertn. (Myrtaceae) in Indochina (Cambodia, Laos and Vietnam). Adansonia, sér. 3, 37 (2): 179-275. http://dx.doi.org/10.5252/a2015n2a1
- Sreetheran, M., Adnan, M., & Azuar, A. K. K. (2011). Street Tree Inventory and Tree Risk Assessment of Selected Major Roads in Kuala Lumpur, Malaysia, 37(5), 226–235.
- Sreetheran, M., Elizabeth, P., & Mustafijur Rahman, A. (2006). A Historical Perspective of Urban Tree Planting in Malaysia. Unasylva 223, 57(January)
- Stoffberg GH, van Rooyen MW, van der Linde MJ, Groeneveld HT. (2010). Carbon sequestration estimates of indigenous street trees in the city of Tshwane, South Africa. Urban For Urban Green. 9:9–14.
- Strohbach, M.W. & Haase, D., (2012). Above-ground carbon storage by urban trees in Leipzig, Germany: Analysis of patterns in a European city. Landscape and Urban Planning, 104(1), pp.95–104. Available at: http://linkinghub.elsevier.com/retrieve/pii/S0169204611002891 [Accessed October 29, 2014].
- Tang, Y., Chen, A. & Zhao, S., (2016). Carbon Storage and Sequestration of Urban Street Trees in Beijing , China. Frontiers in Ecology and Evolution, 4(May), pp.1–8
- The Intergovernmental Panel on Climate Change (IPCC), 2003. Good Practice Guidance for Land Use, Land-Use Change and Forestry. Institute for Global Envi- ronmental Strategies for the IPCC, Kanagawa
- The So-What Question. Journal of Economic Growth 8, 47 71. doi: 10.1023 / A:1022860800744, ISSN: 1381-4338, 1573 7020.
- The Star Online, (2017). Rooting out a big problem. Metro News (27th February 2017) https://www.thestar.com.my/metro/community/2017/02/27/rooting-out-a-big-

problem-many-of-the-trees-dbkl-planted-in-kuala-lumpur-are-failing-tothrive-causi/ accessed 14.08.2018

- The World Bank (2010) Cities and Climate Change: An Urgent Agenda. World Bank, Washington.
- Thomson, L. A. J. (2006). Ptercarpus indicus (narra). Species Profiles for Pacific Island Agroforestry, (April).
- Tree Maintenance Guidelines by the Department of Recreation and Parks, City of Los Angeles (2003),
- UN DESA (2012). World Urbanization Prospects: The 2011 Revision. United Nations, Department of Economic and Social Affairs, Population Division, New York
- United Nations (2012). Department of Economic and Social Affairs, Population Division (2012): World Urbanization Prospects: The 2011 Revision, New York.
- Utah State University, 2018. Available at: forestry.usu.edu [Accessed November 27, 2018]
- UTM-Low Carbon Asia Research Center. (2013). Low Carbon Society Blueprint for Iskandar Malaysia 2025.
- Utusan Malaysia (2015) LPT sesak hampir 10 kilometer, 30 pokok tumbang by Abdul Rashid Abdul Rahman. Utusan Online (accessed on 19 November 2015).
- Van Breugel, M., Ransijn, J., Craven, D., Bongers, F., & Hall, J. S. (2011). Estimating carbon stock in secondary forests: Decisions and uncertainties associated with allometric biomass models. Forest Ecology and Management, 262(8), 1648– 1657. Available at: https://doi.org/10.1016/j.foreco.2011.07.018 [Accessed April 16, 2016].
- Van Haaften, M. a., Meuwissen, M. P. M., Gardebroek, C., & Kopinga, J. (2015). Trends in financial damage related to urban tree failure in the Netherlands. Urban Forestry & Urban Greening, 15, 15–21. Available at: https://doi.org/10.1016/j.ufug.2015.11.002 [Accessed November 12, 2015].
- Velasco, E. et al., (2013). The role of vegetation in the CO₂ flux from a tropical urban neighbourhood. Atmospheric Chemistry and Physics, 13(20), pp.10185–10202. Available at: http://www.atmos-chem-phys.net/13/10185/2013/
 [Accessed November 17, 2014].
- Wang, C., (2006). Biomass allometric equations for 10 co-occurring tree species in Chinese temperate forests. Forest Ecology and Management 222, 9–16

- Wang, Z., Cui, X., Yin, S., Shen, G., Han, Y., & Liu, C. (2012). Characteristics of carbon storage in Shanghai's urban forest. Chinese Science Bulletin, 58(10), 1130–1138. https://doi.org/10.1007/s11434-012-5443-1
- Wee Yeow Chin. (2003). Tropical Trees and Shrubs: A Selection for Urban Plantings. Sun Tree Publishing. 392pp
- Weissert, L.F., Salmond, J.A. & Schwendenmann, L., (2014). Urban Climate A review of the current progress in quantifying the potential of urban forests to mitigate urban CO 2 emissions. , 8, pp.100–125.
- Zaki NA, Latif ZA, Zainal MZ (2016) Aboveground biomass and carbon stock estimation using double sampling approach and remotely-sensed data. Jurnal Teknologi 78 (5–4), 57–62
- Zhao, M., Kong, Z., Escobedo, F.J., Gao, J., 2010. Impacts of urban forests on offsetting carbon emissions from industrial energy use in Hangzhou, China. Journal of Environmental Management 91, 807–813