

SUSTAINABLE CONSTRUCTION MATERIALS AND ASSEMBLIES FOR
NIGERIAN LOW COST HOUSING PROJECTS

LIMAN ALHAJI SABA

A thesis submitted in fulfilment of the
requirements for the award of the degree of
Doctor of Philosophy

Faculty of Built Environment and Surveying
Universiti Teknologi Malaysia

SEPTEMBER 2018

Specially dedicated to my beloved Wife Hajiya Fatima and my children, Hauwawu, Aishetu, Ahmad & Muhammad for their endless love, support and encouragement.

“Thank you for your sacrifice during this PhD journey”.

ACKNOWLEDGEMENT

All praises and glory be to Almighty ALLAH, the glorious and the merciful for keeping me among the living and giving me inspiration to start and successfully completed this research.

My deepest gratitude goes to my amiable supervisor Prof. Dr. Mohd Hamdan Bin Haji Ahmad for his indelible impact in sharing his treasure of experience with me, and his alluring supervision of this PhD thesis. I remain proud to study and train under his guide particularly as one of his PhD graduates. My gratitude as well goes to my co-supervisor Dr. Roshida Binti Abdul Majid for her untiring effort in shaping the research journey.

Indeed, the emotional inspiration and support received from my brothers, sisters, wife, and children including my father and mother in-law gave me the impetus at lonely moments and the strength to keep striving until the end. Your patience through the years is accordingly appreciated. My late father and mother, I really miss them. The companionship of research group and postgraduate room colleagues as well as research friends gave the need peer communication that improve and reshaped the research report.

Finally, I thank the management of Federal Polytechnic Bida, Nigeria, who deem it necessary in me and approved my application to study in UTM. I remain grateful to Universiti Teknologi Malaysia, precisely Faculty of Built Environment and Surveying for providing facilities and enabling environment that support the accomplishment of this research together with gaining research experience.

ABSTRACT

Sustainable construction is a way to achieve environmental-friendly building design and construction. Construction activity has impact on the environment and users of naturally occurring and synthesized resources. The recent rise in environmental conscious design mandates the development of a new tool for pre-use stage decision-making in the materials and assemblies process. It is crucial in building life-cycle decision making, to integrate environmental issues in the evaluation process. The study developed an evaluation-tool to aid in the pre-use stage decision-making process of low cost housing projects by integrating sustainable construction principles into the materials and assemblies process. The study identified the decision making tool; then investigated the environmental awareness issues in sustainable materials and assemblies at pre-use stage; and finally, evaluated and compared the pre-use stage overall environmental impacts of a building life cycle. An explanatory sequential mixed method research design was adopted. 43.1% of 480 architects and designers in Abuja-Nigeria, through stratified random sampling participated in the survey. Data were analysed using descriptive statistics analysis, relative index analysis and Kendall's Concordance. The findings showed the need for a new materials and assemblies tool for environmental impact evaluation, and designers do have the knowledge and are concerned about environmental issues of sustainable materials and assemblies. Based on the findings, an evaluation system was developed. Two case studies of a traditional construction method (TCM) and a contemporary construction method (CCM) for low cost housing were chosen to test the system. Data were analysed using linear programming coupled with a process life cycle assessment (LCA) framework and international energy and carbon protocols. The findings showed that the environmental performance of the building life-cycle pre-use stage can be improved by up to 126% embodied energy and 165% embodied carbon emissions. Furthermore, it was much easier to compare the environmental performances of whole-building assemblies, instead of separate materials and elements that do not represent the performance of the function of a building. The study has shown that the evaluation system provides design guidelines and criterion to achieve environmental conscious design. Based on the findings from the evaluation system, a decision-making tool, the Optimum Life Cycle Assessment Performance (OLCAP) was developed. This tool can be used to guide local authorities, academicians and stakeholders to develop a structure for effective implementation of pre-use stage sustainable materials and assemblies. The tool developed was validated by the application of REVIT. Furthermore, the tool exposes the true environmental and economic sustainability in materials and assemblies with the help of simple multiplication and REVIT, which is readily available in the market. As a conclusion, OLCAP, the tool developed in this research can reduce the environmental impact of design and construction.

ABSTRAK

Pembinaan lestari adalah satu langkah dalam merealisasikan reka bentuk dan binaan bangunan mesra alam. Aktiviti pembinaan memberi impak terhadap persekitaran dan pengguna sumber yang terjadi samaada secara semula jadi atau dan sumber buatan. Peningkatan kesedaran terhadap reka bentuk mesra alam baru-baru ini mempengaruhi pembangunan kaedah terkini untuk membuat keputusan dipenngkatpra-guna tentang pemilihan bahan dan pemasangan. Adalah penting dalam penentuan keputusan kitaran hidup bangunan untuk mengintegrasikan isu persekitaran dalam proses penilaian. Kajian ini membangunkan alat penilaian untuk membantu proses membuat keputusan di peringkat pra-guna bagi projek perumahan kos rendah dengan menerapkan prinsip kelestarian untuk pemilihan bahan dan proses pemasangan. Kajian ini mengenal pasti alat untuk membuat keputusan, diikuti dengan meng kaji isu-isu persekitaran dalam bahan dan pemasangan lestari pada peringkat pra-guna dan akhirnya menilai dan mem dibandingkan impak keseluruhan pada peringkat pra-guna terhadap kitaran hidup bangunan. Reka bentuk kajian dengan kaedah penerangan berperingkat secara pelbagai telah digunakan. 43.1% daripada 480 arkitek dan jurureka di Abuja-Nigeria telah mengambil bahagian melalui kaedah persampelan secara rawak. Data dianalisis menggunakan analisa statistik deskriptif, analisa perkaitan indeks dan “Kendall’s Concordance”. Dapatan menunjukkan bahawa perlunya alafpenilaran baru bahan dan alat pemasangan untuk menilai kesan persekitaran, dan pereka mempunyai pengetahuan dan adalah prihatin terhadap isu-isu persekitaran bahan dan pemasangan lestari. Berdasarkan dapatan kajian ini, sistem penilaian telah dibangunkan. Dua kajian kes bagi kaedah pembinaan tradisional (TCM) dan kaedah pembinaan masa kini (CCM) bagi perumahan kos rendah telah dipilih untuk menguji sistem penilaian. Data dianalisis menggunakan program segaris bersama proses rangka kerja penilaian kitaran hayat (LCA) dan protokol tenaga dan karbon antarabangsa. Dapatan kajian menunjukkan bahawa perlunya alat bantuan dan pemasangannya untuk penilaian berimpak terhadap persekitaran, Dapatan kajian juga menunjukkan bahawa prestasi persekitaran pada peringkat pra-guna bagi kitaran hayat bangunan boleh ditingkatkan sehingga 126% tenaga dalaman dan 165% pembebasan karbon dalaman. Selain itu, adalah lebin mudah untuk membandingkan prestasi persekitaran terhadap pemasangan keseluruhan bangunan daripada mengasingkan bahan dan elemen yang tidak menerangkan prestasi fungsi bangunan. Kajian ini menunjukkan bahawa sistem penilaian ini menyediakan garis panduan reka bentuk dan kriteria untuk mencapai reka bentuk mesra persekitaran. Berdasarkan hasil dapatan dari sistem penilaian ini, sebuah alat membuat keputusan Penilaian Prestasi Kitaran Hayat Optima (OLCAP) telah dibangunkan. Alat ini mampu akan memberi panduan kepada ahli majlis tempatan, ahli akademik, dan pihak berwajib untuk membangunkan sebuay yangberkesan struktur dalam mengimplimentasi pemilihan bahan dan pemasangan pensykat pra guna lestari. Alat yang dibangunkan telah diuji menggunakan aplikasi REVIT. Tambahan pula sistem ini menunjukkan kelestarian persekitaran dan ekonomi dengan tepat dalam pemilihan dan pemasangan dengan bantuan jalan kira yang mudah dan REVIT yang terdapat di pasaran. Sebagai kesimpulan, OLCAP, alat yang dibangunkan dalam penyelidikan ini dapat mengurangkan kesan terhad ap alam sekitar terhadap dani reka bentuk dan pembinaan.

TABLE OF CONTENT

CHAPTER	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENT	vii
	LIST OF TABLES	xv
	LIST OF FIGURES	xviii
	LIST OF ABBREVIATIONS	xxi
	LIST OF SYMBOLS	xxiii
1	INTRODUCTION	1
	1.1 Research Background	1
	1.2 Problem Statement	8
	1.3 Research gap	11
	1.4 Aim	13
	1.5 Objectives	14
	1.6 Research Questions	14
	1.7 Research Significance	15
	1.8 Research Scope	18

1.9	Thesis Structure	20
2	ECONOMIC GROWTH AND THE ENVIRONMENT	25
2.1	Introduction	25
2.2	The Economy and Global Environment	26
2.2.1	The Natural Environment Characteristics	27
2.2.2	Environmental Challenges to Development	29
2.2.2.1	Climate Change	29
2.2.2.2	Population growth	35
2.2.2.3	Biodiversity	37
2.2.3	Protecting the environment	38
2.2.4	Nigeria National Policy on the Environment	38
2.3	Environmentally Conscious Design Approach	40
2.3.1	Materials Selection in Environmental Conscious Design	41
2.3.2	Materials Selection with Environmental Concern	40
2.3.3	Requirements for Material Selection in Environmentally Conscious Design	42
2.4	Assembly Selection	45
2.4.1	Building Assembly Selection	45
2.4.2	The Assembly Selection Problem	46
2.5	Life Cycle Assessment and System Optimisation	48
2.6	Summary	51
3	THE CONSTRUCTION SECTOR AND THE ENVIRONMENT	53
3.1	Introduction	53
3.2	Environmental Stress and Construction Sector	54
3.2.1	Environmental Impact of Construction Activities	53

3.2.1.1	Raw Material Consumption and its Associated Impacts	55
3.2.1.2	Energy Consumption and its Associated Impacts	55
3.2.1.3	Waste Generation and its Associated Impacts	56
3.2.1.4	Pollution Generation and its Associated Impacts	56
3.3	Sustainable Development and Construction Sector	57
3.4	Strategies for the Sustainable Development of the Building Pre-use Stage	61
3.4.1	Resource Management	62
3.4.1.1	Efficient Use of Energy	63
3.4.1.2	Efficient Use of Material	65
3.4.1.3	Efficient Use of Land	69
3.4.2	Cost Efficiency	71
3.4.2.1	Initial Cost	72
3.4.2.2	Cost in Use	72
3.4.2.3	Recovery cost	73
3.4.3	Design for Human and Environment	74
3.5	Current Practices and Challenges of Sustainable Construction in Nigeria	75
3.5.1	Environmental Laws and Regulations on Construction in Nigeria	78
3.5.2	Framework for the Attainment of Sustainable Construction in Nigeria	78
3.6	Local and Modern Architecture: A Mix for Sustainability	80
3.7	Building Materials and Sustainability	81
3.7.1	The Selection of Sustainable Building Materials	82

3.7.2	Barriers to the Use of Sustainable Building Materials	84
3.8	Significance of Building Material Environmental Assessment Methods	85
3.8.1	Existing Environmental Assessment Methods in Nigeria	87
3.8.1.1	Environmental Audit	87
3.8.1.2	Environmental Impact Assessment	88
3.9	Evaluation-Tool for Pre-use Stage Sustainable Materials and Assemblies	90
3.9.1	Evaluation of Environmental Impacts of Overall Building	91
3.9.1.1	Standards for Life Cycle Assessment	93
3.9.1.2	Standard for Buildings	94
3.9.2	Previous Studies Focused on Overall Building	96
3.9.3	Selection Models Assisting in Pre-use Stage Decision-making	99
3.10	Summary	102
4	RESEARCH METHODOLOGY	105
4.1	Introduction	105
4.2	Overview of Research Approach and Methods	105
4.2.1	Operational Framework of Sustainable Construction Strategies	109
4.3	Population, Sample and Sample Size Units	113
4.4	Data Collection and Methods	116
4.4.1	Literature Review	116
4.4.2	Survey Questionnaire	117
4.4.2.1	Operationalization of Instrument	117
4.4.3	Secondary Emission Source	119
4.4.4	Examination of Documents	120
4.4.5	Field Observation	120

	4.4.5.1 The Consideration of Ethics	121
	4.4.5.2 The Procedure	122
4.5	The Research Parameters	122
	4.5.1 Variables of the Research	123
4.6	Factors Affecting Designers' Pre-use Stage Sustainable Materials and Assemblies Practice	127
	4.6.1 Materials and Assemblies Assessment Measures	127
4.7	Case Study	130
	4.7.1 Criteria of the Case Studies	132
	4.7.1.1 Case Study 1: Kuje Federal Housing Authority - Contemporary Construction Method	136
	4.7.1.2 Case Study 2: Kuje Housing Scheme - Traditional Construction Method	140
4.8	Data Analysis	145
	4.8.1 Life Cycle Assessment Method Framework	146
	4.8.1.1 Goal and Scope Definition	147
	4.8.1.2 Inventory sources	149
	4.8.1.3 Impact Assessment	150
	4.8.1.4 Interpretation	150
4.9	Research Reliability and Validity	151
	4.9.1 Data, Methods and Analysis Trustworthiness	153
4.10	Summary	156
5	SUSTAINABLE CONSTRUCTION PRINCIPLES AND ENVIRONMENTAL AWARENESS ISSUES OF MATERIALS AND ASSEMBLIES PRACTICE	159
	5.1 Introduction	159
	5.2 Demographic Data Analysis	159

5.3	Sustainability Consideration in Low Cost Housing Construction	163
5.3.1	Sustainable Materials and Assemblies Design Knowledge	163
5.3.2	Consideration of Pre-use Stage Sustainable Materials and Assemblies Assessment	165
5.3.3	Designers Sustainable Materials and Assemblies Practices at Pre-use Stage	166
5.3.4	Factors Reliability and Relationship	168
	5.3.4.1 Regression Model	171
	5.3.4.2 Result of Analysis	172
5.4	Decision Making Practices in Materials and Assemblies at Pre-use Stage	176
5.4.1	Stakeholders Influence in Materials and Assemblies	177
5.4.2	Building Materials and Assemblies Information Source and Advice	179
5.4.3	Barriers in the Usage of Pre-use Stage Sustainable Materials and Assemblies	180
5.4.4	Material and Assemblies Assessment Techniques Used by Building Professionals	185
	5.4.4.1 The Usage Perceived Barriers	187
5.5	Pre-use Stage Environmental Awareness and Design Practice	189
5.5.1	Awareness of Environment and Action of Pre-use Stage	190
5.5.2	Environmental Consideration at Conceptual Stage	192
5.5.3	Environmental Design in Practice	194
5.5.4	Priorities in Building Design	195
5.6	Summary	201

6	ASSESSMENT AND EVALUATING THE OVERALL ENVIRONMENTAL IMPACTS OF BUILDING LIFE CYCLE	205
6.1	Introduction	205
6.2	Evaluating the Low Cost Housing Pre-use Stage Environmental Impacts	206
6.2.1	Computations of Environmental Impact Performance of Sustainable Materials and Assemblies at Pre-use Stage	207
6.2.1.1	Component and Elements Sample Computation	207
6.3	Assessing Environmental Impact of Traditional Construction Method	208
6.3.1	Cradle-to-gate Energy Emissions	208
6.3.2	Transportation Energy Emissions	210
6.3.3	Site Construction Energy Emissions	211
6.3.4	Construction Equipment Energy Emissions	211
6.3.5	Manual Energy	212
6.3.6	Summary of Embodied Energy and Carbon Emissions	212
6.4	Assessing Environmental Impact of Contemporary Construction Method	214
6.4.1	Cradle-to-Gate Environmental Impact	214
6.4.2	Transportation Energy Emission	215
6.4.3	Summary of Embodied Energy and Carbon Emissions	216
6.5	Comparison of Embodied Energy and Carbon Emissions	213
6.6	Strategies of Application of the Evaluation Tool	220
6.6.1	Selection Model Implementation: The BIM Software	220

	6.6.1.1 Application of Optimum Life Cycle	
	Assessment Performance Framework	221
	6.6.2 The Technique Adopted for Validation	223
	6.6.2.1 Results Validation Using BIM Tool –	
	REVIT	224
	6.7 Summary	228
7	CONCLUSION	231
	7.1 Introduction	231
	7.2 The Research Summary	232
	7.3 Conclusion	235
	7.3.1 Materials and Assemblies	236
	7.3.2 Role of Professionals	239
	7.3.3 Policy Implications	241
	7.3.4 What are the Implications of the Nigeria’s	
	National Energy and Carbon Targets?	248
	7.4 Proposed Future Research	249
	REFERENCES	251
APPENDICES	A - J	291 - 334

LIST OF TABLES

TABLE NO.	TITLE	PAGE
2.1	Structure of Nigeria's GHG emissions	33
2.2	GHG emissions for Nigeria by sector	34
3.1	Published LCAs applied within the overall building	97
3.2	Some tools and databases of life-cycle assessment	101
4.1	Research methods used for each objective	108
4.2	Facilitators framework for the Agenda 21 sustainable construction for developing countries R & D agenda	112
4.3	Sample size	115
4.4	Pre-use stage sustainable materials and assemblies measurement parameters	123
4.5	Operationalized sustainability considerations in low cost housing design and construction observed variables	124
4.6	Operationalized factors affecting sustainability practice of the designers observed variables	125
4.7	Operationalized decision making in materials and assemblies practices observed variables	125
4.8	Operationalized materials and assessment awareness of environmental and design practices observed variables	126
4.9	List of materials and components elements	144
4.10	Validity statistics	151
4.11	Cronbach's Alpha reliability statistics data	152

5.1	Respondent's demographic data summary	162
5.2	Sustainable MA design knowledge and project with sustainable MA consideration	165
5.3	Sustainable MA assessment and stakeholders adjusted to sustainable MA consideration at pre-use stage	166
5.4	Variables descriptive statistics	167
5.5	Result of factor analysis	169
5.6	The three models result	173
5.7	Stakeholders Influence in materials and assemblies	177
5.8	Source of materials and assemblies Information	180
5.9	Detected Barriers in pre-use stage sustainable materials and assemblies	181
5.10	Assessment Tools Used by Professionals	186
5.11	Barriers to sustainable materials and assemblies assessment Techniques Usage	188
5.12	Sustainable materials and assemblies construction practices awareness and construction impact negatively on the environment	192
5.13	Consideration of environmental issues at conceptual phase	193
5.14	Environmental design in sustainable MA practice	195
5.15	Project objectives ranking	196
5.16	Triangulation of findings	199
6.1	Cradle-to-gate energy emissions	209
6.2	Material transportation energy emissions	210
6.3	Site construction equipment energy emissions	211
6.4	Summary of embodied energy and carbon emissions	213
6.5	Cradle-to-gate energy emissions	215

6.6	Transportation energy emissions	216
6.7	Summary of embodied energy and carbon emissions	217
6.8	Summary of embodied energy and CO ₂ emissions comparison	217
7.1	The footage of the sustainable materials and assemblies framework	235

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
1.1	The map of Abuja showing the Councils distribution	19
1.2	Thesis structure	23
2.1	The effect of GHGs in atmosphere	29
2.2	Urban development challenges	31
2.3	World greenhouse gas emissions by region	32
2.4	Projections of population growth in Nigeria	36
2.5	Materials selection in environmental conscious design	44
2.6	The building product life cycle	49
2.7	Environment and energy system	50
3.1	Total primary energy consumption in Nigeria	59
3.2	Energy consumption per capita in African countries	59
3.3	Sustainable design and traditional criterion	60
3.4	Methods to achieve resource management principle	62
3.5	Energy input showing pre-use stage of building life cycle	64
3.6	Framework for sustainable construction materials and assemblies	80
3.7	Closed-loop material flow	92
4.1	The research design process	109
4.2	Strategy for enabling sustainable construction in materials and assemblies	111

4.3	Theoretical model of sustainable materials and assemblies	128
4.4	Map of Nigeria showing the states distribution and FCT	134
4.5	Location of Kuje in the southwest region of Abuja	134
4.6	Schematic house plan of CCM sand-cement block	137
4.7	Front elevation of CCM sand-cement block house	138
4.8	Left elevation of CCM sand-cement block house	138
4.9	Cross-section of the CCM sand-cement block house	139
4.10	Aerial view of Kuje federal housing authority estate	139
4.11	Schematic house plan of TCM stabilised clay block house	141
4.12	Front view of TCM stabilised clay block house	142
4.13	Left side view of TCM stabilised clay block house	142
4.14	Cross-section of TCM stabilised clay block house	143
4.15	Aerial view of Kuje housing scheme estate	143
4.16	Methodology towards low cost housing construction	147
4.17	Pre-use stage lifecycle process flow showing study boundaries	149
4.18	The relationship between the study variables	155
6.1	Optimum LCA performance methodological framework	223
6.2	Create new shared parameters for each material used in the building elements	226
6.3	Material take-off functionality of Revit has been used for calculation	226
6.4	Fields of the schedule selected	227
6.5	Adding the new calculated parameters	227
7.1	The design stages, (a) Schematic design stage, (b) Design development input stage, and (c) Output stage	238

7.2	Sieving, manufacturing, moulding by Hydrofone and curing, the first press for stabilised caly blocks	242
7.3	TCM stabilised clay block house construction process	243

LIST OF ABBREVIATIONS

ARCON	-	Architects Registration Council of Nigeria
Bath ICE	-	Bath Inventory of Carbon and Energy
BEES	-	Building for Environment and Economic Sustainability
BEEC	-	Building Energy Efficiency Code
BREEAM	-	BRE Environmental Assessment Methods
BEAT	-	Building Environment Assessment Tool
BEPAC	-	Building Environmental Performance Assessment Criteria
BRE	-	Building Research Establishment
BIM	-	Building Information Modelling
BPEO	-	Best Practice Environmental Option
BATNEEC	-	Best Available Technique Not Entailing Excessive Cost
CEN	-	European Committee for Standardisation
CRISP	-	Construction Research and Innovation Strategy Panel
CCM		Contemporary Construction Method
DETR	-	Department of the Environment, Transport and the Regions
DMT	-	Decision Making Tool
EE	-	Embodied Energy
EC	-	Embodied Carbon
EN	-	European Standard
ERGP	-	Economic Recovery and Growth Plan
ECD	-	Environmental Conscious Design
EMS	-	Environmental Management System
EPD	-	Environmental Product Declaration
EPM	-	Environmental Performance Management
FIEC	-	European Construction Industry Federation
FMPWH	-	Federal Ministry of Power Works and Housing

GBCN	-	Green Building Council Nigeria
GDP	-	Gross Domestic Product
GHG	-	Greenhouse Gas
HK-BEAM	-	Hong Kong Building Environmental Assessment Method
ISO	-	International Organisation for Standardisation
IPCC	-	Intergovernmental Panel on Climate Change
Bath ICE	-	Bath Inventory of Carbon and Energy
KMO	-	Kaiser-Meyer-Olkin
LCH	-	Low Cost Housing
LCA	-	Life Cycle Assessment
LCIA	-	Life Cycle Impact Assessment
LCI	-	Life Cycle Inventory
MOA	-	Multiobjective Optimisation Analysis
NIA	-	Nigerian Institute of Architects
NBS	-	National Bureau of Statistics
NBC	-	National Building Code
NBRRI	-	Nigerian Building and Road Research Institute
PAS	-	Publicly Available Specification
PCR	-	Product Category Rules
RMRDC	-	Raw Material Research and Development Council
MA	-	Materials and Assemblies
SETAC	-	Society of Environmental Toxicology and Chemistry
SHESTCO	-	SHEDA Science and Technology Complex
SAIC	-	Science Applications International Corporation
SPSS	-	Statistical Package for the Social Sciences
SC	-	Sustainable Construction
SCDC	-	Sustainable Construction for Developing Countries
TC	-	Technical Category
TCM	-	Traditional Construction Method
WBCDI	-	World Bank Collection of Development Indicator
WRAP	-	Waste and Resources Action Programme
WUF	-	World Urban Forum
IISD	-	International Institute of Sustainable Development

LIST OF SYMBOLS

$b_{j,n}$	-	Environmental burden coefficients (kg/kg)
B_j	-	Environmental burden (kg)
$e_{k,j}$	-	Environmental impact coefficients (kg/kg) ⁵
E_k	-	Environmental impact (kg)
F	-	Economic objective function (N)
C	-	Cost objective function (N)
f	-	Environmental and economic objective functions
x	-	Continuous variables
y	-	Integer variables
R^n	-	Set of n continuous variables (kg); (MJ)
Z^q	-	Set of q integer variables (-)
P_l	-	Product output (kg)
$m_n^{(k)}$	-	Mass flow n in a subsystem k (kg)
$C_n^{(k)}$	-	Capacity of a process or an operation unit (kg)
GWP		Global warming potential objectivefunction

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	List of related conference and publication	291 - 292
B	Research survey questionnaire	293 - 302
C	Revit Models of CCM sand-cement block house	303 - 305
D	Validation results of CCM sand-cement block house	307 - 309
E	Revit models of TCM stabilised clay block house	311 - 313
F	Validation results of TCM stabilised clay block house	315 - 317
G	Pre-use stage CCM and TCM activities/processes	319 - 320
H	Mathematical model	321 - 324
I	Foundation specimen computation	325 - 330
J	Steps in the application of the OLCAP framework	331 - 334

CHAPTER 1

INTRODUCTION

1.1 Research Background

This research is based on the assumption that to accomplish sustainability in the construction sector, there is a need for integrating the principle of sustainable construction into Materials And Assemblies (MA) decision-making of Low Cost Housing (LCH) projects pre-use stage. Sustainability in materials and assemblies has grown to be one of the major subjects in the sector. Whilst there are hosts of related research in this domain, but major barriers still persist in integrating low-carbon standards in pre-use stage of low cost housing projects in Nigeria. Furthermore, as energy efficiency has had focus in climate change mitigation in the building sector, the carbon footprint of the construction material is gaining relevance. Therefore, this research attempts to contribute and redress this imbalance.

The speedy population growth, industrialisation and increased living standards, have effect on environment (Udawattha and Halwatura, 2017). More than half of the world's population is urban, and cities emit 75% of all CO₂ from energy consumption (Nordin and Sek, 2018). Therefore, challenge of housing the poor is particularly acute in the urban areas in Nigeria where an explosive expansion of the urban population due to a high population growth rate and massive rural-urban drift has compounded the housing situation (Nwakeze and Okwor, 2017).

The building and natural environment are inextricably linked. The relationship between the built and the natural environments has received an unprecedented level of coverage in the media in recent years as well as driving much new scientific research (Bansal *et al.*, 2015). The construction, fit-out, operation and ultimate demolition of buildings is a huge factor of human impact on the environment both directly (through material and energy consumption and the consequent pollution and waste) and indirectly (through the pressures on often inadequate infrastructure). The built environment also has a crucial impact on the physical and economic health and well-being of individuals, communities and organisations. A good building is a delight, will enhance a community or organisation, and our ability to learn or increase our productivity (Omardin *et al.*, 2015). Where buildings contribute to ill-health and alienation, undermine community and create excessive financial liability, they are undesirable and unsustainable.

There is an increasing use of carbon footprinting and Environmental Product Declaration (EPD) for communicating the environmental performance of construction products (Finkbeiner *et al.*, 2014). This can be related to increasing concerns regarding Greenhouse Gas (GHG) emissions from human activities and associated climate change (Stechemesser and Guenther 2012). Greenhouse gas emissions result when fossil fuels are produced and consumed and these emissions contribute to climate change (Akuru *et al.*, 2015). In Nigeria, the total GHG emissions is 301010 kit of CO₂ equivalent and the total GHG emissions percentage change from 1990 is 84.36% (WBCDI, 2014). Product carbon footprint accounts the total amount of greenhouse gas emitted during the life cycle of goods and services, based on Life Cycle Assessment (LCA). Thus, this is based on a different approach than the greenhouse gas assessments at the level of projects, corporations, nations and individuals which mostly account for direct greenhouse gas emissions, not addressing indirect emissions from upstream and downstream activities (Tellnes *et al.*, 2017).

Modern buildings are responsible for 40% of energy consumption and contribute up to 30% of greenhouse emission (UN-Habitat, 2018). Mandatory energy

and resource efficiency codes have been identified as suitable policies measures that contribute to lower energy consumption and carbon footprint. Meeting the target of the 2015 Paris climate agreement to keep heating well below 2° C above pre-industrial levels requires staying within a ‘carbon budget’ and emitting no more than around 800 gigatonnes of CO₂ in total after 2017. Yet bringing the rest of the world up to the same infrastructure level as developed countries (those listed as Annex 1 to the Kyoto Protocol) by 2050 could take up to 350 gigatonnes of the remaining global carbon budget (Bai *et al.*, 2018).

A commitment to maintain the environment can be linked with Sustainable Design. Maduka *et al.* (2016) states that “in addition to cost, time and quality objectives, sustainable designs add to it the criteria of resource depletion minimization and negative environmental impacts and enhance a healthy living environment”. The substitution of other construction materials, which often have a higher carbon footprint, brings additional benefits (Escamilla *et al.*, 2016; Fouquet *et al.*, 2015; Peñaloza *et al.*, 2016) like the protection of the environment and job opportunities.

As awareness of the potential environmental impacts of building construction has grown, efforts are being made to avoid these adverse effects and to work towards impact mitigation. There is a growing consensus that appropriate strategies and actions are needed to make buildings and construction activities more sustainable (Omardin, *et al.*, 2015) With respect to such significant influence of the construction sector, the sustainable construction approach has a high potential to make a valuable contribution to sustainable development. The sustainability of a building depends on the decisions taken by a number of actors in the construction process: owners, managers, designers, firms, etc. The pace of actions towards sustainable application depends on the awareness, knowledge as well as an understanding of the consequences of individual actions (Ghafourian *et al.*, 2017). Among these is the environmentally responsible approach to the selection of building materials (Bansal, *et al.*, 2015). The selection of building materials is one of several factors that can impact the sustainability of a project (Ansah *et al.*, 2015). An appropriate choice of

materials for a design process plays an important role during the life cycle of a building (Flórez *et al.*, 2010). Understanding the environmental issues surrounding the extraction of raw materials, the manufacture of construction materials, and their effects in use, is important to ensure sustainability (Al-Geelawee and Mohsin, 2018a). Thus, these have given an incentive for the quantity of enterprises to ensure sustainability strategies production. Also, awareness is enhanced as society advances in profitable chances bringing about productivity through sustainable-local technology.

Presently, energy consumption is based on fossil fuels despite advances in natural resources and renewable energy technology. It is doubtful whether such demand can be satisfied in an environmentally sustainable way (Schmidt and Crawford, 2018). Also, the demand for world energy is expected to be more by up to 71% between 2003 and 2030 (Hussain *et al.*, 2017). The only way to avert minimization is to achieved a magnitude improvement in energy-efficiency, which is defined as the ratio between the provided energy services and energy used (Derrick *et al.*, 2017).

The Buildings Energy Data Book, by U.S. Department of Energy, approximates an average life of 75-80 years for buildings in most developing countries such as Nigeria. This implies that buildings will have long-term effect on its structural performance and also on the environment. Impacts of buildings and its construction need not be always negative. Structures that are well-planned and built with sustainable materials and methods can be very beneficial to both community and workers as well. However, buildings have more impacts on environment than on other impact categories and the consequences can be both direct and indirect (Nirmal, 2012). In addition, Isnin and Ahmad (2012) affirmed that “encouraging usage of greener building materials and environmental-friendly products for a sustainable future as the way forward”.

To achieve these sustainable design principles, decision has to be made at every building's life cycle stage. Before making such decisions, the decision-makers need to evaluate the short-term, medium and long-term impacts on the environment. Therefore, the construction process needs development and separation in naming their environmental implications.

However, any architectural energy use assessment ought to look at the entire building life-cycle which is divided into three (3) phases: Cradle-to-gate and construction phase (embodied energy phase), operational phase and deconstruction phase. But, this study focused on only the pre-use stage. Why the focus? Because the energy consumption intensity for the buildings production and components has raised with the development of construction sector in Nigeria.

Traditionally, buildings were built from local materials with low energy use and environmental impacts but in new buildings, materials such as concrete, PVC, glass, cement, aluminium and so on are utilized, which raise energy use and environmental impact (Bribián *et al.*, 2009). Hong *et al.* (2015) convey that “the greenhouse gas emissions that are linked with the construction and material production are acquiring major significance when buildings are turning more energy-efficient”. Therefore, environmental footprint minimization of the building needs view of the whole-building life time rather than operational use only. The heightened awareness of the environmental protection importance and impacts of construction, have raised the concern in the development of a tools to better realise and address these impacts.

In addition to the impact caused by different material choices, building component assemblies also effect the environment in various ways. The term “Building Component Assembly” in this research refers to the way a building is built i.e., the method used to construct foundations, floors, walls, roofs, windows, doors and finishes. Different building component assemblies use different amounts of energy in the production or transport and they are also responsible for producing

harmful gas emissions. Some component assemblies can be re-used or re-cycled and some are responsible for producing more waste than others. Building component assemblies can be combined with use of different construction materials to get the benefits of each (Nirmal, 2012). For example, you can have a lightweight wall and a heavy weight wall on different sides of a house, depending upon the degree of insulation required based on the orientation of the building. Therefore, to ensure a successful combination of different building component assemblies and construction materials a competent design advice is required.

In Nigeria, government has ascertained the practices of construction and designing as technical aspects of encouraging and delivering a sustainable built environment (Akinbami and Akinbami, 2017). The government has indicated its allegiance by convening awareness campaigns and conferences (FMPWH, 2008). In 2012, the Green Building Council Nigeria was conceived and Professional bodies are taking acute interest (Akadiri and Olomolaiye, 2012), it was signed into law in 2017 but implementation and establishment has been the problem. Nigeria is rich in various cultures, it is possible to integrate its social and cultural systems thereby contribute to increasing growth (Mullings and Mahabir, 2015). Local buildings had their sustainable features noted in their eco-friendly elements. However, almost in all parts of Nigeria regions, used environmental-friendly building materials like bamboo, thatch or palm leaves/fronds, stones, wood, straw, and red clay as major elements in their building features.

The Nigerian construction sector is robust and with its rapid growth in population, resulted to overcrowding in the nation's capital, Abuja, causing a construction spill-over to other councils such as Kuje. Construction in Kuje needs longer transportation distances from Abuja, thereby increasing energy usage. The CO₂ emission from manufacturing industries and construction in Nigeria is about 43.2million metric tons (WBCDI, 2014). The climate harshness also affects energy use. By and large, planning and design follow standard practices, and special adjustment to local conditions is the exception rather than the rule (Huberman *et al.*, 2015). The distribution of Nigeria's energy use is an example of industrialized

countries, where buildings account for a bigger percentage. But in the United State of America, the mixed residential and commercial buildings account for about 40% (Güneralp *et al.*, 2017). But the share of energy utilized by buildings gains when energy used in their production is admitted.

The Nigerian government commitment to sustainable construction is set out in ‘Architecture and the Nigerian Development Agenda – Sustainable built environment’ (Architects Colloquium, 2006). Future focus were highlighted in the first progress review (Architects Colloquium, 2010). Although the 2010 progress which was the third since inception, is a continuation of what they had done in the past years. The 2012 edition of Architects Colloquium has thus identified the “Sustainable Built Environment” as an issue to be brought forth to the front burner within the context of “Architecture and National Development Agenda” and their match toward the Nigeria vision and focus. The theme of the 2012 Architects Colloquium was therefore “Architecture and the National Development Agenda V: Sustainable Built Environment II”. In turn, construction development in Nigeria can impact on each of the themes as outlined below (Afolami *et al.*, 2016).

- i. Provide effective protection of the environment,
- ii. Encourage social progress that meets the needs of everyone,
- iii. Ensure prudent use of natural resources, and
- iv. Maintain stable economic growth and employment.

Construction is an interesting area to test the government’s ability to implement its strategy, as there is a clear potential for conflict between the four (4) theme(Afolami, *et al.*, 2016). At the risk of over-simplifying the argument, to grow the economy, provide jobs and encourage social progress would seem to require more construction activity. However, to protect the environment and reduce the consumption of natural resources might require less construction. The task then, for a sustainable construction strategy, is to find ways for the four themes to complement each other. Ever since its publication, the sustainable construction agenda has been

taken forward through a dynamic partnership between the government and sector. As a result, there have been several developments, namely (i) regulations, planning and energy; (ii) encourage awareness, capacity building and reporting mechanisms; and (iii) research agencies. Sustainable construction has gained significant momentum, but still faced with great importance challenges (Ghafourian, *et al.*, 2017).

Regardless of the outcomes achieved by the previously software like BEES, ECO Calculator, Envest, LISA, SEDA, BEE 1.0 used in modelling a sustainable materials choice design aid tool, there is need to improve current practices in Nigerian sector and grow the activities and impact into Africa, where real change is needed in terms of how buildings are delivered in order to keep up with the current pace of development on the continent. Furthermore, need for a procedure that will enable the designer to select sustainable materials and assemblies for low cost housing in the context of no real-system database. Thus, there is need for a selection-tool for analyzing and evaluating the material and assembly impacts from environmental perspective.

1.2 Problem Statement

The housing situation of the urban poor is a source of deep concern in Nigeria. However, as shown in the previous studies, the problem of housing is a universal one, as virtually all countries are faced with the problem of providing adequate accommodation for their citizens. According to Nwakeze and Okwor (2017), in the urban centres in Nigeria it has reached an alarming state, as almost 75% of the urban dwellers live in slums and in conditions that are degrading to human dignity. The challenge of housing the poor is particularly acute in the urban areas of Nigeria where an explosive expansion of the urban population has compounded the housing situation.

The quality of the environment in most urban centres in Nigeria is not so much dependent on the material characteristics of buildings (Olajuyigbe, 2016) but on their organization as spatial units. Buildings are poorly laid out with inadequate infrastructures like roads, drainage, provision for refuse evacuation and other basic services to address the need for the urban population; more energy and resources will be needed. Urban poverty finds expression in an environment characterized by high densities of buildings, the crowding of large numbers of people into those buildings, lack of space for open air living between houses, poor health, substandard housing, and acute environmental and sanitary problems (Adedayo and Zubairu, 2016). This is the environment in which the Nigerian urban poor live. Therefore, in view of the fundamental role of housing in the overall well-being and productivity of man, this research asserts that the plight of the urban poor, who are the least able to afford decent housing, deserves special attention if they are to contribute meaningfully to the economies of Nigerian cities in particular and the national economy in general.

In addition, Nigeria as a country is highly vulnerable to the impacts of climate change because its economy is mainly dependent on income generated from the production, processing, export and/or consumption of fossil fuels and its associated energy-intensive products (Akuru *et al.*, 2015).

Nigerian government has viewed planning and construction practices as the significant process to promote and deliver a sustainable built environment. Different government offices, firms of registered professionals in built environment sector and professional services firms are leading the programmes for the creation of sustainable communities, minimise energy use, ensure the use of sustainable materials and methods as well as encourage private sector interest in sustainable construction (Architect Colloquium, 2012). Isnin *et al.* (2012) reported that “in lieu with the current efforts to shift towards greener building practices, improvements are required in the development of building material management during construction, occupancy and operation of building adaptation projects”. But many new building developments in Nigeria still incorporate few sustainability features despite the high level of awareness (Ezema *et al.*, 2015). In review of sustainable building activity, Ezema, *et*

al. (2015) found that “very small ratio of Nigeria’s building stock claim to be sustainable, whether judged on sustainable construction, design or performance in use”. The question then arise. Why? Given such policy drive, what is stopping sustainability from being realised in practice?

In contrast to traditional practices based on local raw materials and human energy, contemporary practices have allowed fuel energy to be harnessed in the manufacture of standardized, quality controlled building products. In addition, materials are rarely used in their completely natural state. Some preparation or manufacturing is generally necessary to create a usable building product. The high-temperature used in manufacturing of materials such as glass, plastics, foam insulation, steel and so on, has impacts associated with manufacturing which could include pollution to air, water and ground. It also generally requires energy, which is mainly derived from fossil fuel and is associated with global warming and pollution. At the same time, technologies like super-insulated walls have added to operational energy efficiency through high embodied energy materials exploitation. The building materials and assemblies can have multiple effects on a building’s energy use over the stages of its life cycle, which can be contradictory. The question is: how can carbon storage benefit be measured and reported in the calculation of the carbon footprint of products using Life Cycle Assessment (LCA)? Carbon accounting refers to processes used to measure and track the flows of carbon atoms through technological systems and how these interact with the environment.

In addition, an increment in new houses construction would have substantial implications for the Nigeria’s national energy and CO₂ budget, in which the magnitude of this impact will depend on the way these houses are built. Nigeria is committed to providing new houses, as the housing deficit approximated between 12 – 14 million in 2007 had increased to about 17 million in 2012, and Abuja accounts for 10% of the 17 million housing deficit in Nigeria, due to the demographic nature of the territory and mass influx into the capital city, leading to substantial increase in energy consumption intensity of the existing housing stock (Fatusin and Aribigbola, 2014). At the Federal Capital Territory level, the Federal Capital Development

Authority established under Edict No. 1 1972 to allow for low-cost and housing capable of being sustained to low and medium income earners stands out, due to urbanisation. In terms of procurement process of low cost housing pre-use stage, the present contemporary construction methods dominate, that impact negatively on environment, in spite of opportunities for innovations towards sustainable development in the process of building design and construction process.

According to Ali (2014), the current practice on sustainable construction does not take into consideration integrated design process, acoustic and visual comfort in the planning and construction of sustainable projects. Therefore, government should improve existing laws to enhance quality of working life, education, training as well as knowledge management for all stakeholders in sustainable construction. This has instigated, the promotion of the principles of sustainable construction is crucial for the achievement of sustainability in Nigerian construction sector, and the following questions were considered: which sustainable materials and assemblies can lead towards sustainable construction looking at the indicators of sustainable development? How possible to get stakeholders in the building construction sector to apply sustainable materials and assemblies? How can architects and designers improve their decision-making processes for sustainable materials and assemblies during the low cost housing design stage? These study is therefore attempts to redress this questions in low cost housing projects that looked at the evaluation of environmental impacts during the pre-use stage of building life-cycle in Nigeria, and analysing whether the practical ecodesign road map utilized in Abuja of Nigeria strongly depend on climate conditions.

1.3 Research gap

As previous studies depict environmental conditions and energy consumption for housing in developed and developing countries, there are no comparable studies in the literature from Nigeria (Ezema *et al.*, 2015). This study attempt to establishes

an evaluation method that can minimize the environmental impact and raise sustainability in low cost housing of generations yet unborn. This would be a way to “test the generalisability and applicability of multi-criteria decision support system” as affirmed by Yang and Ogunkah (2013). According to Loh *et al.* (2010), “exercising caution in selection of construction materials and building layout could minimize CO₂ emissions from the built environment”. However, no doubt in implementing sustainable materials and assemblies within the low cost housing sector is important in achieving sustainability. Thus, there are no comparison design tool to assess the needs of sustainable construction principles integration and implementation in materials and assemblies of low cost housing pre-use stage.

The carbon footprint of construction materials can vary greatly from one type to another, the building sector is consequently demanding documentation of the carbon footprint of the materials used (Tellnes, *et al.*, 2017). Using an Environmental Product Declaration is an objective and standardised solution for communicating the environmental impacts of construction products and especially their carbon footprint. At the CEN/TC 350 plenary meeting took place the 10th November 2016 in Berlin, Liaison experts reported the developments of a new standards related to the activity of CEN/TC 350, in particular: Integration of Environmental Product Declaration information in Building Information Modelling (BIM).

Advances in research and development encourage a more reliable pre-use stage sustainable materials and assemblies. That is, there is no index to assess sustainability integration and implementation in materials and assemblies pre-use stage (Yang and Ogunkah, 2013). Meanwhile it was recommended by Nirmal (2012) that “projects begin integrating the materials and assemblies, using life cycle assessment (LCA) in order to begin setting benchmarks for the sector”. This would translate the way the sector performs environmental assessment and enhance research in simplified tools and methods to evaluate sustainable materials and assemblies.

The LCA examples indicate few African examples and proposes an insufficient study within Nigeria. There was also limited attempt to inquire human energy of the cases reviewed, most studies undertaken on sustainable materials and components combinations choice relied on international databases rather than location-specific data, some degree of doubt came with the results (Ezema *et al.*, 2015). Above all, there is existence of knowledge gap in mitigating and adapting to urban climate change in area of harnessing disruptive technologies (Bai, *et al.*, 2018). Low-cost materials and technologies that can minimize the carbon intensity of future infrastructure in Nigeria should be developed and commercialized.

Finally, to address this gap about comparing the impacts of the materials and assemblies, there is a need for a comparison-tool capable of comparing the environmental impacts of the materials and assemblies that play an important role in decision-making, for the effective achieving of sustainable construction in Nigeria. This would enhance research in simplified way, with valuable and affordable tools in the absence of real-system database.

1.4 Aim

The aim is to develop an evaluation tool for the integration and implementation of sustainable construction principles into low cost housing project that can assist the decision makers in the selection of materials and assemblies from an environmental perspective. A decision-making tool was developed to aid the the architects and designers and building stakeholders. The tool was applied to select alternative options for the improvement of process. The study will advance economic and environmental sustainability in the Nigerian low cost housing projects. In an attempt to achieve this goal, this study recognises the following objectives along with associated research questions:

1.5 Objectives

- i. To identify the decision making tool used for environmental impact of construction activities at pre-use stage.
- ii. To investigate the environmental impact awareness issues and sustainable construction principles at pre-use stage.
- iii. To evaluate and compare the overall environmental impacts of building life cycle pre-use stage.

1.6 Research Questions

Four (4) main research questions covers the study context of developing framework for the environmental performance assessment of sustainable materials and assemblies for low cost housing pre-use stage in Abuja-Nigeria. The following questions were asked;

- i. What is the gap in present decision-making practice and pre-use stage sustainable materials and assemblies assessment method, and how can it be improved?
- ii. What is the environmental awareness level and sustainable materials and assemblies practices and how does it affect the design decisions?

- iii. How can the environmental impacts of pre-use stage sustainable materials and assemblies be quantified and compared?

1.7 Research Significance

New technology could make an extreme impact contributions towards sustainable development. The local resources are essential constituent in development processes in Nigeria, thereby minimizing the costs of construction, sustaining the local materials, propagate indigenous technology, employment generation, increase local economy and income growth, minimizes costs (transportation), and more accountable to stakeholders and environment. Adedeji (2010), noted that “about 60% of the total house construction cost goes towards the purchase of construction materials”. Nigeria is endowed with abundant indigenous building materials, that have the lowest energy demand (Olaoye and Kamang, 1999). However, it still suffers from scarcity and import dependence. Examples of such natural resources include: timber, stone, adobe, bamboo and so on, crucial to these facts is the strengthening of domestic technological capability to produce indigenous building materials.

The materials and assemblies can have effects on a building’s energy consumption over the pre-use stage, as some properties like high insulation value may yield high costs of embodied energy. The balance of these factors is important. Why? Because building’s external structure and envelope account for the greatest parts of its embodied energy (Qarout, 2017).

This study has placed a trend in declining traditional perception of culture and configuration due to rapid culture in the urban environments. Priority is on developing sustainable materials and assemblies through a procedure that looks at people and social interaction with environment. Therefore, no doubt that

implementing sustainable materials and assemblies within the low cost housing sector can be very important in achieving sustainability. The evaluation tool will encourage the evaluation analysis and check the construction life cycle. Government of Nigeria should focus on building sustainable materials and assemblies with sustainable attributes to mitigate the negative impacts of low cost housing pre-use stage. Evaluation measurements based on building life-cycle can produce significant long-term gains for clients and occupants (Cole and Kernan, 1996). Life-cycle analysis takes into account all costs of a building system. This is useful when project alternatives that satisfy the same performance demands, but disagree with initial and operating costs, have to be compared to choose the one that maximizes net savings.

However, energy efficiency and government energy regulations had focused on buildings operational energy as it constitutes the bulk of a building's energy profile (Pacheco-Torgal *et al.*, 2013; Waldron *et al.*, 2013; Wallbaum *et al.*, 2013). But, with the mainstreaming of energy efficiency measures through energy regulations and the evolution of zero-energy buildings, the importance of environmental impacts is coming to the fore. Amongst is the building construction impact, which is the latent impacts of building linked with the materials, construction process and maintenance.

The National Building Code has been signed into law. This can be better accomplish through modelling of a design-aid tool for pre-use stage sustainable materials and assemblies that can determine and minimize the environmental burdens from a product and construction, which is the focused of this study. According to Solid Green company in Johannesburg of South Africa, in August, 2017 (a technical consultant and Director) commissioned for policy development of Building Energy Efficient Code (BEEC) in Nigeria acknowledge that “With the energy scarcity that is common in Africa, energy efficiency becomes very important in allowing and maintaining development”, and in “Nigeria, it has been found that it is easier to build a building to consume 30% - 40% less energy than to pay to add renewable technology onto an inefficient building. In other words,

it means buildings that perform well from a first principles point of view”. Its primary merit over other site-specific methods for environmental analysis, like environmental impact assessment and environmental auditing lies in broadening the system boundaries to include all products or process burdens and impacts in the life-cycle. Gibberd (2005), stated that sustainable development in developing countries should address economic and social consequences as a priority; he proposed, that environmental sustainable development objectives should be acknowledged and handled in interventions designed to treat urgent economic and social priorities. Also, Ali and Al Nsairat (2009), believed that “nations of the developing world, cannot afford to be looking at environmental performance only”. The economic and social problems are top of these countries’ agendas. The development of building assessment and evaluation method is a necessity in Nigeria to determine the nature of the building-stock’s performance and to encourage the housing sector into sustainable track that support social and economic aspects.

Evidence emerging from tropical climates and from low-income housing scenarios where operational energy demands are lower but proposes that embodied energy is important to energy efficiency and carbon mitigation (Henry *et al.*, 2014). As a result, studies are needed to comprehend the residential buildings embodied energy profile in areas where operational energy profile is comparatively lower than in developed countries. Therefore, it is important to broaden the research to the residential buildings embodied energy profile in Nigeria, a tropical country characterised by low electrical energy use and where modern building materials and less innovative construction methods are prevalent.

Carbon accounting is an essential element of carbon trading schemes, such as the European Union Emissions Trading System. The emission trading scheme sets a limit on total amount of emissions allowed by participating installations in the European Union and then the allowances of emitting greenhouse gas can be traded. The aim is to give market incentives for emission mitigations. Carbon accounting is also needed in order to report on national greenhouse gas inventories required under the United Nations Framework Convention on Climate Change, Kyoto protocol and

Paris Agreement (Tellnes, *et al.*, 2017). Carbon footprinting of products can also be used as a means of supporting informed decisions about products and processes, using Life Cycle Assessment (LCA) approaches.

With respect to buildings, the carbon minimization schemes or strategies target emissions from materials and construction methods and emissions from operation (Chirisa *et al.*, 2015; Ezema *et al.*, 2016). In distinction from others, low carbon strategies in building and construction focused on less utilization of carbon intensive materials and minimized operational energy use in buildings through energy efficient design strategies, use of energy efficient appliances and resort to renewable energy especially solar energy (Chirisa, *et al.*, 2015; Ezema, *et al.*, 2016). Hence energy and carbon emission along the buildings' whole value chain is important to recognise target areas for mitigation.

Finally, the results add to apprehension of the energy and carbon emissions from low cost housing pre-use stage that are often neglected. Also, the study has allowed for an insight of information model as affirmed by Isnin *et al.* (2014) that “visible and accessible information on possible negative effects from building materials may assist decision making that could avoid and reduce potential deficiencies that may lead to increased adverse effects to health, safety or unforeseen death”. The study could add to the body of knowledge and assist in choosing energy efficient building construction systems, and transportation carbon emission thereby minimizing CO₂ into atmosphere.

1.8 Research Scope

This research focuses on the environmental impacts performance evaluation of pre-use stage sustainable materials and assemblies for low cost housing projects in Abuja of Nigeria. The study seeks to explain the experience of sustainable materials

and assemblies assessment for low cost housing pre-use stage. This study was conducted in the city of Abuja-Nigeria, and the chosen district for the site case studies is in Kuje which represents the predominant sampled population. Climatic classifications of Abuja features a tropical wet and dry climate. According to the United Nation (2010) Abuja grew at 139.7% rate between 2000 and 2010. As of 2015, the city record an annual growth of 35%, making it among the fastest growing city in the world. The public housing in Kuje of Abuja, Nigeria are case studies of low cost housing projects, situated in the southwest region of Abuja, sharing boundaries with Nassarawa state, Kwali and Municipal area council that provide enabling environment for the study, namely: Kuje Federal Housing Authority and Kuje Housing Scheme. Abuja, the nation’s capital, situated at central geographical region of Nigeria, sharing boundaries with 4 states in the region and comprises of six (6) are councils as shown in Figure 1.1.




Figure 1.1 The map of Abuja showing the Councils distribution

The building life cycle stage considered is the pre-use stage. Why? It has increased with development of industry in Nigeria and crucial to buildings development. Moreover, embodied energy account for between 10% and 60% of the overall energy used throughout the building's lifetime (Stapleton *et al.*, 2004; Thormark, 2002). In addition, some studies have shown that this is indeed the case, 80% operational energy to 20% embodied energy. However, as operational energy consumption becomes lower, the role of embodied energy in minimizing overall energy use becomes high (Fay and Treloar).

1.9 Thesis Structure

This thesis comprises of seven (7) interconnected chapters organised in a systematic way. The thesis begins with the preliminary pages that include abstract, acknowledgement, table of contents, dedication, certification, list of tables and figures, list of appendices and the glossary.

Chapter One: This chapter introduces the research background that determines and support the theoretical framework. The issue and problem intends to cover is set to show the research representation that is made by the research aim. This proceeded by the research gap followed by research objectives which translate into the research questions. Next is the research significance and followed by the research scope and then the research design. The chapter ends with structure of the thesis.

Chapter Two: The literature review focuses on the economic growth and environment and construction sector activities impacts on environment. It builds a theoretical base by reviewing previous research. It also focuses on the relationship between environmental issues, materials and assemblies issues and optimisation couple with Life Cycle Assessment (LCA).

Chapter Three: It examines the impact of construction activities on environment and looks at schemes that can aid to minimize the impact and enhance sustainable goals in the low cost housing sector through building's life cycle. It calls for the information and argument for the importance of incorporating and implementing sustainable construction principles in materials and assemblies that are environmentally and economically equilibrated. It reviews the selection models assisting in pre-use stage decision-making for materials and assemblies evaluation and the environmental assessment methods currently used when evaluating whole-building system performance. A multi-dimensional approaches to the evaluation of sustainable materials and assemblies of building lifecycle was discussed.

Chapter Four: It comprehends the research methodology, where the research planning and process and the analytic process are talked about, which contained research paradigm, research planning and design, data collection and analysis methods. It responds to the research problems and questions by detailing how the research was carried out. It also depicts the process followed in trustworthiness followed to proof the methods and instruments applied.

Chapter Five: This chapter presents the research findings. It describes and organises the findings to indicate the view on sustainable construction principles and environmental awareness issues in materials and assemblies for low cost housing pre-use stage outcome by relating it with the aim and objectives. It depicts the way the results address the research questions. It gave an interpretive account of the deductions from findings through theoretical model and arguments in developing final research outcome.

Chapter Six: This chapter presents the research findings. It describes and organises the findings to indicate the view on environmental impact performance of materials and assemblies for low cost housing pre-use stage outcome by relating it with the aim and objectives. It also focuses on the strategies for application and

validation of the evaluation tool for sustainable materials and assemblies of low cost housing pre-use stage.

Chapter Seven: As the concluding chapter it covers the conclusion made on the results and findings. Here the share is clearly stated and made recommendations for further research. In sum, this is indicated in Figure 1.2.




Figure 1.2 Thesis structure

REFERENCES

- Aarshi, A. (2014). *Greenovation: developing a case for" green" retrofitting Hong Kong's existing commercial buildings as a means of achieving economic, environmental and social sustainability*, The University of Hong Kong (Pokfulam, Hong Kong).
- Abanda, F. H., Tah, J. H. and Keivani, R. (2013). Trends in built environment semantic Web applications: Where are we today? *Expert Systems with Applications*. 40(14), 5563-5577.
- Abdallah, M. A., El-Rayes, K. A. and Clevenger, C. M. (2015). Minimizing greenhouse gas emissions and water consumption of existing buildings.
- Abidin, N. Z. (2010). Investigating the awareness and application of sustainable construction concept by Malaysian developers. *Habitat International*. 34(4), 421-426.
- Abisuga, A. and Oyekanmi, O. (2014). Organizational factors affecting the usage of sustainable building materials in the Nigerian construction industry. *Journal of Emerging Trends in Economics and Management Sciences*. 5(2), 113-119.
- Adalberth, K., Almgren, A. and Petersen, E. H. (2001). Life-cycle assessment of four multi-family buildings.
- Adamczyk, J., Piwowar, A. and Dzikuc, M. (2017). Air protection programmes in Poland in the context of the low emission. *Environmental Science and Pollution Research*. 24(19), 16316-16327.
- Adedayo, O. and Zubairu, S. (2016). Assessment of housing design decisions in informal housing schemes in urban areas of selected cities in north central Nigeria. *Ethiopian Journal of Environmental Studies and Management*. 9(1), 109-120.
- Adedeji, Y. (2010). Technology and standardised composite cement fibres for housing in Nigeria. *Journal of the Nigerian Institutes of Architects*, 1: 19. 24.

- Adefolalu D.O., Pam, J.L., and Habbi H.M. (2007). Climate change and safety of air transportation - A Nigerian perspective. Proceedings of the International Conference on the impacts of extreme weather and climate on socio-economic development in Africa held at the Federal University of Technology, Akure, Nigeria, 11-15 Nov. 2007. pp. 1-15.
- Adesanya, A. and Olanrewaju, D. (2014). Study of factors responsible for incessant collapse of building in Lagos state. *Journal of Emerging Trends in Economics and Management Sciences*. 5(7), 57.
- Adetunji, I., Price, A., Fleming, P. and Kemp, P. (2003). Sustainability and the UK construction industry—a review. *Proceedings of the 2003 Proceedings of the Institution of Civil Engineers-Engineering Sustainability*: Thomas Telford Ltd, 185-199.
- Adetunji, I. O. (2006). *Sustainable construction: a web-based performance assessment tool*.
- Afolami, A. J., Ogunsoye, O. O., Elnokaly, A. and Okogbue, E. C. (2016). Assessment of carbon Monoxide levels in a commercial district of Akure, Nigeria. *Proceedings of the 2016*: Published by the Joint International Conference Editorial Committee,
- Afroz, R., Hassan, M. N. and Ibrahim, N. A. (2003). Review of air pollution and health impacts in Malaysia. *Environmental research*. 92(2), 71-77.
- Ajayi, S. O., Oyedele, L. O., Bilal, M., Akinade, O. O., Alaka, H. A., Owolabi, H. A. and Kadiri, K. O. (2015). Waste effectiveness of the construction industry: Understanding the impediments and requisites for improvements. *Resources, Conservation and Recycling*. 102, 101-112.
- Akadiri, P. O. (2015). Understanding barriers affecting the selection of sustainable materials in building projects. *Journal of Building Engineering*. 4, 86-93.
- Akadiri, P. O. (2018). Investigating Factors Influencing Building Materials Selection in Nigerian Construction Industry. *American Journal of Civil Engineering and Architecture*. 6(4), 154-157.
- Akadiri, P. O., Chinyio, E. A. and Olomolaiye, P. O. (2012). Design of a sustainable building: A conceptual framework for implementing sustainability in the building sector. *Buildings*. 2(2), 126-152.

- Akadiri, P. O. and Olomolaiye, P. O. (2012). Development of sustainable assessment criteria for building materials selection. *Engineering, Construction and Architectural Management*. 19(6), 666-687.
- Akadiri, O. P. (2011). Development of a multi-criteria approach for the selection of sustainable materials for building projects.
- Akinbami, J.-F. K. and Akinbami, C. A. O. (2017). Climate Change Mitigation and Adaptation Studies in Nigeria Universities: Achievements, Challenges and Prospects *Climate Change Research at Universities* (pp. 139-152)Springer.
- Akuru, U. B., Okoro, O. I., & Chikuni, E. (2015, September). Impact of renewable energy deployment on climate change in Nigeria. In AFRICON, 2013 (pp. 1-8). IEEE.
- Al-Geelawee, E. K. and Mohsin, A. H. (2018a). 156 Applying sustainability principles in the selection of building materials for buildings construction. *journal of engineering and sustainable development*. 20(5), 156-171.
- Al-Geelawee, E. K. and Mohsin, A. H. (2018b). Studying environmental awareness in the selection of building materials. *journal of engineering and sustainable development*. 21(1), 26-38.
- Al-Gharaibeh, R., Acar, W., Kotulic, A. G. and Froehlich, T. J. (2014). Discussing Issues of Information Technology in Country Development. *Communications of the IIMA*. 4(1), 1.
- Alemayehu, M. (2000). *Industrializing Africa: Development options and challenges for the 21st century*. Africa World Press.
- ALI, D. (2014). Sustainability in building construction: the management and challenges of stakeholders in the industry. *Proceedings of the 2014 Proceedings of the Multi-disciplinary Academic Conference on Sustainable Development*,
- Ali, H. H. and Al Nsairat, S. F. (2009). Developing a green building assessment tool for developing countries–Case of Jordan. *Building and Environment*. 44(5), 1053-1064.
- Alwaer, H., Sibley, M. and Lewis, J. (2008) Different Stakeholder Perceptions of Sustainability Assessment' *journal of architectural science and review (ASR-51.1)*.

- Anink D, Boonstra Ch, Mak J. (1996). Handbook of sustainable building. London: James & James, Science Publishers.
- Amasuomo, T. T., Atanda, J. and Baird, G. (2017). Development of a building performance assessment and design tool for residential buildings in Nigeria. *Procedia engineering*. 180, 221-230.
- Ametepey, S. O. and Ansah, S. K. (2014). Impacts of construction activities on the environment: the case of Ghana. *Journal of Construction Project Management and Innovation*. 4(Supplement 1), 934-948.
- Anderson, R., Guerreiro, M. and Smith, J. (2016). Are All Biases Bad? Collaborative Grounded Theory in Developmental Evaluation of Education Policy. *Journal of MultiDisciplinary Evaluation*. 12(27), 44-57.
- Annunziata, E., Testa, F., Iraldo, F. and Frey, M. (2016). Environmental responsibility in building design: an Italian regional study. *Journal of Cleaner Production*. 112, 639-648.
- Ansah, R. H., Sorooshian, S. and Mustafa, S. B. (2016). Lean construction: an effective approach for project management. *ARN Journal of Engineering and Applied Sciences*. 11(3), 1607-1612.
- Ansah, S., Aigbavboa, C., Thwala, W. D. and Ametepey, S. (2015). Factors influencing materials selection for housing projects in the Ghanaian construction industry: stakeholders' perspective.
- Anyangwe, C. (2014). The role of business and law in green economy as a response to environmental challenges. *African Journal of Democracy and Governance*. 1(4), 15-29.
- Architects Colloquium (2010). The Architect Forum. *Architecture and the Nigerian Development Agenda IV - Sustainable Built Environment I*, 18 - 21 April, 2010, Abuja, Nigeria.
- Architects Colloquium (2012). The Architect Forum. *Architecture and the Nigerian Development Agenda V - Sustainable Built Environment II*, 23 - 26 April, 2012, Abuja, Nigeria.
- Arnth, A., Harrison, S. P., Zaehle, S., Tsigaridis, K., Menon, S., Bartlein, P., Feichter, J., Korhola, A., Kulmala, M. and O'donnell, D. (2010). Terrestrial biogeochemical feedbacks in the climate system. *Nature Geoscience*. 3(8), 525-532.

- Arocho, I., Rasdorf, W. and Hummer, J. (2014). Methodology to forecast the emissions from construction equipment for a transportation construction project. *Proceedings of the 2014 Construction Research Congress 2014: Construction in a Global Network*, 554-563.
- Ashworth, A. and Perera, S. (2018). *Contractual procedures in the construction industry*. Routledge.
- Asif, M., Muneer, T. and Kelley, R. (2007). Life cycle assessment: a case study of a dwelling home in Scotland. *Building and environment*. 42(3), 1391-1394.
- Asif, M. and Searcy, C. (2014). Towards a standardised management system for corporate sustainable development. *The TQM Journal*. 26(5), 411-430.
- Attia, S., Hensen, J. L., Beltrán, L., & De Herde, A. (2012). Selection criteria for building performance simulation tools: contrasting architects' and engineers' needs. *Journal of Building Performance Simulation*, 5(3), 155-169.
- Aydin, E. G. (2018). Designing for sustainability: A comparative analysis of steel and wood based furniture.
- Azapagic, A. and Clift, R. (1998). Linear programming as a tool in life cycle assessment. *The International Journal of Life Cycle Assessment*. 3(6), 305-316.
- Azapagic, A. and Clift, R. (1999a). The application of life cycle assessment to process optimisation. *Computers & Chemical Engineering*. 23(10), 1509-1526.
- Azapagic, A. and Clift, R. (1999b). Life cycle assessment and multiobjective optimisation. *Journal of Cleaner Production*. 7(2), 135-143.
- Azapagic, A., Millington, A. and Collett, A. (2006). A methodology for integrating sustainability considerations into process design. *Chemical Engineering Research and Design*. 84(6), 439-452.
- Bai, X., Dawson, R. J., Ürge-Vorsatz, D., Delgado, G. C., Barau, A. S., Dhakal, S., Dodman, D., Leonardsen, L., Masson-Delmotte, V. and Roberts, D. (2018). Six research priorities for cities and climate change. *Nature*. 555(7694), 23-25.
- Balasubramanian, S. and Shukla, V. (2018). Environmental supply chain management in the construction sector: theoretical underpinnings. *International Journal of Logistics Research and Applications*. 1-27.

- Baltrusaitis, J. and Sviklas, A. (2015). Phase Composition of Aqueous Urea–Ammonium Nitrate (UAN)–Zinc Nitrate Solutions for Sustainable Reuse of Zinc Containing Industrial Pigment Waste. *ACS Sustainable Chemistry & Engineering*. 3(5), 950-958.
- Bamgbade, O., Omoniyi, T. and Ewemoje, T. (2016). Life cycle assessment of vegetable oil production: a case study of an oil mill in Ibadan, Nigeria. *Arid Zone Journal of Engineering, Technology and Environment*. 10, 103-116.
- Bansal, P. and Hunter, T. (2003). Strategic explanations for the early adoption of ISO 14001. *Journal of Business Ethics*. 46(3), 289-299.
- Bansal, S., Biswas, S. and Singh, S. (2015). Fuzzy Decision Approach for Selection of Sustainable and Green Materials for Green Buildings. *International Journal of scientific and Engineering Research*. 6(7), 1782-1785.
- Barney, J. (1991). Firm resources and sustained competitive advantage. *Journal of management*. 17(1), 99-120.
- Bartlett J.E., Kotlik, J.W. and Higgins, C.C. (2001). Organisational research: Determining appropriate sample size in survey research. *Information Technology, Learning and Performance Journal*, 1(19), 43-50.
- Bass, S. and Dalal-Clayton, B. (2012). *Sustainable development strategies: a resource book*. Routledge.
- Beggs, C. (2010). *Energy: management, supply and conservation*. Routledge.
- Bendassolli, P. F. (2013). Theory building in qualitative research: Reconsidering the problem of induction. *Proceedings of the 2013 Forum Qualitative Sozialforschung/Forum: Qualitative Social Research*.
- Berg, B. L. and Lune, H. (2004). *Qualitative research methods for the social science*. (Vol. 5) Pearson Boston.
- Bertoni, M. (2017). Introducing Sustainability in Value Models to Support Design Decision Making: A Systematic. *decision making*. 9, 10.
- Billatos, S. (1997). *Green technology and design for the environment*. CRC Press.
- Birgersson, L. (1996). *Att bygga mening och rum-om processer för utveckling av verksamhetsmiljöer*, Chalmers University of Technology.
- Blayse, A. M. and Manley, K. (2004). Key influences on construction innovation. *Construction innovation*. 4(3), 143-154.

- Blum, D. K. and Amy, P. E. (2005). Strategies to win: Six Steps for Creating Problem Statements in Doctorate Research. *Journal of College Teaching and Learning*. 2(11), 47-52.
- Bohari, A. A. M., Skitmore, M., Xia, B. and Teo, M. (2017). Green oriented procurement for building projects: Preliminary findings from Malaysia. *Journal of cleaner production*. 148, 690-700.
- Bohari, A. A. M., Skitmore, M., Xia, B., Teo, M., Zhang, X. and Adham, K. N. (2015). The path towards greening the Malaysian construction industry. *Renewable and Sustainable Energy Reviews*. 52, 1742-1748.
- Bonamente, E. and Cotana, F. (2015). Carbon and energy footprints of prefabricated industrial buildings: a systematic life cycle assessment analysis. *Energies*. 8(11), 12685-12701.
- Bossink, B. (2011). *Managing environmentally sustainable innovation: insights from the construction industry*. Routledge.
- Boyle, C. A. (2005). Sustainable buildings. *Proceedings of the ICE-Engineering Sustainability*. 158(1), 41-48.
- Branker, K., Pathak, M. and Pearce, J. M. (2011). A review of solar photovoltaic levelized cost of electricity. *Renewable and Sustainable Energy Reviews*. 15(9), 4470-4482.
- Brannen, J. (1992). Combining Qualitative and Quantitative Approaches: An overview (pp. 3–37). *Mixing methods: Qualitative and quantitative research*. Aldershot: Avebury.
- Bribián, I. Z., Usón, A. A. and Scarpellini, S. (2009). Life cycle assessment in buildings: State-of-the-art and simplified LCA methodology as a complement for building certification. *Building and Environment*. 44(12), 2510-2520.
- Buchanan, A. H. and Honey, B. G. (1994). Energy and carbon dioxide implications of building construction. *Energy and Buildings*. 20(3), 205-217.
- Bueno, C., Pereira, L. M. and Fabricio, M. M. (2018). Life cycle assessment and environmental-based choices at the early design stages: an application using building information modelling. *Architectural Engineering and Design Management*. 1-15.

- Buysse, K. and Verbeke, A. (2003). Proactive environmental strategies: A stakeholder management perspective. *Strategic management journal*. 24(5), 453-470.
- Cabugueira, M. F. (2004). Portuguese experience of voluntary approaches in environmental policy. *Management of Environmental Quality: An International Journal*. 15(2), 174-185.
- Cameron, A. C. and Trivedi, P. K. (2013). *Regression analysis of count data*. (Vol. 53)Cambridge university press.
- Capitanescu, F., Marvuglia, A. and Benetto, E. (2018). A Synthesis of Optimization Approaches for LCA-Integrated Industrial Process Modeling: Application to Potable Water Production Plants *Designing Sustainable Technologies, Products and Policies* (pp. 21-31)Springer.
- Cavalliere, C., DellOsso, G. R., Pierucci, A. and Iannone, F. (2018). Life Cycle Assessment Data Structure for Building Information Modelling. *Journal of Cleaner Production*.
- Center, M. C. S. P. (2012). *National Low Carbon Fuel Standard*, Carnegie Mellon University.
- Cha, K., Lim, S. and Hur, T. (2008). Eco-efficiency approach for global warming in the context of Kyoto Mechanism. *Ecological Economics*. 67(2), 274-280.
- Chan, E. H., Qian, Q. K. and Lam, P. T. (2009). The market for green building in developed Asian cities—the perspectives of building designers. *Energy Policy*. 37(8), 3061-3070.
- Chan, D. W.M. and Kumaraswamy, M. M. (2002) Compressing construction duration: Lesson learned from Hong Kong building projects. *International journal of project management*. 20 (1), pp 23-35.
- Chel, A. and Tiwari, G. (2009). Performance evaluation and life cycle cost analysis of earth to air heat exchanger integrated with adobe building for New Delhi composite climate. *Energy and Buildings*. 41(1), 56-66.
- Chen, W. Y. and Jim, C. (2008). Assessment and valuation of the ecosystem services provided by urban forests *Ecology, Planning, and Management of Urban Forests* (pp. 53-83)Springer.

- Chen, X., Yang, H. and Wang, T. (2017). Developing a robust assessment system for the passive design approach in the green building rating scheme of Hong Kong. *Journal of Cleaner Production*. 153, 176-194.
- Chenari, B., Carrilho, J. D. and da Silva, M. G. (2016). Towards sustainable, energy-efficient and healthy ventilation strategies in buildings: A review. *Renewable and Sustainable Energy Reviews*. 59, 1426-1447.
- Chindo A., and Nyelong P. N. (2005). Lake Chad: From megalake to minilake, Arid Wetland Bull. No. 6: 24 -27.
- Chinyio, E. A., Olomolaiye, P. O. and Corbett, P. (1998a). An evaluation of the project needs of UK building clients. *International Journal of Project Management*. 16(6), 385-391.
- Chinyio, E. A., Olomolaiye, P. O., Kometa, S. T. and Harris, F. C. (1998b). A needs-based methodology for classifying construction clients and selecting contractors. *Construction Management & Economics*. 16(1), 91-98.
- Chirisa, I., Bandaiko, E. and Gaza, M. (2015). Transport and the environment: a critical review for Africa. *Chinese Journal of Population Resources and Environment*. 13(4), 309-319.
- Chun, K. S., Husseinsyah, S. and Yeng, C. M. (2016). Effect of green coupling agent from waste oil fatty acid on the properties of polypropylene/cocoa pod husk composites. *Polymer Bulletin*. 73(12), 3465-3484.
- CIEF (2005) Whole life sustainability: Costing, assessment and valuation. CIEF seminar report (Glasgow, Manchester and London).
- Cole, R. J. and Kernan, P. C. (1996). Life-cycle energy use in office buildings. *Building and environment*. 31(4), 307-317.
- Coleman, S. and Robinson, J. B. (2018). Introducing the qualitative performance gap: stories about a sustainable building. *Building Research & Information*. 46(5), 485-500.
- Common, M. (1995). *Sustainability and policy: limits to economics*. Cambridge University Press.
- Corbett, J. and V Lal, B. (2015). Political Life Writing in the Pacific. Reflections on Practice.
- Corbin, J. and Strauss, A. (2014). *Basics of qualitative research: Techniques and procedures for developing grounded theory*. Sage publications.

- Crawford, R. H., Stephan, A. and Schmidt, M. (2018). Embodied Carbon in Buildings: An Australian Perspective *Embodied Carbon in Buildings* (pp. 393-416)Springer.
- Creswell, J. (2012). Education research: planning, conducting and evaluating quantitative and qualitative research. Pearson, Boston, MA.
- Creswell, J. W. (2013). *Research design: Qualitative, quantitative, and mixed methods approaches*. Sage publications.
- Curran, M. A. (2015). *Life cycle assessment student handbook*. John Wiley & Sons.
- Czaja, R. and Blair, J. (1996) Designing surveys: a guide to decisions and procedures, Thousand Oaks, California; London, Pine Forge Press.
- Darko, A., Zhang, C. and Chan, A. P. (2017). Drivers for green building: A review of empirical studies. *Habitat international*. 60, 34-49.
- Darnall, N., Potoski, M. and Prakash, A. (2010). Sponsorship matters: Assessing business participation in government-and industry-sponsored voluntary environmental programs. *Journal of Public Administration Research and Theory*. 20(2), 283-307.
- David, T., Gooch, K. and Powell, S. (2015). *The Routledge International Handbook of Philosophies and Theories of Early Childhood Education and Care*. Routledge.
- Davoudi, S.M.M and Allahyari, M. (2013). Effect of job Organization on Job performance among operating staffs in manufacturing companies. *American Journal of Industrial and Business Management* 3, 136-139.
- de Haes, H. A. U., Joliet, O., Finnveden, G., Hauschild, M., Krewitt, W. and Müller-Wenk, R. (1999). Best available practice regarding impact categories and category indicators in life cycle impact assessment. *The International Journal of Life Cycle Assessment*. 4(2), 66-74.
- Denzin. N.K. (1978). *The Research Act*,. (2nd edition) New York: McGraw-Hill.
- Denzin, N. K. and Lincoln, Y. S. (2011). *The Sage handbook of qualitative research*. Sage.
- Der-Petrossian, B. and Johansson, E. (2000). Construction and Environment-Improving energy efficiency. *Building issues*. 2.

- Derrick, H., Dorsey, I., McKinney, J., Louis-Prescott, L., Valladao, G., Vasudevan, N., Benneer, L. and Golden, J. (2017). Best management practices for developing offshore wind energy: *A Guide for US Policy Makers*.
- Dewick, P. and Miozzo, M. (2002). Sustainable technologies and the innovation–regulation paradox. *Futures*. 34(9), 823-840.
- Ding, G. K. (2008). Sustainable construction—The role of environmental assessment tools. *Journal of environmental management*. 86(3), 451-464.
- Dixit, M. K. (2017). Life cycle embodied energy analysis of residential buildings: A review of literature to investigate embodied energy parameters. *Renewable and Sustainable Energy Reviews*. 79, 390-413.
- Dixit, M. K., Fernández-Solís, J. L., Lavy, S. and Culp, C. H. (2010). Identification of parameters for embodied energy measurement: A literature review. *Energy and Buildings*. 42(8), 1238-1247.
- Dixon, T., McNamara, P., Lorenz, D. and Lützkendorf, T. (2008). Sustainability in property valuation: theory and practice. *Journal of Property Investment & Finance*. 26(6), 482-521.
- Djokoto, S. D., Dadzie, J. and Ohemeng-Ababio, E. (2014). Barriers to sustainable construction in the Ghanaian construction industry: consultants perspectives. *Journal of Sustainable Development*. 7(1), p134.
- Du Plessis (2007). A Strategic framework for sustainable construction in developing countries, *Construction Management and Economics* 25 (2007), pp. 67–76
- Durodola, O. D., Ayedun, A. C., Oluwunmi, O. A. and Oloke, O. C. (2016). A Heuristic Method of Establishing Operational Effectiveness of Hotel Facilities in South-Western Nigeria. *Covenant Journal of Research in the Built Environment*. 4(2).
- Dwaikat, L. N. and Ali, K. N. (2015). Green Buildings Cost Premium: A Review of Empirical Evidence. *Energy and Buildings*.
- Dziuban, C. D. (2015). Principles for Data Analysis in Online and Blended Learning Research. *Conducting Research in Online and Blended Learning Environments: New Pedagogical Frontiers*. 70.
- EarthTrends Country Profile, 2003.
- Ecobalance, U. (1998). TEAM and DEAM. *The Ecobilan Group, Arundel, UK*.

- Edwards, B. (1999). *Sustainable architecture: European directives and building design*. Butterworth Architecture.
- Edwards, B. (2006). Benefits of green offices in the UK: analysis from examples built in the 1990s. *Sustainable Development*. 14(3), 190-204.
- Egan, J. (1998). Rethinking construction, construction task force report for department of the environment, transport and the regions. *ed: HMSO, London*.
- Egolum, C. C., Emoh, F. I. and Onyejiaka, J. C. (2017). Sources of funds available to private investors for housing development in Nigeria. *British Journal of Environmental Sciences*. 5(3), 16-29.
- Eiadat, Y., Kelly, A., Roche, F. and Eyadat, H. (2008). Green and competitive? An empirical test of the mediating role of environmental innovation strategy. *Journal of World Business*. 43(2), 131-145.
- Elo, S., Kääriäinen, M., Kanste, O., Pölkki, T., Utriainen, K. and Kyngäs, H. (2014). Qualitative content analysis. *Sage Open*. 4(1), 2158244014522633.
- Emmanuel, A.-J., Ibrahim, A. D. and Adogbo, K. J. (2014). An assessment of professionals' perception of the sustainability performance of infrastructure projects in Nigeria. *Journal of Construction Project Management and Innovation: Supplement 1*. 4, 912-932.
- Emmitt, S. and Yeomans, D. T. (2008). *Specifying Buildings: A Design Management Perspective*. Routledge.
- Emodi, N. V., Emodi, C. C., Murthy, G. P. and Emodi, A. S. A. (2017). Energy policy for low carbon development in Nigeria: A LEAP model application. *Renewable and Sustainable Energy Reviews*. 68, 247-261.
- Energy consumption per capita. World Bank. Available online at: www.worldbank.org [accessed 31.12.2014].
- Entrop, A. G., Brouwers, H. and Reinders, A. H. (2010). Evaluation of energy performance indicators and financial aspects of energy saving techniques in residential real estate. *Energy and Buildings*. 42(5), 618-629.
- Ertem, F. C. and Acheampong, M. (2018). Impacts of Demand-Driven Energy Production Concept on the Heat Utilization Efficiency at Biogas Plants: Heat Waste and Flexible Heat Production. *Process Integration and Optimization for Sustainability*. 2(1), 1-16.

- Erzberger, C. and Kelle, U. (2003). Making inferences in mixed methods: The rules of integration. *Handbook of mixed methods in social and behavioral research*. 457-488.
- Escamilla, E. Z., Habert, G. and Wohlmuth, E. (2016). When CO2 counts: Sustainability assessment of industrialized bamboo as an alternative for social housing programs in the Philippines. *Building and Environment*. 103, 44-53.
- Essa, R. and Fortune, C. (2008). Pre-construction evaluation practices of sustainable housing projects in the UK. *Engineering, Construction and Architectural Management*. 15(6), 514-526.
- Essa, R., Fortune, C. and Carter, K. (2007). Sustainable housing projects in the UK: a pilot study. *Proceedings of the 2007 International Conference on Whole Life Urban Sustainability and its Assessment, School of the Built Environment, Heriot-Watt University, Edinburgh*, <http://download.sue-mot.org/Conference-2007/Papers/Essa.pdf> (15.09. 2012),
- Establishment, B. R. (2005). *Putting a price on sustainability*. Building Research Establishment.
- Esty, D.C., Levy, M., Srebotnjak, T. and De Sherbinin, A. (2005). *Environmental Sustainability Index: Benchmarking National Environmental Stewardship*, Yale Centre for Environmental Law & Policy, New Haven.
- Ezema, I. (2015). *Profiling the environmental sustainability of residential buildings in Lagos, Nigeria using life cycle assessment*, PhD Thesis, Covenant University, Ota, Nigeria.
- Ezema, I., Olotuah, A. and Fagbenle, O. I. (2015). Estimating Embodied Energy in Residential Buildings in a Nigerian Context. *International Journal of Applied Engineering Research*. 10(24), 44140-44149.
- Ezema, I., Opoko, A. and Oluwatayo, A. (2016). De-carbonizing the Nigerian Housing Sector: The Role of Life Cycle CO2 Assessment. *International Journal of Applied Environmental Sciences*. 11(1), 325-349.
- Ezema, I. C. (2013). Operation Green Lagos programme and its implication for sustainable development. *Proceedings of the 2013 West Africa Built Environment Research (waber) conference*, 817.
- Farag, M. M. (2007). *Materials and process selection for engineering design*. CRC Press.

- Fatusin, A. F. and Aribigbola, A. (2014). Housing policies and market failures in Ondo state Nigeria. *Annals of the University of Oradea, Geography Series/Analele Universitatii din Oradea, Seria Geografie*. 24(1).
- Fay, M. and Treloar, G. (1998). Life cycle energy analysis-a measure of the environmental impact of buildings. *BEDP Environment Design Guide*. (November), 1-7.
- Fellows, R. F. and Liu, A. M. (2015). *Research methods for construction*. John Wiley & Sons.
- Fergusson, H. and Langford, D. (2006). Strategies for managing environmental issues in construction organizations. *Engineering, Construction and Architectural Management*. 13(2), 171-185.
- Fernández-Sánchez, G. and Rodríguez-López, F. (2010). A methodology to identify sustainability indicators in construction project management—Application to infrastructure projects in Spain. *Ecological Indicators*. 10(6), 1193-1201.
- Fietze, I., Barthe, C., Hölzl, M., Glos, M., Zimmermann, S., Bauer-Diefenbach, R. and Penzel, T. (2016). The effect of room acoustics on the sleep quality of healthy sleepers. *Noise & health*. 18(84), 240.
- Finkbeiner, M., Ackermann, R., Bach, V., Berger, M., Brankatschk, G., Chang, Y.-J., Grinberg, M., Lehmann, A., Martínez-Blanco, J. and Minkov, N. (2014). Challenges in life cycle assessment: An overview of current gaps and research needs *Background and future prospects in life cycle assessment* (pp. 207-258)Springer.
- Flórez, L., Castro, D. and Irizarry, J. (2010). Impact of Sustainability Perceptions on Optimal Material Selection in Construction Projects. *Proceedings of the 2010 Proceedings of the Second International Conference on Sustainable Construction Materials and Technologies*, 719-727.
- Fobiri, G. (2015). *An investigation into the performance of Ghanaian construction project teams*.
- Fouquet, M., Levasseur, A., Margni, M., Lebert, A., Lasvaux, S., Souyri, B., Buhé, C. and Woloszyn, M. (2015). Methodological challenges and developments in LCA of low energy buildings: Application to biogenic carbon and global warming assessment. *Building and Environment*. 90, 51-59.

- Freeman, R. E. (2010). *Strategic management: A stakeholder approach*. Cambridge University Press.
- Fu, X., Schuh, C. and Olivetti, E. (2017). Materials selection considerations for high entropy alloys. *Scripta Materialia*. 138, 145-150.
- Fujita, Y., Matsumoto, H. and Siong, H. C. (2009). Assessment of CO2 emissions and resource sustainability for housing construction in Malaysia. *International Journal of Low-Carbon Technologies*. 4(1), 16-26.
- Gann, D. M. and Salter, A. J. (2000). Innovation in project-based, service-enhanced firms: the construction of complex products and systems. *Research policy*. 29(7), 955-972.
- Gass, S. I. (1983). Decision-aiding models: validation, assessment, and related issues for policy analysis. *Operations Research*. 31(4), 603-631.
- Gautam, R. and Sabharwal, S. P. (2016). A Conceptual Review of Green Buildings in India: Importance and Need. *Nature Environment and Pollution Technology*. 15(3), 799.
- Ghafourian, K., Mohamed, Z., Ismail, S., Abolghasemi, M. and Bavafa, A. (2017). sustainable construction and demolition waste management in malaysia: current issues. *Jurnal Kemanusiaan*. 15(1).
- Gibberd, J. (2005). Assessing sustainable buildings in developing countries—the sustainable building assessment tool (SBAT) and the sustainable building lifecycle (SBL). *Proceedings of the 2005 Proceedings of the world sustainable building conference*. Tokyo, 1605-1612.
- Giudice, F., La Rosa, G. and Risitano, A. (2005). Materials selection in the life-cycle design process: a method to integrate mechanical and environmental performances in optimal choice. *Materials & Design*. 26(1), 9-20.
- Glukhova, E. (2015). *Closed loop building approach to address sustainability challenge into the future of urban areas*, Blekinge Institute of Technology.
- Godfaurd, J., Clements-Croome, D. and Jeronimidis, G. (2005). Sustainable building solutions: A review of lessons from the natural world. *Building and Environment*. 40(3), 317-326.
- Goldsmith, O. (2015). Gathering the Fragments. *Social Opulence and Private Restraint: The Consumer in British Socialist Thought Since 1800*. 159.

- González-Benito, J. and González-Benito, Ó. (2006). A review of determinant factors of environmental proactivity. *Business Strategy and the environment*. 15(2), 87-102.
- González-García, S. and Bacenetti, J. (2018). Exploring the production of bio-energy from wood biomass. Italian case study. *Science of The Total Environment*.
- Greenwood, R. (2003). *Construction Waste Minimisation: Good Practice Guide*. Cardiff University, Centre for Research in the Built Environment.
- Griffith, A. and Watson, P. (2004). Environment *Construction Management* (pp. 417-499)Springer.
- Groat, L. and Wang, D. (2002). Qualitative research (pp. 173-202). New York: John Wiley & Sons, Inc.
- Güneralp, B., Zhou, Y., Ürge-Vorsatz, D., Gupta, M., Yu, S., Patel, P. L., Fragkias, M., Li, X. and Seto, K. C. (2017). Global scenarios of urban density and its impacts on building energy use through 2050. *Proceedings of the National Academy of Sciences*. 114(34), 8945-8950.
- Haberl, H., Schulz, N. B., Plutzer, C., Erb, K. H., Krausmann, F., Loibl, W., Moser, D., Sauberer, N., Weisz, H. and Zechmeister, H. G. (2004). Human appropriation of net primary production and species diversity in agricultural landscapes. *Agriculture, Ecosystems & Environment*. 102(2), 213-218.
- Häkkinen, T. and Belloni, K. (2011). Barriers and drivers for sustainable building. *Building Research & Information*. 39(3), 239-255.
- Hammond, G. P. and Jones, C. I. (2008). Embodied energy and carbon in construction materials. *Proceedings of the Institution of Civil Engineers-Energy*. 161(2), 87-98.
- Hardi, P. (2007). The long and winding road of sustainable development evaluation. *C. George & C. Kirkpatrick (red.), Impact assessment and sustainable development-European practice and experience*. 15-30.
- Harjula, T., Rapoza, B., Knight, W. and Boothroyd, G. (1996). Design for disassembly and the environment. *CIRP Annals-Manufacturing Technology*. 45(1), 109-114.
- Harris, D. (1999). A quantitative approach to the assessment of the environmental impact of building materials. *Building and Environment*. 34(6), 751-758.

- Harrington, W. and Krupnick, A. (2012). Improving Fuel Economy in Heavy-Duty Vehicles. *Resources for the Future DP*. 12-02.
- Hauschild, M. Z., Jeswiet, J. and Alting, L. (2004). Design for environment—do we get the focus right? *CIRP Annals-Manufacturing Technology*. 53(1), 1-4.
- Heijungs, R., Huppes, G. and Guinée, J. B. (2010). Life cycle assessment and sustainability analysis of products, materials and technologies. Toward a scientific framework for sustainability life cycle analysis. *Polymer degradation and stability*. 95(3), 422-428.
- Henry, A. F., Elambo, N. G., Tah, J., Fabrice, O. and Blanche, M. M. (2014). Embodied energy and CO2 analyses of mud-brick and cement-block houses. *AIMS's Energy*. 2, 18-40.
- Heyvaert, M., Maes, B. and Onghena, P. (2013). Mixed methods research synthesis: definition, framework, and potential. *Quality & Quantity*. 47(2), 659-676.
- Hinkin, T. R. (1998). A brief tutorial on the development of measures for use in survey questionnaires. *Organizational research methods*. 1(1), 104-121.
- Holden, E., Linnerud, K., Banister, D., Schwanitz, V. J. and Wierling, A. (2017). *The Imperatives of Sustainable Development: Needs, Justice, Limits*. Routledge.
- Holton, I., Glass, J. and Price, A. (2008). Developing a successful sector sustainability strategy: six lessons from the UK construction products industry. *Corporate Social Responsibility and Environmental Management*. 15(1), 29-42.
- Hong, J., Shen, G. Q., Feng, Y., Lau, W. S.-t. and Mao, C. (2015). Greenhouse gas emissions during the construction phase of a building: a case study in China. *Journal of cleaner production*. 103, 249-259.
- Horta, I. M., Camanho, A. S. and Dias, T. G. (2016). Residential building resource consumption: A comparison of Portuguese municipalities' performance. *Cities*. 50, 54-61.
- Huang, H., Liu, Z., Zhang, L. and Sutherland, J. W. (2009). Materials selection for environmentally conscious design via a proposed life cycle environmental performance index. *The International Journal of Advanced Manufacturing Technology*. 44(11-12), 1073-1082.
- Huberman, N. and Pearlmutter, D. (2008). A life-cycle energy analysis of building materials in the Negev desert. *Energy and Buildings*. 40(5), 837-848.

- Huberman, N., Pearlmutter, D., Gal, E. and Meir, I. (2015). Optimizing structural roof form for life-cycle energy efficiency. *Energy and Buildings*. 104, 336-349.
- Hussain, A., Arif, S. M. and Aslam, M. (2017). Emerging renewable and sustainable energy technologies: State of the art. *Renewable and Sustainable Energy Reviews*. 71, 12-28.
- Hydes, K. and Creech, L. (2000) Reducing mechanical equipment cost: the economics of green design, *Building Research & Information* 28(5/6), Taylor & Francis Ltd. London, 403 – 407.
- Hyett, N., Kenny, A., and Virginia, D. S. (2014). Methodology or method? A critical review of qualitative case study reports. *International journal of Qualitative Studies on Health and Well-Being*, 9.
- Idris, N. H., Ismail, Z. and Hashim, H. (2015). Towards a framework for promoting sustainable construction in malaysia. *Jurnal Teknologi*. 76(1).
- Ilesanmi, A. O. (2010). Post-occupancy evaluation and residents' satisfaction with public housing in Lagos, Nigeria. *Journal of building appraisal*. 6(2), 153-169.
- Invidiata, A., Lavagna, M. and Ghisi, E. (2017). Choosing the LCA impact categories for the building sector. *Proceedings of the 2017 XI Convegno della Rete Italiana LCA. Resource Efficiency e Sustainable Development Goals: il ruolo del Life Cycle Thinking*: ITA, 348-355.
- Iribarren, D., Marvuglia, A., Hild, P., Guiton, M., Popovici, E. and Benetto, E. (2015). Life cycle assessment and data envelopment analysis approach for the selection of building components according to their environmental impact efficiency: a case study for external walls. *Journal of Cleaner Production*. 87, 707-716.
- Irurah, D. K. and Holm, D. (1999). Energy impact analysis of building construction as applied to South Africa. *Construction Management & Economics*. 17(3), 363-374.
- Isnin, Z. and Ahmad, S. S. (2012). Challenges and the way forward for building materials management in building adaptation projects. *Proceedings of the 2012 Advanced Materials Research*: Trans Tech Publ, 274-278.

- Isnin, Z., Ahmad, S. S. and Yahya, Z. (2012). Challenges of the unknown building material substances for greener adaptation projects. *Procedia-Social and Behavioral Sciences*. 68, 53-62.
- Isnin, Z., Ahmad, S. S., Yahya, Z. and Salleh, M. M. (2014). Visible information on health and safety effects from building materials in adaptation activities. *Proceedings of the 2014 User Science and Engineering (i-USER), 2014 3rd International Conference on: IEEE*, 275-280.
- Iwuagwu, B. U. (2016). Minimizing environmental pollution and the effects in nigeria through green design and green buildings135. *Environmental Science and Technology*. 1, 365.
- Iwuagwu, B. U., Onyegiri, I. and Iwuagwu, B. C. (2016). Unaffordable low cost housing as an agent of urban slum formation in Nigeria: how the architect can help. *Int J Sustain Dev*. 11(2), 05-16.
- Jabareen, Y. (2008). A new conceptual framework for sustainable development. *Environment, development and sustainability*. 10(2), 179-192.
- Janeš, A. and Faganel, A. (2013). Instruments and Methods for the Integration of Sustainability in the Project Management: Case Study from Slovenia. *Sustainability Integration for Effective Project Management*. 394.
- Jick, T. D. (1979). Mixing qualitative and quantitative methods: Triangulation in action. *Administrative science quarterly*. 602-611.
- Johar, F. and Razak, M. R. (2015). The Right Attitude to Sustain the Green Neighbourhoods. *Procedia-Social and Behavioral Sciences*. 202, 135-143.
- Joseph, P. and Tretsiakova-McNally, S. (2010). Sustainable non-metallic building materials. *Sustainability*. 2(2), 400-427.
- Junquera, B., Brío, D. and Ángel, J. (2016). Preventive command and control regulation: A case analysis. *Sustainability*. 8(1), 99.
- Kaiser, H. F. (1974). An index of factorial simplicity. *Psychometrika*. 39(1), 31-36.
- Kapelan, Z. S., Savic, D. A. and Walters, G. A. (2005). Multiobjective design of water distribution systems under uncertainty. *Water Resources Research*. 41(11).
- Khan, H. (2008). Poverty, environment and economic growth: exploring the links among three complex issues with specific focus on the Pakistan's case. *Environment, development and sustainability*. 10(6), 913-929.

- Khan, M. A., Khan, M. Z., Zaman, K. and Naz, L. (2014). Global estimates of energy consumption and greenhouse gas emissions. *Renewable and Sustainable Energy Reviews*. 29, 336-344.
- Khanna, M., Koss, P., Jones, C. and Ervin, D. (2007). Motivations for voluntary environmental management. *Policy Studies Journal*. 35(4), 751-772.
- Khasreen, M., Banfill, P. and Menzies, G. (2009). Life-cycle assessment and the environmental impact of buildings: a review, *Sustainability* 1: 674–701.
- Khoshnava, S. M., Rostami, R., Valipour, A., Ismail, M. and Rahmat, A. R. (2016). Rank of green building material criteria based on the three pillars of sustainability using the hybrid multi criteria decision making method. *Journal of Cleaner Production*.
- Kibert, C. J. (2016). *Sustainable construction: green building design and delivery*. John Wiley & Sons.
- Knippers, J. and Speck, T. (2012). Design and construction principles in nature and architecture. *Bioinspiration & biomimetics*. 7(1), 015002.
- Korsgaard, S., Anderson, A. and Gaddefors, J. (2014). Entrepreneurship as re-sourcing: Towards a new image of entrepreneurship in a time of financial, economic and socio-spatial crisis. *Journal of Enterprising Communities*.
- Krejice, R.T. and Morgan, D.W. (1970). Determining sample size for research activities. *Educational and Psychological Measurement* 30(3), 607-610.
- Krishnamoorth, R. R. and David, T. K. (2015). Thermal conductivity, compressive strength and water absorption of recycled coconut fibre and crushed clay brick masonry. *Jurnal Teknologi*. 76(11).
- Kulemeka, P. J., Kululanga, G. and Morton, D. (2015). Critical Factors Inhibiting Performance of Small-and Medium-Scale Contractors in Sub-Saharan Region: A Case for Malawi. *Journal of Construction Engineering*. 2015.
- Kumi, I. (2016). *The effect of procurement of goods on the environment: a case study of the implementation of the Urban Development Grant (UDG) projects in the Kumasi Metropolitan Assembly (KMA)*.
- Kumlu, K. B. Y. and Tüdeş, Ş. (2017). Effect of Physical Urban Environment on Sustainable Urban Development. *Proceedings of the 2017 International Sustainable Buildings Symposium*: Springer, 501-512.

- Kunzlik, P. (2003). Making the Market Work for the Environment—The Acceptance of (Some) Environmental Award Criteria in Public Procurement. *Journal of Environmental Law*. 15(2).
- Kuo, T.-C., Huang, S. H. and Zhang, H.-C. (2001). Design for manufacture and design for ‘X’: concepts, applications, and perspectives. *Computers & industrial engineering*. 41(3), 241-260.
- Lam, P. T., Chan, E. H., Poon, C., Chau, C. and Chun, K. (2010). Factors affecting the implementation of green specifications in construction. *Journal of environmental management*. 91(3), 654-661.
- Lawania, K. and Biswas, W. K. (2017). Application of life cycle assessment approach to deliver low carbon houses at regional level in Western Australia. *The International Journal of Life Cycle Assessment*. 1-21.
- Le Treut, H., Somerville, R., Cubasch, U., Ding, Y., Mauritzen, C., Mokssit, A., Peterson, T. and Prather, M. (2007). Historical overview of climate change.
- Leech, N. L. (2007). An Array of Qualitative Data Analysis Tools: A call for Data analysis Triangulation. *School Psychology Quarterly*, 22(4), 577-584.
- Lee, N. G. F. R. M. (1991). *Using computers in qualitative research*. Sage.
- Lenzen, M. and Treloar, G. (2002). Embodied energy in buildings: wood versus concrete—reply to Börjesson and Gustavsson. *Energy policy*. 30(3), 249-255.
- Li, X., Zhu, Y. and Zhang, Z. (2010). An LCA-based environmental impact assessment model for construction processes. *Building and Environment*. 45(3), 766-775.
- Li, Z., Chen, H., Lin, B. and Zhu, Y. (2018). Fast bidirectional building performance optimization at the early design stage. *Proceedings of the 2018 Building Simulation*: Springer, 647-661.
- Ling, F. Y., Hartmann, A., Kumaraswamy, M. and Dulaimi, M. (2007). Influences on innovation benefits during implementation: client’s perspective. *Journal of Construction Engineering and Management*. 133(4), 306-315.
- Llatas, C. and Osmani, M. (2016). Development and validation of a building design waste reduction model. *Waste Management*. 56, 318-336.
- Loesch, J. and Hammerman, D. (2013). Private/public partnerships to ensure building code compliance. *Facilities*.

- Loh, E., Crosbie, T., Dawood, N. and Dean, J. (2010). A framework and decision support system to increase building life cycle energy performance. *Journal of Information Technology in Construction (ITcon)*. 15(26), 337-353.
- López-Gamero, M. D., Molina-Azorín, J. F. and Claver-Cortés, E. (2010). The potential of environmental regulation to change managerial perception, environmental management, competitiveness and financial performance. *Journal of Cleaner Production*. 18(10), 963-974.
- Lowe, R., Chiu, L. F. and Oreszczyn, T. (2018). Socio-technical case study method in building performance evaluation. *Building Research & Information*. 46(5), 469-484.
- Lu, H. R., El Hanandeh, A. and Gilbert, B. P. (2017). A comparative life cycle study of alternative materials for Australian multi-storey apartment building frame constructions: Environmental and economic perspective. *Journal of Cleaner Production*. 166, 458-473.
- Lu, W., Chen, X., Ho, D. C. and Wang, H. (2016). Analysis of the construction waste management performance in Hong Kong: the public and private sectors compared using big data. *Journal of Cleaner Production*. 112, 521-531.
- Madu, K. and Okoronkwo, G. O. (2018). Synthetic Glass Fiber-Reinforced Polyester Polymer Composite Hybrid Life Cycle Energy Analysis.
- Maduka, N., Greenwood, D., Osborne, A. and Udejaja, C. (2016). Implementing sustainable construction principles and practices by key stakeholders.
- Mainali, B., Petrolito, J., Russell, J., Ionescu, D. and Al Abadi, H. (2015). Integrating Sustainable Engineering Principles in Material Science Engineering Education. *Handbook of Research on Recent Developments in Materials Science and Corrosion Engineering Education*. 273.
- Mao, C., Shen, Q., Shen, L. and Tang, L. (2013). Comparative study of greenhouse gas emissions between off-site prefabrication and conventional construction methods: Two case studies of residential projects. *Energy and Buildings*. 66, 165-176.
- Mari, T. S. (2007). Embodied Energy of Building Materials: A Comparative Analysis of Terraced Houses in Malaysia. *Proceedings of the 2007 Proc. 41st Annual Conference of the Architectural Science Association (ANZAScA), Deakin University, Australia,*

- Marres, N. (2016). *Material participation: technology, the environment and everyday publics*. Springer.
- Maskell, D., Thomson, A. and Walker, P. (2017). Multi-criteria selection of building materials. *Proceedings of the Institution of Civil Engineers: Construction Materials*.
- Mayyas, A. T., Omar, M. and Hayajneh, M. T. (2017). Eco-Material Selection for Auto Bodies. *Handbook of Ecomaterials*. 1-22.
- Mbala, M., Aigbavboa, C. and Aliu, J. (2018). Reviewing the Negative Impacts of Building Construction Activities on the Environment: The Case of Congo. *Proceedings of the 2018 International Conference on Applied Human Factors and Ergonomics*: Springer, 111-117.
- McDonough, W. and Braungart, M., Cradle to Cradle. Remaking the Way We Make Things, North Point Press. New York, 2002. Chapter 4: Waste Equals Food, pp. 92-117. This document discusses the concept of sustainable development.
- Melet, E. (1999). *Sustainable architecture: towards a diverse built environment*. Nai Uitgevers Pub.
- Mensah-Attipoe, J., Reponen, T., Salmela, A., Veijalainen, A. M. and Pasanen, P. (2015). Susceptibility of green and conventional building materials to microbial growth. *Indoor air*. 25(3), 273-284.
- Mensah, S. (2017). Application of Sustainable Construction Practices in Design and Construction of a Hostel Project. *Proceedings of the 2017 International Conference on Applied Science and Technology Conference Proceedings*, 257-269.
- Meryman, H. and Silman, R. (2004). Sustainable engineering—using specifications to make it happen. *Structural engineering international*. 14(3), 216-219.
- Metz, B., Davidson, O., Bosch, P., Dave, R. and Meyer, L. (2007). Climate Change 2007: Mitigation of Climate Change, Contribution of Working Group III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, ISBN.
- Miles, M. B., Huberman, A. M. and Saldana, J. (2013). *Qualitative data analysis: A methods sourcebook*. SAGE Publications, Incorporated.

- Mills, F. T. and Glass, J. (2009). The construction design manager's role in delivering sustainable buildings. *Architectural Engineering and Design Management*. 5(1-2), 75-90.
- Mitroff, I. I. (1983). *Stakeholders of the organizational mind*. Jossey-Bass Inc Pub.
- Moffatt, S., White, M., Mackintosh, J. and Howel, D. (2006). Using quantitative and qualitative data in health services research—what happens when mixed method findings conflict?[ISRCTN61522618]. *BMC health services research*. 6(1), 28.
- Mokhlesian, S. (2014). How do contractors select suppliers for greener construction projects? The case of three Swedish companies. *Sustainability*. 6(7), 4133-4151.
- Monahan, J. and Powell, J. (2011). An embodied carbon and energy analysis of modern methods of construction in housing: A case study using a lifecycle assessment framework. *Energy and Buildings*. 43(1), 179-188.
- Mora, E. P. (2007). Life cycle, sustainability and the transcendent quality of building materials. *Building and Environment*. 42(3), 1329-1334.
- Morel, J., Mesbah, A., Oggero, M. and Walker, P. (2001). Building houses with local materials: means to drastically reduce the environmental impact of construction. *Building and Environment*. 36(10), 1119-1126.
- Moretti, L. and Caro, S. (2017). Critical analysis of the Life Cycle Assessment of the Italian cement industry. *Journal of Cleaner Production*. 152, 198-210.
- Morse, J. M. (1991). Approaches to qualitative-quantitative methodological triangulation. *Nursing research*. 40(2), 120-123.
- Muhaisen, A. S. and Asfour, O. S. (2017). Developing and Evaluating Training Programs on Energy Efficient Building Design: The IUG Experience, Palestine. *Journal of Engineering Research and Technology*. 4(2).
- Mullings, R. and Mahabir, A. (2015). Growth by Destination: The Role of Trade in Africa's Recent Growth Episode.
- Nakao, Y., Amano, A., Matsumura, K., Genba, K. and Nakano, M. (2007). Relationship between environmental performance and financial performance: an empirical analysis of Japanese corporations. *Business Strategy and the Environment*. 16(2), 106-118.

- Namango, S. S. (2006). Development of Cost-Effective Earthen Building Material for Housing Wall Construction: Investigations into the Properties of Compressed Earth Blocks Stabilized with Sisal Vegetable Fibres, Cassava Powder and Cement Compositions. Cassava Powder and Cement Compositions. A Doctoral Dissertation, Brandenburg Technical University, Cottbus, Germany.
- Nasri, E., Pegels, G., Mostofinejad, D. and Chini, A. (2010). International Transfer of CAD/CAM Construction Technologies: Case Study of A German–Iranian Partnership. *International Journal of Construction Management*. 10(2), 71-92.
- Nassar, K., Thabet, W. and Beliveau, Y. (2003). A procedure for multi-criteria selection of building assemblies. *Automation in Construction*. 12(5), 543-560.
- Newcombe, R., Langford, D. and Fellows, R. (1990). *Construction management*. Mitchell London.
- Ngoy, T. and Joubert, T. (2017). An air quality sensing system for cool air storage. *Proceedings of the 2017 Fourth Conference on Sensors, MEMS, and Electro-Optic Systems*: International Society for Optics and Photonics, 100360H.
- Ngutter, W. N.-M. (2014). *The Door of Return Museum of Senegal*, Virginia Tech.
- Nicol, J. F. and Humphreys, M. A. (2002). Adaptive thermal comfort and sustainable thermal standards for buildings. *Energy and buildings*. 34(6), 563-572.
- Nigeria and Climate Change: Road to COP15 Achieving the best outcome for Nigeria, Federal Ministry of Environment, Federal Government of Nigeria.
- Nigeria's population forecast. World Meters. Available online at: www.worldmeters.com [accessed 01.01.2015].
- Nigeria's World Bank Collection of Development Indicator (WBCDI). Reported at 96281 in 2014.
- Nigeria's First National Communication under the United Nations Framework Convention on Climate Change, Federal Republic of Nigeria; Nov. 2003
- Nigeria's total primary energy consumption. US Energy Information Administration (EIA). Available online at: www.eia.gov [accessed 10.05.2015].

- Nikolopoulou, M. and Steemers, K. (2003). Thermal comfort and psychological adaptation as a guide for designing urban spaces. *Energy and Buildings*. 35(1), 95-101.
- Nirmal, D. (2012). Environmental and Cost impact Analysis of Materials and Assemblies in Building Construction.
- Nordin, S. K. B. S. and Sek, S. K. (2018). Comparing the relationship among CO2 emissions, energy consumption and economic growth in high and low income countries: Panel Granger causality and cointegration testing. *Proceedings of the 2018 AIP Conference Proceedings*: AIP Publishing, 040014.
- Nunnally, J. (1978). C.(1978). *Psychometric theory*. 2.
- Nwakeze, N. M. and Okwor, J. U. (2017). An empirical analysis of the effect of population growth on housing in Nigeria. *EBSU Journal of Social Sciences and Humanities*. 5(1).
- Nwokoro, I. and Onukwube, H. (2015). Understanding green and sustainable construction in Lagos, Nigeria: Principles, attributes and framework. *Ethiopian Journal of Environmental Studies and Management*. 8(1), 57–68.
- Nwokoro, I. and Onukwube, H. N. (2011). Sustainable or green construction in Lagos, Nigeria: Principles, attributes and framework. *Journal of Sustainable Development*. 4(4), 166.
- Ocampo, L. (2015). Technology and Its Implications toward Sustainable Development. *Advances in Industrial Engineering and Management*. 4(1), 29-36.
- Odjugo P.A.O. (2010). Regional evidence of climate change in Nigeria, *Journal of Geography and Regional Planning*, Vol. 3(6), pp. 142-150, June 2010.
- Ofori, G. (1992). The environment: the fourth construction project objective? *Construction Management and Economics*. 10(5), 369-395.
- Ogunlowo O.O. (2013). Exploration of CNG as transportation energy source in Nigeria, Midlands Energy Graduate School, RGS-IBG Postgraduate Mid-term Conference 2013: MEGS sponsored Energy Sessions Reports, School of Geography, Earth and Environmental Service, University of Birmingham, 25-27 March, 2013.

- Odjugo P.A.O. (2011). Climate change and global warming: The Nigerian experience, *Journal of Sustainable Development and Environmental Protection*, 1(1): June 2011.
- Ofori, G. (2000). Challenges of construction industries in developing countries: Lessons from various countries. *Proceedings of the 2000 2nd International Conference on Construction in Developing Countries: Challenges Facing the Construction Industry in Developing Countries, Gaborone, November, 15-17.*
- Ofori, G. and Kien, H. L. (2004). Translating Singapore architects' environmental awareness into decision making. *Building Research & Information*. 32(1), 27-37.
- Ogunkah, I. C. (2013). Factors Affecting the Selection of Low-Cost Green Building Materials in Housing Construction. *International Journal of Sciences*. 2(2013-09), 41-75.
- Ogunkah, I. C. and Yang, J. (2013). Analysis of factors affecting the selection of low-cost green building materials in housing construction. *International Journal of Sciences*. 2.
- Ogunkah, I. C. B. and Yang, J. (2014). Validation of a Multi-Criteria Decision Support System for Low-Cost Green Building Materials and Components.
- Ohimain, E. I. and Izah, S. C. (2014). Contribution of manual energy to palm oil processing by smallholders in Nigeria. *Sky Journal of Agricultural Research*. 3(7), 137-141.
- Ohunakin, O. S., Leramo, O. R., Abidakun, O. A., Odunfa, M. K. and Bafuwa, O. B. (2013). Energy and cost analysis of cement production using the wet and dry processes in Nigeria. *Energy and Power Engineering*. 5(09), 537.
- Okemwa, M. N. (2017). The impact of green architecture on energy consumption in highrise office buildings in nairobi.
- Olajuyigbe, A. E. (2016). Drivers and Traits of Peri–Urbanization in Benin City, Nigeria: A Focus on Ekiadolor Community. *Advances in Social Sciences Research Journal*. 3(5).
- Olaoye, G. and Kamang, E. (1999). Applicability of a Local Pumice Stone as Lightweight Aggregate for Concrete Works.
- Olotuah, A. O. (2016). The Challenge of Housing Regeneration in the Core Area of Akure, Nigeria. *Mediterranean Journal of Social Sciences*. 7(3 S1), 431.

- Omardin, M. A., Abidin, N. Z. and Ali, W. D. W. (2015). Concept of Environmental Sustainability Awareness Strategies in Pre-Construction Stage. *J. Trop. Resour. Sustain. Sci.* 3, 103-116.
- Ononiwu, N. H. and Nwanya, S. Embodied Energy and Carbon footprints in Residential buildings.
- Ortiz, O., Pasqualino, J. and Castells, F. (2010). Environmental performance of construction waste: comparing three scenarios from a case study in Catalonia, Spain. *Waste management.* 30(4), 646-654.
- Osmani, M. (2011). Construction waste. *Proceedings of the 2011 Waste*: Elsevier, 207-218.
- Osmani, M., Glass, J. and Price, A. D. (2008). Architects' perspectives on construction waste reduction by design. *Waste Management.* 28(7), 1147-1158.
- Osunkunle, A. and Henry, O. A. (2014). Harnessing local building materials in building construction for sustainable development in the 21st century. *Proceedings of the 2014 Proceedings of the Multi-disciplinary Academic Conference on Sustainable Development*,
- Pacheco-Torgal, F., Faria, J. and Jalali, S. (2013). Embodied energy versus operational energy. Showing the shortcomings of the energy performance building directive (EPBD). *Proceedings of the 2013 Materials Science Forum*: Trans Tech Publ, 587-591.
- Page, T. and Thorsteinsson, G. (2018). Enhancing design decisions in material selection. *i-manager's Journal on Material Science.* 5(4), 1-22.
- Pahl, G. and Beitz, W. (2013). *Engineering design: a systematic approach*. Springer Science & Business Media.
- Pallant, J. (2011). *A Step-by-Step Guide to Data Analysis Using SPSS Programme: SPSS Survival Manual*. Fourth Edition, SAGE Publications.
- Palinkas, L. A., Horwitz, S. M., Green, C. A., Wisdom, J. P., Duan, N. and Hoagwood, K. (2015). Purposeful sampling for qualitative data collection and analysis in mixed method implementation research. *Administration and Policy in Mental Health and Mental Health Services Research.* 42(5), 533-544.

- Patton, M. Q. (1990). *Qualitative Evaluation and Research Methods*. SAGE Publications, inc.
- Panagopoulos, T., Duque, J. A. G. and Dan, M. B. (2015). Urban planning with respect to environmental quality and human well-being. *Environmental Pollution*.
- Patton, M. Q. (2002). *Qualitative Research and Evaluation Methods*. (3rd ed.). Thousand Oaks: SAGE.
- Paulsen, J. S. and Sposto, R. M. (2013). A life cycle energy analysis of social housing in Brazil: Case study for the program “My house my life”. *Energy and buildings*. 57, 95-102.
- Pearce, D. W., Markandya, A. and Barbier, E. (1989). *Blueprint for a green economy*. (Vol. 1) Earthscan.
- Pearlmutter, D., Freidin, C. and Huberman, N. (2007). Alternative materials for desert buildings: a comparative life cycle energy analysis. *Building research and information*. 35(2), 144-155.
- Peñaloza, D., Erlandsson, M. and Falk, A. (2016). Exploring the climate impact effects of increased use of bio-based materials in buildings. *Construction and Building Materials*. 125, 219-226.
- Petroche, D., Ramírez, A., Rodríguez, C., Salas, D., Boero, A. and Duque-Rivera, J. (2015). Life cycle assessment of residential buildings: a review of methodologies. *The Sustainable City X*. 194, 217.
- Peuportier, B. (2001). Life cycle assessment applied to the comparative evaluation of single family houses in the French context. *Energy and buildings*. 33(5), 443-450.
- Pezzey, J. C. and Toman, M. A. (2017). *The Economics of Sustainability*. Routledge.
- Pilvang, C. and Sutherland, I. (1998). Research information: environmental management in project design. *Building Research and Information*, 26(2), 113–117.
- Pitman, S. D., Daniels, C. B. and Ely, M. E. (2015). Green infrastructure as life support: urban nature and climate change. *Transactions of the Royal Society of South Australia*. 139(1), 97-112.
- Pomponi, F. and Moncaster, A. (2017). Circular economy for the built environment: A research framework. *Journal of cleaner production*. 143, 710-718.

- Pourzolfaghar, Z., Ibrahim, R., Abdullah, R. and Adam, N. M. (2014). A technique to capture multi-disciplinary tacit knowledge during the conceptual design phase of a building project. *Journal of Information & Knowledge Management*. 13(02), 1450013.
- Prato, T. and Herath, G. (2017). Role of Multi-Criteria Decision Making in Natural Resource Management *Using Multi-Criteria Decision Analysis in Natural Resource Management* (pp. 17-26)Routledge.
- Pullen, S., Holloway, D., Randolph, B. and Troy, P. (2006). Energy profiles of selected residential developments in Sydney with special reference to embodied energy. *Proceedings of the 2006 Proceedings of Australian & New Zealand Architectural Science Association (ANZAScA) 2006 40th Annual Conference'Challenges for architectural science in changing climates*, 22-25.
- Pullen, S. F. (2000). Energy used in the construction and operation of houses. *Architectural Science Review*. 43(2), 87-94.
- Qarout, L. (2017). Reducing the Environmental Impacts of Building Materials: Embodied Energy Analysis of a High-performance Building.
- Rahman, F. A., Aziz, M. M. A., Saidur, R., Bakar, W. A. W. A., Hainin, M., Putrajaya, R. and Hassan, N. A. (2017). Pollution to solution: Capture and sequestration of carbon dioxide (CO₂) and its utilization as a renewable energy source for a sustainable future. *Renewable and Sustainable Energy Reviews*. 71, 112-126.
- Rahman, M. and Bala, B. (2009). Ecological and environmental sustainability of jute production systems in Bangladesh: energy analysis. *Performance of black bengal goats under intensive and semi-intensive farming systems*. 67.
- Rangelova, F. (2015). Basic aspects of advanced construction project's organization and management.
- Raslanas, S., Kliukas, R. and Stasiukynas, A. (2016). Sustainability assessment for recreational buildings. *Civil Engineering and Environmental Systems*. 33(4), 286-312.
- Raut, R. D., Kamble, S. S. and Jha, M. K. (2016). An assessment of sustainable house using FST-QFD-AHP multi-criteria decision-making approach. *International Journal of Procurement Management*. 9(1), 86-122.

- Rawes, P. (2013). *Relational architectural ecologies: architecture, nature and subjectivity*. Routledge.
- Reddy, B. V. and Jagadish, K. (2003). Embodied energy of common and alternative building materials and technologies. *Energy and buildings*. 35(2), 129-137.
- Reichardt, A. (2014). Operating Expenses and the Rent Premium of Energy Star and LEED Certified Buildings in the Central and Eastern US. *The Journal of Real Estate Finance and Economics*. 49(3), 413-433.
- Revell, A. and Blackburn, R. (2007). The business case for sustainability? An examination of small firms in the UK's construction and restaurant sectors. *Business Strategy and the Environment*. 16(6), 404-420.
- Revelle, W. and Zinbarg, R. E. (2009). Coefficients alpha, beta, omega, and the glb: Comments on Sijtsma. *Psychometrika*. 74(1), 145-154.
- Reynaldo, J., and Santos, A. (1999). Cronbach's Alpha: A Tool for Assessing the Reliability of Scales. *2TOT3*, 37(2).
- Rohracher, H. (2001). Managing the technological transition to sustainable construction of buildings: a socio-technical perspective. *Technology Analysis & Strategic Management*. 13(1), 137-150.
- Rossi, M. and Lent, T. (2006). Creating safe and healthy spaces: selecting materials that support healing. *Designing the 21 st Century Hospital*. 55.
- Roychowdhury, D., Murthy, R. V. and Jose, P. D. (2015). Facilitating Green Building Adoption--An Optimization Based Decision Support Tool.
- Sahlin-Andersson, K. (1989). *Oklarhetens strategi. Organiserings av projektsamarbete*. Lund, Studentlitteratur.
- Salgin, B., Balanli, A. and Taygun, G. T. (2015). Design approaches to prevent/reduce construction and demolition waste generated through the usage phase of buildings. *Sigma*. 6(1), 79-89.
- Salomonsson, G. and Ambrose, M. (1996). Product comparison methods. *Proceedings of the 1996 Proceedings 1996 Embodied Energy Seminar, Deakin University, Geelong*, 23-31.
- Sandanayake, M., Zhang, G., Setunge, S., Li, C.-Q. and Fang, J. (2016). Models and method for estimation and comparison of direct emissions in building construction in Australia and a case study. *Energy and Buildings*. 126, 128-138.

- Sandin, G. A. (2015). *Life cycle assessment in the development of forest products: Contributions to improved methods and practices*, Chalmers University of Technology.
- Sartori, I. and Hestnes, A. G. (2007). Energy use in the life cycle of conventional and low-energy buildings: A review article. *Energy and buildings*. 39(3), 249-257.
- Schmidt, M. and Crawford, R. H. (2017). Developing an integrated framework for assessing the life cycle greenhouse gas emissions and life cycle cost of buildings. *Procedia Engineering*. 196, 988-995.
- Schmidt, M. and Crawford, R. H. (2018). A framework for the integrated optimisation of the life cycle greenhouse gas emissions and cost of buildings. *Energy and Buildings*. 171, 155-167.
- Sengupta, N. (2018). Assessing Acceptability Criteria of Building Technologies to Design Appropriate Housing Schemes by Government of India for Economically Weaker Section. *International Journal of Applied Engineering Research*. 13(3), 1769-1783.
- Sev, A. (2009). How can the construction industry contribute to sustainable development? A conceptual framework. *Sustainable Development*. 17(3), 161-173.
- Sharma, S. (2000). Managerial interpretations and organizational context as predictors of corporate choice of environmental strategy. *Academy of Management journal*. 43(4), 681-697.
- Shechter, M. and Freeman, S. (1994). Nonuse value: reflections on the definition and measurement *Valuing the Environment: Methodological and Measurement Issues* (pp. 171-194)Springer.
- Sheehan, R. (2013). Robert Sheehan. *The Rupert Grint Handbook-Everything you need to know about Rupert Grint*. 313.
- Shemfe, M., Gadkari, S., Yu, E., Rasul, S., Scott, K., Head, I. M., Gu, S. and Sadhukhan, J. (2018). Life cycle, techno-economic and dynamic simulation assessment of bioelectrochemical systems: A case of formic acid synthesis. *Bioresource technology*. 255, 39-49.

- Shen, L.-Y. and Tam, V. W. (2002). Implementation of environmental management in the Hong Kong construction industry. *International Journal of Project Management*. 20(7), 535-543.
- Shen, L.-y., Tam, V. W., Tam, L. and Ji, Y.-b. (2010a). Project feasibility study: the key to successful implementation of sustainable and socially responsible construction management practice. *Journal of Cleaner Production*. 18(3), 254-259.
- Shen, S., Vale, R. and Vale, B. (2010b). The life-cycle environmental impact of exhibition buildings: a case study. *Melbourne 2010 Knowledge Cities World Summit*. 16-19.
- Shi, Q., Zuo, J., Huang, R., Huang, J. and Pullen, S. (2013). Identifying the critical factors for green construction—an empirical study in China. *Habitat international*. 40, 1-8.
- Sierra, J. C. (2016). Estimating road transport fuel consumption in Ecuador. *Energy Policy*. 92, 359-368.
- Singhaputtangkul, N., Pheng Low, S. and Lin Teo, A. (2011). Integrating sustainability and buildability requirements in building envelopes. *Facilities*. 29(5/6), 255-267.
- Soebarto, V. and Williamson, T. (2001). Multi-criteria assessment of building performance: theory and implementation. *Building and Environment*. 36(6), 681-690.
- Spangenberg, S., Baarts, C., Dyreborg, J., Jensen, L., Kines, P. and Mikkelsen, K. L. (2003). Factors contributing to the differences in work related injury rates between Danish and Swedish construction workers. *Safety Science*. 41(6), 517-530.
- Spiegel, R. and Meadows, D. (2010). *Green building materials: a guide to product selection and specification*. John Wiley & Sons.
- Srivastava, A., Singh, P., Janhavi, N. and Singh, A. (2017). Green Buildings: Eco-friendly Technique for Modern Cities *Sustainable Smart Cities in India* (pp. 415-432)Springer.
- Standardization, I. O. f. (1997). *Environmental Management: Life Cycle Assessment: Principles and Framework*. (Vol. 14040)ISO.

- Stapleton, G., Milne, G., Reardon, C. and Riedy, C. (2004). Photovoltaic systems. *The Institute for Sustainable Futures, University of Technology, Sydney*, <http://www.greenhouse.gov.au/yourhome/technical/fs47.htm>.
- Steurer, R. and Hametner, M. (2013). Objectives and indicators in sustainable development strategies: similarities and variances across Europe. *Sustainable Development*. 21(4), 224-241.
- Stigson, B. (1999). Sustainable development for industry and society. *Building Research & Information*. 27(6), 424-430.
- Stoffberg, H. and Barker, A. (2012). Mitigating climate change by minimising the carbon footprint and embodied energy of construction materials: A comparative analysis of three South African Bus Rapid Transit (BRT) stations. *Acta Structilia: Journal for the Physical and Development Sciences*. 19(2), 21-45.
- Svanberg, J. and Öhman, P. (2013). Auditors' time pressure: does ethical culture support audit quality? *Managerial Auditing Journal*. 28(7), 572-591.
- Svanberg, J. and Öhman, P. (2015). Auditors' identification with their clients: Effects on audit quality. *The British Accounting Review*. 47(4), 395-408.
- Svensson, N., Roth, L., Eklund, M. and Mårtensson, A. (2006). Environmental relevance and use of energy indicators in environmental management and research. *Journal of Cleaner Production*. 14(2), 134-145.
- Tam, V. W. (2008). On the effectiveness in implementing a waste-management-plan method in construction. *Waste management*. 28(6), 1072-1080.
- Tas, E., Yaman, H. and Tanacan, L. (2008). A building material evaluation and selection model for the Turkish construction sector. *Engineering, Construction and Architectural Management*. 15(2), 149-163.
- Tatum, C. B. (1987). Process of innovation in construction firm. *Journal of Construction Engineering and Management*. 113(4), 648-663.
- Tellis, W. (1997). Introduction to Case Study. *The Qualitative Report*, 3(2).
- Tellnes, L. G., Ganne-Chedeville, C., Dias, A., Dolezal, F., Hill, C. and Zea Escamilla, E. (2017). Comparative assessment for biogenic carbon accounting methods in carbon footprint of products: a review study for construction materials based on forest products. *iForest-Biogeosciences and Forestry*. 10(5), 815.

- Thies, C., Kieckhäfer, K., Spengler, T. S. and Sodhi, M. S. (2018). Operations Research for sustainability assessment of products: A review. *European Journal of Operational Research*.
- Thomas, L. E. (2010). Evaluating design strategies, performance and occupant satisfaction: a low carbon office refurbishment. *Building Research & Information*. 38(6), 610-624.
- Thormark, C. (2002). A low energy building in a life cycle—its embodied energy, energy need for operation and recycling potential. *Building and environment*. 37(4), 429-435.
- Trotter, P. A., Maconachie, R. and McManus, M. C. (2018). Solar energy's potential to mitigate political risks: The case of an optimised Africa-wide network. *Energy Policy*. 117, 108-126.
- Tseng, M.-L., Wang, R., Chiu, A. S., Geng, Y. and Lin, Y. H. (2013). Improving performance of green innovation practices under uncertainty. *Journal of Cleaner Production*. 40, 71-82.
- Udawattha, C. and Halwatura, R. (2016). Embodied energy of mud concrete block (MCB) versus brick and cement blocks. *Energy and Buildings*. 126, 28-35.
- Udawattha, C. and Halwatura, R. (2017). Life cycle cost of different Walling material used for affordable housing in tropics. *Case studies in construction materials*. 7, 15-29.
- Uher, T. E. (1999). Absolute indicators of sustainable construction. *Proceedings of the 1999 Proceedings of COBRA*, 243-253.
- Upstill-Goddard, J., Glass, J., Dainty, A., Nicholson, I., Thomson, D. and Shen, G. (2016). Implementing sustainability in small and medium-sized construction firms: the role of absorptive capacity. *Engineering, Construction and Architectural Management*. 23(4).
- Utary, A. R. (2014). Effect of Time Budget Pressure on Dysfunctional Audit and Audit Quality, Information Technology as Moderator. *International Journal of Economic Research*. 11(3).
- uz Zaman, U. K., Siadat, A., Rivette, M., Baqai, A. A. and Qiao, L. (2017). Integrated product-process design to suggest appropriate manufacturing technology: a review. *The International Journal of Advanced Manufacturing Technology*. 91(1-4), 1409-1430.

- Van der Geest, S. and Finkler, K. (2004). Hospital ethnography: introduction. *Social science & medicine*. 59(10), 1995-2001.
- van der Linden, K., Boerstra, A. C., Raue, A. K. and Kurvers, S. R. (2002). Thermal indoor climate building performance characterized by human comfort response. *Energy and Buildings*. 34(7), 737-744.
- Van Kesteren, I. (2008). Product designers' information needs in materials selection. *Materials & Design*. 29(1), 133-145.
- Venkatarama Reddy B. V., Jagadish, K. S. (1989). Properties of soil–cement block masonry, *Masonry International* 3 (2) 80–84.
- Venkatarama Reddy, B. V. (1991). Studies on static soil compaction and compacted soil–cement blocks for walls, *Ph.D. thesis, Department of Civil Engineering, Indian Institute of Science, Bangalore, India*.
- Victor, P. A. (2018). 6. Herman Daly and the Steady-State Economy. *Beyond Uneconomic Growth, Vol. 2*. 107.
- Vilčeková, S., Čuláková, M., Burdová, E. K. and Katunská, J. (2015). Energy and environmental evaluation of non-transparent constructions of building envelope for wooden houses. *Energies*. 8(10), 11047-11075.
- Vischer, J. C. and Zeisel, J. (2008). Bridging the gap between research and design. *World health*. 57.
- Wakeford, J. J. and Swilling, M. (2014). Peak oil as a stimulus for a green economy transition in South Africa: alternative liquid fuel and transport options. *International Journal of African Renaissance Studies-Multi-, Inter-and Transdisciplinarity*. 9(2), 133-153.
- Waldron, D., Jones, P. J., Lannon, S. C., Bassett, T. and Iorwerth, H. M. (2013). Embodied energy and operational energy: case studies comparing different urban layouts.
- Walker, D. H. (2000). Client/customer or stakeholder focus? ISO 14000 EMS as a construction industry case study. *The TQM Magazine*. 12(1), 18-26.
- Walker, J. A., Pattathil, S., Bergeman, L. F., Beebe, E. T., Deng, K., Mirzai, M., Northen, T. R., Hahn, M. G. and Fox, B. G. (2017). Determination of glycoside hydrolase specificities during hydrolysis of plant cell walls using glycome profiling. *Biotechnology for biofuels*. 10(1), 31.

- Wallbaum, H., Jakob, M., Martius, G. and Ostermeyer, Y. (2013). Assessment of the relevance of “embodied energy” in the building stock of the city of Zurich. *Proceedings of the 2013 Sustainable Building Conference 2013*, 23.-28.09. 2013, TU Graz, Austria, 751-759.
- Wang, J., Li, Z. and Tam, V. W. (2014). Critical factors in effective construction waste minimization at the design stage: a Shenzhen case study, China. *Resources, Conservation and Recycling*. 82, 1-7.
- Wang, J. and Rakha, H. A. (2017). Fuel consumption model for heavy duty diesel trucks: Model development and testing. *Transportation Research Part D: Transport and Environment*. 55, 127-141.
- Wang, L., Huang, G., Wang, X. and Zhu, H. (2018a). Risk-based electric power system planning for climate change mitigation through multi-stage joint-probabilistic left-hand-side chance-constrained fractional programming: A Canadian case study. *Renewable and Sustainable Energy Reviews*. 82, 1056-1067.
- Wang, W., Zhang, S. and Pasquire, C. (2018b). Factors for the adoption of green building specifications in China. *International Journal of Building Pathology and Adaptation*.
- Washington, H. (2015). *Demystifying Sustainability: Towards Real Solutions*. Routledge.
- Weaver, P.M. and Rotmans, J. (2006) Integrated sustainability assessment: what is it, why do it and how. *International Journal of Innovation and Sustainable Development*, Issue: Volume 1, Number 4 / 2006 Pages: 284 – 303
- Wennersten, R., Sun, Q. and Li, H. (2015). The future potential for Carbon Capture and Storage in climate change mitigation—an overview from perspectives of technology, economy and risk. *Journal of Cleaner Production*. 103, 724-736.
- White, P. (2013). Who's afraid of research questions? The neglect of research questions in the methods literature and a call for question-led methods teaching. *International Journal of Research & Method in Education*. 36(3), 213-227.
- Williams, K. and Dair, C. (2007). What is stopping sustainable building in England? Barriers experienced by stakeholders in delivering sustainable developments. *Sustainable Development-Bradford*-. 15(3), 135.

- Windapo, A. and Ogunsanmi, O. (2014). Construction sector views of sustainable building materials. *Proceedings of the ICE-Engineering Sustainability*. 167(2), 64-75.
- Winkelmann, R. (2008). *Econometric analysis of count data*. Springer Science & Business Media.
- Winkelmann, R. (2013). *Count data models: Econometric theory and an application to labor mobility*. (Vol. 410)Springer Science & Business Media.
- Woolley T, Kimmins S, Harrison P, Harrison R. (1998). Green building handbook, vols. 1, 2. Londres: E & Spon.
- Woodside, A. G. (2010). *Case study research: Theory, methods and practice*. Emerald Group Publishing.
- Wubben, E. (1999). What's in it for us? Or: the impact of environmental legislation on competitiveness. *Business Strategy and the Environment*. 8(2), 95.
- Yahaya K.A., Salam M.O., and Bamigbade D. (2011). Economic implications of climate change and the imperative of re-directing financial resources in Nigeria, *British Journal of Humanities and Social Sciences*, 2(2): November 2011.
- Yanda, P. (2015). Climate Change Implications for Management and Use of Agricultural Biodiversity Resources in Africa. *Environ. Ecol. Res*. 3, 35-43.
- Yang, J. and Ogunkah, I. C. B. (2013). A multi-criteria decision support system for the selection of low-cost green building materials and components. *Journal of Building Construction and Planning Research*. 1(04), 89.
- Yılmaz, M. and Bakış, A. (2015). Sustainability in construction sector. *Procedia-Social and Behavioral Sciences*. 195, 2253-2262.
- Yin, B. C. L., Laing, R., Leon, M. and Mabon, L. (2018). An evaluation of sustainable construction perceptions and practices in Singapore. *Sustainable Cities and Society*. 39, 613-620.
- Yin, R. (1994). *Case study research: Design and methods* . Beverly Hills. CA: Sage publishing.
- Yin, R. (2014). *Case Study Research. Design and Methods*. Fifth. Thousand Oaks, California: Sage Publications.
- Yin, R. K. (2003). *Case study research: Design and methods* . Thousands Oaks. Sage. Young, LC and Wilkinson, IR (1989). *The role of trust and co-operation*

- in marketing channels: a preliminary study. European Journal of Marketing.* 23(2), 109-122.
- Yin, R. K. (2015). *Qualitative research from start to finish*. Guilford Publications.
- Yunus, R. and Yang, J. (2014). Improving ecological performance of industrialized building systems in Malaysia. *Construction Management and Economics.* 32(1-2), 183-195.
- Zainul Abidin, N. (2009). Sustainable Construction in Malaysia—Developers’ Awareness.
- Zeng, S., Shi, J. J. and Lou, G. (2007). A synergetic model for implementing an integrated management system: an empirical study in China. *Journal of cleaner production.* 15(18), 1760-1767.
- Zeng, S., Tam, V. W. and Tam, C. M. (2008). Towards occupational health and safety systems in the construction industry of China. *Safety science.* 46(8), 1155-1168.
- Zhang, B., Bi, J., Yuan, Z., Ge, J., Liu, B. and Bu, M. (2008). Why do firms engage in environmental management? An empirical study in China. *Journal of Cleaner Production.* 16(10), 1036-1045.
- Zhang, Y. (2018). *Life Cycle Environmental Impacts of Biofuels: The Role of Co-products*, University of California, Davis.
- Zuo, J., Pullen, S., Rameezdeen, R., Bennetts, H., Wang, Y., Mao, G., Zhou, Z., Du, H. and Duan, H. (2017). Green building evaluation from a life-cycle perspective in Australia: A critical review. *Renewable and Sustainable Energy Reviews.* 70, 358-368.
- Zuo, J. and Zhao, Z.-Y. (2014). Green building research—current status and future agenda: A review. *Renewable and Sustainable Energy Reviews.* 30, 271-281.