Hazard Level of Vehicle Smoke by Fuzzy Multiple Attribute Decision Making with Simple Additive Weighting Method

Satria Abadi¹, Miftachul Huda², Kamarul Shukri Mat Teh³, Zulkiflee Haron⁴, Mohd. Nasir Ripin⁴, Aminudin Hehsan⁴, Shamsul Sarip⁵, Muhamad Rafiqi Hehsan⁶, Musfika Amrullah², Andino Maseleno^{1,7*}

¹Department of Information Systems, STMIK Pringsewu, Lampung, Indonesia ²Universiti Teknologi Malaysia, Malaysia ³Universiti Sultan Zainal Abidin, Malaysia

⁴Centre of Research for Fiqh Science and Technology, Universiti Teknologi Malaysia, Malaysia

⁵Razak Faculty of Technology and Informatics, Universiti Teknologi Malaysia, Malaysia

⁶Faculty of Medicine and Health Sciences, Universiti Sains Islam Malaysia, Malaysia

⁷Institute of Informatics and Computing Energy, Universiti Tenaga Nasional, Malaysia

*Corresponding author E-mail: andimaseleno@gmail.com

Abstract

Clean air is a necessity for human. Human needs clean and healthy air without being contaminated by vehicle smoke that can endanger human health. vehicle smoke contains harmful substances for human including carbon dioxide (CO2), carbon monoxide (CO), nitrogen oxides (NOx) and lead metal (Pb). This can make air quality worse and can cause human be suffered of diseases including ARI (Acute Respiratory Infection), shortness of breath, sore eyes, coughing, brain damage and mental disability in children. Decision Support System (DSS) is a system to support Managerial decision makers in semi-structured decision situations and in this research author made a study of the DSS model to determine the level of danger of vehicle smoke, this study uses the Fuzzy Multiple Attribute Decision Making method (FMADM) where this method is a way to find optimal alternative from a number of alternatives with certain criteria, from very low things that was from 0-0.25, medium from 0.3-0.50, to the most dangerous thing that was from 0.8-1. Hopefully with the existence of this research later it can be useful for the community, especially for public health.

Key words : Decision Support System, FMADM, Vehicle Smoke

1. INTRODUCTION

1.1. Background

Today, technology development is very rapid, especially in motorized vehicles, now motor vehicles the number of motor vehicle users is increasing, especially in big cities, the selling of motor vehicle is increasing by day, when the price of two-wheeled and four-wheeled vehicles is getting cheaper, vehicle provider is increasingly making profits from community demand. The large number of motorized vehicles will also cause a lot of air pollution that is often not be realized by motor vehicle users. The impact is very dangerous for health and environment. According to the website reported bv Satuharapan.com, motor vehicle pollution is the biggest contributor of air pollution in Jakarta. About 70 percent of motor vehicle causes bad air quality in Jakarta with comparative correlations of population growth and the number of motor vehicles.

Jakarta is the worst city with the highest pollution level in Indonesia and the third worst in the world after Mexico and Thailand. Vehicle smoke contains harmful substances for human namely, carbon dioxide (CO2), it causes increasing of surface temperature of the earth, carbon monoxide (CO), it causes pain in the eyes and lungs, nitrogen oxide (NOx), it causes irritation to the eye and reduces visibility and lead metal (Pb), it causes brain damage and mental disability of children. According to Law No. 14 1992 about Road Traffic and Transportation, it has imposed the obligation to test motor vehicle emission. Article 50 section (1) and paragraph (2) of the Act states, "To prevent air pollution and noise from motor vehicles that can interfere with environmental sustainability, every motor vehicle must meet the requirements for exhaust smokeand noise level. Decision Support System (DSS) to know the hazard level of vehicle smoke using the Fuzzy Multiple Attribute Decision Making (FMADM) method where this method is a way to find optimal alternatives from a number of alternatives with certain criteria. Hopefully with the existence of this research later it can be useful for the community, especially towards public health.

1.2 Problem Formulation

- Vehicle smoke contains harazrdous matter for human, among others carbon dioxide (CO2) that causes increasing of surface temperature, carbon monozide (CO) causes pain in the eyes and lungs, nitrogen oxide (NOx), it causes irritation to the eye and reduces visibility and lead metal (Pb), it causes brain damage and mental disability of children
- 2. How to know harardous level of vehicle smoke?

1.3 Problem Limitation

- 1. This research used model Decision Support System (DSS) to know hazard level of vehicle smoke using Fuzzy Multiple Attribute Decision Making (FMADM).
- 2. The danger of vehicle emission

1.4 Research purpose

- 1. To make community know the danger of vehicle smoketo health level.
- 2. The air inhaled is fresh, clean and good for health.

1.5 Research benefit.

The benefit of this research for the community is to be able to differentiate vehicles that are suitable for use and those that are not, the vehicles used must carry out maintenance every month

2. LITERATURE REVIEW

2.1 Main Concept of DSS

2.1.1 Decision Support System (DSS)

Decision Support System (DSS) is a system to support managerial decision makers in semistructured decision situations. The DSS is intended to be a tool for decision makers to expand their capabilities, but not to replace their judgment (Alit, P. 2012).

The next attempt in defining the DSS concept was done by Steven L. Alter.Alter conducted a study of 56 decision support systems used at the time, the study provided knowledge in identifying six types of DSS, namely:

- a. Retrive information element
- b. Analyze entries files
- c. Prepare reports form multiple files (standart report from some files).
- d. Estimate decisions consquences
- e. Propose decision.
- f. Making decisions.

In DSS there are three purposes that mus be achieved, namely :

- a. Help manager in making decision in solving semi structured problem
- b. Support manager decision and not changing the decision
- c. Improve manager effectivity in decision making and not efficiency enhancment

This purpose relates to three basic principles of DSS concept, namely the structure of the problem, decision support, and decision effectiveness. Decision Support System (DSS) as a system that provides support to a manager, or to a relatively small group of managers who work as a problem-solving team, in solving semi-structured problems by providing information or suggestions regarding to certain decisions. This information is provided by periodic reports, special reports, as well as output from mathematical models. The model also has the ability to provide advice at various levels

2.1.2 Fuzzy Multiple Attribute Decision Making (FMADM)

FMADM is a method used to find optimal alternatives from a number of alternatives with certain criteria. The essence of FMADM is to determine the weight value for each attribute, then proceed with the ranking process that will select alternatives that have been given. Basically, there are 3 approaches to find attribute weight score, namely subjective approach, objective approach and integration approach between subjective and objective. Each approach has advantages and disadvantages. In the subjective approach, the weight value is determined based on the subjectivity of the decision makers, so several factors in the alternative ranking process can be determined freely. Whereas in the objective approach, the weight score is calculated mathematically so that it ignores the subjectivity of the decision maker.

2.1.3 FMADM Algorithm

FMADM Algorithm is:

- 1. Give score for each alternative (Ai) in each determined criterion (Cj) where the score is based on crisp i=1,2,...m dan j=1,2,...n.
- 2. Give weight score (W) that is obtained from crisp score.

- 3. Perform matrix normalization by calculating normalized performance rating score from Ai alternative in Cj attribute based on equation adjusted with attribute (benefit attribute = Maximum or cost = Minimum. If the attribute is benefit then crisp score (Xij) from each attribute column is divided by MAX Xij crips score from each column, wherease for attribute cost, Min crisp score (MIN Xij) from each column is divided by Xij crisp score each column.
- 4. Perform ranking process by multiplying normalized matrix (R) with weight score (W).
- Determine preference score for each alternative (Vi) by adding the multiplication result between R normalized matrix with weight score (W). The greater Vi score indicates Ai alternative is more selected.

2.1.4 Finishing Step

This research used SAW method FMADM. The steps are :

- 1. Determine criteria that can be reference in decision making namely Ci
- 2. Determine compatibility rating for each alternative in each attribute.
- 3. Make decision matrix based on Ci criterion then perform matrix normalization adjusted with attribute type (benefit attribute or cost attribute) so it is obtained R normalized matrix.
- 4. Final result obtained from ranking process is addition from R normalized matrix multiplication with weight vector so it is obtained greatest score selected as best alternative (Ai) as solution.

2.1.5 Simple Additive Weighting (SAW)

SAW (Simple Additive Weighting) known, also known as weighted addition method. Main concept of SAW method is looking for weighted addition from performance rating of each alternative in all attribute. SAW method needs decision normalized matrix (X) to a comparable scale with all existing alternatives.

$$r_{ij} = \begin{cases} \frac{x_{ij}}{M_{ax} x_{ij}} \\ \frac{M_{in} x_{ij}}{\frac{1}{x_{ij}}} \end{cases}$$

Description :

 $r_{ij} = Performance rating score$

Max x_{ij} = Maximum score from each row and column Min x_{ij} = Minimum score from each row and column X_{ij} = row and column from matrix

With rij is normalized performance rating from Ai alternative at Cj; i = 1, 2...m and j = 1, 2...n.

Preference score for each alternative (Vi) given as ::

 $V_i = \sum_{j=1}^n w_j r_{ij}$

- V_i = Preference score
- $W_j = ranking weight$

 r_{ij} = normalized performance rating

Greater V_i score indicates Ai alternative is more selected.

Some steps in finishing Simple Additive Weighting (SAW) :

- 1. Determine reference criteria in decision making namely Ci.
- 2. Determine compatibility rating for each alternative in each criteria.
- 3. Create decision matrix based on (Ci) criterion then perform matrix normalization based on adjusted equation with attribute type (benefit attribute or cost attribute) so it is needed R normalized matrix.
- 4. Final result is obtained from ranking process namely addition from matrix multiplication with R normalized with vector weight so it is obtained greates score which is selected as Ai best alternative as solution [2].

2.1.6 Smoke

Smoke is a suspension of small particles in the air (aerosols) that comes from incomplete combustion of a fuel. Smoke is generally an unwanted byproduct of fire (including stoves and lamps) and heating, but can also be used for pest eradication (fumigation), communication (smoke signals), defense (smoke screen) or tobacco or dope. Smoke is sometimes used as a flavoring agent and preservative for various food ingredients.

2.1.7 Vehicle

Vehicle is a means of transportation, both driven by machines and by living things. These vehicles are usually man-made (cars, motorcycles, trains, boats, planes), but some are not man-made and can still be called vehicles, such as icebergs, and floating tree trunks. Non-motorized vehicles can also be driven by humans or pulled by animals, such as carts.

3. RESEARCH METHOD

3.1 Data Collection

Data collection methods used were as follows :

- 1. Observation Perform observation to know how danger the vehicle emission.
- 2. Interview
 - Why vehicle smoke is dangerous ?
 - What kind of disease caused by vehicle smoke?
 - How to overcome it?
- 3. Literature study by looking for references :
 - Related books
 - Internet
 - Library

3.2 Design Model

Design model used in this research was Fuzzy Multiple Attribute Decision Making (FMADM).



Figure 1. Hazard variable level of vehicle smoke

3.3 System need analysis

3.3.1 Input need analysis

Input need data or hardware in this study was all objects needed by built system namely decision support system. Collected data will be processed become output.

3.3.2 Output need analysis

Output need data is output from input data processed become information to be a real decision support system.

4. DESIGN AND IMPLEMENTATION

In this research, selection of vehicle smoke hazard level used *Fuzzy Multiple Attribute Decision making* (*FMADM*) with some criteria among others :

C1= vehicle fuel

- C2 = vehicle smoke color
- C3 = pollutan material of vehicle smoke
- C4 = substance component of vehicle smoke
- C5 = disease caused by vehicle smoke

C6= impact to environment

The result was the ranking of alternative from lowest rank to highest rank. Final result obtained from each criteria had different weight score, from each criterion was determined its weight. At weight contained four numbers namely: very low (SR), low (R), very medium (SS), medium (S), high (T), very high (ST), the following are table criteria :

Table 1. (C1) Criteria of vehicle fuel

Vehicle Fuel	Weight	Crisp Number
Premium	Very low (SR)	0
Pertamax	Low (R)	0.25
Diesel Fuel	Very medium (SS)	0.35

4.1 Color of vehicle smoke

These criteria are the data needed in making decisions based on the color of the vehicle's smoke, namely thin white, thick white, bluish and black. The following is the interval description of the number of persons who live and have been converted to fuzzy number.

Smoke color of	Weight	Crisp		
vehicle		Number		
Thin white	Very low (SR)	0		
Thick white	Low (R)	0.25		
Bluish	Very medium (SS)	0.35		
Black	Medium (S)	0.50		

Table 2. (C2) Criteria of color

4.2 Pollutant resulted by vehicle smoke

These criteria are the data needed in making decisions based on air pollutant including particle, energy, gas and chemical substance. The following is the interval description of the number of persons who live and have been converted to fuzzy numbers.

Table 3. (C3) criteria of air pollutant

Air pollutant	Weight	Crisp number
Particle	Very low (SR)	0
Energy	Low (R)	0.25
Gas	Very medium (SS)	0.35
Chemical		
substance	Medium (S)	0.50

4.3 The contain of vehicle smoke

These criteria are the data needed in making decisions based on the substance content of smoke from vehicles where the content can interfere with human health. The following is the interval description of the number of persons who live and have been converted to fuzzy numbers.

Table 4.(C4)	criteria	of ve	ehicle	smoke	contain
---------------	----------	-------	--------	-------	---------

Vehicle smoke contain	Weight	Crisp number
Carbon dioxide (Co2)	Very low (SR)	0
Carbon monoxide (Co)	Low (R)	0.25
Nitrogen dioxide (Nox)	Very medium (SS)	0.35
Sulfur dioxide	Medium (S)	0.50
Lead metal (Pb)	High (T)	0.75

4.4 Disease caused by vehicle smoke

These criteria are the data needed in making decisions based on vehicle smoke-induced diseases, namely eye irritation, ARI, Lung and brain damage which can interfere with human health. The following is the interval description of the number of persons who live and have been converted to fuzzy numbers.

Disease caused by vehicle smoke	Weight	Crisp Number
Eye irritation	Very low (SR)	0
Nasal irritation	Low (R)	0.25
Throat irritation	Very medium (SS)	0.35
ISPA	Medium (S)	0.50
Lung disease	Very low (SR)	0.75
Brain damage	low (R)	1

Table 5. (C5) criteria of disease caused by vehicle smoke

4.5 Impact to environment

These criterion are the data needed in making decisions based on the impact to environment of the vehicle, namely, acid rain, damaging the ozone layer and inhibiting plant growth. The following is the interval description of the number of persons who have been converted to fuzzy numbers.

Table 6. ((C6)	criteria	of im	pact to	environment
1 4010 0. ($(\mathbf{v}\mathbf{v})$	ernerna	01 1111	pace to	entinonnent

Air pollutants	Weight	Crisp number
Acid rain	Medium (S)	0.50
Damaging ozon		
layer	High (T)	0.75
Inhibit plant		
growth	Very high (ST)	1

4.6 Weight calculation

The following is manual calculation formed by X converted decison matrix with Simple Additive Weighting, as follows :

Altern	Criteria					
anve	C1	C2	C3	C4	C5	C6
A1	0.25	0.35	0.75	0.50	1	0.25
A2	0.35	0.50	0.35	0.25	0.50	0.35
A3	0.75	1	0.25	0.35	0.50	0.25
A4	0.50	0.25	0.35	1	0.45	0.35
A5	1	0.50	0.25	0.75	0.35	0.45

A6	0.25	0.35	0.50	1	0.35	0.25
A7	0.45	0.25	0.35	0.50	0.25	1
A8	0.35	0.50	0.75	0.25	0.25	0.35
A9	1	0.75	0.35	0.25	0.50	0.25
A10	1	1	0.25	0.35	0.50	0.25

From C1 column maximal score was 0.75, then every row from C1 column was divided with maximum score of C1 column.

 $\begin{array}{l} R_{1,1}=0.25/0.75=0.33\\ R_{2,1}=0.35/0.75=0.47\\ R_{3,1}=0.25/0.75=0.33\\ R_{4,1}=0.50/0.75=0.7\\ R_{5,1}=0.35/0.75=0.47\\ R_{6,1}=0.25/0.75=0.47\\ R_{8,1}=0.35/0.75=0.47\\ R_{8,1}=0.35/0.75=0.47\\ R_{9,1}=0.75/0.75=1\\ R_{10,1}=0.25/0.75=0.33 \end{array}$

From C2 column maximal score was 1, then every row from C1 column was divided with maximum score of C2 column.

$R_{1,1} = 0.35/1 = 0.35$
$R_{2,1} = 0.50/1 = 0.50$
$R_{3,1} = 1/1 = 1$
$R_{4,1} = 0.25/1 = 0.25$
$R_{5,1} = 0.50/1 = 0.50$
$R_{6,1} = 0.35/1 = 0.35$
$R_{7,1} = 0.25/1 = 0.25$
$R_{8,1} = 0.50/1 = 0.50$
$R_{9,1} = 0.35/1 = 0.75$
$R_{10,1} = 1/1 = 1$

From C3 column maximal score was 0.75, then every row from C3 column was divided with maximum score of C3 column.

 $\begin{array}{l} R_{1,1}=0.75/0.75=1\\ R_{2,1}=0.35/0.75=0.47\\ R_{3,1}=0.25/0.75=0.33\\ R_{4,1}=0.35/0.75=0.47\\ R_{5,1}=0.25/0.75=0.33\\ R_{6,1}=0.50/0.75=0.7\\ R_{7,1}=0.35/0.75=0.47\\ R_{8,1}=0.75/0.75=1\\ R_{9,1}=0.25/0.75=0.33\\ R_{10,1}=0.75/0.75=1\\ \end{array}$

From C4 column maximal score was 2 then every row from C4 column was divided with maximum score of C4 column. $\begin{array}{l} R_{1,1}=0.50/1=0.50\\ R_{2,1}=0.25/1=0.25\\ R_{3,1}=0.35/1=0.35\\ R_{4,1}=1/1=1\\ R_{5,1}=0.75/1=0.75\\ R_{6,1}=1/1=1\\ R_{7,1}=0.50/1=0.50\\ R_{8,1}=0.25/1=0.25\\ R_{9,1}=0.25/1=0.25\\ R_{10,1}=0.35/1=0.35 \end{array}$

From C5 column maximal score was 0.50 then every row from C5 column was divided with maximum score of C5 column.

$$\begin{split} R_{1,1} &= 0.25/0.50 = 0.5 \\ R_{2,1} &= 0.50/0.50 = 1 \\ R_{3,1} &= 0.35/0.50 = 0.7 \\ R_{4,1} &= 0.50/0.50 = 1 \\ R_{5,1} &= 0.35/0.50 = 0.7 \\ R_{6,1} &= 0.35/0.50 = 0.7 \\ R_{7,1} &= 0.25/0.50 = 0.5 \\ R_{8,1} &= 0.25/0.50 = 0.7 \\ R_{10,1} &= 0.25/0.50 = 0.5 \end{split}$$

From C6 column maximal score was 1 then every row from C6 column was divided with maximum score of C6 column.

 $\begin{array}{l} R_{1,1}=0.25/1=0.25\\ R_{2,1}=0.35/1=0.35\\ R_{3,1}=0.25/1=0.25\\ R_{4,1}=0.35/1=0.35\\ R_{5,1}=0.50/1=0.50\\ R_{6,1}=0.25/1=0.25\\ R_{7,1}=1/1=1\\ R_{8,1}=0.35/1=0.35\\ R_{9,1}=0.25/1=0.25\\ R_{10,1}=0.25/1=0.25\\ \end{array}$

Then from rij normalization result made R normalized matrix

Then determining the weight that will be used for ranking process.

Next step was ranking searching or best score by inputting every criteria obatined then it will be created matric multiplication W*R and addition from multiplication result to obtain best alternative by performing ranking and it was obtained greatest preference as follows :

V1 = (0.33 x 0.3) + (0.35 x 0.3) + (1 x 0.01) + (0.50 x 0.01) + (0.5x 0.5) + (0.25 x 0.5) = 0.009 + 0.105 + 0.01 + 0.0050 + 0.25 + 0.125 = 0.594

V2 = (0.47 x 0.3) + (0.50 x 0.3) + (0.47 x 0.01) + $(0.35 \text{ x } 0.01) + (1 \text{ x } 0.5) + (0.35 \text{ x } 0.5) \\ = 0.141 + 0.15 + 0.0047 + 0.0035 + 0.5 + 0.175$

$$= 0.9742$$
V3 = (0.33x 0.3) + (1 x 0.3) + (0.33 x 0.01) + (0.25 x 0.01) + (0.7x 0.5) + (0.25 x 0.5) = 0.3 + 0.3 + 0.0033 + 0.0025 + 0.35 + 0.125 = 0.8798
V4 = (0.47 x 0.3) + (0.25 x 0.3) + (0.47 x 0.01) + (1 x 0.01) + (1 x 0.5) + (0.35 x 0.5) = 0.21 + 0.075 + 0.0047 + 0.01 + 0.5 + 0.175 = 0.9747
V5 = (0.47x 0.3) + (0.50 x 0.3) + (0.33 x 0.01) + (0.75 x 0.01) + (0.7x 0.5) + (0.50 x 0.5) = 0.141 + 0.15 + 0.0033 + 0.0075 + 0.35 + 0.25 = 0.9018
V6 = (0.33 x 0.3) + (0.35 x 0.3) + (0.7 x 0.01) + (1 x 0.01) + (0.7x 0.5) + (0.25 x 0.5) = 0.099 + 0.105 + 0.07 + 0.01 + 0.35 + 0.125 = 0.759
V7 = (0.47 x 0.3) + (0.25 x 0.3) + (0.47 x 0.01) + (0.50 x 0.01) + (0.5x 0.5) + (1 x 0.5) = 0.141 + 0.075 + 0.0047 + 0.005 + 0.25 + 0.5 = 0.9757
V8= (0.47 x 0.3) + (0.50 x 0.3) + (1 x 0.01) + (0.25 x 0.01) + (0.5x 0.5) + (0.35 x 0.5) = 0.141 + 0.15 + 0.01 + 0.0025 + 0.25 + 0.175 = 0.7285
V9 = (1 x 0.3) + (0.35 x 0.3) + (0.33 x 0.01) + (0.25 x 0.01) + (0.7x 0.5) + (0.25 x 0.5) = 0.3 + 0.105 + 0.0033 + 0.0025 + 0.35 + 0.125 = 0.8858
V10 = (0.33 x 0.3) + (1 x 0.3) + (1 x 0.01) + (0.35 x 0.01) + (0.5x 0.5) + (0.25 x 0.5) = 0.099 + 0.3 + 0.01 + 0.0025 + 0.25 + 0.125 = 0.8858
V10 = (0.33 x 0.3) + (1 x 0.3) + (1 x 0.01) + (0.35 x 0.5) = 0.099 + 0.3 + 0.01 + 0.0025 + 0.25 + 0.125 = 0.8858

From score calculation above obtained score as follows :

no	Score	Hazard Level
1	V1=0.594	Medium
2	V2=0.9742	High/dangerous
3	V3=0.8798	High/dangerous
4	V4=0.9747	High/dangerous
5	V5=0.9018	High/dangerous
6	V6=0.759	High/dangerous
7	V7=0.9757	High/dangerous
8	V8=0.7285	High/dangerous
9	V9=0.8858	High/dangerous
10	V10=0.7865	High/dangerous

From selection obtained, in determing hazard level of vehicle smoke then obtained alternative V7 = 0.9757 that was highest variable.

5. CONCLUSION AND SUGGESTION

5.1 Conclusion

The concept of decision support system design to determine the level of vehicle smokehazard using Multiple Attribute Decision Making Fuzzy (FMADM) and it is expected to be a reference for further system development. In this study the authors can conclude that in determining the level of vehicle smokehazard there were some alternatives: V1 = 0.594 was medium variable, V2 = 0.9742 and V3 =0.8798 were high / dangerous variable, V4 = 0.9747was high / dangerous variable, V5 = 0.9018 was high / dangerous variable, V6 = 0.759 was variable high / dangerous, V7 = 0.9757 was high / dangerous variable, V8 = 0.7285 was high / dangerous variable, V9 = 0.8858 was high / dangerous variable, V10 =0.7865 was high / dangerous variable.

5.2 Suggestion

Author expects in this journal creation can be developed different methods like :

- 1. DSS method to know hazard level of vehicle smoke using fuzzy multiple attribute decision making (FMADM) with vb net application.
- 2. DSS model to determine the level of vehicle smokehazard using analytical hierarcy process (AHP) methods etc.

Acknowledgement

This study was part of a research conducted under sponsorship of the Universiti Teknologi Malaysia (Q.J130000.2533.19H96) related to the research development potential self-esteem people.

REFERENCES

- Abadi, S. Hawi, A., Akla, Dacholfany, M.I., Huda, M., Teh, K.S.M., Walidi, J., and Maseleno, A. (2018). Identification of Sundep, Leafhopper and Fungus of Paddy by Using SAW Fuzzy Method, Case Study: Disease of Paddy Plant. *International Journal of Pharmaceutical Research*. (In Press).
- Abadi, S., Huda, M., Teh, K.S.M., Haron, Z., Ripin, M.N., Hehsan, A., Sarip, S., Hehsan, M.R., Amrullah, M., and Maseleno, A. (2018).
 Hazard Level of Vehicle Smoke by Fuzzy Multiple Attribute Decision Making with Simple Additive Weighting Method. *International Journal of Pharmaceutical Research*. (In Press)
- Abdillah, Leon, Andretti, 2003, Sistem Basis Data Lanjut 1: Membangun Sistem Basis Data, Universitas Bina Darma, Palembang.
- Adela, A., Jasmi, K.A., Basiron, B., Huda, M., Maseleno, A. (2018). Selection of dancer member using simple additive weighting. *International Journal of Engineering & Technology*. 7(3). 1096-1107.
- Alit, P. (2012). Sistem Pendukung Keputusan Decision Support Sistem (DSS)".
- Aminin, S., Huda, M., Ninsiana, W., and Dacholfany, M.I. (2018). Sustaining civic-based moral

values: Insights from language learning and literature. *International Journal of Civil Engineering and Technology*. 9(4), 157-174.

- Amin, M.M., Nugratama, M.A.A., Maseleno, A., Huda, M., Jasmi, K.A., (2018). Design of cigarette disposal blower and automatic freshner using mq-5 sensor based on atmega 8535 microcontroller. *International Journal* of Engineering & Technology. 7(3). 1108-1113
- Anggraeni, E.Y., Pardimin, Dacholfany, M.I., Akla, Huda, M., Teh, K.S.M., Hehsan, A., Junaidi, J., Yusof, F.M., Abas, H., Husin, M.F.A., Apriani, D., and Maseleno, A. Modelling Effectiveness of Information System Learning Methodology with AHP Method. International Journal of Engineering & Technology. (In press)
- Anshari, M., Almunawar, M. N., Shahrill, M., Wicaksono, D. K., & Huda, M. (2017). Smartphones usage in the classrooms: Learning aid or interference?. *Education and Information Technologies*, 22(6), 3063-3079.
- Assahubulkahfi, M., Sam, Y. M., Maseleno, A., & Huda, M. (2018). LQR Tuning by Particle Swarm Optimization of Full Car Suspension System. *International Journal of Engineering* & *Technology*, 7(2.13), 328-331.
- Atmotiyoso, P. and Huda, M. (2018). Investigating Factors Influencing Work Performance on Mathematics Teaching: A Case Study. *International Journal of Instruction*. 11(3), 391-402
- Budiyanto, G., Ipnuwati, S., Al Gifari, S.A., Huda, M., Jalal, B., Maseleno, A., and Hananto, A.L. Web based expert system for diagnosing disease pest on banana plant. *International Journal of Engineering & Technology*. (In press)
- Elisabet Yunaeti Anggraeni, Miftachul Huda, Andino Maseleno, Jimaain Safar, Kamarul Azmi Jasmi , Ahmad Kilani Mohamed, Aminudin Hehsan, Bushrah Basiron, Siti Suhaila Ihwani, Wan Hassan Wan Embong, Ahmad Marzuki Mohamad, Sulaiman Shakib Mohd Noor, Almira Nabila Fauzi, Dona Ari Wijaya, and M. Masrur. (2018). Poverty level grouping using SAW method. *International Journal of Engineering and Technology*. 7(2.27), 218-224
- Fauzi, Huda, M., Teh, K.S.M., Haron, Z., Ripin, M.N., Hehsan, A., Abas, H., Hehsan, M.R., Irawan, J., and Maseleno, A. (2018). The Design of Fuzzy Expert System Implementation for Analyzing Transmissible Disease of Human. *International Journal of Pharmaceutical Research*. (In Press).
- Fitrian, Y., Huda, M., Muhtar, A., Arifin, A.Y., Musa, N., Teh, K.S.M., Sari, N.M., and Maseleno, A. (2018). Application Design for Determining Suitable Cosmetics with The Facial Skin Type Using Fuzzy Logic Approach. Journal of Theoretical and Computational Nanoscience. (In Press).

- Hamid, A., Sudrajat, A., Kawangit, R.M., Don, A.G., Huda, M., Jalal, B., Akbar, W., and Maseleno, A., Basic food quality using SAW. *International Journal of Engineering & Technology*. (In press).
- Huda, M., & Kartanegara, M. (2015a). Islamic Spiritual Character Values of al-Zarnūjī's Ta 'līm al-Muta 'allim. *Mediterranean Journal of Social Sciences*, 6(4S2), 229-235.
- Huda, M., Anshari, M., Almunawar, M. N., Shahrill, M., Tan, A., Jaidin, J. H., ... & Masri, M. (2016a). Innovative Teaching in Higher Education: The Big Data Approach. *The Turkish Online Journal of Educational Technology*, 15(Special issue), 1210-1216.
- Huda, M., Yusuf, J. B., Jasmi, K. A., & Nasir, G. A. (2016b). Understanding Comprehensive Learning Requirements in the Light of al-Zarnūjī's Ta'līm al-Muta'allim. Sage Open, 6(4), 1-14.
- Huda, M., Yusuf, J. B., Jasmi, K. A., & Zakaria, G. N. (2016c). Al-Zarnūjī's Concept of Knowledge ('ilm). SAGE Open, 6(3), 1-13.
- Huda, M., Jasmi, K. A., Mohamed, A. K., Wan Embong, W. H., & and Safar, J. (2016d). Philosophical Investigation of Al-Zarnuji's Ta'lim al-Muta'allim: Strengthening Ethical Engagement into Teaching and Learning. Social Science, 11(22), 5516-551.
- Huda, M., Sabani, N., Shahrill, M., Jasmi, K. A., Basiron, B., & Mustari, M. I. (2017a). Empowering Learning Culture as Student Identity Construction in Higher Education. In A. Shahriar, & G. Syed (Eds.), *Student Culture* and Identity in Higher Education (pp. 160-179). Hershey, PA: IGI Global. doi:10.4018/978-1-5225-2551-6.ch010
- Huda, M., Jasmi, K. A., Hehsan, A., Shahrill, M., Mustari, M. I., Basiron, B., & Gassama, S. K. (2017b). Empowering Children with Adaptive Technology Skills: Careful Engagement in the Digital Information Age. *International Electronic Journal of Elementary Education*, 9(3), 693-708.
- Huda, M., Shahrill, M., Maseleno, A., Jasmi, K. A., Mustari, I., & and Basiron, B. (2017c). Exploring Adaptive Teaching Competencies in Big Data Era. *International Journal of Emerging Technologies in Learning*, 12(3), 68-83.
- Huda, M., Jasmi, K. A., Basiran, B., Mustari, M. I. B., & Sabani, A. N. (2017d). Traditional Wisdom on Sustainable Learning: An Insightful View From Al-Zarnuji's Ta 'lim al-Muta 'allim. SAGE Open, 7(1), 1-8.
- Huda, M., Jasmi, K. A., Embong, W. H., Safar, J., Mohamad, A. M., Mohamed, A. K., Muhamad, N. H., Alas, Y., & Rahman, S. K. (2017e). Nurturing Compassion-Based Empathy: Innovative Approach in Higher Education. In

M. Badea, & M. Suditu (Eds.), *Violence Prevention and Safety Promotion in Higher Education Settings* (pp. 154-173). Hershey, PA: IGI Global. doi:10.4018/978-1-5225-2960-6.ch009

- Huda, M., Jasmi, K. A., Alas, Y., Qodriah, S. L., Dacholfany, M. I., & Jamsari, E. A. (2017f). Empowering Civic Responsibility: Insights From Service Learning. In S. Burton (Ed.), Engaged Scholarship and Civic Responsibility in Higher Education(pp. 144-165). Hershey, PA: IGI Global. doi:10.4018/978-1-5225-3649-9.ch007
- Huda, M., Jasmi, K. A., Mustari, M. I., Basiron, B., Mohamed, A. K., Embong, W., ... & Safar, J. (2017g). Innovative E-Therapy Service in Higher Education: Mobile Application Design. *International Journal of Interactive Mobile Technologies*, 11(4), 83-94.
- Huda, M., Jasmi, K. A., Mustari, M. I., & Basiron, B. (2017h). Understanding Divine Pedagogy in Teacher Education: Insights from Alzarnuji's Ta'lim Al-Muta'Allim. *The Social Sciences*, 12(4), 674-679.
- Huda, M., Jasmi, K. A., Mustari, M. I. B., & Basiron, A. B. (2017i). Understanding of Wara' (Godliness) as a Feature of Character and Religious Education. *The Social Sciences*, 12(6), 1106-1111.
- Huda, M., Siregar, M., Ramlan, Rahman, S.K.A., Mat Teh, K.S., Said, H., Jamsari, E.A., Yacub, J., Dacholfany, M.I., & Ninsiana, W. (2017j). From Live Interaction to Virtual Interaction: An Exposure on the Moral Engagement in the Digital Era. Journal of Theoretical and Applied Information Technology, 95(19), 4964-4972.
- Huda, M., Maseleno, A., Jasmi, K. A., Mustari, I., & Basiron, B. (2017k). Strengthening Interaction from Direct to Virtual Basis: Insights from Ethical and Professional Empowerment. *International Journal of Applied Engineering Research*, 12(17), 6901-6909.
- Huda, M., Haron, Z., Ripin, M. N., Hehsan, A., & Yaacob, A. B. C. (20171). Exploring Innovative Learning Environment (ILE): Big Data Era. International Journal of Applied Engineering Research, 12(17), 6678-6685.
- Huda, M., & Teh, K. S. M. (2018). Empowering Professional and Ethical Competence on Reflective Teaching Practice in Digital Era. In Dikilitas, K., Mede, E., Atay D. (Eds). *Mentorship Strategies in Teacher Education* (pp. 136-152). Hershey, PA: IGI Global. doi: 10.4018/978-1-5225-4050-2.ch007
- Huda, M., Teh, K.S.M., Nor, N.H.M., and Nor, M.B.M. (2018a). Transmitting Leadership Based Civic Responsibility: Insights from Service Learning. *International Journal of*

Ethics and Systems, 34(1), 20-31. DOI: 10.1108/IJOES-05-2017-0079

- Huda, M., Maseleno, A., Muhamad, N.H.N., Jasmi, K.A., Ahmad, A., Mustari, M.I., Basiron, B. (2018b). Big Data Emerging Technology: Insights into Innovative Environment for Online Learning Resources. *International Journal of Emerging Technologies in Learning* 13(1), 23-36. doi:10.3991/ijet.v13i01.6990
- Huda, M., Maseleno, A., Teh, K.S.M., Don, A.G., Basiron, B., Jasmi, K.A., Mustari, M.I., Nasir, B.M., and Ahmad, R. (2018c). Understanding Modern Learning Environment (MLE) in Big Data Era. *International Journal of Emerging Technologies in Learning*. 13(5), 71-85. doi: 10.3991/ijet.v13i05.8042
- Huda, M. (2018b). Empowering Application Strategy in the Technology Adoption: Insights from Professional and Ethical Engagement. Journal of Science and Technology Policy Management. doi.org/10.1108/JSTPM-09-2017-0044.
- Huda., M. & Sabani, N. (2018). Empowering Muslim Children's Spirituality in Malay Archipelago: Integration between National Philosophical Foundations and Tawakkul (Trust in God). International Journal of Children's Spirituality, 23(1), 81-94.
- Huda, M., Almunawar, M. N., Hananto, A. L., Rismayadi, B., Jasmi, K. A., Basiron, B., & Mustari, M. I. (2018). Strengthening Quality Initiative for Organization Stability: Insights From Trust in Cyberspace-Based Information Quality. In Cases on Quality Initiatives for Organizational Longevity (pp. 140-169 Hershey, PA: IGI Global. DOI: 10.4018/978-1-5225-5288-8.ch006
- Huda, M., Qodriah, S.L., Rismayadi, B., Hananto, A., Kardiyati, E.N., Ruskam, A., and Nasir, B.M. (2019). Towards Cooperative with Competitive Alliance: Insights into Performance Value in Social Entrepreneurship in Creating Business Value and Competitive Advantage with Social Entrepreneurship. (pp.294). Hershey, PA: IGI Global. DOI: 10.4018/978-1-5225-5687-9.ch014
- Huda, M., Hehsan, A., Basuki, S., Rismayadi, B., Jasmi, K. A., Basiron, B., & Mustari, M. I. (2019). Empowering Technology Use to Promote Virtual Violence Prevention in Higher Education Context. In *Intimacy and Developing Personal Relationships in the Virtual World* (pp. 272-291). Hershey, PA: IGI Global. DOI: 10.4018/978-1-5225-4047-2.ch015
- Huda, M., Ulfatmi, Luthfi, M.J., Jasmi, K.A., Basiron, B., Mustari, M.I., Safar, A., Embong, H.W.H., Mohamad, A.M., and Mohamed, A.K. (2019).
 Adaptive online learning technology: Trends in big data era. In *Diverse Learning Opportunities Through Technology-Based Curriculum Design*. (pp.163-195), Hershey, PA: IGI Global. DOI: 10.4018/978-1-5225-5519-3.ch008

- Huda, M., Muhamad, N.H.N., Teh, K.S.M., Don, A.G., Mulyadi, D., and Hananto, A.H. (2018). Empowering Corporate Social Responsibility (CSR): Insights from Service Learning. *Social Responsibility Journal*. (In Press).
- Intan, R., Mukaidono, M. (2003). Fuzzy Relational Database Induced by Conditional Probability Relations: The Transaction of Institute of Electronics Information and Communication Engineers. Vol. E86D No. 8, pp. 1396-1405.
- Intan, R., Mukaidono, M. (2002). On Knowledge-Based Fuzzy Sets, International Journal of Fuzzy Systems, Vol. 4(2).
- Irawan, D., Huda, M., Teh, K.S.M., Ihwani, S.S., Rashid, M.H., Febriana, and Maseleno, A. (2018). Decision Support System for Determining Pharmacy Service Quality. *Journal of Theoretical and Computational Nanoscience*. (In Press).
- Kartanegara, M., & Huda, M. (2016). Constructing Civil Society: An Islamic Cultural Perspective. *Mediterranean Journal of Social Science*, 7(1), 126-135.
- Kurniasih, D., Jasmi, K.A., Basiron, B., Huda, M., Maseleno, A. (2018). The uses of fuzzy logic method for finding agriculture and livestock value of potential village. *International Journal of Engineering & Technology*. 7(3). 1091-1095.
- Maseleno, A., Huda, M., Siregar, M., Ahmad, R., Hehsan, A., Haron, Z., Ripin, M.N., Ihwani, S.S., and Jasmi, K.A. (2017). Combining the Previous Measure of Evidence to Educational Entrance Examination. *Journal of Artificial Intelligence* 10(3), 85-90.
- Maseleno, A., Pardimin, Huda, M., Ramlan, Hehsan, A., Yusof, Y.M., Haron, Z., Ripin, M.N., Nor, N.H.M., and Junaidi, J. (2018a).
 Mathematical Theory of Evidence to Subject Expertise Diagnostic. *ICIC Express Letters*, *12* (4), 369 DOI: 10.24507/icicel.12.04.369
- Maseleno, A., Huda, M., Jasmi, K.A., Basiron, B., Mustari, I., Don, A.G., and Ahmad, R. (2018b). Hau-Kashyap approach for student's level of expertise. *Egyptian Informatics Journal*, doi.org/10.1016/j.eij.2018.04.001.
- Maseleno, A., Sabani, N., Huda, M., Ahmad, R., Jasmi, K.A., Basiron, B. (2018c). Demystifying Learning Analytics in Personalised Learning. *International Journal* of Engineering & Technology. 7(3). 1124-1129.
- Moksin, A. I., Shahrill, M., Anshari, M., Huda, M., & Tengah, K. A. (2018b). The Learning of Integration in Calculus Using the Autograph Technology. *Advanced Science Letters*, 24(1), 550-552.
- Mulawarman, A., Sudrajat, A., Hendri, N., Kamar, K., Mulyadi, D., Budiyanto, G., Huda, M., and Maseleno, A. Decision support model using fmadm for determining superior commodity at agroindustry area in Lampung

province. *International Journal of Engineering* & *Technology*. (In press).

- Muslihudin Muhammad, Suhandi Riyan. (2015). Sistem Pendukung Keputusan Penilaian Air Minum Yang Sehat Bagi Tubuh Menggunakan Fuzzy Multiple Atribut Decission Making (FMADM) Dengan Metode Simple Additive Weighting (SAW).
- Nur Aminudin, Miftachul Huda, Ahmad Kilani, Wan Hassan Wan Embong, Ahmad Marzuki Mohamed, Bushrah Basiron, Siti Suhaila Ihwani, Sulaiman Shakib Mohd Noor, Kamarul Azmi Jasmi, Jimaain Safar, Natalie L. Ivanova, Andino Maseleno, Agus Triono, and Nungsiati. (2018). Higher education selection using simple additive weighting. *International Journal of Engineering and Technology*. 7(2.27), 211 -217
- Nur Aminudin, Miftachul Huda, Siti Suhaila Ihwani, Sulaiman Shakib Mohd Noor, Bushrah Basiron, Kamarul Azmi Jasmi, Jimaain Safar, Ahmad Kilani Mohamed, Wan Hassan Wan Embong, Ahmad Marzuki Mohamad, Andino Maseleno, M. Masrur, Trisnawati, and Dwi Rohmadi. (2018). The family hope program using AHP method. *International Journal of Engineering and Technology.* 7(2.27), 188-193.
- Nur Aminudin, Fauzi, Miftachul Huda, Aminudin Hehsan, Mohd. Nasir Ripin, Zulkifli Haron, Juhazren Junaidi, Rita Irviani, Muhamad Muslihudin, Syahromi Hidayat, Andino Maseleno, Miswan Gumanti, and Almira Nabila Fauzi. (2018). Application program learning based on android for students experiences. International Journal of Engineering and Technology. 7(2.27), 194-198
- Oktafianto, Sudrajat, A., Kawangit, R.M., Don, A.G., Huda, M., Saputri, A.D., and Maseleno, A. Housing Location using Weighted Product. International Journal of Engineering & Technology. (In press)
- Othman, R., Shahrill, M., Mundia, L., Tan, A., & Huda, M. (2016). Investigating the Relationship Between the Student's Ability and Learning Preferences: Evidence from Year 7 Mathematics Students. *The New Educational Review*, 44(2), 125-138.
- Pardimin, Apriadi, Ninsiana, W., Dacholfany, M.I., Kamar, K., Teh, K.S.M., Huda, M., Hananto, A.L., Muslihudin, M., Shankar, K., and Maseleno, A. (2018). Developing Multimedia Application Model for Basic Mathematics Learning. Journal of Advanced Research in Dynamical and Control Systems. (in press).
- Putra, D.A.D., Jasmi, K.A., Basiron, B., Huda, M., Maseleno, A., Shankar, K., Aminudin, N. (2018). Tactical Steps for E-Government Development. *International Journal of Pure* and Applied Mathematics. 119(15). 2251-2258
- Ristiani, Pardimin, Teh, K.S.M., Fauzi, A., Hananto, A.L., Huda, M., Muslihudin, M., Shankar, K., and Maseleno, A. (2018). Decision Support System Model for Selection of Best Formula

Milk for Toddlers Using Fuzzy Multiple Attribute Decision Making. Journal of Advanced Research in Dynamical and Control Systems. Special issue, pp. 2075-2088.

- Rosli, M.R.B., Salamon, H.B., and Huda, M. (2018). Distribution Management of Zakat Fund: Recommended Proposal for Asnaf Riqab in Malaysia. *International Journal of Civil Engineering and Technology* 9(3), pp. 56–64.
- Sari, N.Y., Huda, M., Teh, K.S.M., Ristiani, and Maseleno, A. Decision support system model for selection of best formula milk for toddlers using fuzzy multiple attribute decision making. *International Journal of Engineering* & *Technology*. (In press)
- Satria Abadi, Kamarul Shukri Mat Teh, Badlihisham Mohd Nasir, Miftachul Huda, Natalie L. Ivanova, Thia Indra Sari, Andino Maseleno, Fiqih Satria, and Muhamad Muslihudin. (2018). Application model of k-means clustering: insights into promotion strategy of vocational high school. *International Journal of Engineering and Technology*. 7 (2.27), 182-187
- Satria Abadi, Miftachul Huda, Kamarul Azmi Jasmi, Sulaiman Shakib Mohd Noor, Jimaain Safar, Ahmad Kilani Mohamed, Wan Hassan Wan Embong, Ahmad Marzuki Mohamad, Aminudin Hehsan, Bushrah Basiron, Siti Suhaila Ihwani, Andino Maseleno, Muhamad Muslihudin, Fiqih Satria, Dedi Irawan, and Sri Hartati. (2018). Determination of the best quail eggs using simple additive weighting. International Journal of Engineering and Technology. 7(2.27), 225-230.
- Satria Abadi, Miftachul Huda, Aminudin Hehsan, Ahmad Marzuki Mohamad, Bushrah Basiron, Siti Suhaila Ihwani, Kamarul Azmi Jasmi, Jimaain Safar, Ahmad Kilani Mohamed, Wan Hassan Wan Embong, Sulaiman Shakib Mohd Noor, Boris Brahmono, Andino Maseleno, Almira Nabila Fauzi, Nur Aminudin, and Miswan Gumanti. (2018). Design of online transaction model on traditional industry in order to increase turnover and benefits. *International Journal of Engineering and Technology*. 7(2.27), 231-237
- Satria Abadi, Miftachul Huda, Bushrah Basiron, Siti Suhaila Ihwani, Kamarul Azmi Jasmi, Aminudin Hehsan, Jimaain Safar, Ahmad Kilani Mohamed, Wan Hassan Wan Embong, Ahmad Marzuki Mohamad, Sulaiman Shakib Mohd Noor, Dona Novita, Andino Maseleno, Rita Irviani, Muhammad Idris, and Muhamad Muslihudin. (2018). Implementation of fuzzy analytical hierarchy process on notebook selection. *International Journal of Engineering and Technology*. 7(2.27), 238-243
- Satria Abadi, Kamarul Shukri Mat Teh, Miftachul Huda, Aminudin Hehsan, Mohd. Nasir Ripin, Zulkifli Haron, Nasrul Hisyam Nor Muhamad, Riki Rianto, Andino Maseleno,

Riki Renaldo, and Ahmad Syarifudin. (2018). Design of student score application for assessing the most outstanding student at vocational high school. *International Journal of Engineering and Technology*. 7(2.27), 172-177

- Sugiyarti, E., Jasmi, K.A., Basiron, B., Huda, M., Shankar, K., Maseleno, A. (2018). Decision support system of scholarship grantee selection using data mining. *International Journal of Pure and Applied Mathematics*. 119(15), 2239-2249.
- Sundari, E., Jasmi, K.A., Basiron, B., Huda, M., and Maseleno, A. (2018). Web-Based Decision Making System for Assessment of Employee Revenue using Weighted Product. *International Journal of Engineering and Technology*. (In press)
- Susilowati, T., Jasmi, K.A., Basiron, B., Huda, M., Shankar, K., Maseleno, A., Julia, A., Sucipto. (2018). Determination of Scholarship Recipients Using Simple Additive Weighting Method. *International Journal of Pure and Applied Mathematics*. 119 (15), 2231-2238.
- Tri Susilowati, M. Ihsan Dacholfany, Sudirman Aminin, Afiful Ikhwan, Badlihisham Mohd. Nasir, Miftachul Huda, Adi Prasetyo, Andino Maseleno, Fiqih Satria, Sri Hartati, and Wulandari. (2018). Getting parents involved in child's school: using attendance application system based on SMS gateway. *International Journal of Engineering and Technology*. 7(2.27), 167-174.
- Tri Susilowati, Kamarul Shukri Mat Teh, Badlihisham Mohd Nasir, Abdul Ghafar Don, Miftachul Huda, Talia Hensafitri, Andino Maseleno, Oktafianto, and Dedi Irawan. (2018). Learning application of Lampung language based on multimedia software. *International Journal of Engineering and Technology*. 7(2.27), 175-181.
- UURI No 12 tahun 2012 tentang pendidikan.http://09/15.34derajat.files.wordp ress
- .com/2011/12/uu no 12 -tahun-2012-tentang pendidikan.pdf.(2011/12).
- Venny Wiwi, Andrian Yudi dan Rahmad Firantob 2015 Penerapan Metode Fuzzy *Metode Simple Additive Weighting (SAW).* (Studi Kasus: STMIK Potensi Utama), vol-5-61-66, medan. STMIK Potensi Utama.
- Whitten, J.L., L.D., Bentley dan K.C., Dittman. (2006). *Metode Desain & Analisis Sistem* (Alih Bahasa Tim Penerjemah Andi). Penerbit Andi, Yogyakarta.
- Wulandari, Sudirman Aminin, M. Ihsan Dacholfany, Abdul Mujib, Miftachul Huda, Badlihisham Mohd Nasir, Andino Maseleno, Eni Sundari, Fauzi1, and M. Masrur. (2018). Design of library application system. *International Journal of Engineering and Technology*. 7(2.27), 199-204
- Yati Hendri Agusta. (2014). Sistem Pendukung Keputusan Dalam Pemilihan Tempat Kost Dengan Metode Metode Simple Additive

Weighting (SAW). (Studi Kasus: Kota Bengkulu), KNSI 2014, Makassar

- Zakirillah, Noorminshah, A. I., Huda, M., Fathoni, & and Heroza, R. I. (2016). Design of a Mobile based Academic Cyber Counselling Application in Higher Education. Journal of Information Systems Research and Innovation, 10(3), 1-9.
- Zamzami Septiropa, Mohd. Hanim Osman, Ahmad Baharuddin Abd. Rahman, Mohd. Azreen Mohd Ariffin, Miftachul Huda, and Andino Maseleno. (2018). Profile of cold-formed steel for compression member design a basic combination performance. (2018). *International Journal of Engineering and Technology*. 7(2.27), 284-290