

STRATEGIES MODEL OF TIME PERFORMANCE FOR FLOOD
MITIGATION PROJECTS

SITI FAIRUS HJ. ZAKARIA

A dissertation submitted in partial fulfilment of the
requirements for the award of the degree of
Doctor of Engineering in (Construction Technology and Management)

School of Civil Engineering
Faculty of Engineering
Universiti Teknologi Malaysia

JANUARY 2020

DEDICATION

To my parents, husband and all my six children (sons and daughter)
who inspired and accompanied me until the end of this journey,
and, at times understood my commitments to my study and make allowances
to my shortcomings on family commitments.

I had to turn down all their entertainment schedule just to finish the journey of
Engineering Doctorate study, all the way...

siblings, relatives, friends and acquaintances... thanks for the unconditional love,
endless support, encouragement and patience.

This is for all of you!

ACKNOWLEDGEMENT

First and foremost, my gratitude to Allah (S.W.T) for giving me the patience, strength, enthusiasm and passion to embark on and complete this difficult journey of knowledge.

My humblest thanks and admiration for Professor Ir. Dr. Rosli bin Mohamad Zin, my supervisor, for his simplicity and directness approach. It was a pleasure to have him guide and lead me until I had been able to survive. I would also like to thank Associate Professor Dr. Ismail bin Mohamad for supporting and encouraging me towards the end of the study, especially on the analysis part of this research.

My deepest appreciation for the assistance and encouragement, guidance and the knowledge sharing to all my fellow Ph.D and Eng.D candidates. I would also like to thank all the participants and experts for their cooperation and for sharing their expertise and experience earnestly. In addition, I would like to thanks the top management, all the senior engineers, officers, friends and colleagues, particularly in the Department of Irrigation and Drainage, Malaysia (JPS), Public Works Department Malaysia (JKR), Ministry of Water, Land and Natural Resources, Malaysia (KATS) or formerly known as Ministry of Natural Resources and Environment, Malaysia (NRE), Construction Industry Development Board Malaysia (CIDB), Board of Engineers Malaysia (BEM) and Institutions of Engineers Malaysia (IEM) who have assisted and provided me with information, data and statistics to make it easier for me to draw up the gaps in my research. I would also like to highlight those who have shaped and sharpened my thoughts in generating ideas - Dato' Ir. Dr. Ahmad Anuar Othman, Ir. Ng Kok Seng and many more. Special thanks to my siblings, relatives and family for their continuous support and encouragement. It is indeed a lonely and a humble journey, but it provides me with a meaningful experience, satisfaction and excitement through the encouragement and guidance of all these great people. It is a part of the precious moment that I have had throughout this lifetime.

ABSTRACT

Over the years, Government of Malaysia through the Department of Irrigation and Drainage, Malaysia (DID) has allocated significant amount of budget on structural and non-structural measures to mitigate flooding. The flood mitigation project has been implemented and carefully planned by the government with the specific objectives of reducing and avoiding the negative effects of flooding on the environment and livelihood. In order to recognise its importance, the project's performance must at best be preserved throughout the project's life cycle. However, the implementation of the flood mitigation projects has been hampered by rising cases of poor time performance which caused by a wide range of factors. Furthermore, previous studies on project time performance were mainly focused on other civil engineering projects where the findings could not be directly adopted for solving time performance issues in flood mitigation projects. The lack of strategic reference that can be used by stakeholders in the decision-making process is seen as one of the obstacles to the successful implementation of flood mitigation projects. This research aims to develop a problem-solving model as a strategic reference to mitigate and improve poor time performance of flood mitigation projects authorised under DID. By realizing the issue of poor time performance, there is a need to support the research aim through these objectives: (1) to explore time performance of flood mitigation projects in Malaysia, (2) to examine critical activities affecting time performance of flood mitigation projects, (3) to evaluate the challenges within the critical activities that affect time performance of flood mitigation projects, (4) to propose strategies to address challenges of critical activities that affect time performance in flood mitigation projects, and (5) to develop a strategies model of time performance for flood mitigation projects. The research was conducted in three main phases: (1) exploring and analysing time performance of flood mitigation project through project document studies, (2) questionnaire survey to examine critical activities affecting time performance which the instruments were developed through the matrix mapping process and analysed using Partial Least Square - Structural Equation Modelling (PLS-SEM), then validated by Subject Matter Expert (SME) on flood mitigation field, (3) model development using critical activities generated from the PLS-SEM analysis and proposed strategies to overcome challenges in flood mitigation projects. Based on the findings, there are more than 50% of flood mitigation projects implementation performed behind time while 21 critical activities were identified affecting time performance out of 85 activities tabulated by SMEs and literatures. Besides that, 60 challenges were determined within the critical activities affecting time performance and 133 strategies were proposed to address the challenges. The establishment of the critical activities together with the challenges and strategies has led to the development of a model called "*Strategies Model of Time Performance for Flood Mitigation Projects*". The developed model is expected to assist the government to face unprecedented challenges in implementing future flood mitigation projects.

ABSTRAK

Selama bertahun-tahun, Kerajaan Malaysia melalui Jabatan Pengairan dan Saliran, Malaysia (JPS) telah memperuntukkan sejumlah besar belanjawan bagi pelaksanaan langkah-langkah struktur dan bukan struktur bertujuan mengurangkan kejadian banjir. Projek tebatan banjir telah dilaksanakan dan dirancang dengan teliti oleh pihak kerajaan bertujuan mengurangkan dan mengelakkan kesan negatif banjir terhadap alam sekitar dan kehidupan. Dalam mengenalpasti kepentingannya, prestasi keseluruhan projek harus diambil perhatian sepanjang kitar hayat projek berlangsung. Walau bagaimanapun, pelaksanaan projek tebatan banjir telah terjejas kerana peningkatan bilangan projek yang lewat dari jadual disebabkan oleh pelbagai faktor. Tambahan pula, kajian terdahulu mengenai prestasi masa projek hanya tertumpu kepada projek kejuruteraan awam di mana dapatan kajian tersebut tidak dapat diadaptasikan secara langsung dalam menyelesaikan masalah prestasi masa bagi projek tebatan banjir. Kekurangan rujukan strategik yang boleh digunakan oleh pihak berkepentingan dalam proses membuat keputusan dilihat sebagai salah satu halangan bagi kejayaan pelaksanaan setiap projek tebatan banjir. Penyelidikan ini bertujuan membangunkan model penyelesaian masalah iaitu sebagai rujukan strategik bagi mengurangkan isu prestasi masa projek yang merosot, justeru menambahbaik keadaan ini bagi projek-projek tebatan banjir yang dipertanggungjawabkan di bawah JPS. Dengan menyedari isu prestasi masa dalam pelaksanaan projek tebatan banjir di Malaysia, adalah perlu untuk memastikan matlamat penyelidikan ini dicapai melalui objektif berikut iaitu: (1) untuk mengenalpasti tahap prestasi masa projek-projek tebatan banjir di Malaysia, (2) untuk meneliti aktiviti kritikal yang mempengaruhi prestasi masa projek tebatan banjir, (3) untuk menilai masalah bagi aktiviti kritikal yang mempengaruhi prestasi masa projek tebatan banjir, (4) mencadangkan strategi penyelesaian untuk menangani masalah bagi aktiviti kritikal yang mempengaruhi prestasi masa dalam projek tebatan banjir, dan (5) membangunkan model strategi bagi prestasi masa untuk projek tebatan banjir. Kajian ini dijalankan dalam tiga fasa utama iaitu: (1) mengenalpasti dan menganalisis prestasi masa bagi projek tebatan banjir melalui kajian dokumen projek, (2) tinjauan kaji selidik bagi meneliti aktiviti kritikal yang mempengaruhi prestasi masa di mana instrumentasi kaji selidik dibangunkan melalui proses pemetaan metrik dan dianalisa dengan menggunakan *Partial Least Square - Structural Equation Modelling (PLS-SEM)* dan ditentusahkan oleh pakar bidang (Subject Matter Experts atau SME) tebatan banjir, dan (3) pembangunan model dengan menggunakan aktiviti-aktiviti kritikal yang dijanakan melalui analisis PLS-SEM dan saranan strategi penyelesaian dalam menangani cabaran projek tebatan banjir. Berdasarkan penemuan penyelidikan ini, terdapat lebih daripada 50% projek tebatan banjir yang dilaksanakan telah lewat dari yang dijadualkan. Sementara itu, 21 aktiviti kritikal telah dikenalpasti boleh mempengaruhi prestasi masa daripada 85 aktiviti keseluruhan yang telah disenaraikan melalui kajian literatur dan disahkan oleh SME bidang berkaitan. Selain itu, 60 cabaran telah dinilai bagi setiap aktiviti kritikal yang mempengaruhi prestasi masa dan 133 strategi dicadangkan untuk menangani cabaran dalam aktiviti kritikal tersebut. Pengenalpastian aktiviti kritikal beserta dengan cabaran dan strategi telah menyokong kepada pembangunan model yang dikenali sebagai "*Strategies Model of Time Performance for Flood Mitigation Projects*". Model yang telah dibangunkan ini dijangka dapat membantu pelbagai pihak terutama pihak kerajaan bagi menghadapi cabaran mendatang dalam pelaksanaan projek tebatan banjir di masa hadapan.

TABLE OF CONTENTS

	TITLE	PAGE
	DECLARATION	iii
	DEDICATION	iv
	ACKNOWLEDGEMENT	v
	ABSTRACT	vi
	ABSTRAK	vii
	TABLE OF CONTENTS	viii
	LIST OF TABLES	xiii
	LIST OF FIGURES	xviii
	LIST OF ABBREVIATIONS	xx
	LIST OF SYMBOLS	xxii
	LIST OF APPENDICES	xxiii
CHAPTER 1	INTRODUCTION	1
1.1	Overview	1
1.2	Research Background	4
1.3	Research Aim and Objectives	10
1.4	Problem Statement	10
1.5	Research Questions	12
1.6	Research Gap	13
1.7	Research Scope	16
1.8	Significance of the Research	17
1.9	Overview of Methodology	19
1.10	Structure of the Thesis	21
1.11	Summary of Chapter 1	23
CHAPTER 2	LITERATURE REVIEW	25
2.1	Introduction	25
2.2	Characteristics of Successful Project	26
2.3	Time Performance in Construction Industry	32

2.3.1	Causes of Poor Time Performance in Construction Project	35
2.3.2	Effect of Poor Time Performance in Construction Project	40
2.4	Construction Project Management	42
2.4.1	Overview of Project Management Processes	43
2.4.2	Construction Project Life Cycle	47
2.5	Flood Mitigation Projects	53
2.5.1	Flood Mitigation Projects in Malaysia	56
2.5.2	Poor Time Performance of Flood Mitigation Projects	57
2.5.3	Current and Future Development of Flood Mitigation Projects in Malaysia	59
2.6	Activities in Construction Project Stages of Flood Mitigation Projects	60
2.6.1	Preliminary Design Stage	61
2.6.2	Design Development Stage	64
2.6.3	Procurement Stage	66
2.6.4	Construction Stage	68
2.6.5	Project Delivery Stage	70
2.6.6	Perception on Time Performance of Flood Mitigation Projects in Malaysia	72
2.7	Challenges of Critical Activities in Construction Project Stages	74
2.8	Strategies to Address Challenges of Critical Activities on each Construction Project Stages	78
2.9	Model Development for Project Management Improvement	81
2.10	Theoretical Framework of the Research	85
2.11	Summary of Chapter 2	88
CHAPTER 3	RESEARCH METHODOLOGY	91
3.1	Introduction	91
3.2	Research Flow	92
3.3	Data Collection	97
3.3.1	Questionnaire survey	98

3.3.2	Interview of Subject Matter Expert (SME)	102
3.4	Data Analysis	103
3.4.1	Statistical Analysis	104
3.4.1.1	Exploratory Factor Analysis (EFA)	104
3.4.1.2	Descriptive Analysis	105
3.4.1.3	Introduction to Structural Equation Modelling (SEM)	106
3.4.1.4	Overview of PLS-SEM and CB-SEM	110
3.4.1.5	Justification of using PLS-SEM	113
3.4.1.6	Evaluating Measurement and Structural Models using PLS-SEM	117
3.4.1.7	Bootstrapping Concepts in PLS-SEM	127
3.4.2	Thematic Content Analysis	132
3.5	Summary of Chapter 3	133
CHAPTER 4	ANALYSIS AND RESULTS	135
4.1	Introduction	135
4.2	Objective (i): to explore time performance of flood mitigation projects in Malaysia	137
4.3	Objective (ii): to examine critical activities affecting time performance of flood mitigation projects	145
4.3.1	Pilot Study	145
4.3.2	Survey Response	147
4.3.3	Respondents and Previous Experience Profile	148
4.3.4	Respondents and Current Project in Hand Profile	152
4.3.5	Assessment of Normality	154
4.3.6	Common Method Bias (CMB)	157
4.3.7	Validity and Reliability of the Instrument (EAA and MMVA)	158
4.3.7.1	Exploratory Activity Analysis	158
4.3.7.2	Measurement Model Validity Analysis (MMVA)	170

4.3.8	Descriptive Analysis and Importance-Performance Matrix Analysis	191
4.3.8.1	Descriptive Analysis	191
4.3.8.2	Importance-Performance Using Mean Score Scoring	193
4.3.9	Summary of Analysis and Results	200
4.3.10	Rank of the Critical Activities by Subject Matter Expert (SME)	202
4.4	Objective (iii): to evaluate the challenges within the critical activities that affect time performance of flood mitigation projects	204
4.4.1	Challenges within the Critical Activities in the Preliminary Design Stage	205
4.4.2	Challenges within the Critical Activities in the Design Development Stage	208
4.4.3	Challenges within the Critical Activities in the Procurement Stage	211
4.4.4	Challenges within the Critical Activities in the Construction Stage	213
4.4.5	Challenges within the Critical Activities in the Project Delivery Stage	215
4.5	Objective (iv): To propose strategies to address Challenges of Critical Activities that affect Time Performance in Flood Mitigation Projects	218
4.5.1	Strategies to Address Challenges of Critical Activities during Preliminary Design Stage	218
4.5.2	Strategies to Address Challenges of Critical Activities during the Design Development Stage	222
4.5.3	Strategies to Address Challenges of Critical Activities during the Procurement Stage	226
4.5.4	Strategies to Address Challenges of Critical Activities during Construction Stage	228
4.5.5	Strategies to Address Challenges of Critical Activities during the Project Delivery Stage	231
4.6	Objective (v): To develop Strategies Model of Time Performance for Flood Mitigation Projects	235
4.7	Validation of the Proposed Strategies Model of Time Performance for Flood Mitigation Projects	245

4.8	Summary of Chapter 4	254
CHAPTER 5	CONCLUSION AND RECOMMENDATION	259
5.1	Introduction	259
5.2	Summary of Research Finding	260
5.2.1	Objective (i): To explore time performance of flood mitigation projects in Malaysia	260
5.2.2	Objective (ii): To examine critical activities affecting time performance of flood mitigation projects	261
5.2.3	Objective (iii): To evaluate the challenges within the critical activities that affect time performance of flood mitigation projects	265
5.2.4	Objective (iv): To propose strategies to address challenges of critical activities that affect time performance in flood mitigation projects	265
5.2.5	Objective (v): To develop a Strategies Model of Time Performance for Flood Mitigation Projects	266
5.3	Conclusion	267
5.4	Contribution of the Research	268
5.4.1	Contribution to Knowledge	269
5.4.2	Contribution to Construction Industry	270
5.4.3	Contribution to the Department	271
5.5	Recommendation for Future Study	272
5.6	Limitation of Research	273
5.7	Concluding Remarks	274
REFERENCES		277

LIST OF TABLES

TABLE NO.	TITLE	PAGE
Table 1.1	Type of Construction Projects Focus by the Previous Authors	15
Table 1.2	Scope of the Research	17
Table 2.1	Evolution for Definition of Project Success	27
Table 2.2	Project Success Criteria identified across Publications	29
Table 2.3	Causes of Poor Time Performance in Construction Industr	38
Table 2.4	Project Management Process Group and Knowledge Area Mapping	45
Table 2.5	Phases of Project Life Cycle (Stages)	51
Table 2.6	Distribution of Flood Mitigation Project Implementation in Malaysia (from year 2013 until 2016)	57
Table 2.7	Clauses of Extension of Time (EOT)	58
Table 2.8	Activities in Preliminary Design Stage	63
Table 2.9	Activities in Design Development Stage	66
Table 2.10	Activities in Procurement Stage	68
Table 2.11	Activities in Construction Stage	70
Table 2.12	Activities in Project Delivery Stage	71
Table 2.13	Perception on Time Performance of Flood Mitigation Projects	74
Table 2.14	Selecting the Right Models or Frameworks and its Purpos	83
Table 2.15	The Relationship of Research Hypothesis and the Process Group of Project Life Cycle for the Research	87
Table 3.1	Indicator for Likert's Scale	99
Table 3.2	Critical Activities in the Questionnaire Variables and its Objectives	100
Table 3.3	Procedure to estimate respondent of the research	102
Table 3.4	Reasons to use Structural Equation Model (SEM)	109
Table 3.5	Comparison between PLS-SEM and CB-SEM	113

Table 3.6	Summary of the ‘Rules of Thumb’ for selecting PLS-SEM and CB-SEM	115
Table 3.7	Assessment Criterion for Structural Model Measurement	127
Table 4.1	Summary of Flood Mitigation Projects facing Poor Time Performance in DID Malaysia (year 2013 until 2016)	138
Table 4.2	List of Flood Mitigation Project experienced Poor Time Performance in the Department of Irrigation and Drainage, Malaysia (DID)	139
Table 4.3	Matrix Mapping of Activities affecting Time Performance of Flood Mitigation Projects (Expert Validation at DID Malaysia Headquarters Office, Jalan Sultan Salahuddin, Kuala Lumpur on 12th July 2017)	144
Table 4.4	Summary for Results of Reliability Analysis (Pilot Analysis)	146
Table 4.5	Summary for Results of Correlation Analysis (Pilot Analysis)	147
Table 4.6	Response Rate of the Research	147
Table 4.7	Respondents Profile and Previous Project Experiences Profile	149
Table 4.8	Current Project in Hand Profile	153
Table 4.9	Summary of acceptable Value for Skewness and Kurtosis	155
Table 4.10	Assessment of Normality	155
Table 4.11	Multiple Criteria for Activities to be extracted	160
Table 4.12	Summary results of EFA for Preliminary Design Stage Variable	162
Table 4.13	Summary results of EFA for Design Development Stage Variable	163
Table 4.14	Summary results of EFA for Procurement Stage Variable	164
Table 4.15	Summary results of EFA for Construction Stage Variable	165
Table 4.16	Summary results of EFA for Project Delivery Stage Variable	166
Table 4.17	Summary results of EFA for Perception on Time Performance Variable	167
Table 4.18	Summary Results of EFA Analysis	168
Table 4.19	Summary results of Correlation Analysis for the Extracted Activities	169

Table 4.20	Summary results of Correlation Analysis for the Targeted Variable	169
Table 4.21	Indicator Loading of First Order Measurement Model (Initial Model)	171
Table 4.22	Indicator Removed Process	174
Table 4.23	Indicator Loading of First Order Measurement Model (Valid Model)	174
Table 4.24	Reliability and AVE Assessments of First Order Measurement Model	176
Table 4.25:	Fornell-Larcker Discriminant Assessments of First Order Measurement Model	179
Table 4.26	Cross-Loading Discriminant Assessments of First Order Measurement Model	180
Table 4.27	HTMT Discriminant Assessments of First Order Measurement Model	183
Table 4.28	Normality Assessment of LVS	186
Table 4.29	Indicator Loading of Second Order Measurement Model	187
Table 4.30	Reliability and AVE Assessments of Second Order Measurement Model	187
Table 4.31	Fornell-Larcker Discriminant Assessments of Second Order Measurement Model	188
Table 4.32	Cross-Loading Discriminant Assessments of Second Order Measurement Model	189
Table 4.33	HTMT Discriminant Assessments of Second Order Measurement Model	190
Table 4.34	Descriptive Analysis	192
Table 4.35	Summary of Importance-Performance Matrix Analysis for Preliminary Design Stage Indicator	194
Table 4.36	Summary of Importance-Performance Matrix Analysis for Design Development Stage Indicator	196
Table 4.37	Summary of Importance-Performance Matrix Analysis for Procurement Stage Indicator	197
Table 4.38	Summary of Importance-Performance Matrix Analysis for Construction Stage Indicator	198
Table 4.39	Summary of Importance-Performance Matrix Analysis for Project Delivery Stage Indicator	199

Table 4.40	Summary results of relationship hypothesis testing based on PLS-SEM Analysis	200
Table 4.41	Summary results of relationship hypothesis testing based on Importance-Performance Matrix Analysis	201
Table 4.42	Mean (M) and Relative Important Index (RII) values from Validation	202
Table 4.43	Background of the Subject Matter Expert (SME) for Validation of Critical Activities and Challenges (Interview 1)	203
Table 4.44	Main Challenges during the ‘Preliminary Design Stage’	205
Table 4.45	Summary on Main Challenges during ‘Preliminary Design Stage’	207
Table 4.46	Main Challenges during the ‘Design Development Stage’	208
Table 4.47	Summary on Main Challenges during ‘Design Development Stage’	210
Table 4.48	Main Challenges during the ‘Procurement Stage’	211
Table 4.49	Summary on Main Challenges during the ‘Procurement Stage’	212
Table 4.50	Main Challenges during the ‘Construction Stage’	213
Table 4.51	Summary on Main Challenges during ‘Construction Stage’	214
Table 4.52	Main Challenges Face during ‘Project Delivery Stage’	215
Table 4.53	Summary on Main Challenges during ‘Project Delivery Stage’	217
Table 4.54	Strategies to Address Challenges of Critical Activities during the ‘Preliminary Design Stage’	219
Table 4.55	Summary of Strategies to Address Challenges of Critical Activities during the ‘Preliminary Design Stage’	221
Table 4.56	Strategies to Address Challenges of Critical Activities during the ‘Design Development Stage’	222
Table 4.57	Summary of Strategies to address Challenges of Critical Activities during the ‘Design Development Stage’	224
Table 4.58	Strategies to Address Challenges of Critical Activities during ‘Procurement Stage’	226
Table 4.59	Summary of Strategies to Address Challenges of Critical Activities during the ‘Procurement Stage’	228

Table 4.60	Strategies to Address Challenges of Critical Activities during ‘Construction Stage’	229
Table 4.61	Summary of Strategies to Address Challenges of Critical Activities during the ‘Construction Stage’	230
Table 4.62	Strategies to Address Challenges of Critical Activities during the ‘Project Delivery Stage’	231
Table 4.63	Summary of Strategies to Address Challenges of Critical Activities during the ‘Project Delivery Stage’	233
Table 4.64	Summary of the Critical Activities, Challenges and Strategies of Time Performance for Flood Mitigation Projects Implementation in Malaysia (Detail Information of Model Development)	237
Table 4.65	Background of Subject Matter Expert (SME) for Model Validation (Interview 2)	245
Table 4.66	Responses by Subject Matter Expert (SME) on Strategies Model of Time Performance for Flood Mitigation Projects	248
Table 4.67	Summary Numbers of the Critical Activities, Challenges and Strategies for the Strategies Model of Time Performance for Flood Mitigation Projects	255

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
Figure 1.1	Government Expenditure for Flood Mitigation Projects	8
Figure 1.2	Knowledge Boundary for the Research	14
Figure 1.3	Summary of Steps in the Research (Conceptual Framework of the whole research)	21
Figure 2.1	Process Groups Interaction in the Project Life Cycle (Project Management Institute - PMI, 2013)	53
Figure 2.2	Theoretical Framework of the Research	86
Figure 3.1	Research flow chart activities	96
Figure 3.2	Example of Model for SEM (Backhaus <i>et al.</i> , 2000)	107
Figure 3.3	Diagrams of Reflective and Formative Measurement Construct (Petter <i>et al.</i> , 2007)	118
Figure 3.4	Outer Loading Relevance Testing (Hair <i>et al.</i> , 2014)	121
Figure 3.5	Two-Stage Approach Illustration for HOC Mode (Henseler and Chin , 2010)	123
Figure 3.6	Routine of PLS-SEM Bootstrap (Hair <i>et al.</i> , 2014)	129
Figure 4.1	Research Summary	136
Figure 4.2	Flood Mitigation Project experienced Poor Time Performance (year 2013 until year 2016)	143
Figure 4.3	First Order Measurement Model (before indicator removed process or initial model)	184
Figure 4.4	Second Order Measurement Model	191
Figure 4.5	Importance-Performance Matrix Analysis for Preliminary Design Stage Indicator	195
Figure 4.6	Importance-Performance Matrix Analysis for Design Development Stage Indicators	196
Figure 4.7	Importance-Performance Matrix Analysis for Procurement Stage Indicators	197
Figure 4.8	Importance-Performance Matrix Analysis for Construction Stage Indicators	198

Figure 4.9	Importance-Performance Matrix Analysis for Project Delivery Stage Indicator	199
Figure 4.10	The “Initial Model” for Strategies Model of Time Performance for Flood Mitigation Projects	244
Figure 4.11	The “Finalised” Strategies Model of Time Performance for Flood Mitigation Projects	253

LIST OF ABBREVIATIONS

AMOS	-	Analysis of Moment Structures (statistical software)
AVE	-	Average Variance Extracted
BCI	-	Bootstrap-t Confidence Interval
C&S	-	Civil and Structure
CA	-	Cronbach's Alpha
CB-SEM	-	Covariance-based SEM
CIDB	-	Construction Industry Development Board Malaysia
CIMP	-	Construction Industry Master Plan
CITP	-	Construction Industry Transformation Program
CLT	-	Central Limit Theorem
CMB	-	Common Method Bias
CR	-	Composite Reliability
CV	-	Convergent Validity
DID	-	Department of Irrigation and Drainage, Malaysia
DMSS	-	Decision Making Support System
DV	-	Discriminant Validity
EAA	-	Exploratory Activity Analysis
EFA	-	Exploratory Factor Analysis
EOT	-	Extension of Time
EPU	-	Economic Planning Unit
GoF	-	Goodness of Fit
HOC	-	High Order Construct
HTMT	-	Heterotrait-Monotrait Ratio on Correlation
ICR	-	Internal Consistency Reliability
IPMA	-	Importance Performance Matrix Analysis
IR	-	Indicator Reliability
JPM	-	Jabatan Perdana Menteri
KATS	-	Ministry of Water, Land and Natural Resources
KMO Index	-	Kaiser-Meyer-Olkin
LISREL	-	Linear Structural Relations

LOC	-	Low Order Construct
LV	-	Latent Variable
LVs	-	Latent Variables
LVS	-	Latent Variable Score
M	-	Mean
ML	-	Maximum Likelihood
MLE	-	Maximum Likelihood Estimation
MOF	-	Ministry of Finance Malaysia
MP	-	Malaysia Plan
MSAN	-	National Water Resources Council
NEDO	-	New Energy and Industrial Technology Development
NRE	-	Ministry of Natural Resources and Environment
OLS	-	Ordinary Least Square
P.W.D	-	Public Work Department
PBCI	-	Percentile Bootstrap Confidence Interval
PC	-	Principal Component
PhD	-	Doctor of Philosophy
PID	-	Project Initiation Document
PLS	-	Partial Least Square
PLS-SEM	-	Partial Least Square - Structural Equation Modelling
PMBOK	-	Project Management Body of Knowledge
PMI	-	Project Management Institute
PMO	-	Prime Minister's Office
RII	-	Relative Importance Index
RMK	-	'Rancangan Malaysia'
SCADA	-	Supervisory Control and Data Acquisition
SD	-	Standard Deviation
SEM	-	Structural Equation Modelling
SI	-	Single Item Measurement
SME	-	Subject Matter Expert
TDIST	-	T-Distribution Function in Microsoft Excel Software
TPI	-	Time Performance Index

LIST OF SYMBOLS

ξ_j	-	Minimal error
ξ_i	-	Diameter
ε_j	-	Force
β_{jo}	-	Velocity
β_{ji}	-	Pressure
L_i	-	Moment of Inertia
e_i	-	Radius
L_i^2	-	Reynold Number

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
Appendix A	Coded Indicators	309
Appendix B	Selected Output of Exploratory Factor Analysis (EFA) For Common Method Bias Analysis	311
Appendix C	Selected Output of Exploratory Factor Analysis (EFA) For Preliminary Design Stage Variable	313
Appendix D	Selected Output of Exploratory Factor Analysis (EFA) For Design Development Stage Variable	315
Appendix E	Selected Output of Exploratory Factor Analysis (EFA) For Procurement Stage Variable	317
Appendix F	Selected Output of Exploratory Factor Analysis (EFA) For Construction Stage Variable	318
Appendix G	Selected Output of Exploratory Factor Analysis (EFA) For Project Delivery Stage Variable	320
Appendix H	Selected Output of Exploratory Factor Analysis (EFA) For Perception of Time Performance Variable	321
Appendix J	Selected Output of PLS-SEM of First Order Measurement Model	322
Appendix K	Selected Output Of PLS-SEM Of Second Order Measurement Model	329
Appendix L	Assessment of Specific Predictive Relevance	332
Appendix M	Questionnaire Survey Form	333
Appendix N	Semi-Structured Questionnaire Form for Interview 1 (Validation of Critical Activities and Challenges)	341
Appendix P	Semi-Structured Questionnaire Form for Interview 2 (Model Validation)	342
Appendix Q	Sampling Process for This Research	344
Appendix Q _A	Estimate Sample Size Using the Sample Size Table Provided by Bartlett <i>et al.</i> (2001)	348
Appendix Q _B	Estimate Sample Size Using the Sample Size Formula that Proposed by Cochran (1977)	349

Appendix Q _C Estimate Sample Size Using the G-Power Analysis that Recommended by Hair <i>et al.</i> (2014)	350
Appendix R Pilot Study Process	351

CHAPTER 1

INTRODUCTION

1.1 Overview

Successful of construction projects are heavily dependent on their performance. Construction performance is hampered by many factors that result in poor time performance (delay) and failure of construction projects. Compared to other industries, the construction industry is generally considered underperforming (Saraf, 2013). Moreover, statistics in the Malaysia's construction industry board report showed that Malaysian construction industry is underperforming (CIDB Malaysia, 2015).

There are often no standard benchmarks for evaluation of project performance and its success for the ever-changing construction sector, where the project proponent strives to deliver successful projects. The success of a project has been defined and the performance of the projects has been evaluated by the project proponents in a multitude of ways over the time, while some are still using conventional performance measures such as time, quality and cost of the projects for the performance evaluation measures of the projects.

The benchmarking for each project to be categorised as successful is basically the construction project that is delivered on time within the agreed cost and completed with acceptable quality (Omran *et al.*, 2012; Hasli *et al.*, 2008). However, it is necessary to identify of the key performance measures and the activities commonly carried out in the construction field (Bhatti, 2013). In addition to the statement, Sarhan *et al.* (2013) advocated the need to raise awareness of the project proponent in order to determine the appropriate performance measures as it has received significant attention from researchers and the construction industry over the past two (2) decades. Joshi (2009) translated the performance statistic for projects in the public sector as

facing poor condition of time performance. Furthermore, the poor time performance report on the implementation of public sector projects was stated as evidence of effect on the lagging performance measurement plan in the early stages of the implementation of construction projects (Abdullah *et al.*, 2010).

Moreover, research conducted by Al-Momani (2000) found poor time performance (delays) occurred in 106 out of 130 construction projects in the public sector through his study in Jordan, while Sambasivan and Soon (2007) reported that approximately 17.3% of government contract projects in Malaysia were considered sick (delayed more than three months or completely abandoned) and more than 50% of the government contract projects were faced poor time performance problems.

In addition, time performance can either be referred to good time performance or poor time performance. Good time performance refers to the construction project that completes or finishes within the duration specified in the contract, whereas poor time performance refers to the construction that cannot be completed or finished within the duration specified in the contract. This situation of contract also known as “delay”. Poor time performance or delay in delivering construction projects on schedule has become a serious and expensive problem for the parties involved. Late completion of projects can prevent employers from benefiting or profiting from the project. Failure to perform may also expose them to grave financial and economic risks such as high rate of interest and market loss (Ibrahim *et al.*, 2010).

Basically, poor time performance could be defined as an act or event, which prolongs the time needed to perform the contractual task. It usually appears as additional working days or as a late commencement of an activity (Sweis *et al.*, 2008). Delay was defined by the Oxford Dictionaries (2013) as a "period of lateness or postponement of something". Delays can be defined as late completion of work in comparison to the planned contract timetable in accordance with Abedi *et al.* (2011). In Assaf and Al-Hejji (2006) study, poor time performance could be defined by exceeding the time either after a contract or after the date agreed by the parties to deliver the project. It is a project that falls short of its schedule.

Many construction projects with an extension of time do not realize that the cost of the project will rise over the same period. Over the past (3) decades, researchers and industry practitioners have recognized construction time as one of the most important performance criteria of many successful projects. A considerable number of literatures therefore emphasized the time aspect as an indicator of the success of the project. Nkado (1995) and Chan and Kumaraswamy (1997) agreed that project should be completed on time as a symbolic of an efficient construction industry. Furthermore, Latham (1994) also suggested that timely implementation of projects is an important requirement for project proponents in the construction sector.

In addition, Rwelamila and Hall (1995) found that the timely completion of the project was often seen as a key factor in the success of the project, while Xiao and Proverbs (2003) stated that poor time performance of construction project had a significant impact on the cost and quality of project deliverable. New Energy and Industrial Technology Development Organization (NEDO) Report (1983) supported the statement and further quoted that project success is a function of the management effort needed to complete the project on time and the discipline approach helped control the cost and quality of the project deliverables. Subsequently, this raises a growing global concern about the benchmarking of best practice measures by having the framework or reference model for construction time performance for the use of customers, consultants, contractors or analysts in the construction industry in project life cycle stages (Walker, 1995; Chan and Kumaraswamy, 1996 and Georgy *et al.*, 2000).

Besides that, construction time was perceived as one of the most important performance measures among various successful projects. Substantial efforts were made to identify best practice measurements for construction time performance in the construction industry. Time performance is critical to carry out temporary, unique, complex construction projects that are gradually presented and not repeated in short time. Time performance becomes a benchmark for construction project success. Time performance, as stated earlier, is an intact problem to improve performance in the project, as the needs of construction projects increase rapidly. The precise use of the

time needed to implement the project is a benchmark for the success of every project activity (Palmer, 2018).

More importantly, above researchers forms the basis of this research with all the circumstances that have been studied and discussed earlier. The Department of Irrigation and Drainage, Malaysia (DID), which is the authorised flood mitigation project implementation agency through the Sistem Maklumat Kontrak (SMARTRAK) in the info portal of the department (website DID; <http://www.water.gov.my>), revealed that overall flood mitigation projects implementation in recent years suffered from the poor time performance issue. This research will aim to achieve the objective of establishing a framework or strategic reference for improving poor time performance in flood mitigation projects in Malaysia.

This chapter establishes the research by the introduction and divides it into eleven (11) sections. Section 1.1 demonstrates the research overview, while Section 1.2 provides an overview on the research background. Section 1.3 then explains the research problem statement summarise from the point of view of previous studies. The problem statement at the beginning highlights the importance of the construction industry as well as the ills that will eventually lead to the research area. Section 1.4 then provides research questions to be linked with the aim and objectives of the research. Section 1.5 sets out the goals and objectives of this research. Section 1.6 subsequently highlights the research gap and Section 1.7 highlights the research scope. Section 1.8 further covers the importance of the research that will contribute to the construction industry research field. Section 1.9 provides a general overview of the methodology for the research, consisting of the initial research flow and Section 1.10 provides a comprehensive thesis structure in overall. Finally, the conclusion of this chapter is presented in Section 1.11 as the closing part of this chapter.

1.2 Research Background

Construction is reflected in the homes in which we live, the buildings and infrastructure around us, the cities and townships in which we inhabit. The

contributions are more than purely economic, but the results of construction play a significant role in creating a quality lifestyle for the local population. The government has contributed in various ways to the development of the construction industry, and is the major contributor to infrastructure projects in many developing countries, including Malaysia (Ngai *et al.*, 2002)

In Malaysia, the construction industry has been growing healthily and has progressed well on several sides, but the fact remains that a number of urgent problems need to be addressed urgently. The construction industry is one of the industries that has involved many situations of uncertainty throughout the implementation of the construction project. Recent literature studies have shown that construction projects are usually done with time overrun, excessive budget and concern in quality as the effects of poor time performance.

Arditi and Pattanakitchamrorn (2006) stated that poor construction time performance could cause a lot of changes in a project such as late completion, loss of productivity, acceleration, higher costs, changes in scope and termination of contract. In general, however, poor time performance situations are inherently complex. An activity delay may not lead to the same amount of project delay. A delay caused by a party may or may not affect the completion date of the project and may or may not cause harm to another party. Poor time performance over time may occur at the same time as other poor performance over time, and all of them may affect the completion date of the project.

Notwithstanding these results, many projects have not been completed in accordance with the agreed contract period and at the price for which they were offered. Poor time performance is not always caused by a single catastrophic event (Ahmed *et al.*, 2003). The problems of the past often develop slowly with the progress of the project. Minor time-related performance issues are usually overlooked until their cumulative effect is financially obvious. While timely completion is considered to be one of the key criteria for project success, late completion is always an important topic for discussion not only in Malaysia, but worldwide, due to poor time performance (Al-Momani, 2000; Georgy *et al.*, 2000; Chan *et al.*, 2002).

On the other hand, as reported in the Construction Industry Transformation Programme (CITP) by CIDB Malaysia, all of us are either directly or indirectly affected by the construction processes and their deliverables (Shaffii, 2017). The Malaysian construction industry is still dominated by conventional practices (Abdul Shukor *et al.*, 2011) and the urgent need for industrial transformation was reflected in the Master Plan 2006-2015 for the Malaysian Construction Industry (CIMP, 2007). In addition, the government places greater emphasis on strategic thrusts in the four (4) areas: (1) quality, security and professionalism (QSP); (2) sustainability of the environment; (3) productivity; and (4) internationalisation. Each of the thrust is the key pillar to transform the construction industry in Malaysia (Shaffii, 2017). In order to transform the entire industry, strategic thrusts must be implemented in all areas of the construction industry.

Government remains as the construction industry's largest customer. The government project or public sector projects are mainly focused on developing basic infrastructure such as roads, dams, irrigation works, schools, houses, factories and other physical development. The Malaysian National Budget 2015 (Abdul Razak, 2014) has allocated RM 770 billion in public sector projects, but previous audit reports also show that some public sector projects are reported to have been underperformed or suffered as a result of poor management at various stages of the life cycle in the construction project.

In addition, the general perception of the public construction project in the construction industry of Malaysia as a whole is underperforming (Jatarona *et al.*, 2016). Government spending has been distributed accordingly for infrastructure and utilities under the Malaysia Plan (MP) programme. The allocation under the Eighth Malaysia Plan (2001-2005) was RM 38.7 billion while the allocation was RM 46.8 billion in the Ninth Malaysia Plan (2006-2010) as reported by the Economic Planning Unit, Department of Prime Minister; Ninth Malaysia Plan (2006). Other than that, more than RM 100 billion has been allocated on the 10th Malaysia Plan (2010-2015) for the development of physical infrastructure (Economic Planning Unit, Prime Minister's Department; Tenth Malaysia Plan, 2010).

Furthermore, the allocation has increased tremendously, so definitely increasing in the number of public sector projects that will be awarded. There has been considerable and ongoing interest in the effects of poor time performance in construction. Therefore, in implementing these projects, there is a need to reduce the incidence of poor time performance.

More specifically, Ministry of Finance, Malaysia (MOF) has planned to spend RM 138 billion to boost the construction industry's growth (CIDB Malaysia, 2010). Besides that, the Ministry of Water, Land and Natural Resources (KATS), or formerly known as the Ministry of Natural Resources and Environment, Malaysia (NRE) through the Department of Irrigation and Drainage, Malaysia (DID), an authorised flood management agency, has been allocated annually from the MOF budget for flood mitigation and flood control. This allocation is to be spent and implemented throughout Malaysia in order to reduce flooding.

Since the Malaysia Plan (MP) or '*Rancangan Malaysia*' (RMK) began with RMK-1 (1966-1970) until RMK-11 (2016-2018), the Government of Malaysia has spent more than RM 20 billion, as shown in Figure 1.1 on implementing structural and non-structural measures under the jurisdiction of flood mitigation projects, in particular to mitigate flooding across the country (Economic Planning Unit: EPU, Prime Minister Department, 2013). The data generated from each MP's EPU reports has been compiled, reorganized and translated to show that the trend is rising on government spending as the government allocation given to the authorizing agency to implement flood mitigation projects in Malaysia.

From RMK-1 (1966-1970) to RMK-11 (2016-2018), the data generated from archived documents provided by the EPU database shows the trend of expenditure on flood mitigation projects is important as it will reflect the importance of the projects to be implemented. Furthermore, the project needs to be carried out with the proper planned, meaningful and valuable means of living.




Figure 1.1 Government Expenditure for Flood Mitigation Projects

Concerns over the year about the worsening and increasing flood areas in Malaysia, data from DID’s project offices across Malaysia revealed that poor time performance becomes a serious issue throughout the implementation of the project. In order to improve the said performance, further research on the issue is needed. The actual factors affecting time performance of flood mitigation projects in Malaysia in recent years will be determined from the performance of flood mitigation projects data derived from DID’s project office documents at each state.

In addition to the expenditure distributed by the Malaysia federal government, the data from the DID project office documents generated the above-mentioned trend. From the records of DID’s project office documents in each state, it was revealed that poor time performance of the projects resulted in an increase in costs of projects, caused changes to the scopes planned earlier and affected the quality at the end of the project life cycle.

In supporting of these facts and figures, the Prime Minister’s Office (PMO) Department in the formal site visit on 13 July 2018 to the projects of Sabah DID stated that government must draw valuable lessons from both the failed projects and the successful projects. *“We have to put in place new initiatives to streamline the procurement processes, ensuring projects are awarded to competent contractors and*

installing systems to monitor every project on near real-time basis to spot any delivery problems and try to resolve it immediately and effectively". These initiatives, he said, will prevent the projects suffering from the poor time performance and further fail the overall implementation project.

In other concrete terms to agree with the minister's statement, the opening speech by previous Secretary General, Ministry of Water, Land and Natural Resources, Malaysia or Kementerian Air, Tanah dan Sumber Asli Malaysia (KATS) for the "Project Management Nation Talk" programme on 24 September 2018, Dato' Dr. Tan Yew Chong said *"an effective and efficient project management must be emphasizing to ensure the construction of projects can be finished by the time spelt in the contract, with the cost and quality expected by the client. In addition, the three (3) main principles must be looked into for the outcome of each project implementation was the fastest implementation as it is reflecting to the time performance, given high impact to the people with the lowest cost to the government of Malaysia"*. He stressed the statement in his speech, hoping that the outcome achievement will be more important than output-oriented projects, considering that all the development projects for the public sector are based on time performance and will be monitored by each five (5) years Malaysia Plan (MP) basis. This opening speech was published on the official portal for the ministry (<http://www.kats.gov.my>).

In order to further reinforce the argument of the minister and the secretary general, the researcher's work experience of more than fifteen (15) years in DID Malaysia has the role of project implementer (as project owner, project superintendent officer (SO) or as project engineer at the various offices / projects) in implementing government construction projects, the problem of poor time performance within the department is not yet to be solved. The issue has disrupted each project's construction, which can cause project failure. Since the action to solve the problem is not addressed properly, it will not solve the poor time performance situation. Therefore, the circumstances of poor time performance attracted the researcher to look into the scenario and assist the department in improving the performance of the construction time, especially in the implementation of flood mitigation projects.

1.3 Research Aim and Objectives

Research aim and objectives are the statements to be made by the research project. It provides measurable information about the purpose of research and defines the standards of what research is accomplished (Mahmud, 2009).

Out of definition above, the aims of this research was focused to develop a problem-solving model (strategies model) as to mitigate and improve poor time performance in flood mitigation construction projects which authorised under the Department of Irrigation and Drainage, Malaysia (DID) as mentioned in the previous Section 1.3. Realizing the issue of poor time performance in flood mitigation construction projects in Malaysia, there is a need to support the research aim as to make sure that the aim is well responds logically to the problem statement, the research objectives for this research established as the followings:

- (i) To explore time performance of flood mitigation projects in Malaysia;
- (ii) To examine critical activities affecting time performance of flood mitigation projects;
- (iii) To evaluate the challenges within the critical activities that affect time performance of flood mitigation projects;
- (iv) To propose strategies to address challenges of critical activities that affect time performance in flood mitigation projects; and
- (v) To develop Strategies Model of Time Performance for Flood Mitigation Projects.

1.4 Problem Statement

The problem statement is referred to as a clear, accurate and succinct statement of the question or issue to be investigated with the aim of finding a solution or answer

to the outlined problem (Sekaran, 2003; Sekaran and Bougie, 2009). The rising spending trend as shown in the previous Figure 1.1 indicated the need for detailed planning of the flood mitigation project each year to reduce the impact of flooding on people in the affected areas. Indirectly, with the responsibilities given to DID, it is necessary to ensure that the proper promoter is concerned with proper implementation of flood mitigation project in order to avoid poor time performance of flood mitigation project throughout the whole project life cycle stages.

Delay in delivering flood mitigation projects on schedule has become serious and expensive problems for Department of Irrigation and Drainage, Malaysia (DID) and other parties involved through the project life cycle of flood mitigation construction projects in Malaysia. As illustrated in the Figure 4.2, the project that encountered poor time performance generated from the Table 4.2. It can be seen that the poor time performance is a serious issue that occurred in Malaysia where 56.5% of overall data for flood mitigation projects were implemented and completed in year 2013 to 2016 facing the problem of poor time performance (Project Document in Project Office, 2017)

As the country among the developed nation, the construction industry has become one of the key economic pillars of Malaysia and as a result, it is necessary and important to carry out the study of activities affecting time performance (Nor Haslinda, 2018). A few years before the findings, Abd El Razak *et al.* (2008) identified that poor time performance in construction project is considered one of the most complicated problem causing multiple negative effect on the project and its participating parties. Ahmed *et al.* (2003) supported the statement and stated that it is essential to determine the actual factors and activities affecting poor time performance in order to minimise the effect on the construction projects. Thus, as mentioned by the above researchers, there is the need to carry out the study on the problems as to form the basis of this research where the flood mitigation projects data was not covered by the above studies and there is the need to model the strategic reference for this type of project to improve the project's implementation as a whole as stated by Mohammad *et al.* (2014), the establishment of such strategic reference or guidance can enhance the decision-making process for the construction implementation. The importance and significance of this

research will be further discussed in the Section 1.8. In addition to the problems mentioned earlier (at the second paragraph of this section), this research outcome was expected to help the authorisation agency to implement flood mitigation projects in Malaysia, known as DID, to structures their strategy to minimise the effect of poor time performance for flood mitigation projects.

Moreover, research into construction project to mitigate floods must be investigated in terms of relationship or correlation between project life cycle stages and construction projects time performance. On the other hand, this research will be resulted the critical activities that need to be focused on their challenges and strategies to address challenges within the project life cycle stages which influencing the time performance of flood mitigation projects in Malaysia substantially. It is anticipated that the framework model being developed will be the strategic reference and guidance to the project proponent for the field, in order to improve the existing poor time performance towards different phases of project life cycle.

1.5 Research Questions

Research question can be found by asking what motivates the researcher, the kind of research one wants to do and the outcome of the research to achieve. On what others propose suggestions in literature of where most research is needed (Oats, 2009). Essentially, as indicated by Bryman (2012), a research question is a question that provide an explicit statement of what is it that the researcher wants to know.

In this study, quantitative research questions inquire about the relations between constructs that need to be answered. This proposed research offers several primary research questions intended to help reveal the essential of time performance factors in flood mitigation projects as perceived by the flood mitigation project proponents. To help meet the aim and objectives of the research, the following over-arching questions guided this research;

- (i) How is the time performance condition of flood mitigation projects implementation in the Department of Irrigation and Drainage, Malaysia (DID)?
- (ii) What is the critical activities that cause poor time performance of flood mitigation projects life cycle stages in Malaysia?
- (iii) How is the experts evaluate the challenges or problems of critical activities on flood mitigation projects in Malaysia?
- (iv) What is the solutions or strategies proposed for the challenges that significantly affect poor time performance of flood mitigation project implementation in Malaysia?
- (v) What is the best project management practise / framework / strategies model that can be a valuable tool to improve and structures the effort in minimizing the occurrence of poor time performance of flood mitigation projects implementation in DID Malaysia?
- (vi) How will this research contribute to the body of knowledge and practise or to be used as a strategic reference to the construction players within the department's project management division of DID Malaysia?

1.6 Research Gap

This research adapted the criteria of measuring each type of construction project performance in terms of time, cost and quality that has attracted the interest of researchers and practitioners which in line of what has been discussed earlier as the knowledge boundary for this research. There are various types of construction projects determines under civil engineering field in Malaysia such as building, road / highway, water supply, tunnelling, dam, telecommunication and pipeline projects. This research will be focused on flood mitigation construction projects in Malaysia where it is also classifying under the civil engineering type of construction project and rarely discuss

in previous literatures of the related field. This research will try to fill in the gap establish by the worldwide scholars from previous research so that they can open a door for future study in this field.

The successful implementation of the flood mitigation project in Malaysia is measured in terms of its performance measurement of time, cost and quality where this research will focus only on its time performance measurement. To be specific, time performance will be measured as good time performance and poor time performance of construction project which to be specific in this research will only look into poor time performance or well-known as “delay” on the project implementation. This illustrated on the Figure 1.2 as the basis of this research.




Figure 1.2 Knowledge Boundary for the Research

Previously, many studies had been carried out on poor time performance for the projects, but mostly focused on infrastructure scope and building projects in

general. However, further refinement and specific study are required in this research to nail on poor time performance of flood mitigation projects, especially in Malaysia. Table 1.1 indicates the various type of construction project field focused by the previous researchers for the past few decades till recent ones, without having any study specifically on the flood mitigation projects field on the list.

Table 1.1 Type of Construction Projects Focus by the Previous Authors

No.	Type of Construction Project	Authors
1.	Irrigation & Power Projects	Healey (1964)
2.	Power Plant Projects	Wilson (1969)
3.	Lab Research Building Projects	Allen <i>et al.</i> (1970)
4.	Reclamation Projects	Gerni (1970)
5.	Highway, Water, Buildings Project	Merewitz (1973)
6.	Power Plants Project	Blake <i>et al.</i> (1976)
7.	Pipelines Project	Cochran (1978)
8.	Nuclear Power Plant	Parvis (1979)
9.	Military Building Projects	David (1982)
10.	Dam Projects	Fattah (2015)
11.	Building Projects	Ogunlana <i>et al.</i> (1996)
12.	Buildings, Nuclear Power Plants, Tunnelling Works (simple to complex type of projects)	Abdul Majid <i>et al.</i> (1998)
13.	Building projects	Odeyinka and Yusif (1997)
14.	Building & Infra Projects	Kumaraswamy <i>et al.</i> (1998)
15.	Construction projects - general	Mezhar <i>et al.</i> (1998)
16.	Building & Highway projects	Abdullah and Battaineh (2002)
17.	Building Projects	Al-Momani (2000)
18.	Building & Highway projects	Oden and Battaineh (2002)
19.	Highway projects	Manavazhia and Adhikari (2002)
20.	Major construction projects	Terry Williams (2003)
21.	Large Scale of Construction Projects	Assaf and Al-Hejji (2006)
22.	Construction projects - general	Moura <i>et al.</i> (2007)
23.	Construction projects - general	Sambasivan and Soon (2007)
24.	Construction projects - general	Azhar <i>et al.</i> (2018)
25.	Development & telecommunication projects	Ameh, Soyngbe and Odusami (2010)
26.	Building construction projects	Fugar and Agyakwah-Baah (2010)
27.	Infrastructure projects	Amu and Adesanya (2011)
28.	Large MARA construction projects	Abdullah <i>et al.</i> (2010)
29.	Construction projects - general	Nawaz <i>et al.</i> (2013)
30.	Infrastructure Projects	Aziz (2013)
31.	Highway projects	Gunduz <i>et al.</i> (2013)
32.	Infrastructure projects	Pai and Bharath (2013)
33.	Construction projects - general	Marzouk and El-Rasas (2014)
34.	Building projects	Rahman <i>et al.</i> (2012)
35.	Road construction projects	Hasan (2014)
36.	Housing Projects	Chang and Aminah (2015)

As evidence to this, flood mitigation projects are not yet to be explored by other researchers in this research field. Thus, this research tends to focus on the critical activities, challenges within the critical activities and strategies to address challenges

affecting time performance of flood mitigation construction projects. In addition, a strategic reference model for flood mitigation projects in Malaysia is being developed as the research goal that to be used by DID Malaysia as guidance to improve the poor time performance of flood mitigation projects in Malaysia.

1.7 Research Scope

This research involves quantitative approach using structured questionnaire survey to identify significant stages and life cycle activities to be improved in order to minimise poor time performance of flood mitigation construction projects in Malaysia. Fundamentally, the research parameters are limited to the implementation of flood mitigation construction projects (public sector projects) in Malaysia. As will be further described in Chapter 3, the respondents for this research, are DID Engineers (the highest level / the most grade who involved in flood mitigation construction projects), contractors (the highest grade involved in flood mitigation construction projects Grade G7 and registered under CIDB, Malaysia) and also Civil and Structure (C&S) consultants (the majority of consultancy field involved in flood mitigation projects and was registered with Board of Consultant, Malaysia).

The scope of this research is focused on civil engineering construction project in Malaysia and particularly on flood mitigation projects implemented by Department of Irrigation and Drainage Malaysia (DID), which is the authorised flood mitigation projects implementation agency for the Government of Malaysia. Each phase approach in the research consists of different scopes for the research but will lead to achieve the research aim and objectives as stated on the previous Section 1.5. Table 1.2 shows the frame that highlighted the related parameters and boundaries of this research.

Table 1.2 Scope of the Research

No.	Research Area	
	Parameters	Boundary for this Research
1.	Project Performance Measurement (Time / Cost / Quality)	Time
2.	Time Performance (Good / Poor)	Poor
3.	Type of Project Sector (Public / Private)	Public
4.	Respondents (Selective Construction Players)	<ol style="list-style-type: none"> 1) DID Engineers (the most level / grade who involved in flood mitigation construction projects) 2) Contractors (the most grade involved in flood mitigation construction projects - Grade G7 and was registered under CIDB Malaysia) 3) Civil & Structures (C&S) Consultants (the most field of consultancy involved in flood mitigation construction projects and was registered under Board of Consultant Malaysia)
5.	Government Agency (Technical Authorities Department: JKR / DID)	Department of Irrigation & Drainage (DID)

1.8 Significance of the Research

This research is set to develop a problem-solution model to mitigate poor time performance in flood mitigation projects by considering the life cycle stages for this type of projects. The need for this research becomes necessary due to the vibrant importance of best management practises while implementing construction projects in Malaysia. The fact that the discipline plays a vital role in improving poor time performance and helping the said department to structure the strategic reference model in minimizing the impact of poor time performance for flood mitigation projects in Malaysia. It is important to explore the critical activities in each stages of the project life cycle that donates and reflects the time performance of this research. As the research problem was clearly stated in the previous Section 1.3, the need to have the strategic reference for the time performance improvement due to delay in delivering flood mitigation projects on schedule is viewed as very significance needs to the department (DID Malaysia) and the construction industry especially to the field area.

In line with this, it is hoped that the results from this research can be assisted the Department of Irrigation and Drainage, Malaysia (DID) and the flood mitigation projects proponents to improve the existing practices for implementing this type of construction projects. Furthermore, research findings are expected to provide a model of strategic reference and a better understanding of the best practises in flood mitigation projects in Malaysia.

More fundamentally, project management practises were recognised as one of the strategies to minimise the impact of poor time performance, which the industry cannot deny. This research also hopes to educate students, researchers and scholars about the necessary to adopt project management practises for the implementation of flood mitigation projects. This will allow them to carry out project management knowledge areas throughout the various activities in the project life cycle, as it is clearly shown in most literatures relating to this research field.

Therefore, government, policymakers, construction industry as well as the authorised department, DID Malaysia could find the outcome of this research is useful in the process of understanding the extent of the research contribution. Research contribution in the forms of contribution to the knowledge, to the construction industry and to the departments as well will be explained in detail at the Section 5.4 in the Chapter 5. According to Iram *et al.* (2016), the simple definition of project success has only been based on the implementation phase of the project's life cycle. Project success is required from the beginning to the end of the project's life cycle. As Prabhakar (2008) argued, good time performance in projects means very little that the project faces underperforming situation during and towards the end of projects. The findings from this research hopefully will add to the wealth of literatures and serve as a reference information material for researchers and construction industry players as a guide throughout the project's life cycle stage of each project in the research area of construction project time performance.

1.9 Overview of Methodology

This research consists of five (5) stages namely: (1) initial reporting; (2) data collection; (3) data analysis and interpretation; (4) framework model development; and (5) final reporting. During the first stage, the research undergoes literature review to gather information from previous study related to this research's objectives. Then, the project document study was performed in DID's project office to explore the time performance of flood mitigation projects in Malaysia. From this, a set of questionnaire survey was developed when the matrix mapping process established (through the project documents study and supported with literatures) with further validated by subject matter expert (SME) in this field. This research has been designed with a mixed mode method for data collection with the sequential explanatory design, which started with quantitative and followed by qualitative (Creswell, 2017).

Furthermore, mixed mode method has been used for this research as it can fulfil the research objectives. The Objective (i); to explore time performance of flood mitigation projects in Malaysia, was fulfilled through data exploration from project documents study in the Department of Irrigation and Drainage, Malaysia (DID). The data were then analysed to determine the percentage of flood mitigation projects experienced poor time performance. Then, data collected for Objective (ii); to examine critical activities affecting time performance of flood mitigation projects, were performed via quantitative method which is using questionnaire survey approach through the statistical analysis (PLS-SEM) to get the answer for the relationship between the independent variables (stages in the project life cycle) and the dependent variable (time performance of flood mitigation project). On top of that, the Importance-Performance Matrix Analysis (IPMA) based on mean score scoring was then taken part to find the most critical activities of each project stages. The Objectives (iii); to evaluate the challenges within the critical activities that affect time performance of flood mitigation projects and then Objective (iv); to propose strategies to address challenges of critical activities that affect time performance in flood mitigation projects. Other than that, Objective (v); to develop Strategies Model of Time Performance for Flood Mitigation Projects were accomplished by qualitative method through interviews with subject matter expert (SME) in flood mitigation projects.

Since these objectives requires information on challenges and strategies for critical activities that affect time performance in flood mitigation projects, this research was selected interview experts for validation process as to meet all these objectives. SME in this research is the group that best meets the variables as mentioned by Peggy *et al.* (2015) and the experts have a wiser view of their area. Detailed of SME background for Interview 1 and Interview 2 are presented on the data analysis part which is in the Chapter 4.

Other than that, pilot study was conducted to test the reliability of the questionnaire survey for the first stage of data collection. Thirty (30) respondents or 10% from the random sample (300 respondents) were managed to response the pilot test as recommended by Hair *et al.* (2010). The reliability test can be accepted if the Cronbach's Alpha (CA) value exceeds 0.6 (Hair *et al.*, 2010). The main purpose of this questionnaire survey is to achieve Objective (ii); to identify critical activities affecting time performance of flood mitigation projects. From the data received, Structural Equation Modelling (SEM) was used to identify the critical activities throughout the flood mitigation project life cycle. Consequently, the critical activities will be validated by SME of the field.

Moreover, the validation of critical activities will be done through semi-structured interview with SME. The SME will be required to validate the critical activities listed based on the statistical data analysis of the questionnaire using SEM. At the same time, SME will be questioned to evaluate the main challenges within the critical activities and to propose the strategies to address challenges of critical activities that affect time performance in flood mitigation projects. In the first series of the interview with the SME, they will be asked to do the validation of the critical activities, obtaining challenges within the critical activities and proposing strategies to address the challenges of critical activities throughout the interview process.

Once the critical activities are validated, the challenges and strategies for critical activities are obtained, a model called "Strategies Model of Time Performance for Flood Mitigation Projects" is developed. This model will also go through SME's validation process, which will be conducted through the SME's second series

interview. The details of SME's background for model validation are presented in the Chapter 4. The end stage is the final reporting stage consisting of the conclusion and recommendation of the thesis.

The methodology that was divided into five (5) stages employed in this research is dependent on input quality, which includes effective control over the entire research process. Figure 1.3 shows the summary of the stages in this research which briefly explained at the early of this Section 1.9. The detail activities for the research will be explained further in the next Chapter 3. This research attempts to reduce the organisational (department) problem of poor time performance in the implementation of flood mitigation project and further understand the uniqueness of this type of project (flood mitigation project) and the more importantly, the particular context of research to be performed by the researcher.




Figure 1.3 Summary of Steps in the Research (Conceptual Framework of the whole research)

1.10 Structure of the Thesis

This thesis is to be organized into five (5) essential chapters. In this research, consideration was given to the construction industry, which focused on the flood mitigation projects that faced poor time performance for Malaysia scenario. This includes identifying flood mitigation projects in Malaysia that experienced poor time

performance and determining critical activities affecting time performance in flood mitigation projects based on the perspectives of flood mitigation projects players in Malaysia. By evaluating problems within the critical activities and proposing solutions to the problems of poor time performance in flood mitigation projects, this research will support the aim of improving the time performance of flood mitigation projects in DID by developing problem-solution model (strategies model) to mitigate poor time performance in flood mitigation projects. Besides, the result of this research can contribute to DID and the said model can be used as a strategic reference for the project management improvement in DID.

Chapter 1 serves as a frame for the rest of the thesis. It consists of a brief introduction chapter that includes the background and describes the research's problem statement. It also explains the aim and objectives, research scope as well as the initial flow of the research to be used for the study that outlines the entire research arrangement with the summary at the end of the chapter.

Chapter 2 reviews research literature including characteristic of successful project, time performance in the construction industry included cause and effect to the industry, flood mitigation project in Malaysia with poor time performance, current and future development of this type of project. This chapter also explained about construction project management covered the process and construction project life cycle. In addition, activities in the construction project life cycle were discussed in details on each flood mitigation project stage. Challenges within the critical activities and strategies to address the challenges were discussed for the improvement of project management model development. Following which, the theoretical framework of the research was discussed, ended with the summary of the Chapter 2.

Chapter 3 discusses on the methodology used in this research to achieve objectives of the study. This chapter explained the method used to fulfil each objectives of the study. Basically, this research has gone through data exploration (project documents study) from Department of Irrigation and Drainage, Malaysia (DID), questionnaire survey to the construction players involves in flood mitigation projects and interviews with subject matter expert (SME). At the end of the chapter,

the development of problem-solution model (strategies model) will be discussed to mitigate poor time performance and as a strategic reference in the implementation of flood mitigation projects. Then, the summary will be the closing paragraph for the chapter.

Chapter 4 explains the outcome, data interpretation and discussion for each objective. Based on each objective, the data were presented to show that the objectives are fulfilled and the readers had a clear picture throughout the research. The chapter then closed with a summary of the research findings.

Chapter 5 will be the last chapter of the thesis. It discusses research findings, interpretation of findings, theoretical and practical contributions, implications, study limitation and recommendations for the future field work. This also includes the conclusions of entire research as the book end of the thesis.

1.11 Summary of Chapter 1

Chapter 1 or Introduction's Chapter provides a brief overview of the key aspects of the research. The research concerns to improve time performance of flood mitigation projects implemented by the authorised agency (DID Malaysia) by establishing the model as a strategic reference to improve the existing practices. In addition, the development of a problem-solution model (strategies model) in flood mitigation projects will help the previous practice to mitigate poor time performance and will determine the critical activities as to improve every project life cycle stage towards time performance of flood mitigation projects.

Chapter 1 contains the overall thesis framework starting with the research overview, research background and the problem statement. Furthermore, the content extends for research questions before further towards research aim and objectives, research gap and research scopes were briefly explained in this chapter. Other than that, the significance of the research will take place before the overview of the methodology explained as a whole. The structure of the thesis also discussed at the

end of the chapter as to capture the research structures in overall. The significance and methodology overview of the research was explained before the organization of the thesis took place at the end of the thesis.

Video provides a powerful way to help you prove your point. When you click Online Video, you can paste in the embed code for the video you want to add. You can also type a keyword to search online for the video that best fits your document. To make your document look professionally produced, Word provides header, footer, cover page, and text box designs that complement each other. For example, you can add a matching cover page, header, and sidebar. *“For the first paragraph, use ‘Para 2 lines’ style”*

Video provides a powerful way to help you prove your point. When you click Online Video, you can paste in the embed code for the video you want to add. You can also type a keyword to search online for the video that best fits your document. To make your document look professionally produced, Word provides header, footer, cover page, and text box designs that *complement* each other. For example, you can add a matching cover page, header, and sidebar. Click Insert and then choose the elements you want from the different galleries. Themes and styles also help keep your document coordinated. When you click Design and choose a new Theme, the pictures, charts, and SmartArt graphics change to match your new theme. *“For the last paragraph/single paragraph in the section, use ‘Para 4 lines’ style”*

REFERENCES

- Abd El Razak, M. E., Bassioni, H. A. and Mobarak, A. M. (2008). Causes of Delay in Building Construction Projects in Egypt. *Journal of Construction Engineering and Management*, 134 (11).
- Abd Shukor, A. S., Mohammad, M. F. and Mahbub, R. (2011). Supply Chain Integration Challenges In Project Procurement. *Journal of Management and Innovation for a Sustainable Built Environment*, (June 2011).
- Abdul Rahman, I., Memon, A. H. and Abd Karim, A. T. (2018). Significant Factors Causing Cost Overruns in Large Construction Projects in Malaysia Ismail. *Journal of Applied Sciences*, Vol. 13 (2), 286-293. <https://doi.org/10.3923/jas.2013.286.293>
- Abdul Razak, I., Roy, M. H., Ahmed, Z. and Intiaz, G. (2010). An Investigation of the Status of the Malaysian Construction Industry. *Benchmarking: An International Journal*, 17 (2), 294-308.
- Abdul Razak, M. N. (2014). The 2015 Budget Speech.
- Abdullah, A. A. dan Rahman, H. A. (2011). Planning Process of Development Project in the Malaysian Context : A Crucial Brief Overview. *International Journal of Applied Science and Technology*, 1(2), 74-81.
- Abdullah, M. O. dan Battaineh, H. T. (2002). Causes of Construction Delays: Traditional Contracts. *Journal of Project Management*, 20, 67-73.
- Abdullah, M. R., Rahman, I. A. dan Abdul Azis, A. A. (2010). Causes of Delay in MARA Management Procurement Construction Projects.
- Abedi, M., Fathi, M. S. dan Mohammad, M. F. (2011). Major Causes of Construction Delays under Client Category and Contractor Category. In *The First Iranian Students Scientific Conference* (pp. 1–8).
- Abhas, J., Lamond, J., Bloch, R., Bhattacharya, N., Lopez, A., Papachristodoulou, N., Barker, R. (2011). Five Feet High and Rising Cities and Flooding in the 21 st Century. *Policy Research Working Paper*, (May).
- Adnan, H., Hadi, A., Nawawi, M., Maimunah, S., Akhir, M., Supardi, A. and Chong, H. (2011). Bills of Quantities : Perspectives of Contractor in Malaysia. *Australian Journal of Basic and Applied Sciences*, 5(11), 863-873.

- Ahmed, S. M., Azhar, S., Castillo, M. and Kappagantula, P. (2003). Construction Delays in Florida : An Empirical Study.
- Aibinu, A. A. and Jagboro, G. O. (2002). The Effects of Construction Delays on Project Delivery in Nigerian Construction Industry. *International Journal of Project Management*, 20(8), 593-599.
- Ajmal, M., Petri, H. and Kekale, T. (2010). Critical Factors for Knowledge Management in Project Business. *Journal of Knowledge Management*, 14(1), 156–168.
- Alaghbari, W. A. M. (2005). Factors Affecting Construction Speed of Industrialized Building System in Malaysia. Thesis for Degree of Master Science, University Putra Malaysia.
- Alaghbari, W., Kadir, M. R. A. and Salim, A. (2007). The Significant Factors Causing Delay of Building Construction Projects in Malaysia. *Engineering Construction and Architectural Management*.
- Alarcón, L. F. and Ashley, D. B. (1996). Modeling Project Performance for Decision Making. *Journal of Construction Engineering and Management*, 122(3).
- Albert, H. (2004). *Handbook of Project Management Procedures* (1st Ed.). Thomas Telford Publishing, London.
- Al-Hajj, A. and Sayers, A. (2014). Project Management Performance in the UAE Construction Industry. *Journal of Computing in Civil and Building Engineering*.
- Al-Hajj, A. and Zraunig, M. M. (2018). The Impact of Project Management Implementation on the Successful Completion of Projects in Construction. *International Journal of Innovation, Management and Technology*, 9(1).
- Ali, A. (2010). Investigating Project Management Practices in Public Sector Organisations of a Less Developed Country. Thesis for the Degree of Philosophy Doctor, RMIT University.
- Alias, Z., Zawawi, E. M. A., Yusof, K. and Abra, A. (2014). Determining Critical Success Factors of Project Management Practice : A conceptual framework. In the proceeding of AMER International Conference on Quality of Life (Vol. 153, pp. 61–69).
- Allen, T. J. and Sloan, A. P. (1970). Communication networks in R & D Laboratories Thomas. In the Conference of the R & D Study Group of the Operational Research Society.

- Al-momani, A. H. (2000). Construction Delay : A Quantitative Analysis. *International Journal of Project Management*, Vol. 18, 51-59.
- Al-Reshaid, K. and Kartam, N. (2005). Design-build Pre-qualification and Tendering Approach for Public Projects. *International Journal of Project Management*, 23(4), 309-320.
- Alshubbak, A., Pellicer, E. and Catala, J. (2009). A Collaborative Approach to Project Life Cycle Definition based on the Spanish Construction Industry. In 3rd Conference on ENgineering Work.
- Ameh, O. J., Soyngbe, A. A. and Odusami, K. T. (2010). Significant Factors Causing Cost Overruns in Telecommunication Projects in Nigeria. *Journal of Construction in Developing Countries*, 15(2), 49-67.
- Amu, O. O. and Adesanya, D. A. (2011). Mathematical Expressions for Explaining Project Delays in Southwestern Nigeria. *Singapore Journal of Scientific Research*, Vol. 1(1), 59-67.
- Anderson, E., Birchall, D., Arne Jessen, S. and Money, A. (2006). Exploring Project Success. *Baltic Journal of Management*, ISSN: 1746-5265.
- Arazi, I., Sodangi, M., Husin, M. H. (2011). Prioritizing Project Performance Criteria within Client Perspective. *Journal of Applied Sciences, Engineering and Technology*, 3(10):1142-1151, 2011.
- Arditi, D. and Gunaydin, H. M. (1997). Total Quality Management in the Construction Process. *International Journal of Project Management*, 15(4), 235-243.
- Arditi, D. and Pattanakitchamroon, T. (2006). Selecting a Delay Analysis Method in Resolving Construction Claims. *International Journal of Project Management*, 24, 145-155.
- Arditi, D., Akan, G. T. and Gurdamar, S. (2006). Reasons for Delays in Public Projects in Turkey. *Journal Construction Management and Economics*, 3(2), 171-181.
- Arnaboldi, M., Azzone, G. and Savoldelli, A. (2004). Managing a Public Sector Project : The Case of the Italian Treasury Ministry. *International Journal of Project Management*, 22(3), 213-223.
- Asgari, M., Kheyroddin, A. and Naderpour, H. (2018). Evaluation of Project Critical Success Factors for Key Construction Players and Objectives. *International Journal of Engineering Research*, 31(2), 228-240.
- Ashley, D. B., Lurie, C. S. and Jaselskis, E. J. (1987). Determinants of Construction Project Success. *Project Management Journal*, 18(2), 69-79.

- Assaf, S. A. and Al-Hejji, S. (2006). Causes of Delay in Large Construction Projects. *International Journal of Project Management*, 24, 349-357.
- Assaf, S. A. and Al-Khalil, M. (1995). Causes of Delay in Large Building Construction Projects. *Journal of Management in Engineering*, 11(2).
- Astrachan, C.B., Patel, V.K., and Wanzenried, G. (2014). A comparative study of CB-SEM and PLS-SEM for theory development in family firm research. *Journal of Family Business Strategy*, Vol. 5, 116-128.
- Astrachan, C.B., Patel, V.K., and Wanzenried, G. (2014). A Comparative Research of CB-SEM and PLS-SEM for theory development in family firm research. *Journal of Family Business Strategy*, Vol. 5, 116-128.
- Atkin, B. (2006). *Notes in Course on Research Methodology*. Lund University.
- Azhar, N., Farooqui, R. U. and Ahmed, S. M. (2018). Cost Overrun Factors In Construction Industry of Pakistan August. In *First International Conference on Construction In Developing Countries (Vol. 1)*.
- Aziz, A. M. (2007). Successful Delivery of Public-Private Partnerships for Infrastructure Development. *Journal of Construction Engineering and Management*, ASCE, 133(12), 918-931.
- Aziz, R. F. (2013). Ranking of Delay Factors in Construction Projects After Egyptian Revolution. *Alexandria Engineering Journal*, 52(3), 387–406.
- Baccarini, D. (1999). The Logical Framework Method for Defining Project Success. *Project Management Journal*, (September 1999).
- Bagozzi, R. P. (1984). A Prospectus for Theory Construction in Marketing. *Journal of Marketing*.
- Baron, R.M. and Kenny, D. (1986). The moderator-mediator variable distinction in social psychological research: Conceptual, strategic and statistical considerations. *Journal of Personality & Social Psychology*, Vol. 51(6), 1173-1182.
- Barrie, D. S. and Paulson, B. C. (1992). *Professional Construction Management*. McGraw-Hill Book Publishing.
- Bartlett, J. E., (II), Kotrlik, J.W. and Higgins, C. C. (2001). Organizational Research: Determining Appropriate Sample Size in Survey Research. *Information Technology, Learning, and Performance Journal*, Vol. 19, No. 1, Spring 2001.
- Beard, J. L., Wundram, E. C. and Loulakis, M. C. (2001). *Design-Build : Planning Through Development*. McGraw-Hill Book Publishing.

- Becerik-Gerber, B. and Rice, S. (2010). The Perceived Value of Building Information Modeling in the U.S.A Building Industry. *Engineering, Construction and Architectural Management*, 15 (February), 185-201.
- Beer, M. (2003). Why Total Quality Management Do Not Persist? : The Role of Management Quality and Implications for Leading a TQM Transformation. *Journal of Decision Sciences*, 34(4), 623-642.
- Beilin, R. and Bender, H. (2011). Interruption, Interrogation, Integration and Interaction as Process: How PNS Informs Interdisciplinary Curriculum Design. *Futured Journal*, 43(2), 158-165.
- Bhatti, S. (2013). Performance Measurement in Construction Project Management.
- Blake, N. J., Doyle, L. J. and Pyle, T. E. (1976). Macrobenthic Community of a Thermally Altered Area of Tampa Bay, Florida. In *Thermal Ecology II Journal* (Vol. 8).
- Bollen, K.A., and Davies, W.R. (2009). Causal Indicator Models: Identification, Estimation, and Testing. *Structural Equation Modeling: An interdisciplinary Journal*, Vol. 16 (3), 498-522.
- Bonjour, E., Krob, D., Luca, P. and Stephen, F. (2018). *Complex Systems Design and Management* (1st. Ed.). Springer.
- Bowen, P. A., Cattell, A. K. S., Hall, K. A., Wales, S., Edwards, A. P. J., Melbourne, R. and Pearl, R. G. (1991). Perceptions of Time , Cost and Quality Management on Building Projects. *The Australian Journal of Construction Economics and Building*, 2(2), 48-56.
- Briggs, S. R. and Cheek, J. M. (1986). The Role of Factor Analysis in the Development and Evaluation of Personality Scales. *Journal of Personality*, Vol (54), p.p.106-48.
- Briggs, S. R. and Cheek, J. M. (1986). The Role of Activities Analysis in the Development and Evaluation of Personality Scales. *Journal of Personality*, Vol (54), p.p.106-48.
- Bryman. (2012). *Social Research Method* (4th Ed.). Oxford University Press.
- Buchholtz, A. K., Amason, A. C., and Rutherford, M. A. (2005). The Impact of Board Monitoring and Involvement on Top Management Team Affective Conflict. *Journal of Managerial Issues*, 405-422.

- Bullock, J.A., Haddow, G.D., Coppola, D.P. (2011). *Introduction to Homeland Security: Principles of All-Hazards Risk Management* (4th Edition). British Library, Elsevier.
- Byrne, B.M. (2010). *Structural equation modeling with AMOS: Basic concepts, applications, and programming* (2nd ed.). New York: Routledge.
- Cash, C. and Fox, R. (1992). Element of Successful Project Management. *A Journal of System Management*, 43(9), 10-12.
- Cennamo, C., Berrone, P. and Gomez-Mejia, L. R. (2009). Does Stakeholder Management have a Dark Side? *Journal of Business Ethics*, 89(4), 491-507.
- Chai, C. S. and Yusof, A. (2015). SEM Approach : Reclassifying Housing Delay in Malaysian Housing Industry. *Journal of Economics, Business and Management*, 3(3), 364-369.
- Chai, S., Yusof, A. and Habil, H. (2015). Delay Mitigation in the Malaysian Housing Industry : A Structural Equation Modelling Approach. *Journal of Construction in Developing Countries*, 20(1), 65-83.
- Chan, A. P. C., Ho, D. C. K. and Tam, C. M. (2001). Design and Build Project Success Factors: Multivariate Analysis. *Journal of Construction Engineering and Management*, 127(2).
- Chan, A. P. C., Scott, D. and Chan, A. P. L. (2004). Factors Affecting the Success of a Construction Project February. *Journal of Construction Engineering and Management*, 130(1).
- Chan, A. P. C., Scott, D. and Lam, E. (2002). Framework of Success Criteria for Design/build Projects. *Journal of Management in Engineering*, 18(3), 120-128.
- Chan, D. W. M. and Kumaraswamy, M. M. (1996). An Evaluation of Construction Time Performance in the Building Industry. *Journal of Building and Environment*, 31(6), 569-578.
- Chan, D. W. M. and Kumaraswamy, M. M. (1997). A Comparative Study of Causes of Time Overruns in Hong Kong Construction Projects. *International Journal of Project Management*, 15(1), 55-63.
- Chan, D. W. M. and Kumaraswamy, M. M. (2002). Compressing Construction Durations : Lessons Learned from Hong Kong Building Projects. *International Journal of Project Management*, 20, 23-35.

- Chang and Aminah (2015). Delay Mitigation in the Malaysian Housing Industry: A Structural Equation Modelling Approach. *Journal of Construction in Developing Countries*, 20(1), 65-83, 2015
- Chen, M. and Shi, X. J. (2009). Risk Allocation of Public Private Partnership in Public Stadium Construction Project. In *International Symposium on Advancement of Construction Management and Real Estate* (p.p. 338-342).
- Cheng, S.G., Hamzah, A. R. and Zulkifli, A. S. (2013). Applying Risk Management Workshop for a Public Construction Project: Case Study. *Journal of Construction Engineering and Management*. Vol.139, Issue 5 May 2013
- Chin W.W., Peterson, R.A. and Brown, S.P. (2008). Structural equation modeling in marketing: Some practical reminders. *Journal of Marketing Theory and Practice*, Vol. 16 (4), 287-289.
- Chin, W. W. (1998). The partial least squares approach to structural equation modeling. In Marcoulides (Edu.), *Modern Methods for Business Research*. Mahwah: Lawrence Erlbaum Associates.
- Chin, W. W. (1998). The Partial Least Squares approach to Structural Equation Modelling. In Marcoulides (Edu.), *Modern Methods for Business Research*. Mahwah: Lawrence Erlbaum Associates.
- Chin, W. W. (2003). *PLS Graph: Version 3.0*. Soft Modeling Inc.
- Chin, W. W. and Newsted, P. R. (1999). Structural equation modeling analysis with small samples using partial least squares. In Hoyle, R. (Eds.), *Statistical Strategies for Small Sample Research* (1307-1341). Thousand Oaks: Sage Publications.
- Choo, A. S., Linderman, K. W. and Schroeder, R. G. (2007). Method and Psychological Effects on Learning Behaviors and Knowledge Creation in Quality Improvement Projects. In *The Institute for Operations Research and the Management Sciences*.
- Chua, D. K. H., Kog, Y. C. and Loh, P. K. (1999). Critical Success Factors for Different Project Objectives. *Journal of Construction Engineering and Management*, Vol. 125 (June), 142-150.
- Ciavolino, E. (2012). General distress as second order latent variable estimated through PLS-PM approach. *Electronic Journal of Applied Statistical Analysis*, Vol. 5 (3), 458-464.
- CIDB, Malaysia. (2007). *Annual Report 2006 / 2007*

- CIDB, Malaysia. (2010). Annual Report 2009 / 2010
- CIDB, Malaysia. (2015). Construction Industry Review and Prospect 2015 / 2016.
- Cochran, E. B., Patz, A. L. and Rowe, A. J. (1978). Concurrency and Disruption in New Product Innovation. SAGE Journals, 1-4.
- Cochran, W. G. (1977). Sampling Techniques (3rd Ed.) New York: John Wiley & Sons, Inc.
- Condelli, L. and Wrigley, H. S. (2004). Real World Research: combining qualitative and quantitative research for adult. ESL Publications.
- Connelly, L. M. (2008). Pilot studies. Medsurg Nursing, 17(6), 411-413.
- Construction Industry Master Plan. (2007). Executive Summary: CIMP Malaysia 2006-2015. Kuala Lumpur, Malaysia.
- Construction Industry Transformation Plan (CITP) 2016-2020 Report. (2015) Executive Summary : CITP Malaysia 2016-2020. Kuala Lumpur, Malaysia.
- Cooke-Davies, T. (2002). The “Real” Success Factors on Projects. International Journal of Project Management, 20(3), 185-190.
- Creedy, G. D., Skitmore, M., Johnny K. W. W. (2010). Evaluation of Risk Factors Leading to Cost Overrun in Delivery of Highway Construction Projects. Journal of Construction and Engineering and Management, Vol.136, Issue 5 (May 2010).
- Crawford, L. and Pollack, J. (2004). Hard and Soft Projects: A Framework for Analysis. International Journal of Project Management, 22, 645-653.
- Creswell, J. W. (2003). Research design: qualitative, quantitative and mixed methods approaches (2nd edition). Thousand Oaks, CA: SAGE Publications.
- Creswell, J. W. (2017). Research Design: Qualitative, Quantitative and Mixed Methods Approaches. Journal of Social and Administrative Sciences. Vol.4, No.2, 2017.
- Cronbach, L. J. (1971). Test validation. Educational measurement, issues and practice, Vol. 2, 443-507.
- David, J. C. (1982). What’s Wrong with Our Defence Establishment. The New York Time Magazine, 38.
- David, S. C. (1997). The Costs and Benefit of the Earned Value Management Process. Thesis for the Degree of Philosophy Doctor, Southern Utah Univesity.

- Davison and Hinkley (1997). A Strategic Analysis for Successful Open Source Software Utilization based on a Structural Equation Model. *Journal of Systems and Software*. Vol. 81, Issue 6. Elsevier.
- Defeo, J. A. (2016). *Juran's Quality Handbook (Seventh)*. McGraw-Hill Education.
- Dell' Isola, A. (1997). *Value Engineering: Practical Applications for Design, Construction, Maintenance and Operations*. Wiley Publishing Inc.
- Deming, W. E. (2012). *Giants of Quality*. *Journal of Quality and Reliability Engineering International*, 28(3).
- Denscombe, M. (2014). *The good research guide: for small-scale social research projects*. McGraw-Hill Education (UK).
- Dhafr, N., Ahmad, M., Burgess, B. and Canagassababady, S. (2006). Improvement of Quality Performance in Manufacturing Organizations by Minimization of Production Defects. *Journal of Robotics and Computer-Integrated Manufacturing*, Vol. 22, 536-542.
- Diamantopoulus, A., and Riefler, P. (2011). Using formative measures in international marketing models: A cautionary tale using consumer animosity as an example. *Journal of Advances in International Marketing*, forthcoming 2011.
- DID (2007). *Johor Flood Report*. Department of Drainage and Irrigation, Malaysia.
- DID (2008). *Flood Report*. Department of Drainage and Irrigation, Malaysia.
- DID (2011). *Flood Report*. Department of Drainage and Irrigation, Malaysia.
- DID (2016). *Flood Report*. Department of Drainage and Irrigation, Malaysia.
- DID (2015). *Annual Report - Coastal Division*. Department of Drainage and Irrigation, Malaysia.
- DID (2015). *Annual Report - Flood Division*. Department of Drainage and Irrigation, Malaysia.
- DID (2015/2016). *Annual Report*. Department of Drainage and Irrigation, Malaysia.
- DID (2018). *Annual Report*. Department of Drainage and Irrigation, Malaysia.
- DID Website : <http://www.water.gov.my>.
- Dijkstra, T. K. (2010). *Latent variables and indicies: Herman Wold's basic design and partial least squares*. Berlin: Springer.
- D'Vinzi, V. E., Chin, W. W., Henseler, J., Wang, H. (2010). *Handbook of partial least squares: Concepts, methods, and applications in marketing and related fields (23-46)*. Berlin: Springer.

- Dvir, D. and Lechler, T. (2002). *Plans are Nothing , Changing Plans is Everything : The Impact of Changes on Project Success*. Oxford Publishing.
- De Wit (1988). *Measurement of Project Success*. International Journal of Project Management, 1988 - Elsevier.
- Edwards, J. F. (2001). *Multidimensional Constructs in Organizational Behavior Research: An Integrative Analytical Framework*. Journal of Organizational Research Methods, Vol. 4 (2), 144-192.
- Efron, B., and Tibshirani, R. J. (1998). *An introduction to the bootstrap*. New York: Chapman and Hall.
- El Asmar, M., Hanna, A. S. and Loh, W. (2013). *Quantifying Performance for the Integrated Project Delivery System as Compared to Established Delivery Systems*. Journal of Construction Engineering and Management, 139(11).
- Elinwa, A. U. and Joshua, M. (2001). *Time-Overrun Factors in Nigerian Construction Industry*. Journal of Construction Engineering and Management, 127(5).
- El-razek, M. E. A., Bassioni, H. A. and Mobarak, A. M. (2008). *Causes of Delay in Building Construction Projects in Egypt*. Journal of Construction Engineering and Management, 134(11), 831-841.
- Enderson, E. S., Birchill, D., Jessen, S. A. and Money, A. H. (2006). *Exploring Project Success*. Baltic Journal of Management, 1(2), 127-147.
- Economic Planning Unit (EPU) Report. (2006). *Laporan Tahunan, Jabatan Perdana Menteri, Malaysia*.
- Economic Planning Unit (EPU) Report. (2010). *Laporan Tahunan, Jabatan Perdana Menteri, Malaysia*.
- Economic Planning Unit (EPU). (2013). *Malaysian Well-being Report*. Economic Planning Unit Report. Prime Minister's Department.
- Eric, J. W., Julie, C. S., Jerome, R. B. and Woo, Y. A. (2010). *Camparison of Decision Learning Models using the Generalization Criterion Method*. Wiley Online Library, Cognitive Science, Vol. 32, Issue 8.
- Fattah, M. Y. (2015). *Behavior of an Earth Dam during Rapid Drawdown of Water in Reservoir - Case Study*. International Journal of Advanced Research, 3(10), 110-122.
- Field, A. (2009). *Discovering Statistics Using SPSS (3rd Edition)*. London: SAGE Publications.

- Fornell, C., and Larcker, D. F. (1981). Evaluating structural equation models with unobservable and measurement error. *Journal of Marketing Research*, Vol. 34 (2), 161-188.
- Frefer, A. M. M., Haleema, H. and Almamlook, R. (2018). Overview Success Criteria and Critical Success Factors in Project Management. *Industrial Engineering and Management*, 7(1), 1-6.
- Fugar, F. D. K. and Agyakwah-Baah, A. B. (2010). Delays in Building Construction Projects. *Australasian Journal of Construction Economics and Building*, 10(1/2), 103-116.
- Gandhak, P. and Sabihuddin, S. (2014). Stakeholders' Perception of the Causes and Effect of Construction Delays on Project Delivery - A Review. *Journal of Construction Engineering and Project Management*, 41-46.
- Gelinas, R. (1999). The Just-In-Time Implementation Project. *International Journal of Project Management*, 17(3).
- Georgy, M. E., Chang, L. M. and Walsh, K. D. (2000). Engineering Performance in Industrial Construction. *Construction Congress VI*, 917-927.
- Gerni, M. (1970). Gurney Drive's Reclamation Project will Transform the Seaside Promenade. *STAR*, 1-12.
- Gill, J. and Johnson, P. (2002). *Research methods for managers*: SAGE Publications.
- Globerson, S. and Zwikael, O. (2002). The Impact of the Project Manager on Project Management Planning Processes. *Project Management Journal*.
- Götz, O., Liehr-Gobbers, K., and Krafft, M. (2010). Latent variables and indicies: Herman Wold's basic design and partial least squares. *Journal of applications in marketing and related fields*. (691-711). Berlin: Springer.
- Gu, A., Ali, K. and Toh, T. (2011). Modeling Construction Cost Factors in the Klang Valley Area of Malaysia. In *IEEE Symposium on Business, Engineering and Industrial Application*.
- Gündüz, M., Nielsen, Y. and Özdemir, M. (2013). Quantification of Delay Factors Using the Relative Importance Index Method. *Journal of Management in Engineering*, 29(2), 133-139.
- Guo, Q., Xu, Z., Zhang, G. and Tu, T. (2010). Comparative Analysis between the EPC Contract Mode and the Traditional Mode based on the Transaction Cost Theory. In *17th IEEE Conference*.

- Gyadu-Asiedu, W. (2009). Assessing Construction Project Performance in Ghana : Modelling Practitioners' and Clients Perspectives. PhD Thesis, Eindhoven University of Technology.
- Hair, J. F., Black, W. C., Babin, B. J., and Anderson, R.E. (2010). *Multivariate Data Analysis (7th Ed.)*. Upper Saddle River, NY: Prentice-Hall.
- Hair, J. F., Hult, G. T. M., Ringle, C. M. and Sarstedt, M. (2014). *A Primer on Partial Least Squares Structural Equation Modeling (PLS-SEM)*. Thousand Oaks: SAGE Publications.
- Hair, J. F., Matthew, L. M., Sarstedt, M. (2017). PLS-SEM or CB-SEM: Update Guidelines on which method to use. *International Journal Multivariate Data Analysis*, Vol.1, Vol.2.
- Hair, J. F., Ringle, C. M., and Sarstedt, M. (2011). PLS-SEM: Indeed, a silver bullet. *Journal of Marketing Theory and Practice*, Vol. 19 (2), 139-151.
- Hall, P. (1992). *The bootstrap and edgeworth expansion*. New York: Springer Verlag.
- Halpin, D. W. and Woodhead, R. W. (1980). *Construction management*. New York: Wiley Publishing Inc.
- Hamzah, N., Khoiry, M. A., Arshad, I., Tawil, N. M. and Ani, A. I. C. (2011). Cause of Construction Delay - Theoretical Framework. *Procedia Engineering*, 20, 490-495.
- Harrington, R. J., Lemak, D. J., Reed, R. and Kendall, K. W. (2004). A Question of Fit: The Links among Environment, Strategy Formulation and Performance. *Journal of Business & Management*, 10(1), 15-38.
- Harris, F. and McCaffer, R. (2001). *Modern Construction Management (5th Ed.)*. Wiley Publishing Inc.
- Haseeb, M., Lu, X., Bibi, A., Dyian, M. and Rabbani, W. (2011). Causes and Effects of Delays in Large Construction Projects of Pakistan. *Arabian Journal of Business and Management Review*, 1(4).
- Hasli, I., Aminuddin, B. and Ismail, A. (2008). Development of Methodology in Assessing Delay for Public Building Project in Malaysia. In *International Conference on Project Management*.
- Hassan, R. A. M. (2014). *An Investigation into the Delays in Road Projects in Bahrain. A Thesis Submitted for the Master's Degree in Engineering Management*.
- Hatfield, M. A. (1995). Three-dimensional Management in a Three-dimensional World. *Project Management Journal*, 26(1), 13-20.

- Hatush, Z. and Skitmore, M. R. (1997). Assessment and Evaluation of Contractor Data against Client's Goal using PERT Approach. *Construction Management and Economics*, 15(4), 327-340.
- Haupt, R., Kloyer, M. and Lange, M. (2007). Patent Indicators for the Technology Life Cycle Development. *Research Policy*, 36(3), 387-398.
- Hayes, A. F. (2009). Beyond Baron and Kenny: Statistical mediation analysis in the new millenium. *Communication Monographs*, Vol. 76, 408-420.
- Healey, J. (1964). Errors in Project Cost Estimates. *Indian Economic Journal*, 12(1).
- Henseler, J., and Chin, W. W. (2010). A comparison of approaches for the analysis of interaction effects between latent variables using partial least squares path modeling. *Structural Equation Modeling: A Multidisciplinary Journal*, Vol. 17 (1), 82-109.
- Henseler, J. and Hubona, G., Ray, P. (2015). Using PLS Path Modelling in Technology Research: Update Guidelines. *Journal of Industrial Management and Data Systems*, 116(1): 2-20.
- Henseler, J., Ringle, C. M., and Sinkovics, R. R. (2009). The use of partial least squares path modeling in international marketing. *Advances in International Marketing*, Vol. 20, 277-320.
- Hoshi, Y. (2003). Functional Near-Infrared Optical Imaging, Utility and Limitations in Human Brain Mapping. *Psychophysiology Articles*. Vol. 40. 511-520.
- Hoshi, Y. (2003). Functional Near-infrared Optical Imaging: Utility and Limitations in Human Brain Mapping. *Psychophysiology Book*, 40(4).
- Hsieh, H. F. and Shannon, S. E. (2005). Qualitative Health Research. *Journal of Health*, Vol.15 (9), 1277-1288.
- Hui, A. and Qin, S. (2010). Study on Cost Management of the General Contractor in EPC Project. In *Information Management, Innovation Management and Industrial Engineering Journal* (Vol. 2).
- Hulland, J. (1999). Use of partial least squares (PLS) in strategic management research: A review of four recent studies. *Strategic Management Journal*, Vol. 20, 195-204.
- Hwang, B. G. and Lim, E. S. J. (2013). Critical Success Factors for Key Project Players and Objectives: Case Study of Singapore. *Journal of Construction Engineering and Management*, 139(2), 204-215.

- Iacobucci, D., Saldanha, N., and Deng, X. (2007). A Meditation on Mediation: Evidence that Structural Equation Models Perform Better than Regression. *Journal of Consumer Psychology*, Vol. 7(2), 140-154.
- Ibrahim, I., Zahari, W., Yusoff, W. and Bilal, K. (2010). Space management : A study on space usage level in higher education institutions. *Procedia-Social and Behavioral Sciences*, Vol. 47, 1880-1887.
- Idrus, A. and Sodangi, M. (2010). Framework for Evaluating Quality Performance of Contractors in Nigeria. *International Journal of Civil and Environmental Engineering IJCEE-IJENS*, 10(1).
- Idrus, A., Sodangi, M. and Haq Husin, M. (2011). Prioritizing Project Performance Criteria within Client Perspective. *Research Journal of Applied Sciences, Engineering and Technology*, 3(10).
- Ika, L. A. (2009). Project Success as a Topic in Project Management Journals. *Project Management Journal*.
- Iram, N., Khan, B., Sahibzada, U. F. and Ahmad, M. S. (2016). Critical Factors Influencing the Project Success : An Analysis of Projects in Manufacturing and Construction in Punjab, Pakistan. *International Journal of Business Studies Review (IJBSR)*, 1(1).
- Ismail, I., Abdul Rahman, I., Memon, A. H. and Abdul Karim, A. T. (2013). Comparative Study on Time Management Practices in Construction Industry between Kedah and Kelantan. In 2nd International Conference on Global Optimization and its Application.
- Jack, S. A., Levy, O. and Dvir, D. (1997). Mapping the Dimension of Project Success. *Project Management Journal*, 28(2).
- Jacobson, C. and Choi, S. O. (2008). Success factors : public works and public - private partnerships. *International Journal of Public Sector Management*, 21(6), 637-657.
- Jarkas, A. M., and Bitar, C. G. (2012). Activities affecting construction labour productivity in Kuwait. *Journal of Construction Engineering and Management*, ASCE, Vol. 138 (7), 811-820.
- Jarkas, A. M. and Bitar, C. G. (2011). Factors affecting construction labour productivity in Kuwait: ASCE Library.

- Jarkas, A. M. and Bitar, C. G. (2011). Factors Affecting Construction Labor Productivity in Kuwait. *Journal of Construction Engineering and Management*, Vol. 138, Issue 7.
- Jarvis, C. B., Mackenzie, S. B. and Podsakoff, P. M. (2003). A critical review of construct indicators and measurement model misspecification in marketing and consumer research. *Journal of Consumer Research*, Vol. 30 (2), 199-218.
- Jatarona, N. A., Yusof, A., Ismail, S. and Saar, C. C. (2016). Public Construction Projects Performance In Malaysia. *Journal of Southeast Asian Research*, 2016.
- Jeong, H. S., Gransberg, D. D. and Gardner, B. J. (2015). Rational Selecting Data for Highway Construction Cost Estimating at the Conceptual Stage. In *Applying Artificial Neural Networks to Top-down Construction Cost Estimating of highway projects at the Conceptual Stage*. IOWA State University Captones.
- Jha, K. N. and Iyer, K. C. (2006). Critical Factors Affecting Quality Performance in Construction Projects. *Total Quality Management*, 17(9), 1155-1170.
- Jöreskog, K. G., and Sörbom, D. (1974). LISREL III. Chicago, Journal of Scientific Software.
- Jöreskog, K. G., Sörbom, D., Du-Toit, S., and Du-Toit, M. (1999). LISREL 8: New statistical features. Chicago, Scientific Software.
- Joshi, M. (2009). 80 per cent of Malaysian Government Projects Delayed, minister says in the Speech. In *TopNews*.
- Kadir, M. R. A., Lee, W. P., Jaafar, M. S., Sapuan, S. M. and Ali, A. A. A. (2005). Factors Affecting Construction Labour Productivity for Malaysian Residential Projects. *Structural Survey*, 23(1), 42-54.
- Kaming, P. F., Olomolaiye, P. O., Holt, G. D. and Harris, F. C. (1997). Factors Influencing Construction Time and Cost Overruns on High-rise Projects in Indonesia. *Journal of Construction Management and Economics*, 15(1).
- Kaming, P. F., Olomolaiye, P. O., Holt, G. D., & Harris, F. C. (2010). Factors Influencing Construction Time and Cost Overruns on High-rise Projects in Indonesia. *Journal Construction Management and Economics*, 15(1), 83-94.
- Kang, S. W. (2010). Causes, Effects and Methods of Minimizing Delays in Construction Projects. Thesis for the Bachelor Degree of Civil Engineering, Universiti Teknologi Malaysia.

- Kartam, N. A. (1996). Making Effective Use of Construction Lessons Learned in Project Life Cycle. *Journal of Construction Engineering and Management*, 122(1).
- KATS Website (2018), Kementerian Air Tanah dan Sumber Asli, Malaysia. <http://www.kats.gov.my>.
- Kerzner, H. (1987). Controlling the Project Development Cycle. *Journal of Systems Management*, 38(2), 30-39.
- Kerzner, H. (2002). *Project Management: A System Approach to Planning, Scheduling, and Controlling (Seventh)*. John Wiley & Sons, Inc.
- Kerzner, H. (2017). *Project management metrics, KPIs, and dashboards: a guide to measuring and monitoring project performance*. John Wiley and Sons.
- Khalid Naji Mohsin, A. Y. (2014). *Risk Assessment Model In Construction Projects*. Thesis for the Degree of Philosophy Doctor, Univerisiti Teknologi Malaysia.
- Kline, R. B. (2005). *Principles and practices of structural equation modeling (2nd Ed.)*. New York: Guilford Press.
- Kloppenborg, T. J. and Opfer, W. A. (2002). The Current State of Project Management Research: Trends, Interpretations, and Predictions. *Project Management Journal*.
- Kog, Y. C. and Loh, P. K. (2012). Critical Success Factors for Different Components of Construction Projects. *Journal of Construction Engineering and Management*, 138(4).
- Kumar, D. M. (2013). *Inimitable Issues of Construction Workers : Case Study*. *British Journal of Economics, Finance and Management Sciences*, 7(2).
- Kumar, R. (2005). *Research Methodology: A Step-by-Step Guide for Beginners*. First Edition, SAGE Publications Inc., London, U.K.
- Kumar, S., Hedrick, M., Wiacek, C. and Messner, J. I. (2010). Developing an Experienced-based Design Review Application for Healthcare Facilities using a 3D Game Engine. *Journal of Information Technology in Construction ITcon*, (16).
- Kumaraswamy. (1998). Industry Development through Creative Project Packaging and Integrated Management. *Engineering, Construction and Architectural Management*, 5(3), 228-237.

- Kumat, P. S., Alfnes, E. and Arica, E. (2007). A Concept for Project Manufacturing Planning and Control for Engineer. In IFIP International Conference on Advance in Production Management System (p.p. 10-15).
- Labuschagne, C. (2005). Sustainable Project Life Cycle Management : Development of Social Criteria for Decision-Making. Thesis for the Degree of Philosophy Doctor, University of Pretoria.
- Lansley, P. and Martin, B. (1993). Construction Management and Economics: A Review of the First Ten Years. *Journal of Construction Management and Economics*. Vol. 11, 1993 - Issue 4
- Latham, M. (1994). Constructing the Team. Report in Department of the Environment, Malaysia
- Lee, C. and Tsai, C. (2010). Nonlinear Adaptive Aggressive Control using Recurrent Neural Networks for a Small Scale Helicopter. *Mechatronics Journal*, Vol. 20(4), 474-484.
- Lee, H. and Kim, Y. (2017). Preliminary Design of Tall Building Structures with a Hexagrid System. *Procedia Engineering*, 171, 1085-1091.
- Lee, K. J., Zhang, S., Teizer, J., Eastman, C. M. Venugopal, M. (2013). Building Information Modeling (BIM) and Safety: Automation Safety Checking of Construction Models and Schedules. *Journal of Automation in Construction*. Vol. 29, Pages 183-195.
- Lee, S., Park, G., Yoon, B. and Park, J. (2010). Open Innovation in SMEs - An Intermediated Network Model. *Research Policy Report*, Vol. 39, 290-300.
- Le-Hoai, L., Lee, Y. D. and Lee, J. Y. (2008). Delay and Cost Overruns in Vietnam Large Construction Projects : A Comparison with Other Selected Countries. *Journal of Civil Engineering*, 12(6), 367-377.
- Lei, P. W. and Wu, Q. (2007). Introduction to structural equation modeling: Issues and practical considerations. *Educational Measurement: Issues and Practices*, Vol. 26 (3), 33-43.
- Levy, S. M. (2006). *Project Management in Construction (5th Ed.)*. McGraw-Hill Company.
- Lia, Z., Formisano, M. and Grappi, S. (2016). The Relationship between Brand Love and Actual Brand Performance : Evidence from an International Study. *International Marketing Review*.

- Lim, C. S. and Mohamed, M. Z. (1999). Criteria of Project Success : An Exploratory Re-examination. *International Journal of Project Management*, 17(4), 243-248.
- Liu, A. M. M. (1999). Residential Satisfaction in Housing Estates : A Hong Kong Perspective. *Journal of Automation in Construction*, 8(4), 511-524.
- Lobiondo-wood, G. and Haber, J. (2010). *Nursing Research (Seventh)*. Elsevier Ltd.
- Lohmöller, J. B. (1987). PLS-PC: Latent variables path analysis with partial least squares: Version 1.8, PCs under MS-DOS.
- Lohmöller, J. B. (1989). *Latent variable path modeling with partial least squares*. Heidelberg: Physica.
- Lohr, S. L. (2009). Multiple Frame Surveys. *Handbook for Statistics*. Vol. 29, Part A, Pages 71-88.
- Lohr, S. L. (2010). *Sampling: Design and Analysis (2nd Ed.)*. USA: BROOKS / COLE Publications.
- Low, S. P. and Chuan, Q. T. (2006). Environmental Factors and Work Performance of Project Managers in the Construction Industry. *International Journal of Project Management*, 24(1), 24-37.
- Macal, C. M. and North, M. J. (2006). Tutorial on Agent-based Modeling and Simulation Part 2: How to Model with Agents. In *Winter Simulation Conference* (p.p. 73-83).
- MacCullum, R. C., and Austin, J. T. (2000). Applications of structural equation modeling in psychological research. *Annual Review of Psychology*, Vol. 51, 201-226.
- Mahmud, Z. (2009). A Discriminant Analysis of Perceived Attitudes Toward Statistics and Profiles Identification of Statistics Learners. In *Proceedings of the 2nd WSEAS International Conference on Multivariate Analysis and its Application in Science and Engineering*.
- Majid, M. Z. A. and McCaffer, R. (1998). Factors of Non-excusable Delays That Influence Contractors ' Performance. *Journal of Management in Engineering*, 14, 42-49.
- Manavazhi, M. R. and Adhikari, D. K. (2002). Material and Equipment Procurement Delays in Highway Projects in Nepal. *International Journal of Project Management*, Vol. 20, 627-632.
- Manual DID - Department of Irrigation and Drainage, Malaysia. (2009). *Government of Malaysia*. Vol. 1 - 11.

- Marchewka, J. T. (2003). *Information Technology: Providing Measurable Organizational Value*. John Wiley & Sons, Inc.
- Mark, T. and Jones, T. (2003). Unpacking Complexity through Critical Stakeholder Analysis: The Case of Globalization. *Business Social*, 42(3), 430-454.
- Marzouk, M. M. and El-Rasas, T. I. (2014). Analyzing Delay Causes in Egyptian Construction Projects. *Journal of Advanced Research*, 5(1), 49-55. <https://doi.org/10.1016/j.jare.2012.11.005>
- Mastermann, J. W. (2002). *Introduction to Building Procurement Systems (2nd Ed.)*. Taylor & Francis Group Publishing .
- McCallum, R. C. and Austin, J. T. (2000). Applications of Structural Equation Modeling in Psychological Research. *Annual Review of Psychology*, 51, 201-226.
- McQueen, J., Kirsch, I., Jong, J. D. and Lafontaine, D. (2002). Reading for change: Performance and engagement across countries. Result from Pisa 2000: OECD Publications.
- Megha, D. and Rajiv, B. (2013). A Methodology for Ranking of Causes of Delay for Residential Construction Projects in Indian Context. *International Journal of Emerging Technology and Advanced Engineering*, 3(3), 396-404.
- Memon, A. H., Abdullah, M. R. and Abdul Rahman, I. (2014). Factors Affecting Construction Cost Performance in Project Management Projects : Case of MARA Large Projects. *International Journal of Civil Engineering and Built Environment*, Vol. 1(1).
- Memon, Z. A., Abdul, M. M. Z., Mustaffar, M. (2006). A Systematic Approach for Monitoring and Evaluating the Construction Progress. *Journal of Institution of Engineers, Malaysia*. Vol. 67, No.3, September 2006.
- Merewitz, L. (1973). How Do Urban Rapid Transit Projects Compare in Cost Estimating Experience. In *Proceedings of The International Conference on Transportation Research* (p.p. 483-493).
- Meyer, J. P., Becker, T. E., Dick, R. V. (2006). Social Identities and Commitments at Works: Towards an Integrative Model. *Journal of Social Management*, Vol.27- Issue 5. 665-683.
- Mezher, T. M. (1998). Causes of delays in the construction industry in Lebanon. *Engineering, Construction and Architectural Management*, 5(3), 252-260.

- Mian, A., Helo, P., Tauno, K. (2010). Critical Factors for Knowledge Management in Project Business. *Journal of Knowledge Management*. ISSN: 1367-3270.
- Milosevic, D., Inman, L. and Ozbay, A. (2001). Impact of Project Management Standardization on Project Effectiveness. *Engineering Management Journal*, 13(4), 9-16.
- Mobarak, S. (2005). *Construction Project Scheduling and Control*. USA : Pearson Parentice Hall.
- Mohammad, M. F., Saifuza, A., Shukor, A., Mahbub, R. and Halil, F. M. (2014). Challenges in the Integration of Supply Chains in IBS Project Environment in Malaysia. *Procedia - Social and Behavioral Sciences*, 153, 44-54.
- Mohd., A. Y. (2017). Recent Projects of a Preservation Framework for Digital Preservation. *International Journal of Academic Research in Business and Social Sciences*. Vol. 7 - Issue 11 (16-38).
- Moreau, K. A. and Back, W. E. (2000). Improving the Design Process with Information Management. *Journal of Automation in Construction*, Vol.10, 127-140.
- Moura, H. P., Teixeira, J. C. and Pires, B. (2007). Dealing With Cost and Time in the Portuguese Construction Industry. *CIB World Building Congress*, 1252-1265.
- Müller, R. and Jugdev, K. (2005). A Retrospective Look at Our Evolving Understanding of Project Success. *Project Management Journal*, Vol. 36 (4).
- Munns, A. K. and Bjeirmi, B. F. (1996). The Role of Project Management in Achieving Project Success. *International Journal of Project Management*, (Vol. 14), 81-87.
- Nachmias, C. and Nachmias, D. (1991). *Research methods in the social sciences*, Vol. 3(4): St. Martin Press.
- Naderpour, H. M., Asgari, M. Kheyroddin, A. (2018). Evaluation of Critical Success Factor of Construction Projects Using Soft Computing Methods. *International Journal of Innovation, Management and Technology*, Vol. 9, No. 1.
- Naoum, S. (2003). An Overview into the Concept of Partnering. *International Journal of Project Management*, 21(1), 71-76.
- National Value Management Guidelines. (2018). Economic Planning Unit (EPU).
- Nawaz, T., Shareef, N. A. and Ikram, A. A. (2013). Cost Performance in Construction Industry of Pakistan. *Industrial Engineering Letters*, 3(2), 19-34.

- NEDO. (1983). *Faster Building for Industry*. In *Construction Reports 1944-98* (p.p. 114-129) by John Connaughton and Lawrence Mbugua.
- Néelz, S. and Pender, G. (2011). *Flood inundation modelling to support flood risk management*. Blackwell Publishing Ltd.
- Neuendorf, K. A. (2016). *The content analysis guidebook*. SAGE Publications.
- Neuman, W. L. (2014). *Social Research Methods: Qualitative and Quantitative Approaches*. Pearson Education Limited.
- Newcombe, R., Langford, D. and Fellows, R. (1990). *Journal of Construction Management*, Mitchell, London.
- Ng, S. Y., Zhao, X., Hwang, B-G. (2013). Identifying the Critical Factors affecting Schedule Performance of Public Housing Projects. *Journal of Habitat International*. Vol. 38, Pages 214-221.
- Ng, W. S. and Aminah, Y. (2006). The Success Factors of Design and Build Procurement method : A Literature Visit. In *Proceedings of the 6th Asia-Pacific Structural Engineering and Construction Conference*.
- Ngai, S. C., Drew, D. S., Lo, H. P. and Skitmore, R. M. (2002). A Theoretical Framework for Determining the Minimum Number of Bidders in Construction Bidding Competitions. *Construction Management and Economics*, 20(6), 473-482.
- Ngoc, S. (2010). *Project Management: Supplier Conference*. Thesis for the Bachelor Degree of Bachelor in Business Management, Mikkeli University of Applied Science.
- Nguyen, L. D., Ogunlana, S. O. and Lan, D. T. X. (2004). A Study on Project Success Factors in Large Construction Projects in Vietnam. *Engineering, Construction and Architectural Management*, 11(6), 404-413.
- Nicolini, D. (2002). In Search of 'Project Chemistry'. *Journal of Construction Management and Economics*, 20(2), 1-5.
- Nkado, R. N. (1995). Construction Time-influencing Factors : The contractor's perspective. *Construction Management and Economics*, 13(1), 81-89.
- Nor Haslinda, A. (2018). Investigation on the Factors Influencing Construction Time and Cost Overrun for High-Rise Building Projects In Penang. *Journal of Physics: Conference Series*, (995).
- Nunnally, J. C., Bernstein, I. H. (1994). *Psychometric Theory*. New York: McGraw-Hill.

- National Value Management. (2018). International Organization for Standardization. National Value Management for ISO 21508.
- Oates, B. (2011). Evidence-based Information System: A Decade Later. In European Conference on Information Systems (ECIS).
- Oats, L. and Miller, A. (2009). Principles of International Taxation in Public Budgetting and Finance (2nd Ed.). West Sussex, Tottel publishing.
- Oberlender, G. D. (2000). Project Management for Engineering and Construction. Master of Science Thesis, Norwegian University of Science and Technology.
- Ochoa. (2013). The Legal Consequences of Construction Delays - (A Refresher). Construction Corner.
- Odeh, A. M. and Battaineh, H. T. (2002). Causes of construction delay : traditional contracts. *International Journal of Project Management*, 20, 67-73.
- Odeyinka, H. and Oladapo, A. A. (1997). The Causes and Effects of Construction Delays on Completion Cost of Housing Project in Nigeria. *Journal of Financial Management of Property and Construction*.
- Ogunlana, S. O. and Promkuntong, K. (1996). Construction Delays in a Fast-growing Economy : Comparing Thailand with Other Economies. *International Journal of Project Management*, 14(1), 37-45.
- Omran, A., Abdulbagei, M. A. and Gebril, A. O. (2012a). An Evaluation Of The Critical Success Factors For Construction Projects In Libya. *Journal of Economic Behavior*, 2(1), 17-25.
- Omran, A., Abdulbagei, M. A. and Gebril, A. O. (2012b). An Evaluation of the Critical Success Factors for Construction Projects in Libya. *Journal of Economic Behavior*, 2, 17-25.
- Oxford University Press. (1990). *The Oxford Dictionary of Literary Terms*. UK: Oxford University Press.
- Oxford University Press. (2013). *Oxford Dictionaries Online*. UK: Oxford University Press.
- Padsakoff, P. M. and Organ, D. W. (1986). Self-Report in Organisational Research: Problems and Prospects. *Journal of Management* (12), 531-544.
- Pai, S. K. and Bharath, J. R. (2013). Analysis of Critical Causes of Delays in India Infrastructure Projects. *International Journal of Innovative Research and Development*, 2(3), 251-263.

- Pallant, J. (2010). *SPSS Survival Manual (4th Edition)*. New York: McGraw-Hill Publications.
- Palmer, E. (2018). Five Factors That Lead to Successful Projects. *Project Management Articles*, 1-11. Retrieved from <https://project-management.com/five-factors-that-lead-to-successful-projects/>
- Park, K. S. (2009). Whole Life Performance Assessment: Critical Success Factors November. *Journal of Construction Engineering and Management*, 135(11).
- Parvis, F. R. (1979). Delays in Construction of Nuclear Power Plants. *Journal of the Energy Division*, 105(1), 33-46.
- Parviz, F. R. (1979). *The Advanced Project Management Office (First)*. Taylor and Francis Group.
- Patanakul, P., Iewwongcharoen, B. and Milosevic, D. (2010). An Empirical Study on the Use of Project Management Tools and Techniques across Project Life-Cycle and their Impact on Project Success. *Journal of General Management*.
- Peggy, S. B. and Deborah, V-C. (2015). Reputation, Responsibility and Stakeholder Support in Scandinavian Firms: A Comparative Analysis. *Journal on Business Ethics*, Vol. 127, Issue 1, p.p 49-64.
- Petter, S., Straub, D., and Rai, A. (2007). Specifying formative constructs in information systems research, *MIS Quarterly*, (31:4) 2007, p.p. 623-656.
- Pihlak, M., Deamer, P., Holland, R., Poerschke, U., Messner, J. and Parfitt, K. (2018). Building Information Modeling (BIM) and the Impact on Design Quality. *Journal of Architectural Engineering*, 101(1), 1-8.
- Pilcher, R. (1992). *Principles of Construction Management*. McGraw-Hill.
- Pinto, K. and Slevin, D. P. (1988). Critical Success Factors Across the Project Life Cycle, *Journal of Construction Management*, 1-13.
- PMBOK. (2000). *A Guide to the Project Management Body of Knowledge*. Project Management Institute, Inc.
- PMBOK. (2008). *A Guide to the Project Management Body of Knowledge (Fourth)*. Project Management Institute, Inc.
- PMBOK. (2012). *A Guide to the Project Management Body of Knowledge*. Project Management Institute, Inc.
- PMBOK. (2018). *A Guide to the Project Management Body of Knowledge*. Project Management Institute, Inc.

- PMI. (1997). Project Management Institute Annual Report. Project Management Institute, Inc.
- PMI. (2013). Project Management Institute Annual Report. Project Management Institute, Inc.
- PMI. (2015). Capturing the Value of Project Management. Project Management Institute, Inc.
- Podsakoff, P. M. and Organ, D. W. (1986). Self-Reports in Organizational Research: Problems and Prospects. *Journal of Management*, [https://doi.org/ 10.1177/014920638601200408](https://doi.org/10.1177/014920638601200408)
- Prabhakar, G. P. (2008). What is Project Success : A Literature Review. *International Journal of Business and Management*, 3(9), 3-10.
- Preacher, K. J. and Hayes, A. F. (2008). Asymptotic and resampling strategies for assessing and comparing indirect effects in multiple mediator models. *Behaviour Research Methods*, Vol. 40, 879-891.
- Project Documents in Project's Office in DID. (2017). Government of Malaysia.
- Proverbs, D. (2003). Cost Certainty and Time Certainty: An International Investigation in Greenwood, D. J. (Ed.), 19th Annual ARCOM Conference (p.p. 23-32).
- Pueyo, L., Kasdin, N. J., Carlotti, A. and Vanderbei, R. (2011). Instrumentation and Methods for Astrophysics Title : Design of PIAA coronagraphs over square apertures. *The Astrophysical Journal Supplement*, 195(2).
- Qi, J., Issa, R. R. A., Hnze, J. and Olbina, S. (2011). Computing in Civil Engineering. *Computing in Civil Engineering. Journal of American Society in Civil Engineers*. <https://doi.org/10.1061/41182>.
- Radujković, M. and Sjekavica, M. (2017). Project Management Success Factors. In *Creative Construction Conference* (p.p. 607-615). Primosten, Croatia.
- Rad, P., and Levin, G. (2002). *The Advanced Project Management Office: A Comprehensive Look at Function and Implementation*. Boca Raton, FL: St. Lucie Press.
- Rahman, I. A., Memon, A. H. and Abdul Azis, A. A. (2012). Time and Cost Performance of Costruction Projects in Southern and Central Regions of Peninsular Malaysia. *IEEE Colloquium on Humanities, Science & Engineering Research*, 52-57.

- Reffat, R. M. (2006). Architectural Exploration and Creativity using Intelligent Design Agents. In eCAADe. Vol.21 (p.p. 181-186).
- Reinartz, W. J., Haenlein, M. and Henseler, J. (2009). An empirical comparison of the efficacy of covariance-based and variance-based SEM. *International Journal of Research in Marketing*, Vol. 26 (4), 332-344.
- Render, B., Balakrishnan, N. and Stair, R. M. (2006). *Managerial Decision Modeling with Spreadsheets* (2nd Ed.). Parentice Hall.
- Ringle, C., Sarstedt, M. and Hair, J. F. (2013). Partial least squares structural equation modeling: Rigorous applications, better results and higher acceptance. *Journal of Long-Range Planning*, Vol. 46 (1), 1-12.
- Ringle, C., Wende, S. and Will, A. (2004). SmartPLS 2.0. M3 [Retrieved from <http://www.smartpls.de>].
- Roloff, J. (2013). The Supplier Perspective : Forging Strong Partnerships with Buyers. *Journal of Business Strategy*, 36(1).
- Rwelamila, P. D. and Hall, K. A. (1995). Total Systems Intervention: An integrated approach to time, cost and quality management. *Journal of Construction Management and Economics*, Vol. 13, 235-241.
- Saad, A. (2011). Factors Impact the Project's Life Cycle. *E-Leader Vietnam*, Vol. 1-30.
- Sadeh, A., Dvir, D. and Shenhar, A. (2000). The Role of Contract Type in the Success of R&D Defense Projects Under Increasing Uncertainty. *Project Management Journal*, 31(3), 14-22.
- Salleh, R. (2009). *Critical Success Factors of Project Management for Brunei Construction Projects : Improving Project Performance*. Thesis for the Degree of Philosophy Doctor, Queensland University of Technology.
- Samart, H. and Moungnoi, W. (2018). Critical Success Factors Influencing Construction Project Performance For Different Objectives: Operation And Maintenance Phase Abstract. *International Journal of Advances in Mechanical and Civil Engineering (IJAMCE)*, 5(5).
- Sambasivan, M. and Soon, Y. W. (2007). Causes and effects of delays in Malaysian construction industry. *International Journal of Project Management*, 25(2007), 517-526.

- Samuels, P., Klijn, F., Kortenhous, A., Sayers, P. (2008). FLOODsite Final Report. Vol. 1 - Advancement in knowledge and understanding. Integrated flood risk analysis and management methodologies. T35-09-01.
- Saraf, D. D. (2013). Study of Factors Affecting Performance of Construction Project. *International Journal of Science and Research (IJSR)*, 4(5), 1339-1341.
- Sarhan, S. and Fox, A. (2013). Performance Measurement in the UK Construction Industry and its Role in Supporting the Application of Lean Construction Concept. *Australasian Journal of Construction Economics and Building*, 1(13), 23-35.
- Saunders, M., Lewis, P. and Thornhill, A. (2009). *Research Method for Business Students (5th Ed.)*. New York: Prentice Hall Publications.
- Scheuren, F. (2004). *What is Survey?* American Statistical Association: Penn. State University.
- Scott, S. (1993). The Nature and Effects of Construction Delays. *Journal of Construction and Economics*, 11(5).
- Scott-Young, C. and Samson, D. (2004). Project Success and Project Team Human Resource Management. In *PMI® Research Conference: Innovations* (p.p. 1-13).
- Sekaran, U. (2000). *Research methods for business*. John Wiley and Sons, New York.
- Sekaran, U. (2003). *Research Methods for Business: A Skill-Building Approach (4th Ed.)*. New York: John Wiley & Sons.
- Sekaran, U. and Bougie, R. (2009). *Research Methods for Business: A Skill Building Approach (5th Ed.)*. United Kingdom: John Wiley & Sons Ltd.
- Shaffii, N. (2017). *Construction Industry Transformation Programme (CITP) 2016-2020*. CIDB Malaysia 2017.
- Shahrzad, K. and Afshari, H. (2011). A Success Measurement Model for Construction Projects. In *2011 International Conference on Financial Management and Economics*. Vol. 11, p.p. 186-190).
- Shehu, Z., Endut, I., Akintoye, A. and Holt, G. D. (2004). Cost Overrun in the Malaysian Construction Industry Projects: A Deeper Insight. *International Journal of Project Management*, Vol. 32(8).
- Shenhar, A. J., Dvir, D., Levy, O. and Maltz, A. C. (2001). Project Success : A Multidimensional Strategic Concept. *Long Range Planning Volume*, 34(6), 699-725.

- Shokri-Ghasabeh, M. and Kavousi-Chabok, K. (2009). Generic Project Success and Project Management Success Criteria and Factors : Literature Review and Survey. *WSEAS Transactions on Business and Economics*.
- Shook, C. L., Ketchen, D. J., Cycyota, C.S., and Crockett, D. (2003). Data analytic trends in strategic management research. *Strategic Management Journal*, Vol. 24 (12), 1231-1237.
- Shook, C. L., Ketchen, D. J., Hult, G. T. M. and Kacmar, K. M. (2004). An assessment of the use of structural equation modelling in strategic management research. *Strategic Management Journal*, Vol. 4, 397-404.
- Shrout, P. E. and Bolger, N. (2002). Mediation in experimental and non experimental studies: New procedures and recommendations. *Psychological Methods*, Vol. 7(4), 422-445.
- Sigmund, Z. and Radujkovi, M. (2014). Risk Breakdown Structure for construction projects on existing buildings, *Journal of Construction*, Vol. 119, 894-901.
- Singh, H. (2002). *Engineering and Construction Contracts Management : Post-commencement Practice*. Lexis Nexis Publishing.
- Skitmore, M. and Wai Johnny, W. K. (2010). Evaluation of Risk Factors Leading to Cost Overrun in Delivery of Highway Construction Projects. *Journal of Construction Engineering and Management*, 136 (5), 528-536.
- Smith, J. A. (2nd Ed.). (2015). *Qualitative psychology: A practical guide to research methods*. SAGE Publications.
- Stanley, E. P. (2007). *Project Management For Dummies (2nd Ed.)*. Wiley Publishing Inc.
- Stumpf, G. (2000). Scheduling Delay Analysis. *Cost Engineering Journal*, 42(7), 32-43.
- Sweis, G., Sweis, R., Abu Hammad, A. and Shboul, A. (2007). Delays in construction projects : The case of Jordan. *International Journal of Project Management*, Vol. 26 (2008), 665-674.
- Tabachnick, B. G. and Fidell, L. S. (2007). *Using multivariate statistics (5th Ed.)* Boston, MA: Allyn and Bacon.
- Takim, R., Akintoye, A. and Kelly, J. (2004). Analysis of Measures of Construction Project Success in Malaysia. In *20th Annual ARCOM Conference (Vol. 2, p.p. 1123-33)*.

- Taylor, N., Williams, R. C., Hogden, E., Braithraite, J. and Groene, O. (2015). High performing hospitals: A qualitative systematic review of associated factors and practical strategies for improvement. *BMC Health Services Research*, Vol. 15: 244.
- Temme, D., Kreis, H. and Hildebrandt, L. (2006). PLS path modeling: A software review. Sonderforschungsbereich 649: Ökonomisches Risiko, Humboldt-Universität Zu Berlin. Wirtschaftswissenschaftliche Fakultät, A Discussion Paper.
- Tenenhaus, M., Vinzi, V. E., Chatelin, Y. M. and Lauro, C. (2005). PLS path modeling. *Computational Statistics and Data Analysis*, Vol. 48, 159-205.
- Terry, W. (2003). Assessing Extension of Time delays on major projects. *International Journal of Project Management*, Vol. 21(1) :19-26.
- Thamhain, H. J. (1999). Emerging Project Management Techniques: A Managerial Assessment. In *Technology and Innovation Management Journal and PICMET International Conference*.
- The Economic Planning Unit, P. (2010). Tenth Malaysia Plan 2011-2015.
- Thomas, H. R., Horman, M. J., Lemes de Souza, U. E. and Zavrski, I. (2002). Reducing Variability to Improve Performance as a Lean Construction Principle. *Journal of Construction Engineering and Management*, Vol. 128(2).
- Thompson, B., Daniel, L. G. (1996). Activity analytic evidence for the construct validity of scores: A historical overview and some guidelines. *Educational and Psychological Measurement*, 56 (2): 197-208.
- Thomsett, R. (2002). *Radical Project Management*. NJ, USA: Parentice Hall Press Upper Saddle River.
- Ting, E., Yokomizo, K., Tang, H., Lam, J. V. T., Herrington, J. and VanSiclen, E. (2015). U.S. Patent Application No. 13/950,268.
- Toor, S. and Ogunlana, S. O. (2008). Critical Factors of Success in Large-scale Construction Projects: Evidence from Thailand Construction Industry. *International Journal of Project Management*, 26(4), 420-430.
- Toor, S. and Ogunlana, S. O. (2009). Construction Professionals' Perception of Critical Success Factors for Large-scale Construction Projects. *Construction Innovation*, (April).

- Torrington, D., Taylor, S., Hail, L. and Atkinson, C. (2011). *Human Resource Management, with Companion Website Digital Access Product description (Eighth)*. Financial Times / Prentice Hall.
- Trauner, T. J., Manginelli, W. A., Lowe, J. S., Nagata, M. F. and Furniss, B. J. (2009). *Construction Delays (2nd)*. Elsevier, 2009.
- Treffny, R. and Beilin, R. (2011). Gaining Legitimacy and Losing Trust: Stakeholder Participation in Ecological Risk Assessment for Marine Protected Area Management. *Environmental Values*, 20(3), 417-438.
- Tukel, O. and Rom, W. O. (2001). An Empirical Investigation of Project Evaluation Criteria. *International Journal of Operations & Production Management*, 21(3), 400-416.
- Tumi, S. A., Omran, A. and Kadir Pakir, A. H. (2009). Causes of Delay in Construction Industry in Libya. In *The International Conference on Administration and Business* (p.p. 265-272).
- Turner, J. R. and Muller, R. (2003). On the Nature of the Project as a Temporary Organization. *International Journal of Project Management*, 21, 1-8.
- Urbach, N., and Ahlemann, F. (2010). Structural equation modeling in information systems research using Partial Least Square. *Journal of Information Technology Theory and Application*, Vol. 11(2), 5-40.
- Urbanic, R. J. (2011). Developing Design and Management Skills for Senior Industrial Engineering Students. *Journal of Learning Design*, 4(3), 35-49.
- Vaismoradi, M., Turunen, H., and Bondas, T. (2013). Content analysis and thematic analysis: Implications for conducting a qualitative descriptive study. *Nursing and health sciences Journal*, 15(3), 398-405.
- Value Management Guidelines, Economic Planning Unit (EPU), Jabatan Perdana Menteri. (2009). Bil. 3, 2009.
- Vassilakis, C., Lepouras, G., Fraser, J. and Haston, S. (2005). Barriers to Electronic Service Development. *E-Service Journal*, 4(1), 41-63.
- Voss, M. and Kock, A. (2013). Impact of Relationship Value on Project Portfolio Success - Investigating the Moderating Effects of Portfolio Characteristics and External Turbulence. *International Journal of Project Management*, Vol. 31, 847-861.

- Wai, S. H., Yusof, A., Ismail, S. and Aun, N. C. (2012). Reviewing the Notions of Construction Project Success. *International Journal of Business and Management*, 7(1), 90-101.
- Wa'el, A., Razali, A. K., Azizah, S. and Ernawati. (2007). The significant factors causing delay of building construction projects in Malaysia. Article in *Engineering Construction and Architectural Management*, Vol. 14(2):192-206
- Walker, D. H. T. (1995). An investigation into construction time performance. *Construction Management and Economics*, 3(13), 263-274.
- Wan, W. Y. (2018). Development of Quality Culture in the Construction Industry. (unpublished paper). Universiti Teknologi Malaysia.
- Wang, X. and Huang, J. (2006). The Relationships between Key Stakeholders' Project Performance and Project Success: Perceptions of Chinese Construction Supervising Engineers. *International Journal of Project Management*, 24(3), 253-260.
- Watkins, A. (2006). So What Exactly Do Teacher-Researchers Think About Doing Research?. *Journal of Support for Learning (SFL)*. Wiley Online Library. Vol.21-Issue 1(12-18).
- Weikun, Z., Suran, Q., and Xiang L. (2018). Addressing Challenges in Construction Project Management Process. *International Journal of Innovation, Management and Technology*. Vol. 9(1).
- Welsh, E. (2002). Dealing with Data: Using NVivo in the Qualitative Data Analysis Process. *Qualitative Social Research*, Vol.3, No.2, Art.26.
- Wetzels, M., Odekerken-Schroder, G., Van Oppen, C. (2009). Using PLS Path Modeling for Assessing Hierarchical Construct Models: Guidelines and Empirical Illustration. *MIS Quarterly*, Vol. 33 (1), 177-195.
- Willaby, H. W., Costa, D. S. J., Burns, B. D., MacCann, C., and Roberts, R. D. (2014). Testing complex models with small sample sizes: A historical overview and empirical demonstration of what Partial Least Square (PLS) can offer differential psychology. *Personality and Individual Differences* (2014), <http://dx.doi.org/10.1016/j.paid.2014.09.008>.
- William, A. K. (2003). Economic Organisation in the Construction Industry: A Case Study of Collaborative Production Under High Uncertainty. *Georgetown Law*

- and Economics / Public Law Research Paper No.428600, UCLA School of Law and Economic. Paper No. 3-17.
- Williams, B., Brown, T., and Onsman, A. (2010). Exploratory activity analysis: A five-step guide for novices. *Emergency Primary Health Care*, Vol. 8 (3).
- Williams, L. J., Vandenberg, R. J., and Edwards, J. R. (2009). Structural equation modeling in management research: A guide for improved analysis. *Academy of Management Annals*, Vol. 3 (1), 543-604.
- Williams, T. (2003). Identifying the hard lessons from projects - Easily. *International Journal of Project Management*, Vol. 2004(22), 273-279.
- Wilson, H. (1969). Report of the Committee of Enquiry into Delays in Commissioning C.E.G.B. Power Stations, Published on January 2000, Vol. 1-2.
- Wisdom, J., and Creswell, J. W. (2013). Mixed methods: integrating quantitative and qualitative data collection and analysis while studying patient-centered medical home models. Rockville: Agency for Healthcare Research and Quality.
- Wit, A. De. (1988). Measurement of Project Success. *International Journal of Project Management* V, 6(3), 164-170.
- Wold, H. (1982). Soft Modeling: The basic design and some extension. In Jöreskog, K.G., and Wold, H. (Eds.), *System under indirect observations: Part II* (1-54). Amsterdam: North-Holland.
- Wood, M. (2005). Bootstrapped confidence interval as an approach to statistical inference. *Organizational Research Methods*, Vol. 8 (4), 454-470.
- World Meteorological Organisation (WMO) Report. (1999). *Jabatan Meteorologi Malaysia*.
- Wu, D. D., Zhang, Y., Wu, D. and Olson, D. L. (2010). Fuzzy Multi-objective Programming for Supplier Selection and Risk Modeling: A Possibility Approach. *European Journal of Operation Research*, 200(3), 774-787.
- Xiao, H. and Proverbs, D. (2003). Factors influencing contractor performance: An international investigation, *Journal of engineering construction and architectural management*, Vol. 10, 322-332.
- Yong, Y. C. and Mustafa, N. E. (2012). Analysis of Factors Critical to Construction Project Success in Malaysia. *Engineering, Construction and Architectural Management*, Vol. 1, 10-13.

- Young, T. (1999). *How to be a Better Project Manager*. The Industrial Society, Kogan Page.
- Yu, A. T. W., Shen, Q., Kelly, J. and Hunter, K. (2007). An Empirical Study of the Variables Affecting Construction Project Briefing / Architectural Programming. *International Journal of Project Management*, Vol. 25, 198-200.
- Zakaria, S. F., Rosli, M. Z., Ismail, M. (2018). *Exploration of Flood Mitigation Project Delays in Malaysia*. (unpublished paper), Universiti Teknologi Malaysia.
- Zamalia, M. (2009). *Handbook of research methodology: A simplified version*. Shah Alam: UPENA (University Publication Centre).
- Zarabizan, Z. (2015). *Final Account Closing Framework in Construction Project*. Doctor of Philosophy Thesis, Universiti Teknologi Malaysia, Johor Bahru.
- Zeitoun, A. (1998). *Raising the bar in project management awareness and application*, The 31st Annual PMI Seminars and Symposiums, Houston, TX: Newtown Square, Project Management Institute, PMI.
- Zhang, Y. and Wildemuth, B. M. (2009). *Qualitative Analysis of Content, Applications of Social Research Methods to Question in Information and Library Science*, 308-319. Westport City Libraries Unlimited.
- Zhang, Y., Reimer, B., Dobres, J., Pala, S. and Angell, L. (2013). *An Evaluation of the Visual Demands of Portable Telematics in Young Adult Drivers*.
- Zhao, X., Lynch, J. G. J., and Chen, Q. (2010). *Reconsidering Baron and Kenny: Myths and Truth about Mediation Analysis*. *Journal of Consumer Research*, Vol. 17, 197-206.
- Zhong, W., Qin, S. and Li, X. (2018). *Addressing Challenges in Construction Project Management Process*. *International Journal of Innovation, Management and Technology*, Vol. 9(1).
- Zidane, Y. J. T. and Anderson, B. (2018). *Causes of Delay and Their Cures in Major Norwegian Projects*. *The Journal of Modern Project Management*.
- Zikmund, W. G. (2006). *Business research methods (7th Ed.)*. USA: Thompson South-Western.
- Zurena, S., Salehuddin, M. Z. and Rosmini, O. (2013). *Responsiveness of Smart Card in Restaurants: Activities Analysis Approach*. *Procedia Social and Behavioral Sciences*, Vol. 105, 745-75.