

Online video-based abnormal detection using highly motion techniques and statistical measures

Ahlam Al-Dhamari^{*1}, Rubita Sudirman², Nasrul Humaimi Mahmood³,
Nor Hisham Khamis⁴, Azli Yahya⁵

¹⁻⁵Division of Electronic and Computer Engineering, School of Electrical Engineering,
Faculty of Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, Malaysia

¹Department of Computer Engineering, Faculty of Computer Science and Engineering,
Hodeidah University, Hodeidah, Yemen

*Corresponding author, e-mail: kmaahlam2@live.utm.my

Abstract

At the essence of video surveillance, there are abnormal detection approaches, which have been proven to be substantially effective in detecting abnormal incidents without prior knowledge about these incidents. Based on the state-of-the-art research, it is evident that there is a trade-off between frame processing time and detection accuracy in abnormal detection approaches. Therefore, the primary challenge is to balance this trade-off suitably by utilizing few, but very descriptive features to fulfill online performance while maintaining a high accuracy rate. In this study, we propose a new framework, which achieves the balancing between detection accuracy and video processing time by employing two efficient motion techniques, specifically, foreground and optical flow energy. Moreover, we use different statistical analysis measures of motion features to get robust inference method to distinguish abnormal behavior incident from normal ones. The performance of this framework has been extensively evaluated in terms of the detection accuracy, the area under the curve (AUC) and frame processing time. Simulation results and comparisons with ten relevant online and non-online frameworks demonstrate that our framework efficiently achieves superior performance to those frameworks, in which it presents high values for the accuracy while attaining simultaneously low values for the processing time.

Keywords: abnormal detection, foreground features, motion analysis, optical flow energy features statistical measures

Copyright © 2019 Universitas Ahmad Dahlan. All rights reserved.

1. Introduction

Owing to its widespread applications in today's world, video-based surveillance research considers as one of the most current hot topics in computer vision field. Detecting abnormal events from surveillance videos is an important task because of the increasing need for public security [1-3]. Despite that, the complication of the scenario and the unpredictability of the abnormalities make it a difficult and challenging task. A widespread solution is firstly by learning normal events from training data, and then identify abnormalities by measuring their resemblances or reconstruction errors in light of the learned normal models [4]. Those normal models could depend on feature distribution [5], trajectory [6], graph model [7], or sparse representation [8]. Currently, many methods have been proposed to detect abnormal incidents with very high accuracies, but only very few of these methods seek to detect abnormalities once they occur [9]. To accomplish online performance, the current frame must be processed before the next new frame depending on the sequence's frame rate [10]. Unfortunately, acquiring high processing speed always comes at the expense of detection accuracy or vice versa. Therefore, the big challenge in the abnormal detection field is to balance these two-performance metrics appropriately. Recently, there is a lot of research, which have been proposed to detect abnormalities [11-13].

Authors in [14] propose an approach to detect video-based anomalies using a determined entropy measure, which is calculated based on statistical processing of the spatiotemporal information for a group of interest points inside an area of interest by measuring and analyzing their randomness of both displacements and directions. Building a model based on raw video sequences is hard since the model intricacy would be considerably high. One solution extensively used to address this matter is to partition the video into small

spatial-temporal patches [10-12, 14-16], after that, some subsequent operations, as well as abnormal detection algorithm, are applied on these patches. However, this approach experiences several problems. One of these problems is that the patches only consist of information about the background, which does not assist in individual behavior modeling. Another problem, as mentioned in [15], is that all abnormal detection methods that employ this approach only partition the video into uniform patches, without taking into account the moving objects as a whole.

Authors in [17] proposed a method based on densely constructed spatiotemporal video volumes that are organized into large contextual graphs. For the dominant behaviors, a hierarchical codebook model is constructed. This method is able to model low-level and high-level spatial behaviors at the same time as well as the temporal and spatiotemporal pixel level changes. Subsequently, in [18], these spatiotemporal compositions are enhanced in terms of frame processing times, by taking into account the temporal variations of frame volumes as a descriptor. Authors in [19] proposed a fast-sparse method to detect anomalies by learned sparse combinations to quicken the coding phase. Although this approach improves the processing time of detection up to, on average, 140–150 frames per second, the accuracy is significantly influenced by the threshold, which frequently differs for different scenes. Cong *et al.* [20] proposed a method to use a sparse coding model and multi-scale histograms of optical flow as well as the reconstruction error as a metric for anomaly detection. Authors in [21] proposed a method to detect abnormalities by employing cues from the movement vectors in H.264/AVC compressed videos. The method suggests hierarchical processing in which the detection begins at coarsest level up to the final one. To classify the abnormal behavior from the normal one, the Gaussian Mixture Model (GMM) is utilized. Further improvement of this method is done by [22]. The authors adding orientation information for the movement vectors. In addition, they used non-parametric modeling in opposition to the previous parametric one, which assisted in enhancing the detection accuracy. The main differences between our framework and the other existing frameworks are as follows:

- a) Drawing out highly descriptive features, our framework utilizes two efficient motion algorithms while maintaining online-performance. In particular, it utilizes optical flow and background subtraction features, both of which effectively and independently utilized in the past [10, 23].
- b) The proposed framework is different from [24] in three aspects: the first one is that the proposed framework utilizes from extracting foreground features besides the ones from optical flow. This is very useful in the cases when the features extracted from optical flow energy are not descriptive sufficiently. Thus, the foreground features assist the proposed framework to detect abnormal incident properly. The second one is that our framework uses an adaptive threshold based on the training dataset. We also propose to use standard deviation measure to measure the deviation of data from the normal rate.

The remainder of this paper is organized as follows. The proposed framework in detail is described in Section 2. Section 3 sheds light on the public datasets, experimental setup and performance metrics, which use to evaluate the performance of the proposed framework. Section 4 presents the results and comparison experiments to demonstrate the advantages of the proposed framework. Finally, Section 5 concludes this study and suggests future work.

2. Research Method

This study proposes a new framework for online detection of abnormal behavior by relying on the foreground and optical flow energy features. The block diagram of the proposed framework is shown in Figure 1.

2.1. Pre-Processing

For simplicity, we resize all the frames into 240×320. After that, we convert all the frames to grayscale images. Changes in lighting conditions have an important effect on the performance of abnormal detection algorithms [1, 25]. One way to handle disparate illumination is to utilize illumination normalization as a pre-processing phase. In the proposed framework, we apply the illumination normalization algorithm using histogram equalization technique to control lighting conditions. After that, we apply Gaussian filtering to remove unwanted small objects.




Figure 1. Block diagram of the proposed framework

2.2. Feature Extraction

There are various algorithms for motion detection in live stream videos [1, 10]. Almost, all of them depend on comparing the current frame of video with the previous one. In the proposed framework, we use two efficient motion detection algorithms to detect and extract motion features, namely, background subtraction and optical flow. Further details on these algorithms are in the following paragraphs:

Foreground features: Foreground features are very beneficial to determine long-term incidents [10]. Foreground features points out to the information that represents the size of objects and their corresponding time in a certain scene [26]. They are obtained by making use of background subtraction approach on video frame [27]. Implementing background subtraction produces one binary mask for each video frame, in which the true logical values constitute the foreground features.

Optical flow energy features: Optical flow is employed to represent the global visible motion of the objects between consecutive frames [28]. For estimating optical flow there are three popular approaches: Lucas-Kanade [29], Pyramid Lucas-Kanade [30] and Horn-Schunck [31], the last one is used in our framework because it is the best approach that gave us practically the best results to compute efficiently dense flow fields. The optical flow energy features are computed as in the following:

$$O_p(i_p, j_p, t_p) = \frac{1}{N} \sum_{n=1}^N \|v_i^{(n)}, v_j^{(n)}\|_2 \quad (1)$$

where v_i and v_j refer to the horizontal and vertical components of optical flow in the space location (i_p, j_p) , respectively at the frame difference t_p . N indicates the number of pixels for each video frame.

2.3. Frame Difference Map (FDM)

Frame Difference Map (FDM) is created based on the differences in the generative masks of the consecutive frames. Firstly, we obtain the generative masks for the two consecutive frames, the previous generative mask (PGM) and current generative mask (CGM). Then, we compute the difference between them as in the following:

$$\text{FDM} = \text{CGM} - \text{PGM} \quad (2)$$

We also apply the morphological filter to remove small objects or noisy objects from the FDM. Figure 2 describes how to compute the FDM. As shown in Figure 1, the computed FDM will be employed to calculate the EOS statistical measure as in the next subsection.




Figure 2. Frame difference map (FDM)

2.4. EOS Statistical Measure to Detect Abnormal Behavior Detection

Abnormal behavior detection in the spotted scene is carrying out by applying statistical analyses on the *FDM*. We propose to use the following three statistical measures: entropy, occupancy, and standard deviation, we refer to these measures by Entropy-Occupancy-Standard deviation (EOS). Figure 3 presents an instance wherein the EOS measure increases in the case of occurring an anomaly incident.

- a) Entropy Measure (EM): It is a statistical measure of randomness that may be utilized to obtain the suspicion values of an image. It counts the quantity of information, on average, desired to encode the values of an image. The scene behavior entropy for an image *FDM* can be calculated using the following equation:

$$EM(FDM) = -\sum_{z=1}^k f_z \log_2 f_z \quad (3)$$

where k refers to the number of independent symbols and f_z is the frequency of the z -th pixel in the image [24, 32].

- b) Occupancy Measure (OM): This measure refers to the area occupied by the detected objects over time. The more *OM* value gets up, the more changing in the scene. We presume that in case of a significant difference in the *OM* value, a suspicious incident is occurring. Occupancy measure can be computed as in the following:

$$OM(FDM) = \frac{\sum(FDM)}{H \times M} \quad (4)$$

where $H \times M = 240 \times 320$ is the size of the frame.

- c) *Standard Deviation Measure (SM)*: For a random matrix *FDM* made up of N observations, the standard deviation is defined as:

$$SM = \sqrt{\frac{1}{N-1} \sum_{i=1}^N |FDM_i - \mu|} \quad (5)$$

where μ is the mean of *FDM*, which can be calculated as follows:

$$\mu = \frac{1}{N} \sum_{i=1}^N FDM_i \quad (6)$$

2.5. Adaptive Thresholding and Inference Phase

To obtain an adaptive threshold to be used in our proposed framework, we use quantiles algorithm (QA) [33] on the training datasets to find all measures explained in detail in the previous section for each frame difference map (*FDM*). QA will return quantiles of the values in a vector of data for the cumulative probability p in the range [0, 1]. The following steps describe how to find the threshold using quantiles for the three measures:

- a) First, we will find the Entropy, Occupancy and Standard deviation measures for each *FDM* in the training datasets. Consequently, this will provide us three vectors for Entropy (*EV*), Occupancy (*OV*), and Standard deviation (*SV*) measures, respectively.




Figure 3. EOS variation in the indoor scene from the UMN dataset

- b. Applying quantile function on the three vectors (EV , OV , and SV). Quantiles are specified using cumulative probability p from 0 to 1. For each m -element vector (EV , OV , and SV), which have the same length, quantile calculates quantiles as in the following:
 - The sorted values in EV , OV , and SV are taken as the $(0.5/m)$, $(1.5/m)$, ..., $([m - 0.5]/m)$ quantiles.
 - Calculate quantiles for probabilities between $\left[\left(\frac{0.5}{m}\right)\right]$ and $\left(\frac{[m - 0.5]}{m}\right)$ using linear interpolation. Here, in our framework, we choose $p = 0.80 \in \left[\left(\frac{0.5}{m}\right)\right]$ and $\left(\frac{[m - 0.5]}{m}\right)$.
 - Consider the values resulted from quantile function as QE , QO , and QS for EV , OV , and SV , respectively. Hence, these are the three adaptive thresholds for the three measures.
- c. For inferring an abnormal behavior in the testing datasets, we first calculate EV , OV , and SV measures for each testing FDM . The abnormal incidents can be found as in the following:

$$Abnormal\ Behavior = \begin{cases} \text{if } EV(i) > QE \text{ or} \\ \text{if } OV(i) > QO \text{ or} \\ \text{if } SV(i) > QS \end{cases}, i = 1, 2, \dots, n \quad (7)$$

where n is the number of frames.

3. Performance Evaluation

3.1. Benchmark Datasets

- a. University of Minnesota (UMN) Dataset: This dataset [34] is a commonly used benchmark. It comprises eleven video footages for three different escape views, one indoor view, and two outdoor views. The total length of this dataset is 7,739 frames. In addition, the resolution of the frames is 320×240 pixels.
- b. UCSD-PED1 Dataset: This dataset [35] includes 34 and 36 video clips for training and testing, respectively. The testing clips have different abnormal incidents such as carts, skaters, bicycles. Each video clip contains 200 frames for 20 seconds, with a resolution of 158×238. The total number of frames in this dataset is 14,000 frames.

3.2. Experimental Setup and Performance Metrics

The experiments on this study have been implemented and simulated using MATLAB R2017b (9.3.0.713579) x64 and OpenCV libraries on Linux platform with an Intel Core i7-4600U CPU working at 2.10 GHz with a 4 MB cache and 8 GB RAM. There are no GPU arrays in the implementation code to accelerate the computations, also the code is not parallelized. When the proposed framework encounters an abnormal incident like the one shown in Figure 4 (a). Automatically the framework will display an alert with "ALARM". Extracted foreground features are illustrated in Figure 4 (b). Also, the *FDM* between two consecutive generative masks is shown in Figure 4 (c).

The performance of the proposed framework was evaluated in terms of accuracy, receiver operating characteristic (ROC) and area under the curve (AUC). To measure the accuracy, we use the confusion matrix [18]. ROC curves and AUC are very useful for scholars in the fields of science, machine learning, computer vision and many others. The ROC curves are the most frequent manner that is used to demonstrate the performance of a binary classifier, while AUC is the best manner to sum the performance of the classifier in one single value. The ROC curve draws both the true positive rate (TPR) and the false positive rate (FPR) by applying several threshold values. The TPR is also known in machine learning as the probability of detection, recall, or sensitivity. Similarly, the FPR is also known as the probability of false alarm or fall-out. The area under the curve (AUC) is computed using trapz (FPR, TPR) in MATLAB. AUC value ranges between [0-1] and it describes how well the algorithm can correctly classify the behavior [36, 37].




Figure 4. An example shows sample abnormal incident from UMN dataset that is detected by the proposed framework (a) abnormal event, (b) foreground features, (c) frame difference map

4. Results And Analysis

To evaluate and compare the proposed framework with other frameworks, we used the codes available in [38, 39], for Lu *et al.* [19] and Biswas and Babu [21], respectively. The results of the other methods are taken from state-of-the-art papers in [10, 19]. The results of the proposed framework are shown in Table 1 employing UMN and UCSD ped1 datasets. Because of the nature of the two-class confusion matrix, there are four possible combinations: True Negative (TN), False Negative (FN), False Positive (FP), and True positive (TP), as shown in Table 1.

Table 2 demonstrates the average AUC applying our proposed framework besides different anomaly detection approaches using UMN dataset. Since the non-online frameworks seek mostly to attain detection accuracy in the account of the processing time, we compare our framework with non-online frameworks to prove that our framework offers very competitive results in terms of both mentioned criteria. As noted in Table 2, our framework presents the best results in terms of the AUC values comparing to all online methods. Moreover, comparing to non-online methods, the proposed framework achieves very competitive results to Li *et al.* [16] and Zhu *et al.* [40], while the frame processing time in the proposed framework is much less. In addition, we record the frame-level ROC curve applying this dataset. The outcomes are illustrated in Figure 5 (a). It can be noticed that the proposed framework is

superior to the online approaches proposed by Pennisi *et al.* [24], Leyva *et al.* [10], and Biswas and Babu [21], respectively. Also, our framework achieves great competitive results in comparing to other non-online approaches that have been designed in particular for attaining high performance in terms of accuracy, and not processing times, such as the one proposed by Li *et al.* [16]. With our framework, the overall average accuracy for UMN dataset reaches up to 97.393%. Similarly, in Figure 5 (b), comparing our framework with Biswas and Babu [21], Mahadevan *et al.* [35], and Adam *et al.* [41] in UCSD-PED1, our framework achieves the best performance.

Table 1. The Proposed Framework Results on UMN and UCSD-Ped1 Datasets (TN: Normal Patterns that are Correctly Detected, FN: Normal Patterns that are Wrongly Detected, FP: Abnormal Patterns that are Wrongly Detected, TP: Abnormal Patterns that are Correctly Detected)

Dataset	Number of Frames	Actual		Detected			Accuracy
		Normal	Abnormal	Normal TN	FN	FP	
UMN (Lawn scene)	1423	1239	184	1183	0	60	96.6777%
UMN (Indoor scene)	3912	3233	679	3173	116	60	95.5010%
UMN (Plaza scene)	2081	1865	216	1865	0	0	100%
UCSD Ped1	7200	4240	2960	3705	532	535	85.18%

Table 2. AUC Values Applying Different Anomaly Detection Approaches on the UMN Dataset⁶

Authors	AUC	Frame-Processing Time (ms)	On-Line Performance
Hu <i>et al.</i> [42] ¹	0.9770	200	
Li <i>et al.</i> [16] ²	0.9960	1100	
Cong <i>et al.</i> [20] ³	0.9730	3800	
Zhu <i>et al.</i> [40] ⁴	0.9970	4600	
Lu <i>et al.</i> [19] ⁵	0.7010	6	
Biswas and Babu [21] ⁶	0.7360	14	✓
Leyva <i>et al.</i> [10] ⁷	0.8830	31	✓
Pennisi <i>et al.</i> [24] ⁸	0.9500	30	✓
Ours	0.9867	20	✓

¹After computing optical flow and histogram (Pentium machine/3GHz CPU/4GB RAM) Implementaion: ²C/2.8GHz CPU/2GB RAM, ³C++&Matlab (feature extraction/model inference)/2.6GHz CPU/2GB RAM, ⁴3.1GHz CPU/3GB RAM, ⁵Matlab2012/3.4GHz CPU/8G RAM, ⁶Matlab/3.4GHz CPU, ⁷Matlab/2.7GHz CPU/8GB RAM, ⁸C++&Matlab/ 2.4GHz CPU/8GB RAM.




Figure 5. Comparisons of frame-level roc curves for: (a) UMN dataset, (b) UCSD-PED1 dataset

5. Conclusion

The main goal of intelligent video-based surveillance systems is to distinguish efficiently any suspected incident from a large number of videos to prevent risky cases. Mostly, to achieve this, two significant tasks should be employed. Firstly, feature extraction, which aims to detect

and extract an interesting area in a scene. Then, primitives based on these visual features are created to describe the interest area. Secondly, apply an inference method based on the provided semantic information about the human motion and determine whether the behavior is normal or abnormal.

In spite of the outstanding development in the area of anomaly behavior detection, there are some obstacles that make it complicated and challenging. For instance, the choice of features that are utilized to describe the moving object is a hard task as it affects drastically the characterizing and the analysis of the behavior. Furthermore, there are only a few online frameworks for video abnormal detection. To overcome these limitations, in this study, we proposed an efficient-online framework for abnormal behavior detection in surveillance videos. We tested our framework on the common datasets, UMN and UCSD. During conducting the simulation experiments, we noted that there is a trade-off between both the accuracy and frame processing time. Therefore, we design the proposed framework to be able to achieve high detection accuracy while attaining online performance by employing highly descriptive features, specifically, foreground and optical flow energy features as well as utilizing different statistical measures to efficiently analysis them. The proposed framework attains comparable performance to both online and non-online state-of-the-art abnormal detection approaches. Our future work could be to extend the proposed framework to other video applications.

Acknowledgements

The authors would like to express their gratitude to the Universiti Teknologi Malaysia and the Ministry of Education for supporting and funding this study under the Fundamental Research Grant Scheme (FRGS) (Vote. No. 4F821). We thank also all the anonymous reviewers for their helpful comments and suggestions.

References

- [1] Al-Dhamari A, Sudirman R, Mahmood NH. Abnormal behavior detection in automated surveillance videos: a review. *J Theor Appl Inf Technol*. 2017; 95(19): 5245–63.
- [2] Sodemann AA, Ross MP, Borghetti BJ. A review of anomaly detection in automated surveillance. *IEEE Trans Syst Man, Cybern Part C*. 2012; 42(6): 1257–72.
- [3] Yuan Y, Fang J, Wang Q. Online anomaly detection in crowd scenes via structure analysis. *IEEE Trans Cybern*. 2015; 45(3): 548–61.
- [4] Yuan Y, Feng Y, Lu X. Statistical hypothesis detector for abnormal event detection in crowded scenes. *IEEE Trans Cybern*. 2017; 47(11): 3597–608.
- [5] Del Giorno A, Bagnell JA, Hebert M. *A discriminative framework for anomaly detection in large videos*. European Conference on Computer Vision. Cham. 2016: 334–49.
- [6] Kumar D, Bezdek JC, Rajasegarar S, Leckie C, Palaniswami M. A visual-numeric approach to clustering and anomaly detection for trajectory data. *Vis Comput. Springer*. 2017; 33(3): 265–81.
- [7] Akoglu L, Tong H, Koutra D. Graph based anomaly detection and description: a survey. *Data Min Knowl Discov. Springer*. 2015; 29(3): 626–88.
- [8] Mabrouk A Ben, Zagrouba E. Abnormal behavior recognition for intelligent video surveillance systems: A review. *Expert Syst Appl*. 2018;91:480–91.
- [9] Wang T, Qiao M, Zhu A, Niu Y, Li C, Snoussi H. Abnormal event detection via covariance matrix for optical flow based feature. *Multimed Tools Appl*. 2018; 77(13): 17375–95.
- [10] Leyva R, Sanchez V, Li C-T. Video anomaly detection with compact feature sets for online performance. *IEEE Trans Image Process*. 2017; 26(7): 3463–78.
- [11] Ji Q-G, Chi R, Lu Z-M. Anomaly detection and localisation in the crowd scenes using a block-based social force model. *IET Image Process*. 2017; 12(1): 133–7.
- [12] Rojas OE, Tozzi CL. *Abnormal Crowd Behavior Detection Based on Gaussian Mixture Model*. European Conference on Computer Vision. Cham. 2016: 668–75.
- [13] Mariem G, Ridha E, Mourad Z. Detection of abnormal movements of a crowd in a video scene. *Int J Comput Theory Eng*. 2016; 8(5): 398-402.
- [14] Sharif MH, Djeraba C. An entropy approach for abnormal activities detection in video streams. *Pattern Recognit*. 2012; 45(7): 2543–61.
- [15] Wang G, Fu H, Liu Y. *Real time abnormal crowd behavior detection based on adjacent flow location estimation*. 4th International Conference on Cloud Computing and Intelligence Systems (CCIS). 2016: 476–9.
- [16] Li W, Mahadevan V, Vasconcelos N. Anomaly detection and localization in crowded scenes. *IEEE Trans Pattern Anal Mach Intell*. 2014; 36(1): 18–32.

- [17] Javan Roshtkhari M, Levine MD. *Online dominant and anomalous behavior detection in videos*. Proceedings of the IEEE conference on computer vision and pattern recognition. USA. 2013: 2611–8.
- [18] Ding J, Liu Y, Zhang L, Wang J, Liu Y. An anomaly detection approach for multiple monitoring data series based on latent correlation probabilistic model. *Appl Intell, Springer*. 2016; 44(2): 340–61.
- [19] Lu C, Shi J, Jia J. *Abnormal event detection at 150 fps in matlab*. Proceedings of the IEEE international conference on computer vision. Australia. 2013: 2720–7.
- [20] Cong Y, Yuan J, Liu J. *Sparse reconstruction cost for abnormal event detection*. IEEE Conference on Computer Vision and Pattern Recognition (CVPR). USA. 2011: 3449–56.
- [21] Biswas S, Babu RV. *Real time anomaly detection in H. 264 compressed videos*. Fourth National Conference on Computer Vision, Pattern Recognition, Image Processing and Graphics (NCVPRIPG). India. 2013: 1–4.
- [22] Biswas S, Babu RV. Anomaly detection in compressed H. 264/AVC video. *Multimed Tools Appl*. Springer; 2015; 74(24): 11099–115.
- [23] Chan Y-T, Wang S-J, Tsai C-H. Extracting foreground ensemble features to detect abnormal crowd behavior in intelligent video-surveillance systems. *J Electron Imaging. International Society for Optics and Photonics*. 2017; 26(5): 51402.
- [24] Pennisi A, Bloisi DD, Iocchi L. Online real-time crowd behavior detection in video sequences. *Comput Vis Image Underst*. 2016; 144: 166–76.
- [25] Sjarif NNA, Shamsuddin SM, Hashim SZ. Detection of abnormal behaviors in crowd scene: a review. *Int J Adv Soft Comput Appl*. 2012; 4(1): 1–33.
- [26] Reddy V, Sanderson C, Lovell BC. *Improved anomaly detection in crowded scenes via cell-based analysis of foreground speed, size and texture*. IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops (CVPRW). 2011: 55–61.
- [27] KaewTraKulPong P, Bowden R. An improved adaptive background mixture model for real-time tracking with shadow detection. *Video-based surveillance systems. Springer*. 2002: 135–44.
- [28] Fei F, Fang Z, Shu L. *A fast algorithm based on human visual system for abnormal event detection*. International Conference on Computer, Information and Telecommunication Systems (CITS). China. 2017: 185–9.
- [29] Lucas BD, Kanade T, others. An iterative image registration technique with an application to stereo vision. 1981.
- [30] Bouguet J-Y. Pyramidal implementation of the affine lucas kanade feature tracker description of the algorithm. *Intel Corp*. 2001; 5(1–10): 4.
- [31] Horn BKP, Schunck BG. Determining optical flow. *Artif Intell. Elsevier*. 1981; 17(1–3): 185–203.
- [32] Yin Y, Liu Q, Mao S. Global anomaly crowd behavior detection using crowd behavior feature vector. *Int J Smart Home*. 2015; 9(12): 149–60.
- [33] Langford E. Quartiles in elementary statistics. *J Stat Educ. Taylor & Francis*. 2006;14(3): 1-20.
- [34] Mehran R, Oyama A, Shah M. *Abnormal crowd behavior detection using social force model*. IEEE Conference on Computer Vision and Pattern Recognition. USA. 2009: 935–42.
- [35] Mahadevan V, Li W, Bhalodia V, Vasconcelos N. *Anomaly detection in crowded scenes*. IEEE Conference on Computer Vision and Pattern Recognition (CVPR). USA. 2010: 1975–81.
- [36] Fawcett T. An introduction to ROC analysis. *Pattern Recognit Lett*. 2006;27(8):861–74.
- [37] Fawcett T. ROC graphs: Notes and practical considerations for researchers. *Mach Learn*. 2004; 31(1): 1–38.
- [38] Lu C. Abnormal Event Detection. Available from: <http://shijianping.me>. Last Accessed: 03.03.2019.
- [39] Kernel density estimator, <http://uk.mathworks.com/matlabcentral/fileexchange/14034-kernel-density-estimator>. Last Accessed: 03.03.2019.
- [40] Zhu X, Liu J, Wang J, Li C, Lu H. Sparse representation for robust abnormality detection in crowded scenes. *Pattern Recognit*. 2014; 47(5): 1791–9.
- [41] Adam A, Rivlin E, Shimshoni I, Reinitz D. Robust real-time unusual event detection using multiple fixed-location monitors. *IEEE Trans Pattern Anal Mach Intell*. 2008; 30(3): 555–60
- [42] Hu Y, Zhang Y, Davis L. *Unsupervised abnormal crowd activity detection using semiparametric scan statistic*. IEEE conference on computer vision and pattern recognition workshops. 2013: 767–74.