

DISCRIMINATION OF
COUNTERFEIT FIFTY RINGGIT MALAYSIA BANKNOTES
USING ATTENUATED TOTAL REFLECTANCE-FOURIER TRANSFORM
INFRARED SPECTROSCOPY AND CHEMOMETRIC METHODS

FOO KEAT HOW

A dissertation submitted in partial fulfilment of the
requirements for the award of the degree of
Master of Science (Forensic Science)

Faculty of Science
Universiti Teknologi Malaysia

FEB 2019

DEDICATION

This thesis is dedicated to my beloved parents and wife, who taught me that the best kind of knowledge to have is that which is learned for its own sake and the largest task can be accomplished if it is done one step at a time.

ACKNOWLEDGEMENT

First of all, I would like to thank my parents and specially to my wife, New Siu Yee. This dissertation is also dedicated to my friends and colleagues in UTM, Saleem, Hakimah, Amalina, Azlan, Muzlifah, Syameem, Jennifer and Dr. Afiq for helping and encouraging me in every step in my Master journey. I thank you all from the bottom of my heart.

Gratitude to my supervisor, Dr. Hasmerya Maarof and co-supervisors, Dr. Najri Arafat Mahat, who have helped me in every situation and being patience towards me. Thank you for the encouragement and knowledge you have shared. It helped me to develop myself and gave me a moral support to push me complete the journey. I would like to take this opportunity to thank Mr. Zali from Central Bank of Malaysia and DSP Ernawati bt Abdul Wahab and her colleagues from Commercial Crime Investigation Department, for sharing and providing the information and samples to me. Special thanks to DSP Raja Maznah bte Raja Ghazali and her colleagues from External Course Division for the assistance given. Last but not least, thanks to the Mr. Zolkifli and Ms. Nurul Hajar, and staffs from Faculty of Science, for the assistance and co-operation given throughout the journey.

Words can't express my feelings for all of you that I have mentioned above and those names that are not mentioned here but will not be forgotten. Without you all, there would be no me.

Thank You All, for EVERYTHING....

ABSTRACT

Counterfeiting of banknotes is one of the oldest criminal activities since 5th century AD and it still a constant concern to various countries including Malaysia because of its effects on the economy. With the continuous improvement and advanced printing technology nowadays, the task of identifying counterfeit banknote is getting more formidable. This study presents the Attenuated Total Reflectance-Fourier Transform Infrared (ATR-FTIR) spectroscopy in combination with chemometric tools as an analytical method to discriminate authentic and counterfeit RM50 banknotes. The counterfeit RM50 banknotes were obtained on loan from Commercial Crime Investigation Department (CCID), Royal Malaysia Police (RMP). The RM50 banknotes samples were first examined under video spectral comparator (VSC) followed by the characterization of the genuine and counterfeit RM50 banknotes in the IR fingerprint region (1800-650 cm^{-1}) using ATR-FTIR. Fifteen areas of the RM50 banknotes samples were scanned for examining its functional groups in the IR fingerprint region and five areas of the RM50 banknotes samples were then selected into chemometric study. These parameters were computed using Solo 8.6 software to determine the organization of dataset and the main contributing factors for grouping using the unsupervised PCA. Supervised PLS-DA models were developed for predicting the unknown samples. PCA scores with more than 90% of variances was attained illustrating it as the main factors contributing for grouping. Although ATR-FTIR spectra was adequate for differentiating the genuine and counterfeit RM50 banknotes samples, PCA was applied for better separation in view of its practical values in forensic investigations, resulting few distinct clusters differentiating the genuine and counterfeit RM50 banknotes samples and within the counterfeit RM50 banknotes samples. The reliability of the PLS-DA results were examined based on its RMSEC, RMSECV and RMSEP values, and were acceptable for discrimination of genuine and counterfeit RM50 banknotes samples. Hence, the method of ATR-FTIR spectral data coupled with PCA and PLS-DA can be adopted as a useful complementary tool in RMP investigation for discriminating the genuine and counterfeit RM50 banknotes samples.

ABSTRAK

Pemalsuan matawang adalah antara aktiviti jenayah tertua sejak abad ke-5 AD dan ia masih menjadi kebimbangan berterusan kepada pelbagai negara termasuk Malaysia kerana kesannya terhadap ekonomi. Dengan penambahbaikan teknologi pencetakan canggih sekarang secara berterusan, usaha untuk mengenalpasti matawang palsu adalah semakin menyukarkan. Kajian ini menunjukkan keupayaan gabungan spektroskopi Attenuated Total Reflectance-Fourier Transform Infrared (ATR-FTIR) dengan kaedah kemometrik sebagai kaedah analisis dalam mendiskriminasikan matawang RM50 tulen dan palsu. Sampel matawang RM50 palsu telah dipinjam daripada Jabatan Siasatan Jenayah Komersil (JSJK), Polis Diraja Malaysia (PDRM). Sampel matawang RM50 berkenaan pada mulanya telah diperiksa dibawah video spectral comparator (VSC) kemudian diikuti dengan perbandingan ciri-cirinya di dalam lingkungan cap jari IR ($1800-650\text{ cm}^{-1}$) dengan menggunakan ATR-FTIR. 15 titik daripada setiap sampel matawang RM50 tersebut telah diimbis untuk memeriksa kumpulan fungsi kimianya di dalam lingkungan cap jari IR dan lima tempat daripada setiap sampel matawang RM50 tersebut kemudiannya telah dipilih untuk kajian kemometrik. Kedua-dua parameter tersebut disimulasi menggunakan perisian Solo 8.6 untuk menentukan organisasi set data dan faktor penyumbang utama bagi pengelompokan dengan menggunakan PCA yang tidak terselia. Model ramalan PLS-DA yang diselia telah dibina untuk meramalkan sampel anu. Pencapaian skor PCA yang melebihi variasi 90% menggambarkan ia sebagai faktor utama menyumbang kepada pengelompokan. Walaupun spektrum ATR-FTIR adalah mencukupi dalam membezakan antara sampel matawang RM50 tulen dan palsu. Namun, PCA dapat digunakan sebagai teknik klasifikasi yang lebih baik memandangkan nilai-nilai praktikalnya dalam penyelidikan forensik, dimana ia dapat menghasilkan kelompok yang dapat membezakan antara matawang RM50 palsu selain membezakan antara matawang RM50 tulen dan palsu. Nilai RMSEC, RMSECV dan RMSEP model PLS-DA tersebut telah diteliti dan didapati boleh diterima dalam membezakan antara sampel matawang RM50 tulen dan palsu. Justeru, kombinasi ATR-FTIR bersama PCA dan PLS-DA wajar dilihat berguna kepada pihak PDRM dalam membantu siasatan ke atas kes matawang RM50 palsu.

TABLE OF CONTENTS

	TITLE	PAGE
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGEMENT	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	x
	LIST OF FIGURES	xi
	LIST OF ABBREVIATIONS	xv
	LIST OF APPENDICES	xvii
CHAPTER 1	INTRODUCTION	1
	1.1 Background of Study	1
	1.2 Problem Statement	2
	1.3 Objectives	2
	1.4 Scope of Study	3
	1.5 Significance of Study	4
CHAPTER 2	LITERATURE REVIEW	5
	2.1 Introduction	5
	2.2 Security Features of RM50 Banknotes	5
	2.3 Counterfeit Banknotes in Malaysia	5
	2.4 Physical Examination of Counterfeit Banknotes	7
	2.5 Chemical Analysis of Counterfeit Banknotes	8
	2.5.1 Attenuated Total Reflectance-Fourier Transform Infrared (ATR-FTIR) Spectroscopy	8
	2.5.2 Raman Spectroscopy on Banknotes	9

2.5.3	ATR-FTIR Spectroscopy on Papers	10
2.6	Chemometric Analysis	10
2.6.1	Principal Component Analysis (PCA)	11
2.6.2	Partial Least Square Discriminant Analysis (PLS-DA)	12
2.7	Application of Chemometric Methods	13
CHAPTER 3	MATERIALS AND METHODS	15
3.1	Introduction	15
3.2	Materials	17
3.2.1	Chemicals and Samples	17
3.2.2	Software	17
3.2.3	Apparatus and Instruments	17
3.3	Experimental Design and Sample Preparation	19
3.4	VSC Examination	19
3.4.1	Magnification Examination	20
3.4.2	UV Examination	20
3.5	ATR-FTIR and Pre-processing	20
3.6	Chemometric Analysis	23
3.6.1	Principal Component Analysis (PCA)	24
3.6.2	Partial Least Square Discriminant Analysis (PLS-DA)	25
CHAPTER 4	RESULTS AND DISCUSSIONS	27
4.1	Introduction	27
4.2	VSC Examination	28
4.2.1	Magnification Examination	28
4.2.2	UV Examination	32
4.3	ATR-FTIR Spectrum	41
4.3.1	Overall ATR-FTIR Spectra of a Single Genuine and Counterfeit RM50 Banknotes	41

4.3.2	Comparison of ATR-FTIR Spectra of Single Area Within Genuine and Counterfeit RM50 Banknotes	45
4.3.3	Comparison of ATR-FTIR Spectrum Between Genuine and Counterfeit RM50 Banknotes	49
4.3.3.1	Obverse Area	50
4.3.3.2	Reverse Area	52
4.4	Principal Component Analysis (PCA)	53
4.4.1	Combined PCA Analysis	57
4.5	Partial Least Square Discriminant Analysis (PLS-DA)	59
4.5.1	First PLS-DA Model	59
4.5.2	Second PLS-DA Model	63
4.5.3	Third PLS-DA Model	65
CHAPTER 5	CONCLUSION AND RECOMMENDATION	69
5.1	Conclusion	69
5.2	Limitations	70
5.3	Recommendation	70
REFERENCES		71

LIST OF TABLES

TABLE NO.	TITLE	PAGE
Table 2.1	Arrest statistic of banknotes counterfeiters by CCID, RMP	6
Table 2.2	Statistic of counterfeit RM50 and RM100 denomination banknotes seized by CCID, RMP	6
Table 3.1	Software used in the analysis	17
Table 3.2	ATR-FTIR parameters used in the analysis	18
Table 4.1	Comparison of micro-letterings on the genuine and counterfeit RM50 banknotes under different magnification power of VSC40HD as per BNM guidelines in Appendix A	31
Table 4.2	Latent Variables represent the percent variance captured by first regression model	60
Table 4.3	Statistical parameters achieved by the first PLS-DA model built for genuine and counterfeit RM50 banknotes samples on cross-validated and predicted models	61
Table 4.4	Latent Variables represent the percent variance captured by second regression model	63
Table 4.5	Statistical parameters achieved by the second PLS-DA model built for genuine and counterfeit RM50 banknotes samples on cross-validated and predicted models	64
Table 4.6	Latent Variables represent the percent variance captured by third regression model	66
Table 4.7	Statistical parameters achieved by the third PLS-DA model built for counterfeit RM50 banknotes samples on cross-validated and predicted models	66

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE
Figure 2.1	Three different areas on Brazilian Real R\$50 banknotes analysed by Raman spectroscopy (Almeida <i>et al.</i> , 2013)	10
Figure 2.2	Example of PCA plot on an analysis of authentic (*), street counterfeit (▼) and lab-made counterfeit banknotes (■) (Almeida <i>et al.</i> , 2013)	12
Figure 3.1	Flowchart of the research showing sample collection, instrumental analysis and chemometric methods applied	16
Figure 3.2	VSC40HD (Foster and Freeman, UK)	18
Figure 3.3	Perkin-Elmer ATR-FTIR (Waltham, U.S.A.)	18
Figure 3.4	Area in the obverse (top) and reverse (bottom) of the banknotes scanned triplicates by ATR-FTIR	21
Figure 3.5	<i>Spectrum 10</i> Software workspace used with the ATR-FTIR instrument to view the spectrum of the samples	22
Figure 3.6	The raw (left) and preprocessed (right) spectra of banknotes samples	23
Figure 3.7	Data analysis workspace window on <i>Solo 8.6</i> software	23
Figure 3.8	Analysis flowchart on <i>Solo 8.6</i> software which was applied for PCA	24
Figure 3.9	Analysis flowchart on <i>Solo 8.6</i> software which was applied for PLS-DA	25
Figure 4.1	RM50 banknotes image shown on monitor using VSC Suite version 6.6 software	28
Figure 4.2	Genuine obverse side (top) and reverse side (bottom) of RM50 banknotes (KP9743355) under 2.05x magnification power	29
Figure 4.3	Counterfeit obverse side (top) and reverse side (bottom) of RM50 banknotes (BC5523567) under 2.05x magnification power	30

Figure 4.4	The invisible fluorescent elements of the background on the obverse of genuine RM50 banknotes (ZE3888587) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	33
Figure 4.5	The invisible fluorescent elements of the background on the reverse genuine RM50 banknotes (ZE3888587) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	34
Figure 4.6	No invisible fluorescent elements of the background on the obverse counterfeit RM50 banknotes (BC5523567) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	35
Figure 4.7	No invisible fluorescent elements of the background on the reverse counterfeit RM50 banknotes (BC5523567) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	36
Figure 4.8	Invisible fluorescent elements of the background on the obverse Category 3 counterfeit RM50 banknotes (HE2652290) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	37
Figure 4.9	No invisible fluorescent elements of the background on the reverse Category 3 counterfeit RM50 banknotes (HE2652290) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	38
Figure 4.10	No invisible fluorescent elements of the background on the obverse Category 3 counterfeit RM50 banknotes (GT4199967) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	39
Figure 4.11	Invisible fluorescent elements of the background on the reverse Category 3 counterfeit RM50 banknotes (GT4199967) fluoresce under (a) 254nm UV, (b) 312nm UV; and (c) 356nm UV	40
Figure 4.12	The spectra of the fifteen areas (Figure 3.4) at the obverse and reverse side of (a) genuine RM50 banknotes GC3499381; (b) genuine RM50 banknotes HC0094436; (c) counterfeit RM50 banknotes LA7655024; (d) counterfeit RM50 banknotes LA8069687 and (e) counterfeit RM50 banknotes FM4570618; samples illustrate the different functional groups, wavenumbers and intensities	43
Figure 4.13	The spectra after removed holographic stripe (O10) and security thread (R2) of (a) counterfeit RM50 banknotes LA7655024; (b) counterfeit RM50 banknotes LA8069687 and (c) counterfeit RM50 banknotes FM4570618; samples illustrate a more consistency spectra	44

Figure 4.14	The spectra of O3 of (a) all 8 genuine RM50 banknotes and (b) 28 counterfeit RM50 banknotes	45
Figure 4.15	The spectra of O9 of (a) all 8 genuine RM50 banknotes and (b) 28 counterfeit RM50 banknotes	46
Figure 4.16	The spectra of R3 of (a) all 8 genuine RM50 banknotes and (b) 28 counterfeit RM50 banknotes	47
Figure 4.17	The spectra of O10 of (a) all 8 genuine RM50 banknotes and (b) 28 counterfeit RM50 banknotes	48
Figure 4.18	The spectra of R2 of (a) all 8 genuine RM50 banknotes and (b) 28 counterfeit RM50 banknotes	49
Figure 4.19	ATR-FTIR spectrum comparison of area O1 of genuine (blue spectrum) and counterfeit (red spectrum) RM50 banknotes	51
Figure 4.20	ATR-FTIR spectrum comparison of area R1 of genuine (blue spectrum) and counterfeit (red spectrum) RM50 banknotes	52
Figure 4.21	ATR-FTIR spectrum comparison of area R3 of genuine (blue spectrum) and counterfeit (red spectrum) RM50 banknotes	53
Figure 4.22	Scores plot of PC1×PC2×PC4 of the PCA analysis of (a) area O3; (b) O6; (c) O8; (d) O9; and (e) R3 of the genuine (■) and counterfeit (◆) RM50 banknotes	56
Figure 4.23	Graph of the loadings of (a) PC 1 and (b) PC2 versus wavenumbers (variables) for the PCA of area O3	57
Figure 4.24	Scores plot of PC1×PC2×PC3 of the PCA analysis of five areas (O3, O6, O8, O9 and R3) of the genuine and counterfeit RM50 banknotes	58
Figure 4.25	Scores plot of PC1×PC2×PC4 of the PCA analysis using extracted five PC scores of the five PCA (O3, O6, O8, O9 and R3) of the genuine (■) and counterfeit (◆) RM50 banknotes	58
Figure 4.26	The Q-residuals vs Hotelling's T ² plot of first PLS-DA model for discrimination of five areas (O3, O6, O8, O9 and R3) of genuine (◆) and counterfeit (●) RM50 banknotes	62
Figure 4.27	Validated first PLS-DA model showing all the five areas (O3, O6, O8, O9 and R3) of genuine RM50 banknotes (◆) below dashed line and counterfeit RM50 banknotes (●) above dashed line	62

Figure 4.28	The Q-residuals vs Hotelling's T^2 plot of second PLS-DA model for discrimination of genuine (♦) and counterfeit (●) RM50 banknotes	64
Figure 4.29	Validated second PLS-DA model showing genuine RM50 banknotes (♦) below dashed line and counterfeit RM50 banknotes (●) above dashed line	65
Figure 4.30	The Q-residuals vs Hotelling's T^2 plot of third PLS-DA model for discrimination of counterfeit class 1 (♦) and counterfeit class 2 (●) RM50 banknotes	67
Figure 4.31	Validated third PLS-DA model showing counterfeit class 1 (♦) RM50 banknotes below dashed line and counterfeit class 2 (●) RM50 banknotes above dashed line	67

LIST OF ABBREVIATIONS

IR	- Infrared
HPLC	- High Performance Liquid Chromatography
MS	- Mass Spectrometry
RM	- Ringgit Malaysia
ATR-FTIR	- Attenuated Total Reflectance Fourier Transform Infrared Spectroscopy
PCA	- Principal Component Analysis
2D	- 2 Dimensional
3D	- 3 Dimensional
PLS-DA	- Partial Least Square Discriminant Analysis
GA	- Genetic Algorithm
SW	- Stepwise Formulation
SPA	- Successive Projections Algorithm
RMP	- Royal Malaysia Police
BNM	- Central bank of Malaysia
CCID	- Commercial Crime Investigation Department
IP	- Investigation Paper
UV	- Ultraviolet
VSC	- Video Spectral Comparator
ATM	- Automated Teller Machine
UTM	- Universiti Teknologi Malaysia
CDM	- Cash Deposit Machine
RBI	- Reserve Bank of India
LDA	- Linear Discriminant Analysis
PC	- Principal Component
LV	- Latent Variable
Vis	- Visible
ZnSe	- Zinc Selenide
DTGS	- Deuterated Triglycine Sulfate
SNV	- Standard Normal Variate

FD	-	First Derivative
SD	-	Second Derivative
RMSEC	-	Root Mean Squared Error
RMSECV	-	Root Mean Squared Error of Cross-Validation
RMSEP	-	Root Mean Squared Error Prediction
R^2	-	Predicted Coefficient of Determination

LIST OF APPENDICES

APPENDIX	TITLE	PAGE
Appendix A	Security Features of Genuine RM50 Banknotes	75
Appendix B	Handing Over of Counterfeit RM50 And RM100 Banknotes by Commercial Crime Investigation Department (CCID), Royal Malaysia Police (RMP)	81
Appendix C	Information Provided by Commercial Crime Investigation Department (CCID), Royal Malaysia Police (RMP)	85
Appendix D	Transmittance Spectrum Data of ATR-FTIR Spectroscopy for Different Functional Groups	91
Appendix E	ATR-FTIR Spectrum Comparison of Area O2, O3, O4, O5, O6, O7, O8, O9, O11 and O12 of Genuine (Blue Spectrum) and Counterfeit RM50 Banknotes (Red Spectrum)	93
Appendix F	ATR-FTIR Spectrum Raw Data of Genuine and Counterfeit RM50 Banknotes	99

CHAPTER 1

INTRODUCTION

1.1 Background of Study

Counterfeiting of banknotes is one of the oldest criminal activities since 5th century AD and it still a constant concern to various countries because of its effects on the economy (Almeida *et al.*, 2013; Itrić & Modrić, 2017). Malaysia is among the countries that cannot spare of the counterfeiting banknotes criminal activities.

In addressing the counterfeiting banknotes criminal activities, some non-destructive and destructive forensic analysis have been reported done on the counterfeit banknotes such as identification of counterfeit England £20 banknotes using infrared (IR) spectroscopy (Sonnex *et al.*, 2014) and identification of counterfeit Brazil Real banknotes using Raman spectroscopy (Almeida *et al.*, 2013). For destructive analysis, Xu *et al.*, 2016 have been reported to used high performance liquid chromatography (HPLC) and HPLC/mass spectrometry (HPLC/MS) to analyse the red ink used on the seized counterfeit 100-yuan banknotes.

However, no similar study has been done on counterfeit Ringgit Malaysia (RM) banknotes. Herein, for the first time this study will focus on discriminating the counterfeit RM banknotes using non-destructive attenuated total reflectance-fourier transform infrared spectroscopy (ATR-FTIR) technique and video spectral comparator (VSC). The IR spectrum data will be further explored with chemometric techniques, unsupervised Principal Component Analysis (PCA) and supervised partial least square discriminant analysis (PLS-DA) for classification and discriminating the RM50 banknotes from forensic point of view.

1.2 Problem Statement

Continuing efforts have been put by the Royal Malaysia Police (RMP) who have been cooperates with the Central Bank of Malaysia (BNM) to track and curb the counterfeiting of banknotes activities in Malaysia. The operation and investigation works on the counterfeiting banknotes activities in Malaysia is carry out by the Commercial Crime Investigation Department (CCID) of RMP and the seized questioned banknotes is analyse and certify by BNM for its authenticity. Meanwhile, the prosecution on the counterfeit banknotes syndicates and its members is carry out by the public prosecutor after receiving the investigation paper (IP) from RMP attached with the certified counterfeit banknotes document issued by BNM.

With the continuous improvement and advanced printing technology nowadays, the task of identifying counterfeit banknote is getting more formidable. The same goes to the syndicates behind the counterfeit banknotes activities, who has been getting smarter and better organized in order to hide from the authorities. Hence, a more reliable and robust technique to address the counterfeiting issue is needed, which could assist the RMP in tracking down the source of origin of the counterfeit banknotes if it could be associated to the syndicate and counterfeiter. Moreover, the detailed analysis of the composition of the counterfeit RM50 banknotes in the fingerprint region could serve as a centralized database to facilitate the police investigation and to narrow down the field of possible suspects.

1.3 Objectives

The objectives of the studies are as follows:

- (a) To examine the security features of the counterfeit RM50 banknotes using magnification function and ultraviolet (UV) light of various wavelengths of video spectral comparator (VSC) and compare it with the genuine RM50 banknotes according to the guidelines by BNM.

- (b) To analyse fingerprint region characteristic of the counterfeit RM banknotes and genuine RM50 banknotes using ATR-FTIR spectroscopy.
- (c) To determine the classification of RM50 banknotes ATR-FTIR dataset using unsupervised PCA and prediction of unknown banknotes samples ATR-FTIR dataset using supervised PLS-DA.

1.4 Scope of Study

Sample of counterfeit RM banknotes (RM50 x 33 pieces) was obtained on loan from the CCID, RMP which were seized in 2017. From the obtained samples, only 28 pieces of the counterfeit RM50 banknotes samples featuring RM50 (fourth series) introduced into circulation in July 2009 were selected into study. The RM50 genuine banknotes denomination featuring the same series were obtained from automated teller machine (ATM) in Universiti Teknologi Malaysia (UTM), Taman Sri Pulai and Taman Universiti, Skudai, Johor Bahru. The 5 pieces of the counterfeit RM50 banknotes others than the said series were excluded from the study.

For physical examination, the counterfeit RM50 banknotes was first observed under digital magnification of VSC for its security features compared to genuine RM50 banknotes according to the guidelines by BNM. The study on the counterfeit RM50 banknotes were followed by optical examination using VSC for its security features when exposed to UV light of various wavelengths compared to the genuine RM50 banknotes according to the guidelines by BNM.

For discriminating the counterfeit RM50 banknotes from that of genuine RM banknotes, triplicates scan using non-destructive ATR-FTIR spectroscopy was done on fifteen areas of the banknotes sample to examined its variations in chemical functional groups, their wavenumbers and intensities in the fingerprint region (1800-650 cm^{-1}). For chemometric analysis, the data obtained were computed using *Solo 8.6* stand alone chemometrics software for determining the organization of the datasets

and its main contributing factor for grouping using PCA. Next, the PCA exploratory results were used in the supervised PLS-DA to build a predictive model for the prediction of unknown samples.

1.5 Significance of Study

With the continuous advancement of digital printing technologies and sharing of the counterfeiting knowledge over the internet, it is unavoidable that the counterfeit banknotes syndicates are expanding and may produce more large-scale counterfeiters. A big amount of counterfeit RM banknotes could have been circulated in the market for some times until the counterfeit banknotes factories or syndicates were cracked down by the RMP. The analysis on the seized counterfeit RM50 banknotes with the use of non-destructive examinations such as VSC and spectroscopy especially ATR-FTIR coupled with chemometric techniques like PCA and PLS-DA have yet to be reported so far.

Thus, the present research results have indicated the feasibility of this analytical techniques system for discriminating the counterfeit RM50 banknotes from the genuine banknotes and possible linking the counterfeit RM50 banknotes to its source of production origin based on IR spectrum generated. With this, the authority could possible linking the counterfeit RM50 banknotes to the counterfeiters based on the results which could be used as an information to create future database.

This analytical approach is non-destructive in nature, rapid, relatively cheap and manageable by the authorities i.e. RMP and BNM. This study may provide an effective forensic intelligence solution for law enforcement parties to address the counterfeiting issue and aid their investigation based on the chemical fingerprint of the material used in the counterfeit banknotes.

REFERENCES

- Almeida, M., Correa, D., Rocha, W., J.O. Scafi, F. and Poppi, R. (2013) ‘Discrimination between authentic and counterfeit banknotes using Raman spectroscopy and PLS-DA with uncertainty estimation’, *Microchemical Journal*, 109, pp. 170–177.
- Cao, Z., Liu, Y. and Zhao, J. (2014) ‘Efficient Discrimination of Some Moss Species by Fourier Transform Infrared Spectroscopy and Chemometrics’, *Journal of Spectroscopy*, 2014, pp. 1–9.
- Correia, R. M., Domingos, E., Tosato, F., Aquino, L. F. M., Fontes, A. M., Cáo, V. M., Filgueiras, P. R. and Romão, W. (2018) ‘Banknote analysis by portable near infrared spectroscopy’, *Forensic Chemistry*, 8, pp. 57–63.
- Christou, C., Agapiou, A., & Kokkinofa, R. (2018) ‘Use of FTIR spectroscopy and chemometrics for the classification of carobs origin’, *Journal of Advanced Research*, 10, pp. 1–8.
- Derose, J., & Doppler, M. (2016). Investigations Done Easy and Fast Part 1: Ballistics, Tool Marks, And Questioned Documents / Counterfeiting / Forgery, Leica DVM6 Product Page.
- da Silva Oliveira, V., Saldanha Honorato, R., Honorato, F. and Fernandes Pereira, C. (2018) ‘Authenticity Assessment of Banknotes Using Portable Near Infrared Spectrometer and Chemometrics’, *Forensic Science International*, 286, pp. 121–127.
- Gholizadeh, A., Borůvka, L., Saberioon, M. M., Kozák, J., Vašát, R., & Němeček, K. (2016) ‘Comparing different data preprocessing methods for monitoring soil heavy metals based on soil spectral features’, *Soil and Water Research*, 10(4), pp. 218–227.
- Henseler, J., Ringle, C. M., & Sinkovics, R. R. (2009) *The use of partial least squares path modeling in international marketing*. Emerald Group Publishing Limited, 20, pp. 277 – 319.
- Itrić, K. and Modrić, D. (2017) ‘Banknote characterization using the FTIR spectroscopy’, *Technical Journal (1846-6168)*, 11, pp. 83–88.

- Kher, A., Mulholland, M., Reedy, B., & Maynard, P. (2001) 'Classification of Document Papers by Infrared Spectroscopy', *Applied Spectroscopy*, 55(9), pp. 12–16.
- Kreindler, R. J. (2012). The Stereo Microscope. *Stereo Microscopy*, (2), pp. 1–26.
- Kanwal, N. K., Jat, D., & Malhotra, M. (2015) 'Spectral analysis of various security features in the Indian currency note of highest denomination using Video Spectral Comparator-40'. *International Journal of Innovative Science Engineering and Technology*, 2(11), pp. 823–842.
- Lanzarotta, A. (2016) 'Analysis of forensic casework utilizing infrared spectroscopic imaging', *Sensors (Switzerland)*, 16(3), pp. 278.
- Miller, J. N. and Miller, J. C. (2005) *Statistics and Chemometrics for Analytical Chemistry*. Pearson/Prentice Hall.
- Nur Awatif, R., Rozita, O., Norashikin, S., & Mohd Zuli, J. (2015) 'Application of Chemometric Techniques to Colorimetric Data in Classifying Automobile Paint', 19(4), pp. 790–798.
- Poletto, M., Ornaghi Júnior, H. L., & Zattera, A. J. (2014) 'Native cellulose: Structure, characterization and thermal properties', *Materials*, 7(9), pp. 6105–6119.
- Rozenstein, O., Paz-Kagan, T., Salbach, C., & Karnieli, A. (2015) 'Comparing the Effect of Preprocessing Transformations on Methods of Land-Use Classification Derived from Spectral Soil Measurements', *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 8(6), pp. 2393–2404.
- Rinnan, Å., Berg, F. van den, & Engelsen, S. B. (2009) 'Review of the most common pre-processing techniques for near-infrared spectra', *Trends in Analytical Chemistry*, 28(10), pp. 1201–1222.
- S. Boll, M., Doty, K., Wickenheiser, R. and K. Lednev, I. (2017) 'Differentiation of Hair Using ATR FT-IR Spectroscopy: A Statistical Classification of Dyed and Non-dyed Hairs', *Forensic Chemistry*, 6, pp. 1–9.
- Sonnex, E., Almond, M. J., Baum, J. V., & Bond, J. W. (2014) 'Identification of forged Bank of England £20 banknotes using IR spectroscopy', *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 118, pp. 1158–1163.
- Sauzier, G., Giles, P., Lewis, S. W., & Van Bronswijk, W. (2015) 'In situ studies into the characterisation and degradation of blue ballpoint inks by diffuse reflectance visible spectroscopy', *Analytical Methods*, 7(12), pp. 4892–4900.

- Silva, C. S., Borba, F. de S. L., Pimentel, M. F., Pontes, M. J. C., Honorato, R. S., & Pasquini, C. (2013) 'Classification of blue pen ink using infrared spectroscopy and linear discriminant analysis', *Microchemical Journal*, 109, pp. 122–127.
- Thermo Fisher Scientific. (2013). Forensic Analysis of Paper Currency with FT-IR Microscopy. *Application Note 52531*.
- Verma, N., Kumar, R., & Sharma, V. (2018) 'Analysis of laser printer and photocopier toners by spectral properties and chemometrics', *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 196, pp. 40–48.
- Vila, A., Ferrer, N., Mantecón, J., Bretón, D. and García, J. F. (2006) 'Development of a fast and non-destructive procedure for characterizing and distinguishing original and fake euro notes', *Analytica Chimica Acta*, 559(2), pp. 257–263.
- Vahur, S., Knuutinen, U. and Leito, I. (2009) 'ATR-FT-IR spectroscopy in the region of 500–230cm⁻¹ for identification of inorganic red pigments', *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 73(4), pp. 764–771.
- Xu, Y. Jian, Zhou, X. xin, & Shi, X. fan. (2016) 'HPLC and HPLC/MS analysis of red ink on counterfeit 100-yuan notes', *Forensic Science International*, 259, pp. 47–52.